BIOCHIMICA ET BIOPHYSICA ACTA

AUTHOR and SUBJECT INDEXES

VOLUMES 375–417

1975

BIOCHIMICA et BIOPHYSICA ACTA

AUTHOR and SUBJECT INDEXES

VOLUMES 375—417

1975

EDITORIAL BOARD

H. R. V. Arnstein (London)
J. Baddiley (Newcastle)
A. D. Bangham (Babraham)
A. J. Barrett (Cambridge)
G. Bernardi (Paris)
C. C. F. Blake (Oxford)
R. L. Blakeley (Iowa City)
N. K. Boardman (Canberra)
S. L. Bonting (Nijmegen)
P. Bornstein (Seattle)
P. Borst (Amsterdam)
L. Bosch (Leiden)
J. Brachet (Brussels)
A. E. Braunstein (Moscow)
J. Bremer (Oslo)
D. H. Brown (St. Louis)
M. M. Burger (Basel)
P. N. Campbell (Leeds)
E. S. Canellakis (New Haven)
H. N. Christensen (Ann Arbor)
R. D. Cole (Berkeley)
C. F. Cori (Boston)
F. L. Crane (Lafayette)
R. K. Crane (Piscataway)
A. R. Crofts (Bristol)
P. Cuatrecasas (Baltimore)
J. Daly (Bethesda)
J. De Gier (Utrecht)
P. Desnuelle (Marseilles)
R. F. Doolittle (La Jolla)
S. Ebashi (Tokyo)
A. Ehrenberg (Stockholm)
L. Ernster (Stockholm)
H. Faillard (Saarbrücken)
E. F. Gale (Cambridge)
J. Gergely (Boston)
F. Gibson (Canberra)
G. A. Gilbert (Birmingham)
W. B. Gratzer (London)
O. Greengard (Boston)
M. Gruber (Groningen)
M. Grunberg-Manago (Paris)
H. Gutfreund (Bristol)
D. J. Hanahan (Tucson)
W. Hasselbach (Heidelberg)
J. N. Hawthorne (Nottingham)
D. A. Haydon (Cambridge)
E. Heinz (Frankfurt)
H. C. Hemker (Leiden)
H. G. Hers (Louvain)
G. Hind (Upton)
S.T. Jacob (Hershly, Pa)
V. Jagannathan (Poona)
O. Jardetzky (Stanford)
P. Joliot (Paris)
P. Jollès (Paris)
P. W. Jungblut (Wilhelmshaven)
M. D. Kamen (La Jolla)
K. A. Karlsson (Göteborg)
M. Kates (Ottawa)
B. Ke (Yellow Springs)
A. Kepes (Paris)
S. C. Kinsky (St. Louis)
A. Kleinzeller (Philadelphia)
M. Klingenberg (Munich)
J. R. Knowles (Cambridge, Mass.)
H. A. Krebs (Oxford)
M. D. Lane (Baltimore)
C. P. Lee (Philadelphia)
L. F. Leloir (Buenos Aires)
W. J. Lennarz (Baltimore)
S. Lissitzky (Marseilles)
F. Lynen (Munich)
H. M. McConnell (Stanford)
F. Maley (Albany)
K. A. Marcker (Aarhus)
R. D. Marshall (London)
V. Massey (Ann Arbor)
A. Meister (New York)
J. C. Metcalfe (Cambridge)
A. Monroy (Naples)
J. F. Morrison (Canberra)
H. N. Munro (Cambridge, Mass.)
A. Neuberger (London)
L. W. Nichol (Canberra)
P. Nicholls (Odense)
G. L. Nicolson (San Diego)
R. C. Nordlie (Grand Forks)
A. I. Oparin (Moscow)
L. E. Orgel (San Diego)
L. Packer (Berkeley)
S. Papa (Bari)
D. F. Parsons (Buffalo)
D. S. Parsons (Oxford)
S. M. Partridge (Bristol)
H. Peck (Athens, Ga.)
P. G. W. Plagemann (Minneapolis)
D. J. Prockop (New Brunswick)
G. K. Radda (Oxford)
H. Rasmussen (Philadelphia)
J. Roche (Paris)
K. J. Ryan (Boston)
M. R. J. Salton (New York)
H. J. Schatzmann (Bern)
N. Sharon (Rehovoth)
B. Shore (Livermore)
D. Shugar (Warsaw)
P. Siekevitz (New York)
J. Sjövall (Stockholm)
V. P. Skulachev (Moscow)
E. C. Slater (Amsterdam)
F. Snyder (Oak Ridge)
F. Šorm (Prague)
W. D. Stein (Jerusalem)
Y. Stein (Jerusalem)
R. H. Stellwagen (Los Angeles)
W. Stoeckenius (San Francisco)
F. B. Straub (Budapest)
J. M. Tager (Amsterdam)
C. A. Thomas (Boston)
T. E. Thompson (Charlottesville)
S. N. Timasheff (Waltham)
P. O. P. Ts'o (Baltimore)
A. Tzagoloff (New York)
D. W. Urry (Birmingham, Ala.)
P. R. Vagelos (St. Louis)
L. L. M. Van Deenen (Utrecht)
D. Vazquez (Madrid)
D. F. H. Wallach (Boston)
E. C. Webb (Brisbane)
C. Weissmann (Zürich)
R. Whittam (Leicester)
R. J. P. Williams (Oxford)
A.R. Williamson (Glasgow)
H. G. Wittmann (Berlin)
T. Yonetani (Philadelphia)
H. G. Zachau (Munich)
D. B. Zilversmit (Ithaca)

ELSEVIER SCIENTIFIC PUBLISHING COMPANY

AMSTERDAM

AUTHOR INDEX

VOLUMES 375–417

1975

A

Aalbers, A.M.J., see Reijnders, L. (390) 69
Aalbers, A.M.J., see Reijnders, L. (414) 206
Aas, M., see Slinde, E. (398) 191
Aasa, R., Vännĝard, T. and Dunford, H.B. EPR studies on compound I of horseradish peroxidase (391) 259
Ab, G., see van Ooyen, A.J.J. (395) 128
Abatangelo, C., see Castrelos, O.D. (400) 137
Abbott, B.J., see May, S.W. (403) 245
Abe, H., see Shinjyo, S. (411) 165
Abe, H., see Yuasa, S. (413) 277
Abe, T., see Peirce, K. (381) 348
Abeles, R.H., see Schepler, K.L. (397) 510
Abou-Sabé, M., Burday, M. and Gentsch, J. On the regulation of adenosine 3′,5′-monophosphate synthesis in bacteria. I. Effect of carbon source variation on cyclic AMP synthesis in Escherichia coli B/r (385) 281
Abou-Sabé, M. and Mento, S. On the regulation of cyclic AMP level in bacteria. II. In vitro regulation of adenylate cyclase activity. Solubilization and reconstitution of a functional membrane-bound adenylate cyclase system, responsive to regulation by glucose (385) 294
Abra, R.M. and Quinn, P.J. A novel pathway for phosphatidylcholine catabolism in rat brain homogenates (380) 436
Abramov, V.M., see Troitsky, G.V. (400) 24
Abramsky, O. and London, Y. Purification and partial characterization of two basic proteins from human peripheral nerve (393) 556
Abramson, M., see Huang, C.-C. (384) 484
Acharya, A., see Langer, J.A. (407) 320
Acker, S. and Duranton, J. Independance des formes spectrales de chlorophylle a et des holochromes chlorophylliens (Independence of spectral forms of chlorophyll a and chlorophyll holochromes) (387) 279
Acton, G.J. and Schopfer, P. Control over activation or synthesis of phenylalanine ammonia-lyase by phytochrome in mustard (Sinapis Alba L.)? A contribution to eliminate some misconceptions (404) 231
Adachi, K., see Asakura, T. (412) 197
Adam, M., see Juricová, M. (386) 239
Adams, J.B., Dodsworth, I. and Jackson, D.E. Enzymic synthesis of steroid sulphates. XI. Study of the estrogen binding site of estrogen sulphotransferase by affinity labelling with 4-mercuri-17 -estradiol (384) 423
Ades, H., see Danzer, L.A. (386) 26
Adler, L.W., see Rosen, B.P. (387) 23
Adzick, N.S., see Chaudry, I.H. (399) 85
Ager, J.A.M., see Lorkin, P.A. (379) 22
Agitsky, G.Ju., see Troitsky, G.V. (400) 24
Agranoff, B.W., see Lapetina, E.G. (398) 118
Agranoff, B.W., see Pollock, R.J. (380) 421
Ahern, E., Holder, W., Ahern, V., Serjeant, G.R., Sergeant, B.E., Forbes, M., Brimhall, B. and Jones, R.T. Haemoglobin F Victoria Jubilee ($a_2{}^{A}\gamma_2$ 80 ASP→Tyr) (393) 188
Ahern, T., see Kay, J.E. (378) 241
Ahern, V., see Ahern, E. (393) 188
Ahmad, A., see Surolia, A. (404) 83
Ahmed, K., Wilson, M.J. and Davis, A.T. Phosvitin phosphate content: Implications for protein kinase assay (377) 80
Aithal, H.N., see Janki, R.M. (375) 446
Aizawa, M., Coughlin, R.W. and Charles, M. Electrochemical regeneration of nicotinamide adenine dinucleotide (385) 362

Akasaka, K., Aoshima, H., Hatano, H., Sato, S. and Murao, S.
Peptide hydrogen exchange rates in Streptomyces subtilisin inhibitor. A study by proton magnetic resonance (412) 120
Akera, T., see Tobin, T. (389) 117
Akera, T., see Tobin, T. (389) 126
Åkesson, B.
Turnover of palmitoylcarnitine in rat liver (398) 485
Akhtar, R.A. and Perry, M.C.
The effect of digitonin on the stimulation by insulin of glucose uptake by isolated fat cells (411) 30
Akkerman, J.W.N., Gorter, G., Over, J., Sixma, J.J. and Staal, E.J.
Human platelet 6-phosphofructokinase. Relation between inhibition by Mg·ATP^{2-} and cooperativity towards Fru-6-P and investigations on the formation of a ternary complex (397) 395
Aktipis, S., see Schulz, R.M. (386) 120
Alaupovic, P., see Carey, C. (401) 6
Alaupovic, P., see Ledford, J.H. (398) 132
Albers, J.J., see Bierman, E.L. (388) 198
Albers, R.W., see Swann, A.C. (382) 437
Albers, R.W., see Swann, A.C. (401) 299
Albert, A., Regañon, E., Saiz, J.L. and Usobiaga, P.
Physicochemical studies on tryptic digestion of bovine fibrinogen (386) 382
Alberts, A.W., see Fall, R.R. (379) 496
Albin, E.E., Davison, S.J. and Newburgh, R.W.
Properties of cyclic nucleotide phosphodiesterase in the central nervous system of Manduca sexta (377) 364
Albin, E.E. and Newburgh, R.W.
Phosphoprotein phosphatase in the central nervous system of Manduca sexta (377) 381
Albin, E.E. and Newburgh, R.W.
Cyclic nucleotide-stimulable protein kinase in the central nervous system of Manduca sexta (377) 389
Albracht, S.P.J. and Heidrich, H.G.
Beef-heart submitochondrial particles: A mixture of mitochondrial inner and outer membranes (376) 231
Aleksandrowicz, Z. and Świerczyński, J.
The inhibition by bromothymol blue of anion translocation across the mitochondrial membrane (382) 92
Alexander, J., see Capuzzi, D.M. (409) 144
Alexander, M., see Portman, O.W. (398) 55
Alfano, R.R., see Yu, W. (387) 159
Alfsen, A., see Gallay, J. (397) 489
Alfsen, A., see Gallay, J. (397) 501
Algranati, I.D., see García-Patrone, M. (395) 373
Ali, S.S. and Elliott, W.H.
Bile acids. XLVII. 12α-Hydroxylation of precursors of allo bile acids by rabbit microsomes (409) 249
Aliotta, G., see Rigano, C. (384) 37
Alizade, M.A., see Brendel, K. (397) 1
Alizade, M.A., Bressler, R. and Brendel, K.
Stereochemistry of the hydrogen transfer to NAD catalyzed by (S)alanine dehydrogenase from Bacillus subtilis (397) 5
Allan, D., Low, M.G., Finean, J.B. and Michell, R.H.
Changes in lipid metabolism and cell morphology following attack by phospholipase C (Clostridium perfringens) on red cells or lymphocytes (413) 309
Allard, D., see Aunis, D. (393) 284
Allen, J.E., see Rasmussen, H. (411) 63
Allen, W.S., see Varma, R. (399) 139
Allison, W.S., see You, K.-S. (384) 317
Almon, R.R. and Appel, S.H.
Interaction of myasthenic serum globulin with the acetylcholine receptor (393) 66
Aloia, R.C., see Keith, A.D. (394) 204
Alpers, D.H. and Tedesco, F.J.
The possible role of pancreatic proteases in the turnover of intestinal brush border proteins (401) 28
Alpert, N.R., see Shiverick, K.T. (393) 124
Alpert, Y. and Banerjee, R.
Magnetic susceptibility measurements of deoxygenated hemoglobins and isolated chains (405) 144
Alsen, C., Bertram, U., Gersteuer, T. and Ohnesorge, F.K.
Studies on acetylcholinesterase and cholinesterase covalently bound to

polymaleinic anhydride (377) 297
Alvarez, O., Diaz, E. and Latorre, R.
Voltage-dependent conductance induced by hemocyanin in black lipid films (389) 444
Alving, C.R., Conrad, D.H., Gockerman, J.P., Gibbs, M.B. and Wirtz, G.H.
Vitamin A in liposomes. Inhibition of complement binding and alteration of membrane structure (394) 157
Amakawa, A., see Shimazu, T. (385) 242
Amemura, A., see Kato, K. (391) 96
Amesz, J. and De Grooth, B.G.
Light-induced absorbance changes due to Photosystems 1 and 2 in spinach chloroplasts at −50 °C (376) 298
Amesz, J., see Velthuys, B.R. (376) 162
Amici, D., see Gianfranceschi, G.L. (414) 9
Anderson, D.R., see Carraway, K.L. (379) 571
Anderson, E.A., see Dunker, A.K. (402) 31
Anderson, E.S., see Humpreys, G.O. (383) 457
Anderson, J.C.
Isolation of a glycoprotein and proteodermatan sulphate from bovine achilles tendon by affinity chromatography on concanavalin A-Sepharose (379) 444
Anderson, J.M.
Molecular organization of chloroplast thylakoids (416) 191
Anderson, K.M., Mendelson, I.S. and Guzik, G.
Solubilized DNA-dependent nuclear RNA polymerases from the mammary glands of late-pregnant rats (383) 56
Anderson, R., Livermore, B.P., Volcani, B.E. and Kates, M.
A novel sulfonolipid in diatoms (409) 259
Anderson, R.E., Anger, G., Petersson, L., Ehrenberg, A., Cammack, R., Hall, D.O., Mullinger, R. and Rai, K.K.
The iron electron-nuclear double resonance (ENDOR) of 4-Fe clusters in iron—sulfur proteins from Chromatium and Clostridium pasteurianum (376) 63
Anderson, R.E., see Benolken, R.M. (413) 234
Anderson, R.E., Dunham, W.R., Sands, R.H., Bearden, A.J. and Crespi, H.L.
On the nature of the iron sulfur cluster in a deuterated algal ferredoxin (408) 306
Anderson, W.H., see Gellerman, J.L. (388) 277
Andersson, L.-O., see Brandt, J. (386) 196
Andonian, M.R., Barrett, A.S. and Vinogradov, S.N.
Physical properties and subunits of Haemopis grandis erythrocruorin (412) 202
Andonian, M.R. and Vinogradov, S.N.
Physical properties and subunits of Dina dubia erythrocruorin (400) 244
Andre, F. and Descos, F.
Purification d'une glycoprotéine gastrique humaine et étude de ses components glucidiques (Purification of human gastric glycoprotein and the study of its carbohydrate components (386) 129
André, J., see Ledoigt, G., (407) 222
Andreeva, I.N., see Vartapetian, B.B. (411) 357
Andreu, J.M. and Munoz, E.
Micrococcus lysodeikticus ATPase. Purification by preparative gel electrophoresis and subunit structure studied by urea and sodium dodecylsulfate gel electrophoresis (387) 228
Andreu, J.M., see Nieto, M. (413) 394
Andrieu, J.M., see Dray, F. (403) 131
Andrillon, J., see Labia, R. (384) 242
Andronico, F. and Beccari, E.
Isolation of a DNA fraction highly enriched in transfer RNA genes from Xenopus laevis (395) 120
Anemura, A., see Sano, K. (377) 410
Anger, G., see Anderson, R.E. (376) 63
Anno, K., see Kawai, Y. (381) 195
Antanaitis, B.C. and Moss, T.H.
Magnetic studies of the four-iron high-potential non-heme protein from Chromatium vinosum (405) 262
Antoni, F., see Sasvári-Székely, M. (395) 221
Anzenbacher, P. and Kalous, V.
Binding of D-glucose to insulin (386) 603
Aoshima, H., see Akasaka, K. (412) 120

Aoshima, R., Iriyama, K. and Asai, H.
Fluorescence properties of chlorophyll a and b monomolecular films at the air-water interface (406) 362
Apel, K., Bogorad, L. and Woodcock, C.L.F.
Chloroplast membranes of the green alga Acetabularia mediterranea. I. Isolation of the Photosystem II (387) 568
Apontoweil, P. and Berends, W.
Glutathione biosynthesis in Escherichia coli K 12. Properties of the enzymes and regulation (399) 1
Apontoweil, P. and Berends, W.
Isolation and initial characterization of glutathione-deficient mutants of Escherichia coli K 12 (399) 10
Appel, S.H., see Almon, R.R. (393) 66
Appleby, C.A., Turner, G.L. and Macnicol, P.K.
Involvement of oxyleghaemoglobin and cytochrome P-450 in an efficient oxidative phosphorylation pathway which supports nitrogen fixation in Rhizobium (387) 461
Ap Rees, T., Thomas, S.M., Fuller, W.A. and Chapman, B.
Location of gluconeogenesis from phosphoenolypyruvate in cotyledons of Cucurbita pepo (385) 145
Arata, Y. and Otsuka, J.
Calculation of the energy difference between the quaternary structures of deoxy- and oxyhemoglobin (405) 388
Arbuthnott, J.P., see Smyth, C.J. (382) 479
Arcement, L.J., see Naso, R.B. (383) 195
Arce-Paredoz, P., see Rojas-Espinosa, O. (403) 161
Archakov, A.I., Karjakin, A.V. and Skulachev, V.P.
Intermembrane electron transport in the absence of added water soluble carriers (408) 93
Archibald, A.R. and Heckels, J.E.
Alterations in the composition and bacteriophage-binding properties of walls of Staphylococcus aureus H grown in continuous culture in simplified defined media (406) 60
Ardelt, W.
Physical parameters and chemical composition of porcine pancreatic elastase II (393) 267
Arents, J.C., see Bakker, E.P. (387) 491
Arias, I.M., see Jansen, P.L.M. (391) 28
Arias, I.M., see Kamisaka, K. (393) 24
Ariki, M. and Fukui, T.
α-Glucan phosphorylase from the sweet potato: Isolation and properties of the partially degraded enzyme (386) 301
Arima, K., see Suzuki, H. (403) 23
Arimura, K., see Kawasaki, H. (385) 334
Arisaka, F., Noda, H. and Maruyama, K.
Kinetic analysis of the polymerization process of actin (400) 263
Arlinger, L.
Analytical isotachophoresis in capillary tubes. Analysis of hemoglobin, hemiglobin cyanide and isoelectric fractions of hemiglobin cyanide (393) 396
Arlinghaus, R.B., see Naso, R.B. (383) 195
Armstrong, A., see Neary, J.T. (379) 262
Armstrong, J.B., see McCarrity, J.T. (398) 258
Armstrong, W.McD., Byrd, B.J., Cohen, E.S., Cohen, S.J., Hamang, P.H. and Myers, C.J.
Osmotically induced electrical changes in isolated bullfrog small intestine (401) 137
Arnberg, A.C., Van Bruggen, E.F.J., Borst, P., Clegg, R.A., Schutgens, R.B.H., Weijers, P.J. and Goldbach, R.W.
Mitochondrial DNA of Tetrahymena pyriformis strain st contains a long terminal duplication-inversion (383) 359
Arnstein, H.R.V., see Ernst, V. (278) 251
Aronson, Jr., N.N. and Yannarell, A.
Effects of membrane ribonuclease and 3′-nucleotidase on the digestion of polyuridylic acid by rat liver plasma membrane (413) 135
Arsenis, C., Rudolph, J. and Hackett, M.H.
Resolution, purification and characterization of the orthophosphate releasing activities from fracture callus calcifying cartilage (391) 301
Arvidson, G., see Nilsson, J. (389) 197
Asai, H., see Aoshima, R. (406) 362
Asakura, T., Adachi, K., Shapiro, M., Friedman, S. and Schwartz, E.
Mechanical precipitation of hemoglobin Köln (412) 197
Asano, T., see Hidaka, H. (377) 103

Asano, T. and Hidaka, H.
3′:5′-Cyclic-nucleotide phosphodiesterases of mammalian sera (397) 124
Ascione, R., Smida, J., Robey, W.G. and Van de Woude, G.F.
A cell-free mammalian protein synthesizing system stimulated by RNA from avian myeloblastosis virus (395) 509
Ashley, C.C., see Moisescu, D.G. (396) 133
Astruc, M., see Tabacik, C. (398) 490
Aswanikumar, S. and Radhakrishnan, A.N.
Purification and properties of a peptidase acting on a synthetic substrate for collagenase from monkey kidney (384) 194
Atassi, M.Z., see Lee, C.L. (400) 423
Atassi, M.Z., see Lee, C.L. (405) 464
Atassi, M.Z. and Nakhleh, E.T.
Conformational studies on modified proteins and peptides. IX. Conformation and immunochemistry of hemoglobin reduced at some carboxyl groups by diborane (379) 1
Atassi, M.Z., Suliman, A.M. and Habeeb, A.F.S.A.
Enzymic and immunochemical properties of lysozyme. X. Conformation, enzymic activity and immunochemistry of lysozyme reduced at two carboxyl groups (405) 452
Atassi, M.Z. and Zablocki, W.
2,3-Dioxo-5-indolinesulfonic acid, a new highly specific reagent for modification of tryptophan in peptides and proteins (386) 233
Atkins, R., see Brimhall, B. (379) 28
Atkins, R.J., see Schneider, R.G. (400) 365
Atkinson, D., see Badley, R.A. (412) 214
Atsukawa, Y., see Horikoshi, K.(384) 477
Attridge, T., see Johnson, C. (385) 11
Audet, A., Cole, R. and Proulx, P.
Polyglycerophosphatide metabolism in Escherichia coli (380) 414
Audubert, F., see Israel, A. (375) 224
Auerbach, S. and Pedersen, T.
Metabolic stability of messenger ribonucleoprotein in HeLa cells (395) 388
Aumont, M.C., see Klotz, C. (386) 461
Aunis, D., Allard, D., Miras-Portugal, M.T. and Mandel, P.
Bovine adrenal medullary chromogranin A; studies on the structure and further evidence for identity with dopamine-β-hydroxylase subunit (393) 284
Aust, S.D., see Buege, J.A. (385) 371
Aust, S.D., see Pederson, T.C. (385) 232
Austin, S.A. and Kay, J.E.
Defective initiation on natural messenger RNA by cell free systems from Krebs ascites cells incubated at elevated temperatures (395) 468
Austin, W.A., see Logani, M.K. (380) 155
Auton, J., see Carter, N. (410) 220
Avdalović, N. and Bates, M.
Influence of testosterone on the synthesis and degradation rate of various RNA species in the mouse kidney (407) 299
Averbeck, D. and Moustacchi, E.
8-Methoxypsoralen plus 365 nm light effects and repair in yeast (395) 393
Avigliano, L., see van Leeuwen, F.X.R. (403) 285
Awasthi, Y.C., see Srivastava, S.K. (397) 428
Awaya, J., Ohno, T., Ohno, H. and Omura, S.
Substitution of cellular fatty acids in yeast cells by the antibiotic cerulenin and exogenous fatty acids (409) 267
Avissar, N., de Vries, A., Ben-Shaul, Y. and Cohen, I.
Actin-activated ATPase from human erythrocytes (375) 35
Axelrod, B., see Lai, H.-Y.L. (391) 121
Azhar, S. and Menon, K.M.J.
Adenosine 3′,5′-monophosphate dependent phosphorylation of ribosomes and ribosomal subunits from bovine corpus luteum (392) 64
Azou, Y., see Teissere, M. (402) 391
Azoulay, E., see Giordano, G. (389) 203
Azoulay, E., see Pommier, G. (389) 483
Azoulay, E., Pommier, J. and Riviere, C.
Membrane reconstitution in CHL-R mutants of Escherichia coli K 12. IX. Part played by phospholipids in the complementation process (389) 236
Azoulay, E., see Riviere, C. (389) 219
Azuma, K., Azuma, M. and Suzuki, T.

Circular dichroism of cephalopod rhodopsin and its intermediates in the bleaching and photoregeneration process (393) 520
Azuma, M., see Azuma, K. (393) 520
Azzi, A., see Dionisi, O. (403) 292
Azzopardi, O. and Jayle, M.F.
Activité γ-glutamyltransférase dans la membrane du globule rouge humain (γ-Glutamyltransferase activity in the human red blood cell membrane) (389) 339

B

Babcock, G.T., see Blankenship, R.E. (387) 165
Babcock, G.T., see Ley, A.C. (387) 379
Babcock, G.T. and Sauer, K.
A rapid, light-induced transient in electron paramagnetic resonance signal II activated upon inhibition of photosynthetic oxygen evolution (376) 315
Babcock, G.T. and Sauer, K.
The rapid component of electron paramagnetic resonance signal II: A candidate for the physiological donor to Photosystem II in spinach chloroplasts (376) 329
Babcock, G.T. and Sauer, K.
Two electron donation sites for exogenous reductants in chloroplast Photosystem II (396) 48
Babior, B.M., see Scamman, J.P. (404) 281
Babul, J., see Stellwagen, E. (405) 115
Baccarini-Melandri, A., Fabbri, E., Firstater, E. and Melandri, B.A.
Energy transduction in photosynthetic bacteria. VII. Inhibition of the coupling ATPase by N-ethylmaleimide related to the energized state of the membrane (376) 72
Baccarini-Melandri, A., Fabbri, E. and Melandri, B.A.
Energy transduction in photosynthetic bacteria. VIII. Activation of the energy-transducing ATPase by inorganic phosphate (376) 82
Baccarini-Melandri, A., see Prince, R.C. (387) 212
Bacchetti, S. and Benne, R.
Purification and characterization of an endonuclease from calf thymus acting on irradiated DNA (390) 285
Baccrani-Contri, M., see Pasquali-Ronchetti, I. (409) 13
Bachhawat, B.K., see Surolia, A. (404) 83
Bachhawat, B.K., see Balasubramanian, K.A. (403) 113
Bachur, N.R., see Felsted, R.L. (405) 72
Back, J.F., see Smith, M.B. (388) 203
Backer, J.M., see Weiner, L.M. (383) 316
Bachmann, K., see Capesius, I. (395) 67
Baden, H.P., see Lee, L.D. (412) 82
Bader, J.P., see Marciani, D.J. (401) 386
Badley, R.A.
The location of protein in serum lipoproteins. A fluorescence quenching study (379) 517
Badley, R.A., Atkinson, D., Hauser, H., Oldani, D., Green, J.P. and Stubbs, J.M.
The structure, physical and chemical properties of the soy bean protein glycinin (412) 214
Baghurst, P.A. and Nichol, L.W.
The binding of organic phosphates to human methaemoglobin A. Perturbation of the polymerization of proteins by effectors (412) 168
Bahr, D.P., see Laris, P.C. (376) 415
Baier, D. and Latzko, E.
Properties and regulation of C-1-fructose-1,6-diphosphatase from spinach chloroplasts (396) 141
Baier, R., see Beato, M. (392) 346
Bailey, A.J., Bazin, S., Sims, T.J., Le Lous, M., Nicoletis, C. and Delaunay, A.
Characterization of the collagen of human hypertrophic and normal scars (405) 412
Bailin, G.
Dinitrophenylation of rabbit skeletal actomyosin (400) 168
Baird, C.E., see Wells, J.N. (384) 430
Baker, M.E.
Molecular weight of the γ-subunit of mouse 7-S nerve growth factor (379) 592
Baker, R.D., Lo, C.-S. and Nunn, A.S.
Sugar transport by intestine. Escape of galactose from preloaded mucosa of hamster jejunum (401) 429
Baker, S.R., see Richardson, C.L. (417) 175 (Review)
Bakker, E.P., Arents, J.C., Hoebe, J.P.M. and Terada, H.
Surface potential and the interaction

of weakly acidic uncouplers of oxidative phosphorylation with liposomes and mitochondria (387) 491
Balant, L., see Young, D.A.B. (389) 194
Balasubramanian, K.A. and Bachhawat, B.K.
Purification, properties and glycoprotein nature of arylsulfatase A from sheep brain (403) 113
Balasubramaniam, S., Mitropoulos, K.A. and Myant, N.B.
The substrate for cholesterol 7α-hydroxylase (398) 172
Baldijao, C.E.M., Guija, E., Bittencourt, H.M.S. and Chaimovich, H.
Steady state of kinetics and effect of SH inhibitors on acid phosphatase from bovine brain (391) 316
Balestrieri, C., Colonna, G. and Irace, G.
Covalent structure of fibrinopeptides from buffalo breeding in Italy (405) 517
Balgavý, P., Mašek, F. and Turek, R.
Thymine dimer excision and DNA degradation after thymine starvation and ultraviolet irradiation in Escherichia coli B/r Hcr$^+$ (390) 24
Balhorn, R., see Sherod, D. (381) 337
Balis, M.E., see Salser, J.S. (378) 22
Ball, A.J.S., see Janki, R.M. (375) 446
Ball, D.H., see MacDonald, M.J. (385) 188
Balmer, J., see Zilversmit, D.B. (409) 395
Balny, C., see Bernard, M. (393) 389
Balshin, M., see Cabantchik, Z.I. (382) 621
Baltscheffsky, M., see Berzborn, R.J. (396) 360
Bandi, P.C., see Schmid, H.H.O. (409) 311
Bandlow, W., see Burger, G. (396) 187
Bandyopadhyay, A.K.
Partial purification and characterization of DNA polymerases from a Rous sarcoma virus-transformed rat cell line (407) 1
Banerjee, R., see Alpert, Y. (405) 144
Banerjee, R., see Bernard, M. (393) 389
Banjo, C., see Fuks, A. (417) 123
Banthorpe, D.V., see Glass, R.E. (405) 23
Bar, A., see Edelstein, S. (385) 438
Bar, A., Hurwitz, S. and Edelstein, S.
Response of renal calcium-binding protein: Independence of kidney vitamin D hydroxylation (411) 106
Bär, H.-P., see Simonson, L.P. (379) 114
Baraona, E., Pirola, R.C. and Lieber, C.S.
Acute and chronic effects of ethanol on intestinal lipid metabolism (388) 19
Barash, H. and Halpern, Y.S.
Purification and properties of glutamate binding protein from the periplasmic space of Escherichia coli K-12 (386) 168
Barbacid, M., Contreras, A. and Vazquez, D.
The mode of action of griseoviridin at the ribosome level (395) 347
Barbarić, S., see Mildner, P. (391) 67
Barber, J., see Telfer, A. (396) 301
Barel, A.O., see Prieels, J.P. (393) 496
Barenholz, Y., see Litman, B.J. (394) 166
Barkai, A. and Di Cesare, J.L.
Influence of sialic acid groups on the retention of glycosphingolipids in blood plasma (398) 287
Barker, R.W., see Berden, J.A. (375) 186
Barksy, E.L., Bonch-Osmolovskaya, E.A., Ostroumov, S.A., Samuilov, V.D. and Skulachev, V.P.
Study on the membrane potential and pH gradient in chromatophores and intact cells of photosynthetic bacteria (387) 388
Barnes, L.D., Engel, A.G. and Dousa, T.P.
Studies on in vitro polymerization of tubulin from renal medullary extracts (405) 422
Baron, C. and Thompson, T.E.
Solubilization of bacterial membrane proteins using alkyl glucosides and dioctanoyl phosphatidylcholine (382) 276
Barondes, S.H., see Nowak, T.P. (393) 115
Barondes, S.H., see Simpson, D.L. (412) 109
Barr, R., see Rosen, D. (408) 35
Barr, R.M., see De Luca, L.M. (409) 342
Barran, L.R., Schneider, E.F., Wood, P.J., Madhosingh, C. and Miller, R.W.
Cell wall of Fusarium sulphureum. I. Chemical composition of the hyphal wall (392) 148
Barratt, M.D., see Hauser, H. (413) 341

Barrett, A.S., see Andonian, M.R. (412) 202
Barrett, E.J., see Flaherty, J.O. (401) 177
Barrett, T.W.
Hyaluronic acid salt-A mechano-electrical transducer (385) 157
Barry, C.D., see Kretsinger, R.H. (405) 40
Barry, J.M., see Ramage, P.R. (395) 152
Bartholomé-Dönnicke, M. and Hofer, H.W.
Interaction of phosphofructokinase with antibodies. Kinetic properties of phosphofructokinase in complexes with antibodies (397) 347
Bartoov, B., see Sulimovici, S. (377) 454
Bas, B.M., see Devilee, P.P. (379) 172
Bas, B.M., see Hemker, H.C. (379) 180
Bas, B.M., Muller, A.D. and Hemker, H.C.
Purification and properties of staphylocoagulase (379) 164
Bashan, N., see Pines, M. (411) 369
Bashor, M.M. and Chytil, F.
Cellular retinol binding protein (411) 87
Basset, P., see Beuzard, Y. (393) 182
Bassham, J.A., see Lendzian, K. (396) 260
Bastarrachea, F., see Gomez-Eichelman, M.C. (407) 273
Bastian, P., see Zimmer, G. (401) 244
Basu, M.K., Finkelstein, J.N., Ghosh, S. and Schweppe, J.S.
Studies on the binding of 1-anilino-8-naphthalene sulphonate to very low density and high density human serum lipoproteins (398) 385
Baszynski, T., see Krupa, Z. (408) 26
Bateman, J.F., see Handley, C.J. (386) 444
Bates, G.W., see Workman, Jr., E.F. (399) 254
Bates, M., see Avdalović, N. (407) 299
Batte, E.A., see Mian, N. (391) 179
Baue, A.E., see Chaudry, I.H. (399) 85
Bauer, H., see Kurth, R. (417) 1
Bauer, K.
The relationship between histones F 2a1 and F 2a2 and the ancestral histone A peptide. Further evidence for the common origin of histones F 2a1, F 2a2 and F 3 (400) 80
Bauer, K., Czernilofsky, A.P. and Kuechler, E.
Affinity labelling of Escherichia coli ribosomes by a derivative of phenylalanyl-tRNA: A critical test for the specificity (395) 146
Bauer, K., see Ristow, H. (390) 246
Bauer, S., see Druzhinina, T.N. (381) 301
Bauer, S., see Krátzký, Z. (404) 1
Baumann, W.J., see Schmid, H.H.O. (409) 311
Bayen, M. and Dalmon, J.
Détermination physico-chimique de la ploidie chez l'algue unicellulaire Chlorella pyrenoidosa (souche 211/8b) (Physico-chemical determination of the ploidy of the unicellular alga, Chlorella pyrenoidosa (strain 211/8b) (395) 213
Bayer, E., see Viswanatha, T. (401) 152
Baylin, S.B. and Margolis, S.
Purification of histaminase (diamine oxidase) from human pregnancy plasma by affinity chromatography (397) 294
Bazin, H., see Smith, W.I. (382) 506
Bazin, S., see Bailey, A.J. (405) 412
Bazinet, Jr., G.F., see Lowendorf, H.S. (389) 541
Beacham, I.R., see Taylor, N.S. (411) 216
Bearden, A.J., see Anderson, R.E. (408) 306
Bearden, A.J., see Malkin, R. (396) 250
Beato, M. and Baier, R.
Binding of progesterone to the proteins of the uterine luminal fluid. Identification of uteroglobin as the binding protein (392) 346
Beattie, J.K., Fensom, D.J., Freeman, H.C., Woodcock, E., Hill, H.A.O. and Stokes, A.M.
An NMR investigation of electron transfer in the copper protein, plastocyanin (405) 109
Beaudet, R. and MacKenzie, R.
Kinetic mechanism of formimino-transferase from porcine liver (410) 252
Beaugé, L.
Non-pumped sodium fluxes in human red blood cells. Evidence for facilitated diffusion (401) 95
Beaugé, L.A., Sjodin, R.A. and Ortiz, O.

The independence of membrane potential and potassium activation of the sodium pump in muscle (389) 189
Beccari, E., see Andronico, F. (395) 120
Beck, E.A., see Furlan, M. (400) 95
Beck, E.A., see Furlan, M. (400) 112
Becker, E.L., see Tsung, P.K. (403) 98
Beezley, D.N., see Sharma, O.K. (390) 327
Behar-Bannelier, M., see Juliano, R.L. (375) 249
Beintema, J.J., see Bricteux-Grégoire, S. (386) 244
Beitner, R., Haberman, S. and Livni, L.
Complementarity in the regulation of phosphoglucomutase, phosphofructokinase and hexokinase. The role of glucose 1,6-bisphosphate (397) 355
Bell, C.A., see Munro, G.F., (411) 263
Bell, F.P.
Cholesterol exchange between microsomal, mitochondrial and erythrocyte membranes and its enhancement by cytosol (398) 18
Bell, J.E. and Dalziel, K.
Studies of coenzyme binding to rabbit muscle glyceraldehyde-3-phosphate dehydrogenase (391) 249
Bell, J.E. and Dalziel, K.
Conformational changes of glyceraldehyde-3-phosphate dehydrogenase induced by the binding of NAD^+. A unified model for positive and negative cooperativity (410) 243
Bell, P.A., see Rees, A.M. (411) 121
Bell, R., see Debanne, M.T. (411) 295
Bellemare, G., see Fehlmann, M. (378) 119
Benassayag, C., Vallette, G., Cittanova, N., Nunez, E. and Jayle, M.F.
Isolation of two forms of rat alpha-fetoprotein and comparison of their binding parameters with estradiol-17β (412) 295
Benda, P., see Premont, J. (381) 368
Bendall, D.S., see Wood, P.M. (387) 115
Benecke, B.J. and Seifart, K.H.
DNA-directed RNA polymerase from HeLa cells. Isolation, characterization and cell-cycle distribution of three enzymes (414) 44
Benesch, R., Edalji, R. and Benesch, R.E.
Oxygenation properties of hemoglobin variants with substitutions near the polyphosphate binding site (393) 368
Benesch, R.E., see Benesch, R. (393) 368
Benga, G. and Strach, S.J.
Interpretation of the electron spin resonance spectra of nitroxide-maleimide labelled proteins and the use of this technique in the study of albumin and biomembranes (400) 69
Bengtson, O., see Pape, L. (406) 516
Benitez, L.V., see You, K.-S. (384) 317
Benne, R., see Bacchetti, S. (390) 285
Benne, R., see Van Dorp, B. (395) 446
Bennoun, P. and Bouges-Bocquet, B.
Inhibition of oxygen evolution following illumination of Chlorella cells with far-red light (408) 180
Benolken, R.M., Anderson, R.E. and Maude, M.B.
Lipid composition of Limulus photoreceptor membranes (413) 234
Ben-Shaul, Y., see Avissar, N. (375) 35
Benson, C.E. and Gots, J.S.
Regulation of GMP reductase in Salmonella typhimurium (403) 47
Benz, R., Fröhlich, O., Läuger, P. and Montal, M.
Electrical capacity of black lipid films and of lipid bilayers made from monolayers (394) 323
Benz, R. and Stark, G.
Kinetics of macrotetrolide-induced ion transport across lipid bilayer membranes (382) 27
Berden, J.A., Barker, R.W. and Radda, G.K.
NMR studies on phospholipid bilayers. Some factors affecting lipid distribution (375) 186
Berends, W., see Apontoweil, P. (399) 1
Berends, W., see Apontoweil, P. (399) 10
Berenson, G.S., see Srinivasan, S.R. (388) 58
Beres, L. and Lucas-Lenard, J.
Studies on the in vitro synthesis of ppGpp and pppGpp (395) 80
Berg, B.H.
I. A study of the stages in the quantitative isolation of aminoacyl-tRNA synthetase activities from mouse liver (395) 164

Berg, B.H.
II. The influence of 17-β-oestradiol on aminoacyl-tRNA synthetases from mouse uterus and mouse liver (395) 173
Berg, B.H.
III. The RNA component of aminoacyl-tRNA synthetase complexes isolated from mouse liver. Absence of aminoacid-accepting activity (414) 93
Berg, G. and Björkman, U.
The structure and properties of 27-S and larger iodoproteins in the thyroid gland (405) 11
Berg, G. and Ekholm, R.
Electron microscopy of low iodinated thyroglobulin molecules (386) 422
Berg, R.A., see Kao, W.W.-Y. (411) 202
Berg, T., see Christoffersen, T. (381) 72
Berg, T. and Mørland, J.
Induction of tryptophan oxygenase by dexamethasone in isolated hepatocytes. Dependence on composition of medium and pH (392) 233
Bergeron, J.J.M., Berridge, M.V. and Evans, W.H.
Biogenesis of plasmalemmal glycoproteins.
Intracellular site of the synthesis of mouse liver plasmalemmal 5′-nucleotidase as determined by the subcellular location of messenger RNA coding for 5′-nucleotidase (407) 325
Berghäuser, J.
A reactive arginine in adenylate kinase (397) 370
Beridze, T.
DNA nuclear satellites of the genous Brassica: Variation between species (395) 274
Berk, R.S., see Carrick, Jr., L. (391) 422
Berlin, K.D., see Fung, B.M. (385) 180
Berman, H.M., see Stein, M.T. (407) 377
Bermek, E., see Ucer, U. (402) 206
Bernadac, A., see Huet, C. (394) 605
Bernard, M., Balny, C., Banerjee, R. and Douzou, P.
Recombination of carbon monoxide with hemoglobin after flash photolysis of the carboxy-derivative in mixed solvent at subzero temperature (393) 289
Bernard, U., Pühler, A., Mayer, F. and Kuntzel, H.
Denaturation map of the circular mitochondrial genome of Neurospora crassa (402) 270
Bernert, Jr., J.T. and Sprecher, H.
Studies to determine the role rates of chain elongation and desaturation play in regulating the unsaturated fatty acid composition of rat liver lipids (398) 354
Berns, A.J.M., see Reijnders, L. (390) 69
Bernstein, H.J., see Mendelsohn, R. (413) 329
Berridge, M.V., see Bergerom, J.J.M. (407) 325
Berry, C., Stellon, A. and Hallinan, T.
Guinea pig liver microsomal UDP-glucuronyltransferase: Compartmented or phospholipid-constrained? (403) 335
Bersohn, R., see Fan, S. (397) 405
Bertazzoni, U.
Analysis of the breaking sites in the physical degradation of DNA (395) 239
Berthelot, P., see Duvaldestin, P. (384) 81
Bertina, R.M. and Slater, E.C.
The effects of phosphate and electron transport on the carbonylcyanide m-chlorophenylhydrazone-induced ATPase of rat liver mitochondria (376) 492
Bertram, J.S., see LeStourgeon, W.M. (379) 529
Bertram, U., see Alsen, C. (377) 297
Bertsch, W., see Cohn, D.E. (376) 97
Bertsch, W., see Vambutas, V. (376) 169
Berzborn, R.J., Johansson, B.C. and Baltscheffsky, M.
Immunological and fluorescence studies with the coupling factor ATPase from Rhodospirillum rubrum (396) 360
Bessette, F. and Seufert, W.D.
Increase in fluorescense energy transfer across lipid bilayers induced by valinomycin (375) 10
Bettelheim, F.A. and Plessy, B.
The hydration of proteoglycans of bovine cornea (381) 203
Betz, A.L., Drewes, L.R. and Gilboe, D.D.
Inhibition of glucose transport into brain by phlorizin, phloretin and glucose analogues (406) 505

Betz, A.L., Gilboe, D.D. and Drewes, L.R.
Accelerative exchange diffusion kinetics of glucose between blood and brain and its relation to transport during anoxia (401) 416
Beuzard, Y., Basset, P., Braconnier, F., El Gammal, H., Martin, L., Oudard, J.L. and Thillet, J.
Haemoglobin Saki $\alpha_2\beta_2$ 14 Leu→Pro (A_{11}) structure and function (393) 182
Bezkorovainy, A., see Nichols, J.H. (412) 99
Bezkorovainy, A., see Sly, D.A. (385) 36
Bhakdi, S., see Bjerrum, O.J. (406) 489
Bhakdi, S., Bjerrum, O.J., Rother, W., Knüfermann, H. and Wallach, D.F.H.
Immunochemical analyses of membrane-bound complement. Detection of the terminal complement complex and its similarity to "intrinsic" erythrocyte membrane proteins (406) 21
Bhakdi, S., see Knüfermann, H. (389) 464
Bhakdi, S., Knüfermann, H. and Wallach, D.F.H.
Two-dimensional separation of erythrocyte membrane proteins (394) 550
Bhaskaran Nair, R. and Kurup, P.A.
Investigations on the venom of the south indian scorpion, Heterometrus scaber (381) 165
Bhoola, K.D., see Lemon, M.J.C. (385) 101
Bieber, A.L., Tu, T. and Tu, A.T.
Studies of an acidic cardiotoxin isolated from the venom of Mojave rattlesnake (Crotalus scutulatus) (400) 178
Bieber, D., see Stafford, D.W. (378) 18
Bielý, P., see Druzhinina, T.N. (381) 301
Bielý, P., see Krátzký, Z. (404) 1
Bienfait, H.F., see Jacobs, J.M.C. (376) 446
Bieri, V.G. and Wallach, D.F.H.
Fluorescence quenching in lecithin and lecithin cholesterol liposomes by paramagnetic lipid analogues. Introduction of a new probe approach (389) 413
Bieri, V.G. and Wallach, D.F.H.
Variations of lipid-protein interactions in erythrocyte ghosts as a function of temperature and pH in physiological and non-physiological ranges. A study using paramagnetic quenching of protein fluorescence by nitroxide-lipid analogues (406) 415
Bierman, E.L. and Albers, J.J.
Lipoprotein uptake by cultured human arterial smooth muscle cells (388) 198
Bierweiler, B., see Capesius, I. (395) 67
Bigger, C.H. and Braymer, H.D.
Neurospora crassa invertase: A study of amino acids at the active center (397) 418
Bignami, A., see Dahl, D. (386) 41
Billen, D. and Hellermann, G.
Depression by NAD of X-ray-induced repair-type DNA synthesis in toluene-treated Bacillus subtilis (383) 379
Binder, H.J., see Volpe, B.T. (394) 597
Birdsall, N.J.M., Ellar, D.J., Lee, A.G., Metcalfe, J.C. and Warren, G.B.
^{13}C-enriched phosphatidylethanolamines from Escherichia coli (380) 344
Birenbaum, M., see Nikolaev, N. (395) 478
Bisby, R.H., Cundall, R.B. and Wardman, P.
A pulse radiolysis study of some free radical reactions with erythrocyte membranes (389) 137
Biserte, G., see Rogez, J.C. (410) 370
Bishop, G.A. and Rozenberg, M.C.
The effect of ADP, calcium and some inhibitors of platelet aggregation on protein phosphokinase from human blood platelets (384) 112
Bishop, P.E., Evans, H.J., Daniel, R.M. and Hampton, R.O.
Immunological evidence for the capability of freeliving Rhizobium japonicum to synthesize a portion of a nitrogenase component (381) 248
Biter, K.G.
The primary structure of the ribosomal protein L29 from Escherichia coli (386) 99
Bittencourt, H.M.S., see Baldijao, C.E.M. (391) 316
Bittlingmaier, K., Schneider, D. and Falke, D.
Uptake of [^3H]thymidine and cell DNA synthesis during the early multiplication phase of Herpesvirus hominis in BHK cells (407) 384

Bjerrum, O.J., see Bhakdi, S. (406) 21
Bjerrum, O.J., Bhakdi, S., Bøg-Hansen, T.C., Knüfermann, H. and Wallach, D.F.H.
Quantitative immunoelectrophoresis of proteins in human erythrocyte membranes. Analysis of protein bands obtained by sodium dodecylsulfate-polyacrylamide gel electrophoresis (406) 489
Bjerrum O.J., Lundahl, P., Brogren, C.H. and Hjertén, S.
Immunoabsorption of membrane-specific antibodies for determination of exposed and hidden proteins in human erythrocyte membranes (394) 173
Bjørklid, E., see Spaeren, U. (395) 413
Björkman, U., see Berg, G. (405) 11
Blachnitzky, E.-O., see Ueberschär, K.-H. (391) 15
Black, J., see Silverman, M. (394) 10
Black, J.A., see Lincoln, D.R. (410) 279
Blackwell, G.J., Flower, R.J. and Vane, J.R.
Some characteristics of the prostaglandin-synthesizing system in rabbit kidney microsomes (398) 178
Blair, D.P., see Terwilliger, R.C. (400) 302
Blakesley, R.W. and Boezi, J.A.
Kinetic and structural characterization of adenosine-5′-triphosphate. RNA adenylyltransferase from Pseudomonas putida (414) 133
Blanc, B., see Ruëgg, M. (400) 334
Blanck, J., see Scheller, F. (412) 157
Blank, M.L., Cress, E.A., Piantadosi, C. and Snyder, F.
A method for the quantitative determination of glycerolipids containing O-alkyl and O-alk-1-enyl moieties (380) 208
Blank, M.L., see Lee, T.-C. (409) 218
Blankenhorn, G., Osuga, D.T., Lee, H.S. and Feeney, R.E.
Synthesis of immobilized flavin derivatives and their use in purification of chicken egg-white ovoflavoprotein (386) 470
Blankenship, R.E., Babcock, G.T. and Sauer, K.
Kinetic study of oxygen evolution parameters in Tris-washed, reactivated chloroplasts (387) 165
Blaskó, G., see Machovich, R. (379) 193
Bleau, G., Lalumière, G., Chapdelaine, A. and Roberts, K.D.
Red cell surface structure: Stabilization by cholesterol sulfate as evidenced by scanning electron microscopy (375) 220
Bloemendal, H., see Vermoken, A.J.M. (414) 167
Bloj, B., see Farías, R.N. (415) 231
Blok, M.C., van der Neut-Kok, E.C.M., van Deenen, L.L.M. and de Gier, J.
The effect of chain length and lipid phase transitions on the selective permeability properties of liposomes (406) 187
Blostein, R., see Katz, S. (389) 314
Blumberg, K. and Stubbe, J.
Chemical specificity of pyruvate kinase from yeast (384) 120
Blumberg, W.E., see Peisach, J. (393) 404
Blumenfeld, L.A., Burbaev, D.S., Davydov, R.M., Kubrina, L.N., Vanin, A.F. and Vilu, R.O.
Studies on the conformational changes of metalloproteins induced by electrons in water—ethyleneglycol solutions at low temperatures. III. Adrenal ferredoxin (379) 512
Boccu, E., see Veronese, F.M. (377) 217
Bode, W., see Schalch, W. (405) 292
Bodner, R.H., see Wilson, R.G. (378) 260
Body, D.R.
The occurrence of dihydrophytyl wax esters in bovine rumen liquor (380) 45
Boeckx, R.L. and Dakshinamurti, K.
Effect of biotin on ribonucleic acid synthesis (383) 282
Boer, P., see Hostetler, K.Y. (380) 382
Boer, P., Van Rijn, H.J.M., Reinking, A. and Steyn-Parvé, E.P.
Biosynthesis of acid phosphatase of baker's yeast. Characterization of a protoplast-bound fraction containing precursors of the exo-enzyme (377) 331
Boezi, J.A., see Blakesley, R.W. (414) 133
Bøg-Hansen, T.C., see Bjerrum, O.J. (406) 489

Bogorad, L., see Apel, K. (387) 568
Boheim, G. and Hall, J.E.
Oscillation phenomena in black lipid membranes induced by a single alamethicin pore (389) 436
Bohn, E.W., see Matsukage, A. (383) 338
Bohnert, H.J., see Herrmann, R.G. (378) 305
Bohrer, C., see von Jagow, G. (387) 409
Bojanowski, R.J., see Cecchini, G. (386) 340
Boldingh, J., see De Groot, J.J.M.C. (377) 71
Boldingh, J., see Egmond, M.R. (409) 399
Bolewska, K., see Kulakowska, I. (407) 420
Bollack, C., see Helwig, J.J. (377) 463
Bollerup, G., see Burr, A.H. (405) 404
Bollini, R., see Lanzani, G.A. (407) 449
Bolton, J.R., see McIntosh, A.R. (376) 308
Bolton, P.H., see Lim Wong, K. (383) 446
Bonaly, R., see Touimi-Benjelloun, A. (392) 39
Bonaly, R., see Touimi-Benjelloun, A. (392) 51
Bonch-Osmolovskaya, E.A., see Barksy, E.L. (387) 388
Bondy, S.C., see Marangos, P. (392) 75
Bondy, S.C. and Purdy, J.L.
Migration of ribosomes along the axons of the chick visual pathway (390) 332
Bonner, H.S., see Dutton, P.L. (387) 536
Bonner, J., see Johnson, J.D. (378) 424
Bonner, J., see Murphy, R.F. (405) 62
Bonner, Jr., W.D., see Mannella, C.A. (413) 213
Bonner, Jr., W.D., see Mannella, C.A. (413) 226
Bont, W.S., see Vernie, L.N. (414) 283
Bonting, S.L., see De Grip, W.J. (396) 104
Bonting, S.L., see Hansen, T. (382) 590
Bonting, S.L., see Hyono, A. (389) 34
Bonting, S.L., see Kempen, H.J.M. (392) 276
Bonting, S.L., see Lion, F. (384) 283
Bonting, S.L., see Loizzi, R.F. (392) 20
Bonting, S.L., see Schreurs, V.V.A.M. (404) 257
Bonting, S.L., see Vreeswijk, J.H.A. (392) 12
Bookchin, R.M., see Fischer, S. (375) 422
Borek, E., see Sharma, O.K. (390) 327
Borensztajn, J., Rone, M.S. and Sandros, T.
Effects of colchicine and cycloheximide on the functional and non-functional lipoprotein lipase fractions of rat heart (398) 394
Borgerud, A., see Mosbach, K. (403) 256
Borghetti, A.F., see Guidotti, G.G. (406) 264
Borisova, S.N., see Dudkin, S.M. (386) 275
Borowitz, J.L., see Leslie, S.W. (394) 227
Borst, P., see Arnberg, A.C. (383) 359
Borst, P., see Kleisen, C.M. (390) 78
Borst, P., see Kleisen, C.M. (390) 155
Borst, P., see Kleisen, C.M. (407) 473
Borst-Pauwels, G.W.F.H., see Hoeberichts, J.A. (413) 248
Boudet, A.M., see Ranjeva, R. (399) 23
Bouges-Bocquet, B.
Electron transport in Photosystem I in spinach chloroplasts (396) 382
Boulouis, D., see Monteil, H. (382) 465
Bouma, J.M.W., see Buys, C.H.C.M. (392) 95
Boumendil-Podevin, E.F., see Podevin, R.A. (375) 106
Bourdel, G., Girard-Globa, A., Forestier, M. and Gouhot-Nubel, B.
Induction of multiple forms of tyrosine aminotransferase by amino acid mixtures of different compositions (399) 339
Bourrillon, R., see Père, M. (393) 31
Bourrillon, R., see Roguet, R. (389) 380
Bovey, F.A., see Patel, D.J. (400) 275
Bowness, J.M., see Shipp, D.W. (379) 282
Boyer, J.L. and Reno, D.
Properties of ($Na^+ + K^+$)-activated ATPase in rat liver plasma membranes enriched with bile canaliculi (401) 59
Boyer, P.D., see Yuthavong, Y. (382) 116
Boyle, A.J.F., see Tsang, C.P. (386) 32
Braams, R., see Wilting, J. (376) 285
Brachet, J., see Tondeur-Six, N. (395) 41
Braconnier, F., see Beuzard, Y. (393) 182
Bradford, H.R., see James, H.L. (386) 209
Bradley, D.P., see Flaherty, J.O. (401) 177

Brady, R.O., see Matthieu, J.M. (392) 159
Brady, R.O., see Matthieu, J.M. (392) 167
Braganca, B.M., see Zaheer, A. (394) 293
Bragg, P.D., see Singh, A.P. (396) 229
Brambl, R.
Characteristics of developing mitochondrial genetic and respiratory functions in germinating fungal spores (396) 175
Bramley, T.A., see Coleman, R. (382) 565
Brändén, R. and Reinhammar, B.
EPR studies on the anaerobic reduction of fungal laccase. Evidence for participation of type 2 copper in the reduction mechanism (405) 236
Brandt, J., Andersson, L.-O. and Porath, J.
Covalent attachment of proteins to polysaccharide carriers by means of benzoquinone (386) 196
Brandt, K.G., see Moroff, G. (410) 21
Brantner, J.H. and Dure, III, L.S.
Developmental biochemistry of cotton seed embryogenesis and germination. IV. Levels of cytosol and chloroplast aminoacyl-tRNA synthetases during cotyledon development (414) 99
Bratcher, S.C. and Hsu, R.Y.
Separation of active enzyme components from the fatty acid synthetase of chicken liver (410) 229
Braun, V.
Covalent lipoprotein from the outer membrane of Escherichia coli (415) 335
Braunsteiner, H., see Rindler-Ludwig, R. (379) 606
Bray, T.M., Sandberg, H.E. and Carlson, J.R.
An EPR study of the structural perturbations induced by 3-methylindole in the protein and lipid regions of erythrocyte membranes (382) 534
Braymer, H.D., see Bigger, C.H. (397) 418
Brdiczka, D., see Weidekamm, E. (401) 51
Brebner, J., see Mar, T. (376) 345
Breimer, M.E., see Smith, E.L. (398) 84
Breithaupt, H., Omori-Satoh, T. and Lang, J.
Isolation and characterization of three phospholipases A from the crotoxin complex (403) 355
Bremel, R.D. and Weber, A.
Calcium binding to rabbit skeletal myosin under physiological conditions (376) 366
Bremer, J. and Davis, E.J.
Studies on the active transfer of reducing equivalents into mitochondria via the malate-aspartate shuttle (376) 387
Brendel, K., see Alizade, M.A. (397) 5
Brendel, K., Bressler, R. and Alizade, M.A.
Stereochemistry of the hydrogen transfer to NAD catalyzed by D-galactose dehydrogenase from Pseudomonas fluorescens (397) 1
Brenneman, D.E., McGee, R., Liepkalns, V.A. and Spector, A.A.
Cholesteryl ester accumulation in Ehrlich cells induced by saturated fats (388) 301
Brenner, M., see Overath, P. (389) 358
Brennessel, B.A. and Goldstein, J.
Globin mRNA from rabbit reticulocyte membrane-bound ribosomes (378) 73
Brent, T.P.
Partial purification of endonuclease activity from human lymphoblasts: Separation of activities for depurinated DNA and DNA irradiated with ultraviolet light (407) 191
Bresler, S.E., see Bresler, V.M. (406) 526
Bresler, V.M., Bresler, S.E. and Nikiforov, A.A.
Structure and active transport in the plasma membrane of the tubules of frog kidney (406) 526
Breslow, J.L., Lothrop, D.A., Spaulding, D.R. and Kandutsch, A.A.
Cholesterol, 7-ketocholesterol, and 25-hydroxycholesterol uptake studies and effect on 3-hydroxy-3-methylglutaryl-coenzyme A reductase activity in human fibroblasts (398) 10
Bressler, R., see Alizade, M.A. (397) 5
Bressler, R., see Brendel, K. (397) 1
Breuer, W., see Cabantchik, Z.I. (382) 621
Brevet, A., Zeitoun, Y. and Pradel, L.A.
Comparative structural studies of the active site of ATP: guanidine phosphotransferases. The essential tryptic peptide of taurocyamine kinase from Arenicola marina (393) 1

Brewer, E.N.
DNA replication by a possible continnous-discontinuous mechanism in homogenates of Physarum polycephalum containing dextran (402) 363
Brey, Jr., W.S., see Brown, E.B. (399) 124
Bricas, E., see Fermandjian, S. (399) 313
Bricteux-Grégoire, S., Schyns, R., Florkin, M., Emmens, M., Welling, G.W. and Beintema, J.J.
N-terminal amino acid sequence of trypsinogen from the Lesser Rorqual Balaenoptera acutorostrata (Cetacea). Simultaneous isolation of trypsinogen, chymotrypsinogen and ribonuclease from pancreas (386) 244
Briggs, R.G., see Fee, J.A. (400) 439
Brill, W.J., see Davis, L.C. (403) 67
Brill, W.J., see Münck, E. (400) 32
Brill, W.J., see Shah, V.K. (384) 353
Brimhall, B., see Ahern, E. (393) 188
Brimhall, B., Jones, R.T., Schneider, R.G., Hosty, T.S., Tomlin, G. and Atkins, R.
Two new hemoglobins. Hemoglobin Alabama [β 39(C 5)Gln→Lys] and hemoglobin Montgomery [α 48(CD 6) Leu→Arg (379) 28
Briscoe, W.T., Syrewicz, J.J., Marshall, M.V. and Griffin, A.C.
Regulation of an aspartyl-tRNA species in BHK cells in culture and in solid tumor form (383) 441
Brishammar, S. and Juntti, N.
A poly(U) polymerase in tobacco leaves (383) 351
Brodrick, J.W., see Geokas, M.C. (391) 396
Brody, T.M., see Tobin, T. (389) 117
Brogren, C.H., see Bjerrum, O.J. (394) 173
Bronk, J.R., see Leese, H.J. (404) 40
Bronner, F., see Hermsdorf, C.L. (379) 553
Brooker, G., see Nakai, C. (391) 222
Brown, A.S., see Grant, M.M. (404) 180
Brown, E.B., Brey, Jr., W.S. and Weltner, Jr., W.
Cell-surface carbohydrates and their interactions. I. NMR of N-acetyl neuraminic acid (399) 124
Brown, G.M., see Heine, M.C. (411) 236
Brown, J.C., see Hunt, R.C. (413) 453
Brown, K.A. and Ratledge, C.
The effect of p-aminosalicyclic acid on iron transport and assimilation in mycobacteria (385) 207
Brown, K.D., see Zurawski, G. (377) 473
Brown-Woodman, P.D.C., see Poulos, A. (388) 12
Bruchovsky, N., Rennie, P.S. and Vanson, A.
Studies of the regulation of the concentration of androgens and androgen receptors in nuclei of prostatic cells (394) 248
Bruchovsky, N., Sutherland, D.J.A., Meakin, J.W. and Minesita, T.
Androgen receptors: relationship to growth response and to intracellular androgen transport in nine variant lines of the Shionogi mouse mammary carcinoma (381) 61
Bruder, A., see McLaughlin, S. (394) 304
Bruggmann, S. and Jenny, E.
The immunological specificity of myosins from cross-striated muscles as revealed by quantitative microcomplement fixation and enzyme inhibition by antisera (412) 39
Bruni, A., van Dijck, P.W.M. and de Gier, J.
The role of phospholipid acyl chains in the activation of mitochondrial ATPase complex (406) 315
Brunner, A., see Pina, M.Z. (384) 501
Brunner, H. and Holz, M.
Raman studies of the conformation of the basic pancreatic trypsin inhibitor (379) 408
Brunngraber, E.G. and Javaid, J.
Subcellular and anatomical distribution in rat brain of glycoproteins that contain mannose-rich heteropolysaccharide chains (404) 67
Brunngraber, E.G., see Javaid, J. (404) 74
Brunst, R.F., see Rivard, G.E. (381) 144
Buc, H., see Kotlarz, D. (381) 257
Buchanan, B.B., see Knaff, D.B. (376) 549
Buchanan, B.B., see Schürmann, P. (376) 189
Buck, M.G. and Zadunaisky, J.A.
Stimulation of ion transport by ascorbic acid through inhibition of

3′,5′-cyclic-AMP phosphodiesterase in the corneal epithelium and other tissues (389) 251
Budowsky, E.I., Sverdlov, E.D., Spasokukotskaya, T.N. and Koudelka, Ja.
Mechanism of the mutagenic action of hydroxylamine. VIII. Functional properties of the modified adenosine redisues (390) 1
Budzynski, A.Z., see Tranqui-Pouit, L. (400) 189
Buege, J.A. and Aust, S.D.
Comparative studies of rat liver and lung NADPH-cytochrome c reductase (385) 371
Bugg, C.E., see Cook, W.J. (389) 428
Bugg, C.E., see Sternglanz, H. (378) 1
Bull, T.E., Lindman, B., Einarsson, R. and Zeppezauer, M.
Binding of $Au(CN)_2^-$ and $Pt(CN)_4^{2-}$ to horse liver alcohol dehydrogenase. A ^{35}Cl NMR relaxation study (377) 1
Bunch, J.M., see Holden, J.T. (382) 657
Bünemann, H., see Dattagupta, N. (378) 44
Buonassisi, V. and Root, M.
Enzymatic degradation of heparin related mucopolysaccharides from the surface of endothelial cell cultures (385) 1
Burbaev, D.S., see Blumenfeld, L.A. (379) 512
Burckard, J., Mazen, A. and Champagne, M.
Non-histone chromosomal proteins easily extractible from chick erythrocytes (405) 434
Burday, M., see Abou-Sabe, M. (385) 281
Burger, G., Lang, B. and Bandlow, W.
Studies on the mechanism of electron transport in the bc_1-segment of the respiratory chain in yeast. II. The binding of antimycin to mitochondrial particles and the function of two different binding sites (396) 187
Burkard, G., see Guillemaut, P. (378) 64
Burke, G., see Friedman, Y. (397) 331
Burma, D.P., see Suryanarayana, T. (407) 459
Burr, A.H., Schiefke, R. and Bollerup, G.
Properties of hemoglobin from the chromatrope of the nematode Mermis nigrescens (405) 404
Burstein, C., see Daniel, J. (376) 195
Burstein, E.A., Permyakov, E.A., Emelyanenko, V.I., Bushueva, T.L. and Pechère, J.-F.
Investigation of some physico-chemical properties of muscular parvalbumins by means of the luminescence of their phenylalanyl residues (400) 1
Burtner, D.L., see Stein, G.S. (390) 56
Burton, W.C. and Frenkel, E.P.
Effect of vitamin B12 deficiency on the hepatic tissue concentration of acyl carnitines (398) 217
Burton, J., see Poulsen, K. (400) 258
Bushueva, T.L., see Burstein, E.A. (400) 1
Busse, D., Jahn, A. and Steinmaier, G.
Carrier-mediated transfer of D-glucose in brush border vesicles derived from rabbit renal tubules. Na^+-dependent versus Na^+-independent transfer (401) 231
Bussolotti, D.L., seeHeller, J.S. (403) 197
Butcher, F.R., Goldman, J.A. and Nemerovski, M.
Effect of adrenergic agents on α-amylase release and adenosine 3′,5′-monophosphate accumulation in rat parotid tissue slices (392) 82
Butel, J.S., see Farber, F.E. (390) 298
Butler, J., Jayson, G.G. and Swallow, A.J.
Reaction between the superoxide anion radical and cytochrome c (408) 215
Butler, K.W., see Stockton, G.W. (401) 535
Butler, M.M. and Thompson, W.
Transfer of phosphatidylserine from liposomes or microsomes to mitochondria: Stimulation by a cell supernatant factor (388) 52
Butler, W.L., see Kitajima, M. (376) 105
Butler, W.L. and Kitajima, M.
Energy transfer between Photosystem II and Photosystem I in chloroplasts (396) 72
Butler, W.L. and Kitajima, M.
Fluoresecence quenching in Photosystem II of chloroplasts (376) 116
Butler, W.L., see Kitajima, M. (408) 297
Butt, V.S., see Poulton, J.E. (403) 301
Butterworth, P.J., see Ramasamy, I. (384) 146

Buys, C.H.C.M., de Jong, A.S.H., Bouma, J.M.W. and Gruber, M. Rapid uptake by liver sinusoidal cells of serum albumin modified with retention of its compact conformation (392) 95

Byers, B., see Halsey, Y.D. (387) 349
Byington, K.H., see Forte, L.R. (389) 84
Byrd, B.J., see Armstrong, W.McD. (401) 137

C

Cabantchik, Z.I., Balshin, M., Breuer, W., Markus, H. and Rothstein, A.
A comparison of intact human red blood cells and resealed and leaky ghosts with respect to their interactions with surface labelling agents and proteolytic enzymes (382) 621

Cabradilla, C.D. and Toliver, A.P.
S-Phase dependent forms of DNA. Nuclear membrane complexes in HeLa cells (402) 188

Cadenhead, D.A., Kellner, B.M.J. and Müller-Landau, F.
A comparison of a spin-label and a fluorescent cell membrane probe using pure and mixed monomolecular films (382) 253

Cagen, L.M., Pisano, J.J., Ketley, J.N., Habig, W.H. and Jakoby, W.B.
The conjugation of prostaglandin A_1 and glutathione catalyzed by homogeneous glutathione S-transferases from human and rat liver (398) 205

Calandra, S., Montaguti, M., Cartoni, V. and Pasquali-Ronchetti, I.
Plasma lipoproteins in rats with experimental biliary obstruction. I. A chemical study (409) 1

Calandra, S., see Pasquali-Ronchetti, I. (409) 13

Caldiroli, E., see Lanzani, G.A. (407) 449

Calissano, P., see Levi, A. (399) 50

Callahan, J.W. and Gerrie, J.
Purification of G_{M1}-ganglioside and ceramide lactoside β-galactosidase from rabbit brain (391) 141

Callely, A.G., see Clarke, K.F. (404) 169

Calvaruso, G., see Tesoriere, G. (385) 58

Camacho, Z., see Ferrell, R.E. (386) 260

Camargo, E.P., see Rojas, S. (404) 249

Camici, G., see Ramponi, G. (391) 486

Cammack, K.A., see Marlborough, D.I. (386) 576

Cammack, R., see Anderson, R.E. (376) 63

Camp, C.E., see Sidhu, K.S. (397) 254

Campbell, A.K., see Moisescu, D.G. (396) 133

Campbell, B.J., see Nardacci, N.J. (377) 146

Campbell, E.W., see Enger, M.D. (390) 182

Campbell, J. and Hornby, W.E.
Immobilized glutamate oxaloacetate transaminase. Steady state kinetic analysis and stability studies (403) 79

Campbell, J., Hornby, W.E. and Morris, D.L.
The preparation of several new nylon tube-glucose oxidase derivatives and their incorporation into the "reagentless" automated analysis of glucose (384) 307

Campbell, J. and Chang, T.M.S.
Enzymatic recycling of coenzymes by a multi-enzyme system immobilized within semipermeable collodion microcapsules (397) 101

Campillo, A.J., Hyer, R.C., Kollman, V.H., Shapiro, S.L. and Sutphin, H.D.
Fluorescence lifetimes of α- and β-carotenes (387) 533

Candia, O.A., see Siegel, G.J. (389) 557

Canellakis, E.S., see Heller, J.S. (403) 197

Canellakis, E.S., see Tsai, C.M. (401) 196

Carioni, P., see Julien, R. (379) 157

Cannon, D.J. and Cintron, C.
Collagen cross-linking in corneal scar formation (412) 18

Cano, F.R., see Colonna, W.J. (386) 293

Cantor, J.O., see Greenwald, R.A. (385) 435

Cantrill, R.C. and Carey, E.M.
Changes in the activities of de novo fatty acid synthesis and palmitoyl-CoA synthetase in relation to myelination in rabbit brain (380) 165

Canuel, L.L., see Patel, D.J. (400) 275

Canuto, R.A., see Feo, F. (413) 116

Capesius, I., Bierweiler, B., Bachmann, K., Rücker, W. and Nagl, W.
An A+T-rich satellite DNA in a monocotyledonous plant, Cymbidium (395) 67

Caplan, E.B.
Very rapidly migrating f1 histone

associated with gene-sized pieces of DNA in the macronucleus of Oxytrichia sp. (407) 109
Caplan, S.R., see Lang, M.A. (401) 481
Caplan, S.R., see Owen, A. (389) 407
Caplan, S.R., see Owen, A. (394) 438
Caprioli, R.M., see Heron, E.J. (403) 563
Capuzzi, D.M., Lackman, R.D., Alexander, J., Intenzo, C.M. and Reed, M.A.
Rapid modulation of lipogenesis by clofibrate in rat and monkey hepatocytes (409) 144
Caras, I. and Shapiro, B.
Partial purification and properties of microsomal phosphatidate phosphohydrolase from rat liver (409) 201
Cardin, C.J. and Mason, J.
Sulphate transport by rat ileum. Effect of molybdate and other anions (394) 46
Cardini, C.E., see Tandecarz, J. (399) 345
Carey, C., Wang, C.S. and Alaupovic, P.
A critical evaluation of the proposal that serum apolipoproteins are the major constituents of the human erythrocyte membrane (401) 6
Carević, O., Prpić, V. and Sverko, V.
Correlation between erythromycin and acid phosphatase in mouse liver (381) 269
Carey, E.M.
Comparison of the acylation of sn-glycerol 3-phosphate and membrane-bound lipid in the microsomal fraction from rabbit brain throughout maturation (398) 231
Carey, E.M., see Cantrill, R.C. (380) 165
Carey, E.M. and Parkin, L.
Fatty acid metabolism in the microsomal fraction of developing rabbit brain (380) 176
Carithers, R.P. and Parson, W.W.
Delayed fluorescence from Rhodopseudomonas viridis following single flashes (387) 194
Carl, P.L., see Heinze, J.E. (402) 35
Carlier, A.R., see Van Assche, J.A. (391) 154
Carlson, J.R., see Bray, T.M. (382) 534
Carlsson, F.H.H.
Snake venom toxins. The primary structure of proteins S_4C_{11}; a neurotoxin homologue from the venom of forest cobra (Naja melanoleuca) (400) 310
Carmeli, C., Lifshitz, Y. and Gepshtein, A.
Control of proton translocation induced by ATPase activity in chloroplasts (376) 249
Carnevale, H.N., see Wozny, M.E. (383) 106
Carr, N.G., see Mann, N. (402) 41
Caron, M., see Kern, P. (389) 281
Carlsson, J., see Svenson, A. (400) 433
Carraway, K.L.
Covalent labeling of membranes (415) 379
Carraway, K.L., Colton, D.G., Shin, B.C. and Triplett, R.B.
Species variability in the modification of erythrocyte surface proteins by enzymatic probes (382) 181
Carraway, K.L., see Decker, R.V. (386) 52
Carraway, K.L., Triplett, R.B. and Anderson, D.R.
Calcium-promoted aggregation of erythrocyte membrane proteins (379) 571
Carreira, J., see Nieto, M. (413) 394
Carrell, R.W., see Wilkinson, T. (393) 195
Carrick, Jr., L. and Berk, R.S.
Purification and partial characterization of a collagenolytic enzyme from Pseudomonas aeruginosa (391) 422
Carter, Jr., J.R., see Koch, P.A. (389) 162
Carter, Jr., J.R., see Koch, P.A. (389) 177
Carter, N. and Auton, J.
Characterisation of carbonic anhydrases from tissues of the cat (410) 220
Cartoni, V., see Calandra, S. (409) 1
Carvalho, A.P., see Vale, M.G.P. (413) 202
Case, G.D.
Magnetic resonance studies of the mitochondrial divalent cation carrier (375) 69
Case, R.M., see Smith, P.A. (399) 277
Casey, R., see Schneider, R.G. (400) 365
Cash, J.D., see Moore, S. (379) 360
Cash, J.D., see Moore, S. (379) 370
Cashel, M., see Raué, H.A. (383) 290
Castagnola, J.M., see Mendelson, J. (407) 283

Castrelos, O.D., Mercado, M.R., Abatangelo, C. and Margni, R.A.
Plasma proteins and immunoglobulins in penguins (Pygoscelis adeliae) (400) 137
Catignani, G.L., Chytil, F. and Darby, W.J.
Purification and characterization of xanthine oxidase from livers of vitamin E deficient rabbits (377) 34
Catsimpoolas, N., see Vulimiri, L. (412) 148
Catt, K., see Mendelson, C. (411) 222
Cavaggioni, A., see Chabre, M. (382) 336
Cavaggioni, A., see Sorbi, R.T. (394) 577
Cazillis, M., de Recondo, A.M. and Frayssinet, C.
High molecular weight deoxyribonucleic acid polymerase of LF hepatoma. Purification and properties (407) 133
Cecchini, G., Bojanowski, R.J. and Demoss, R.D.
Tryptophanase from Sphaerophorus funduliformis. Purification, molecular weight and subunit properties (386) 340
Cecil, D. and Robinson, G.B.
The specific binding of insulin to polythene and other materials (404) 164
Celentano, F., see Monticelli, G. (401) 41
Cerny, E.A., see Jonah, M.M. (401) 336
Cerutti, P.A., see Mattern, M.R. (395) 48
Cestaro, B., see Venerando, B. (403) 461
Chabre, M.
X-ray diffraction studies of retinal rods. I. Structure of the disc membrane, effect of illumination (382) 322
Chabre, M. and Cavaggioni, A.
X-ray diffraction studies of retinal rods. II. Light effect on the osmotic properties (382) 336
Chaffee, R.R.J., see Laris, P.C. (376) 415
Chaiken, R., Pagano, D. and Detwiler, T.C.
Regulation of platelet phosphorylase (403) 315
Chaimovich, H., see Baldijao, C.E.M. (391) 316
Chajek, T., Stein, O. and Stein, Y.
Colchicine-induced inhibition of plasma lipoprotein lipase release in the intact rat (380) 127
Chajek, T., Stein, O. and Stein, Y.
Interference with the transport of heparin-releasable lipoprotein lipase in the perfused rat heart by colchicine and vinblastine (388) 260
Chalkley, R., see Sherod, D. (381) 337
Chambers, S.M., see Tökés, Z.A. (389) 325
Champagne, M., see Burckard, J. (405) 434
Champagne, M., see Garel, A. (395) 5
Champagne, M., see Garel, A. (395) 16
Chan, A.C. and Walker, I.G.
DNA synthesis in L-cells in the presence of 5-fluorodeoxyuridine (395) 422
Chan, H.W.-S., Costaras, C.T., Prescott, F.A.A. and Swoboda, P.A.T.
Specificity of lipoxygenases Thermal isomerisations of linoleate hydroperoxides. A phenomenon affecting the determination of isomeric ratios (398) 347
Chan, H.W.-S. and Prescott, F.A.A.
Specificity of lipoxygenases. Separation of isomeric hydroperoxides by high performance liquid chromatography (380) 141
Chan, I., see Shanmugam, K.T. (408) 101
Chan, S.I., see Lichtenberg, D. (382) 10
Chance, B., see Miko, M. (396) 165
Chandler, M.L. and Varandani, P.T.
Insulin degradation. XV. Use of different assay methods for the study of mechanism of action of glutathione-insulin transhydrogenase (397) 307
Chaney, S.G. and Schlessinger, D.
Escherichia coli mutants deficient in RNA accumulation at high temperature (378) 80
Chang, K.-J., Jacobs, S. and Cuatrecasas, P.
Quantitative aspects of hormone-receptor interactions of high affinity. Effect of receptor concentration and measurement of dissociation constants of labeled and unlabeled hormones (406) 294
Chang, L.C.T., see Danon, A. (388) 71
Chang, N.C., see Schmid, H.H.O. (409) 311
Chang, P., see Harewood, K.R. (407) 14
Chang, R., see Hull, H.H. (400) 132
Chang, T.M.S., see Campbell, J. (397) 101
Chang Wang, H.-H., see Stacewicz-Sapuncakis, M. (380) 264
Chao, W.-T.H., see Forte, L.R. (389) 84

Chapdelaine, A., see Bleau, G. (375) 220
Chapdelaine, A., see Lalumière, G. (394) 120
Chapman, B., see Rees, T.Ap (385) 145
Charles, M., see Aizawa, M. (385) 362
Charles, R., see Destree, O.H.J. (378) 450
Chase, L.R., see Leichter, S.B. (399) 291
Chatagner, F., see De Billy, G. (397) 231
Chatagner, F., see Guion-Rain, M.C. (384) 265
Chatman, V.B., see DiMari, S.J. (393) 320
Chatterjee, S.N., Maiti, M. and Ghosh, S.
Interaction of furazolidone with DNA (402) 161
Chaudry, I.H., Adzick, N.S., Sayeed, M.M. and Baue, A.E.
Effect of hydrocortisone and dexamethasone on xylose uptake by isolated rat soleus muscle (399) 85
Chauveau, J., see Ehrhart, J.C. (375) 434
Cheah, K.S.
Properties of Ascaris muscle mitochondria (387) 107
Chegwidden, W.R. and Watts, D.C.
Kinetic studies and effects of anions on creatine phosphokinase from skeletal muscle rhesus monkey (Macaca mulatta) (410) 99
Chen, A.B., see Mosesson, M.W. (386) 509
Chen, C.J., see Kleckner, H.B. (400) 343
Chen, J.P., Hutchison, H.T., Nanninga, L.B. and Guest, M.M.
Characterization of the terminal degradation products of canine fibrinogen by plasmin (386) 69
Chen, J.S., see Levi, A. (399) 50
Chen, K.Y., see Tsai, C.M. (401) 196
Chen, S., see McLaughlin, S. (394) 304
Cheng, Y.C., Goz, B. and Prusoff, W.H.
Deoxyribonucleotide metabolism in herpes simplex virus infected HeLa cells (390) 253
Chenna Reddy, C. and Vaidyanathan, C.S.
Purification, properties and induction of a specific benzoate-4-hydroxylase from Aspergillus niger (UBC 814) (384) 46
Chepenik, K.P., see East, J.M. (388) 106
Chernyak, V.Ya., see Sultanov, R.A. (386) 369
Chesnut, R.W., see Fung, B.M. (385) 180
Chester, M.A., Lundblad, A. and Masson, P.K.
The relationship between different forms of human α-mannosidase (391) 341
Chetverikova, E.P., see Shnoll, S.E. (403) 89
Chevallier, M.R., see Greth, M.L. (390) 168
Chheda, G.B., see Rosenfeld, J.L. (410) 164
Chiang, Y.-L., see Yu, L. (379) 33
Childers, S.R. and Siegel, F.L.
Isolation and purification of a calcium-binding protein from electroplax of Electrophorus electricus (405) 99
Chilton, M.-D., see Farrand, S.K. (390) 264
Chipperfield, A.R., see Whittam, R. (415) 149
Chirvasie, R., see Dragomir, C.T. (389) 530
Chiu, J.F., see Thomson, J.A. (407) 114
Chmelar, M., see Giacobino, J.P. (406) 68
Christensen, T.B., see Olsnes, S. (405) 1
Christensen, U.
pH effects in plasmin catalyzed hydrolysis of α-N-benzoyl-L-arginine-compounds (397) 459
Christiansen, K.
Membrane-bounded lipid particles from beef heart glyceride synthesis (380) 390
Christiansen, R.Z., see Christophersen, B.O. (388) 402
Christie, W.M., see MacDonald, I.A. (384) 12
Christoffersen, T. and Berg, T.
Altered hormone control of cyclic AMP formation in isolated parenchymal liver cells from rats treated with 2-acetylaminofluorene (381) 72
Christophersen, B.O. and Christiansen, R.Z.
Studies on the mechanism of the inhibitory effects of erucylcarnitine in rat heart mitochondria (388) 402
Chu, M., see McIntosh, A.R. (376) 308
Chua, C.G., see Wilkinson, T. (393) 195
Chung, G.C.H., Delaney, R., Mack, D., Connor Johnson, B.
Partial purification and characterization of the enzyme which converts precursor liver protein to factor X (386) 556
Chytil, F., see Bashor, M.M. (411) 87
Chytil, F., see Catignani, G.L. (377) 34

Cimino, M., see Levi, A. (399) 50
Cinti, D.L. and Ozols, J.
Binding of homogeneous cytochrome b_5 to rat liver microsomes: effect on N-demethylation reactions (410) 32
Cintron, C., see Cannon, D.J. (412) 18
Cittanova, N., see Benassayag, C. (412) 295
Cittanova, N., see Khaïat, A. (401) 1
Ciucă, L., see Dragomir, C.T. (389) 530
Civan, M.M., see Shporer, M. (385) 81
Civerchia, L.L., see Gounaris, A.D. (405) 492
Claeyssens, M., Saman, E., Kersters-Hilderson, H. and De Bruyne, C.K.
β-D-Xylosidase from Bacillus pumilis. Molecular properties and oligomeric structure (405) 475
Claisse, M.L., see Ramos, E.H. (394) 470
Clari, G., see Pinna, L.A. (397) 519
Clark, C., see Wenger, D.A. (409) 297
Clark, C.M. and Goodlad, G.A.J.
Muscle protein biosynthesis in the tumor-bearing rat. A defect in a post-intiation stage of translation (378) 230
Clarke, F.M. and Masters, C.J.
On the association of glycolytic enzymes with structural proteins of skeletal muscle (381) 37
Clarke, K.F., Callely, A.G., Livingstone, A. and Fewson, C.A.
Metabolism of monofluorobenzoates by Acinetobacter calcoaceticus N.C.I.B. 8250. Formation of monofluorocatechols (404) 169
Claus, T.H., Pilkis, S.J. and Park, C.R.
Stimulation by glucagon of the incorporation of (U-^{14}C)-labelled substrates into glucose by isolated hepatocytes from fed rats (404) 110
Clausen, T., Elbrink, J. and Dahl-Hansen, A.B.
The relationship between the transport of glucose and cations across cell membranes in isolated tissues. IX. The role of cellular calcium in the activation of the glucose transport system in rat soleus muscle (375) 292
Clausen, T., see Young, D.A.B. (389) 194
Clayton, R.K., see Parson, W.W. (387) 265
Clayton, R.K., see Wraight, C.A. (396) 242
Clegg, R.A., see Arnberg, A.C. (383) 359
Cleve, H., see Fujita, S. (382) 172
Cleve, H., see Fujita, S. (406) 206
Clifford, A.J., see Shenoy, T.S. (411) 133
Closset, J. and Gerday, C.
Conformational studies on parvalbumins by circular dichroism (405) 228
Cogdell, R.J., Monger, T.G. and Parson, W.W.
Carotenoid triplet states in reaction centers from Rhodopseudomonas sphaeroides and Rhodospirillum rubrum (408) 189
Codgell, R.J., see Parson, W.W. (416) 105
Cogdell, R.J., see Parson, W.W. (387) 265
Cogdell, R.J., see Wraight, C.A. (396) 242
Cohen, A.B.
Interaction of alpha-1-antitrypsin with chymotrypsin, trypsin and elastase (391) 193
Cohen, B.I., see Raicht, R.F. (388) 374
Cohen, E.S., see Armstrong, W.McD. (401) 137
Cohen, I., see Avissar, N. (375) 35
Cohen, M.P., see Khalifa, A. (386) 332
Cohen, M.P. and Vogt, C.A.
Collagen synthesis and secretion by isolated rat renal glomeruli (393) 78
Cohen, S.J., see Armstrong, W.McD. (401) 137
Cohen, W.S., see Cohn, D.E. (376) 97
Cohn, D.E., Cohen, W.S. and Bertsch, W.
Inhibition of Photosystem II by uncouplers at alkaline pH and its reversal by artificial electron donors (376) 97
Cohn, D.V., see Fullmer, C.S. (412) 256
Cohn, M.S., Lynch, M.C. and Phillips, A.T.
Catalytic and thermodynamic properties of the urocanate hydratase reaction (377) 444
Cole, R., see Audet, A. (380) 414
Coleman, R. and Bramley, T.A.
Hydrolysis of erythrocyte membrane phospholipids by a preparation of phospholipase C from Clostridium welchii. Deactivation of (Ca^{2+}, Mg^{2+})-ATPase and its reactivation by added lipids (382) 565
Coleman, R., see Holdsworth, G. (389) 47
Colilla, W., Jorgenson, R.A. and Nordlie, R.C.
Mammalian carbamyl phosphate: Glucose phosphotransferase and

glucose-6-phosphate phosphohydrolase: Extended tissue distribution (377) 117
Colli, W., see Marzzoco, A. (395) 525
Collins, A.D., de Meester, P., Goodgame, D.M.L. and Skapski, A.C. The site of metal ion binding in a nickel derivative of adenosine 5′-monophosphate: An X-ray study (402) 1
Collins, F.D., see Shamgar, F.A. (409) 104
Collins, F.D., see Shamgar, F.A. (409) 116
Colonna, G., see Balestrieri, C. (405) 517
Colonna, W.J., Cano, F.R. and Lampen, J.O. Microheterogeneity in yeast invertase (386) 293
Colton, D.G., see Carraway, K.L. (382) 181
Comfurius, P., see Zwaal, R.F.A. (406) 83
Condrescu-Guidi, M., see Proverbio, F. (394) 281
Conner, R.L. and Reilly, A.E. Effects of isovalerate supplementation on growth and fatty acid composition of Tetrahymena pyriformis W (398) 209
Connor Johnson, B., see Chung, G.C.H. (386) 556
Conrad, D.H., see Alving, C.R. (394) 157
Contreras, A., see Barbacid, M. (395) 347
Conventi, L., see Veronese, F.M. (377) 217
Cook, J.L. and Konrad, M.W. 5′ Termini of bacterial RNA. I. The monophosphorylated termini (383) 399
Cook, W.J. and Bugg, C.E. Calcium-carbohydrate bridges composed of uncharged sugars. Structure of a hydrated calcium bromide complex of *a*-fucose (389) 428
Cooper, A.G., see Philippot, J.R. (406) 161
Cooper, B.A., see Peirce, K. (381) 348
Cooper, D. and Manley, R.St.J. Cellulose synthesis by Acetobacter xylinum. I. Low molecular weight compounds present in the region of synthesis (381) 78
Cooper, D. and Manley, R.St.J. Cellulose synthesis by Acetobacter xylinum. II. Investigation into the relation between cellulose synthesis and cell envelope components (381) 97
Cooper, D. and Manley, R.St.J. Cellulose synthesis by Acetobacter xylinum. III. Matrix, primer and lipid requirements and heat stability of the cellulose-forming enzymes (381) 109
Cooper, H.K. and Itzhaki, R.F. Studies on liver chromatin from rats treated with dimethylnitrosamine (407) 263
Cooper, R.A., see Wiley, J.S. (413) 425
Copp, D.H., see Messer, H.H. (391) 61
Copp, D.H., see Shami, Y. (401) 256
Coquil, J.F., Virmaux, N., Mandel, P. and Goridis, C. Cyclic nucleotide phosphodiesterase of retinal photoreceptors. Partial purification and some properties of the enzyme (403) 425
Cordua, A., see Tillmann, W. (382) 157
Corker, G.A., see Tomkiewicz, M. (406) 197
Cornford, E.M. and Oldendorf, W.H. Independent blood-brain barrier transport systems for nucleic acid precursors (394) 211
Corwin, L.M., see Grant, M.M. (404) 180
Costaras, C.T., see Chan, H.W.-S. (398) 347
Coster, H.G.L. Electromechanical stresses and the effect of pH on membrane structure (382) 142
Coster, H.G.L. and Zimmermann, U. Dielectric breakdown in the membranes of Valonia utricularis. The role of energy dissipation (382) 410
Cotlier, E., see Tao, R.V.P. (409) 329
Coughlin, R.W., see Aizawa, M. (385) 362
Coulet, P.R., Godinot, C. and Gautheron, D.C. Surface-bound aspartate aminotransferase on collagen films. Compared properties with native enzyme (391) 272
Čoupek, J., see Turková, J. (386) 503
Čoupek, J., see Valentová, O. (403) 192
Coward, J.K., see Heller, J.S. (403) 197
Cowden, M., see Hui, S.W. (382) 265
Cowen, D.M., see Mian, N. (391) 179
Cox, R.A., see Huvos, P. (383) 421
Cox, R.I., see Poulos, A. (388) 12
Cox, R.P. Reduction of artificial electron acceptors at sub-zero temperatures by

chloroplasts suspended in fluid media (387) 588
Cramer, R., see Patriarca, P. (385) 387
Cramer, W.A., see Horton, P. (396) 310
Crane, F.L., see Rosen, D. (408) 35
Crane, R.K., see Dugas, M.C. (382) 576
Crane, R.K., see Dugas, M.C. (401) 486
Crane, R.K., see Maestracci, D. (382) 147
Crastes de Paulet, A., see Tabacik, C. (398) 490
Crawford, G.P.M. and Ogston, D.
The action of antithrombin III on plasmin and activators of plasminogen (391) 189
Creamer, L.K., see Mills, O.E. (379) 618
Creamer, L.K., see Richardson, B.C. (393) 37
Cremaschi, D. and Hénin, S.
Extracellular space determination of gallbladder mucosa (411) 291
Crespi, H.L., see Anderson, R.E. (408) 306
Cress, E.A., see Blank, M.L. (380) 208
Critchley, D.R., Howell, K.E. and Eicholz, A.
Solubilization of brush borders of hamster small intestine and fractionation of some of the components (394) 361
Crofts, A.R., see Prince, R.C. (397) 212
Crokaert, R., see Wiesenfeld, M. (405) 500
Cross, G.A.M., see Spencer, R. (390) 141
Csatorday, K., see Lehoczki, E. (396) 86
Csatorday, K., Lehoczki, E. and Szalay, L.
Energy transfer by chlorophyll a in detergent micelles (376) 268
Csopak, H., see Lilja, H. (384) 277
Cuatrecasas, P., see Chang, K.-J. (406) 294
Cullen, J.P., see Paterson, C.A. (375) 309
Cullis, P.R., see de Kruijff, B. (406) 6
Cummings, D.J., see Tait, A. (378) 282
Cunarro, J. and Weiner, M.W.
Mechanism of action of agents which uncouple oxidative phosphorylation. Direct correlation between proton-carrying and respiratory-releasing properties using rat liver mitochondria (387) 234
Cundall, R.B., see Bisby, R.H. (389) 137
Cunningham, W.L., see Ramage, P.R. (403) 473
Cunningham, W.L., see Ramage, P.R. (411) 325
Cupp, J., Klymkowski, M., Sands, J., Keith, A. and Snipes, W.
Effect of lipid alkyl chain perturbations on the assembly of bacteriophage PM2 (389) 345
Curgy, J.-J., see Ledoigt, G., (407) 222
Curstedt, T.
Biosynthesis of acyl groups in molecular species of biliary phosphatidylcholines during metabolism of [2,2,2-$^2H_3$]ethanol (398) 265
Cussler, E.L., see Sehlin, R.C. (388) 385
Cyr, R., see Stockton, G.W. (401) 535
Czernilofsky, A.P., see Bauer, K. (395) 146

D

Dabrowska, R., Nowak, E., Podlubnaya, Z. and Drabikowski, W.
Interaction of troponin components with F-actin and F-actin-tropomyosin complex (400) 54

D'Adelhart-Toorop, H.A., see Destree, O.H.J. (378) 450

Daemen F.J.M., see De Grip, W.J. (396) 104

Daemen, F.J.M., see Hyono, A. (389) 34

Daemen, F.J.M., see Lion, F. (384) 283

Dahl, D. and Bignami, A.
Glial fibrillary acidic protein from normal and gliosed human brain. Demonstration of multiple related polypeptides (386) 41

Dahl-Hansen, A.B., see Clausen, T. (375) 292

Dahlqvist, U. and Wählby, S.
Formation of a covalent intermediate between α-chymotrypsin and the B-chain of insulin during enzyme-catalyzed hydrolysis (391) 410

Dainko, J.L., see Schlenk, F. (385) 312

Dakshinamurti, K., see Boeckx, R.L. (383) 282

D'Alessio, G., see Libonati, M. (402) 83

Dalgleish, D.G., see Holt, C. (379) 638

Dalgleish, D.G., see Holt, C. (400) 283

Dallner, G., see DePierre, J.W. (415) 411

Dalmon, J., see Bayen, M. (395) 213

Daly, J.W., see Mah, He.D. (404) 49

Dalziel, K., see Bell, J.E. (391) 249

Dalziel, K., see Bell, J.E. (410) 243

Dancis, J., see Hutzler, J. (377) 42

Dancker, P., Löw, I., Hasselbach, W. and Wieland, Th.
Interaction of actin with phalloidin; polimerization and stabilization of F-actin (400) 407

Daneshmand, P., see Rahbar, S. (379) 645

D'Angelo, G., see Masiak, S.J. (382) 83

Daniel, A., see Swann, A.C. (401) 299

Daniel, J., Roisin, M.-P., Burstein, C. and Kepes, A.
Mutants of Escherichia coli K12 unable to grow on non-fermentable carbon substrates (376) 195

Daniel, R.M., see Bishop, P.E. (381) 248

Danielsson, B., see Mosbach, K. (403) 256

Dannenberg, Jr., A., see Rojas-Espinosa, O. (403) 161

Danon, A., Chang, L.C.T., Sweetman, B.J., Nies, A.S. and Oates, J.A.
Synthesis of prostaglandins by the rat renal papilla in vitro: Mechanism of stimulation by angiotensin II (388) 71

Danon, A., Heimberg, M. and Oates, J.A.
Enrichment of rat tissue lipids with fatty acids that are prostaglandin precursors (388) 318

Danzer, L.A., Ades, H. and Rees, E.D.
The helical content of zein, a water insoluble protein, in nonaqueous solvents (386) 26

Darbre, P., see Lorkin, P.A. (379) 22

Darbre, P.D., Romero-Herrera, A.E. and Lehmann, H.
Comparison of the myoglobin of the zebra (Equus burchelli) with that of the horse (Equus caballus) (393) 201

Darby, W.J., see Catignani, G.L. (377) 34

Dardenne, G.A., Larsen, P.O. and Wieczorkowska, E.
Biosynthesis of p-aminophenylalanine: Part of a general scheme for the biosynthesis of chorismic acid derivatives (381) 416

Das, K., Dunnill, P. and Lilly, M.D.
Affinity chromatography of enzyme cofactors: The separation of NAD on immobilised dehydrogenase columns (397) 277

Dattagupta, N., Bünemann, H. and Müller, W.
Interaction of 4,5-dibromo-2,7-di-(acetatomercuri)-fluorescein with DNAs of different base composition (378) 44

Daune, M., see Festy, B. (407) 24

Daune, M., see Garel, A. (395) 5

Daune, M., see Garel, A. (395) 16

Daune, M., see Sturm, J. (407) 43

Davenport, G.R., see Moore, L. (413) 432

David, J.S.K., Thompson, G.R., Gotto, A.M. and Morrisett, J.D.

Interaction of human plasma apolipoproteins and phospholipids. Semiquantitative studies using polyacrylamide gel electrophoresis (398) 72
Davidson, B., see Neary, J.T. (379) 262
Davidson, E. and Poole, B.
Fractionation of the rat liver enzymes that hydrolyse benzoyl-arginine-2-naphthylamide (397) 437
Davidson, G.E., Weir, D.G. and Scott, J.M.
The metabolic consequences of vitamin B-12/methionine deficiency in rats (392) 207
Davidson, S.G.
Proteolytic activity within lysosomes and turnover of pinocytic vesicles. A kinetic analysis (411) 282
Davidson, S.J.
Metal-ion effects on proteolysis and stability in secondary lysosomes of mouse kidney (385) 163
Davidson, S.J. and Song, S.W.
A thermally induced alteration in lysosome membranes: Salt permeability at 0 and 37° C (375) 274
Davies, R.E., see Logani, M.K. (380) 155
Davies, R.E., see Logani, M.K. (388) 291
Davies, M.R. and Marshall, R.D.
Enhancement of the activity of asparaginyl-tRNA synthetase by an activator from rabbit liver (390) 94
Davis, A.T., see Ahmed, K. (377) 80
Davis, D.J. and Gross, E.L.
Protein-protein interactions of light-harvesting pigment protein from spinach chloroplasts. I. Ca^{2+} binding and its relation to protein association (387) 557
Davis, E.J., see Bremer, J. (376) 387
Davis, Jr., F.C.
Unique sequence DNA transcripts present in mature oocytes of Urechis caupo (390) 33
Davis, L.C., see Münck, E. (400) 32
Davis, L.C., see Shah, V.K. (384) 353
Davis, L.C., Shah, V.K. and Brill, W.J.
Nitrogenase. VII. Effect of component ratio, ATP and H_2 on the distribution of electrons to alternative substrates (403) 67
Davis, P.J., Gustafson, M. and Rosazza, J.P.
Metabolism of N-carbobenzoxyl-L-tryptophan by Chromobacterium violaceum (385) 133
Davison, A.M., see Erickson, S.K. (409) 59
Davison, S.J., see Albin, E.E. (377) 364
Davydov, R.M., see Blumenfeld, L.A. (379) 512
Dawson, G., see Rushton, A.R. (388) 92
Dawson, G., see Tsay, G.C. (385) 305
Day, S., see Stevenson, N.R. (406) 131
Day, W.C.
The dissociation of bovine factor V and isolation of the activated form (386) 352
De Alberti, L., see Lanzani, G.A. (407) 449
Debanne, M.T., Bell, R. and Dolovich, J.
Uptake of proteinase-*a*-macroglobulin complexes by macrophages (411) 295
De Billy, G., Muller, P. and Chatagner, F.
New insights into the active center of rat liver cystathionase (397) 231
De Boer, H.A., see van Ooyen, A.J.J. (395) 128
De Bongioanni, L.C., see Ramos, E.H. (394) 470
De Bruyne, C.K., see Claeyssens, M. (405) 475
De Bruyne, C.K., see Van Wauwe, J.P. (379) 456
DeBusk, A.G., see Rao, E.Y.T. (413) 45
De Caro, A., Figarella, C. and Guy, O.
The two human chymotrypsinogens. Purification and characterization (379) 431
Decker, K., see Wilkening, J. (392) 299
Decker, R.V. and Carraway, K.L.
Circular dichroism of erythrocyte membrane glycoproteins (386) 52
Deconinck, M., Peiffer, S., Depreter, J., Paul, C., Schnek, A.G. and Leonis, J.
The primary sequence of chicken myoglobin (Gallus gallus) (386) 567
Decroly, M. and Goldfinger, M.
Dissociation factor from embryos of Xenopus laevis (390) 82
De Gier, J., see Blok, M.C. (406) 187
De Gier, J., see Bruni, A. (406) 315
De Gier, J., see Mandersloot, J.G. (382) 22
De Gier, J., see Van Zoelen, E.J.J. (394) 463
De Graaf, F.K., see Oudega, B. (392) 184
De Graaf, F.K., see Oudega, B. (399) 213

De Grip, W.J., Bonting, S.L. and Daemen, F.J.M.
Biochemical aspects of the visual process. XXVIII. Classification of sulfhydryl groups in rhodopsin and other photoreceptor membrane proteins (396) 104
De Groot, J.J.M.C., Veldink, G.A., Vliegenhart, J.F.G., Boldingh, J., Wever, R. and Van Gelder, B.F.
Demonstration by EPR spectroscopy of the functional role of iron in soybean lipoxygenase-1 (377) 71
De Grooth, B.G., see Amesz, J. (376) 298
De Haas, G.H., see Van Wezel, F.M. (410) 299
de Jerphanion, M.-B., see Satre, M. (387) 241
De Jersey, J., see Hamilton, S.E. (377) 282
De Jong, A.S.H., see Buys, C.H.C.M. (392) 95
De Jong, J.G.N., see Van den Bosch, H. (398) 244
De Jonge, H.R.
The response of small intestinal villous and crypt epithelium to choleratoxin in rat and guinea pig. Evidence against a specific role of the crypt cells in choleragen-induced secretion (381) 128
De Kok, J., Muller, J.L.M. and Slater, E.C.
EPR studies on the respiratory chain of wild type Saccharomyces cerevisiae and mutants with a deficiency in succinate dehydrogenase (387) 441
De Kok, J. and Slater, E.C.
The respiratory-chain in a ubiquinone-deficient mutant of Saccharomyces cerevisiae (376) 27
De Kouchkovsky, Y.
Study of the chlorophyll fluorescence in chloroplasts and algae with the plastoquinone antagonist dibromothymoquinone (376) 259
De Kruijff, B., Cullis, P.R. and Radda, G.K.
Differential scanning calorimetry and ^{31}P NMR studies on sonicated and unsonicated phosphatidylcholine liposomes (406) 6
Delaage, M.A.
"Carrier" theory and thermodynamics of irreversible processes (394) 493
DelaFuente, G., see Sabater, B. (377) 258
Delaney, R., see Chung, G.C.H. (386) 556
Delaunay, A., see Bailey, A.J. (405) 412
Delaunay, J. and Schapira, G.
Immunogenic properties of eukaryotic ribosomal proteins (386) 138
Delcher, H.K., see Neelon, F.A. (412) 1
Delmelle, M., see Pontus, M. (401) 221
De Luca, L.M., Silverman-Jones, C.S. and Barr, R.M.
Biosynthetic studies on mannolipids and mannoproteins of normal and vitamin A depleted hamster livers (409) 342
Demchenko, A.P., see Zav'yalov, V.P. (386) 155
De Meester, P., see Collins, A.D. (402) 1
De Meester, P. and Hodgson, D.J.
X-ray evidence for metal binding to ribose oxygen atoms: The structure of the cadmium inosine 5′-monophosphate complex $[Cd_2(5'\text{-IMP})_3(H_2O)_6]3\frac{1}{2}H_2O$ (402) 281
De Meis, L., see Gattass, C.R. (389) 506
De Meis, L., see Trotta, E.E. (394) 239
Demel, R.A., Geurts van Kessel, W.S.M., Zwaal, R.F.A., Roelofsen, B. and Van Deenen, L.L.M.
Relation between various phospholipase actions on human red cell membranes and the interfacial phospholipid pressure in monolayers (406) 97
Demoss, R.D., see Cecchini, G. (386) 340
Deng, Q. and Ives, D.H.
Non-allosteric regulation of the uridine kinase from seeds of Zea mays (377) 84
Denier van der Gon, J.J., see Van Venrooij, G.E.P.M. (394) 620
De Pasquale, G.G., see Ferber, E. (398) 364
Depieds, R., see Pommier, G. (389) 483
DePierre, J.W. and Dallner, G.
Structural aspects of the membrane of the endoplasmic reticulum (415) 411
de Pont, J.J.H.H.M., see Kempen, H.J.M. (392) 276
de Pont, J.J.H.H.M., see Loizzi, R.F. (392) 20
de Pont, J.J.H.H.M., see Schreurs, V.V.A.M. (404) 257
de Pont, J.J.H.H.M., see Vreeswijk, J.H.A. (392) 12
Depreter, J., see Deconinck, M. (386) 567

de Recondo, A.M., see Cazillis, M. (407) 133
de Ridder, J.J.M. and van Dam, K.
Control of choline oxidation by rat-liver mitochondria (408) 112
DerVartanian, D.V. and Forget, P.
The bacterial nitrate reductase: EPR studies on the enzyme A of Escherichia coli K12 (379) 74
DerVartanian, D.V., see Wever, R. (387) 189
de Sanchez, V.C., see Pina, M.Z. (384) 501
Descomps, B., see Tabacik, C. (398) 490
Descos, F., see Andre, F. (386) 129
Desmet G.M., see van Duivendijk-Matteoli, M.A. (408) 164
Desnuelle, P., see Louvard, D. (375) 236
Desnuelle, P., see Louvard, D. (389) 389
Dessel, B.H., see Taketa, F. (400) 348
Dessauer, P.L., see Hubbard, M. (386) 538
Destree, O.H.J., D'Adelhart-Toorop, H.A. and Charles, R.
Cytoplasmic origin of the so-called nuclear neutral histone protease (378) 450
Detke, S. and Paule, M.R.
DNA-dependent RNA polymerases from Acanthamoeba castellanii: Properties and levels of activity during encystment (383) 67
Detwiler, T.C., see Chaiken, R. (403) 315
Deuticke, B., see Haest, C.W.M. (401) 468
DeVault, D., see Junge, W. (408) 200
Devilee, P.P., Hemker, H.C. and Bas, B.M.
The influence of cadium ions on the adsorption of prothrombin onto $Al(OH)_3$ as a means to purify prothrombin (379) 172
de Vries, A., see Avissar, N. (375) 35
Deyl, Z., see Juřicová, M. (386) 239
Dhand, U.K., see Edwards, E.M. (399) 217
Diamant, Y.Z., Neuman, S. and Shafrir, E.
Effect of chorionic gonadotropin, triamcinolone, progesterone and estrogen on enzymes of placenta and liver in rats (385) 257
Diaz, E., see Alvarez, O. (389) 444
Di Cesare, J.L., see Barkai, A. (398) 287
Dickie, N., see Robern, H. (393) 148
Dickie, N., see Robern, H. (393) 159
Di Donato, A., see Libonati, M. (407) 292
Diem, S., see Jakob, A. (404) 57
Dietrich, W., see Nicolau, C. (382) 311
Dietschy, J.M., see Weis, H.J. (398) 315
Dilley, K.J. and Harding, J.J.
Changes in proteins of the human lens in development and aging (386) 391
Dilley, R.A., see Giaquinta, R.T. (387) 288
DiMari, S.J., Lembach, K.J. and Chatman, V.B.
The cytotoxins of cobra venoms: Isolation and partial characterization (393) 320
Di Matteo, G., see Romeo, G. (391) 349
Dionisi, O., Galeotti, T., Terranova, T. and Azzi, A.
Superoxide radicals and hydrogen peroxide formation in mitochondria from normal and neoplastic tissues (403) 292
Dirmikis, S.M., Justice, S.K. and Munro, D.S.
Association of the long-acting thyroid stimulator protector with the immunoglobulin G fraction of serum from patients with thyrotoxicosis (379) 239
Doak, G.A., see Zahler, W.L. (406) 479
Dobritsa, A.P., see Vanyushin, B.F. (407) 61
Dobryszycka, W., see Osada, J. (412) 306
Dodsworth, I., see Adams, J.B. (384) 423
Doisy, Jr., E.A., see Siegfried, C.M. (380) 66
Doke, S.N., see Venugopal, V. (403) 521
Dolan, P., see Srinivasan, S.R. (388) 58
Dolgilevich, S.M., see Gause, Jr., G.G. (383) 9
Dolovich, J., see Debanne, M.T. (411) 295
Domazet, Z., see Pace-Asciak, C. (380) 338
Domingo, E., see Escarmis, C (402) 261
Don, M. and Masters, C.J.
On the application of affinity chromatography to turnover studies on the lactate dehydrogenase isoenzymes (384) 25
Donella, A., see Pinna, L.A. (397) 519
Donelly, Jr., T.E., Westergaard, O. and Klenow, H.
Isolation and characterization of a DNA-binding non-histone protein from Tetrahymena pyriformis (402) 150

Doolittle, R.F., see Takagi, T. (386) 617
Döring, G.
Further results on the photoactive chlorophyll a_{II} in photosynthesis (376) 274
Dorozhko, A.I., see Kogan, Z.S. (403) 208
Dorset, D.L.
Electron diffraction study of the hexagonal polymorphic form of some choline-containing phospholipids (380) 257
Dousa, T.P., see Barnes, L.D. (405) 422
Doussiere, J., see Vignais, P.V. (376) 219
Douvas, A. and Price, P.A.
Some effects of calcium and magnesium ions on the activity of bovine pancreatic deoxyribonuclease I (395) 201
Douzou, P., see Bernard, M. (393) 389
Downey, R.J., see Ketchum, P.A. (385) 354
Dow-Walsh, D.S., Mahadevan, S., Kramer, J.K.G. and Sauer, F.D.
Failure of dietary erucic acid to impair oxidative capacity or ATP production of rat heart mitochondria isolated under controlled conditions (396) 125
Drabikowski, W., see Dabrowska, R. (400) 54
Dragomir, C.T., Stefánescu, D.T., Georgescu, I., Stere, G.N., Ciucă, L., Ungureanu, D., Tudor, F. and Chirvasie, R.
Xenon accumulation in the red blood cell. A process altered by suppressors of the membrane active transport function (389) 530
Dray, F., Andrieu, J.M. and Renaud, F.
Enzyme immunoassay of progesterone at the picogram level using β-galactosidase as label (403) 131
Drewes, L.R., see Betz, A.L. (401) 416
Drewes, L.R., see Betz, A.L. (406) 505
Drews, G., see Garcia, A.F. (387) 129
Dreyfus, J.C., see Penton, E. (391) 162
Drezner, M.K., Eisenbarth, G.S., Neelon, F.A. and Lebovitz, H.E.
Stimulation of cartilage amino acid uptake by growth hormone-dependent factors in serum: Mediation by adenosine 3′,5′-monophosphate (381) 384
Dri, P., see Patriarca, P. (385) 380
Druzhinina, T.N., Kusov, Y.Y., Shibaev, V.N. and Kochetkov, N.K.
Interaction of uridine diphosphate glucose with calf liver uridine diphosphate glucose dehydrogenase. Significance of hydroxyl groups at C-3, C-4 and C-6 of hexosyl redisue (403) 1
Druzhinina, T.N., Kusov, Y.Y., Shibaev, V.N., Kochetkov, N.K., Bielý, P., Kucar, S. and Bauer, S.
Uridine diphosphate 2-deoxyglucose: Chemical synthesis, enzymic oxidation and epimerization (381) 301
Dryer, R.L. and Harris, R.R.
Metabolic fate of fatty acids in the carnitine cycle of brown adipose tissue mitochondria (380) 370
Drysdale, J.W. and Shafritz, D.A.
In vitro stimulation of apoferritin synthesis by iron (383) 97
Duane, W.C.
Intermicellar bile salt concentration in equilibrium with the mixed micelles of human bile (398) 275
Dubourdieu, M., Le Gall, J. and Favaudon, V.
Physico-chemical properties of flavodoxin from Desulfovibrio vulgaris (376) 519
Duchastel, A., see Fromson, D. (378) 394
Duckworth, W.C., Heinemann, M. and Kitabchi, A.E.
Proteolytic degradation of insulin and glucagon (377) 421
Ducouret-Prigent, B., Lelievre, L., Paraf, A. and Kepes, A.
Relationship between intracellular K^+ concentrations and K^+ fluxes in growing and contact-inhibited cells (401) 119
Dudkin, S.M., Karabachyan, L.V., Borisova, S.N., Shlyapnikov, S.V., Karpeisky, M.Ya. and Geidarov., T.G.
Spectral properties of phosphopyridoxyl-Lys-7(41)-ribonuclease A (386) 275
Dudman, N.P.B., see Hamilton, S.E. (377) 282
Dufau, M., see Mendelson, C. (411) 222
Duffy, M.J. and Powell, D.
Stimulation of brain adenylate cyclase activity by the undecapeptide substance P and its modulation by the calcium ion (385) 275
Duffy, M.P., see Sprecher, H. (380) 21

Dugal, B.S. and Göpel, G.M.
Effect of calcium ions on pyruvate carboxylase from pigeon liver (410) 407

Dugas, M.C. and Crane, R.K.
Response of transmural electrical parameters across in vitro everted sacs of hamster jejunum to variations in oxygenation rate (401) 486

Dugas, M.C., Ramaswamy, K. and Crane, R.K.
An analysis of the D-glucose influx kinetics of in vitro hamster jejunum, based on considerations of the mass-transfer coefficient (382) 576

Duhm, J.
Glycolysis in human erythrocytes containing elevated concentrations of 2,3-diphosphoglycerate (385) 68

Dulaney, J.T., see Sugita, M. (398) 125

Dullin, P., see Fabisz-Kijowska, A. (390) 105

Dunford, H.B., see Aasa, R. (391) 259

Dunham, W.R., see Anderson, R.E. (408) 306

Dunham, W.R., see Schepler, K.L. (397) 510

Dunker, A.K. and Anderson, E.A.
The binding of the fd gene-5-protein to single-stranded nucleic acid (402) 31

Dunn, G.D., see Wilcox, H.G. (398) 39

Dunn, M.J., McBay, W. and Maddy, A.H.
The N-terminal heterogeneity of EDTA-extractable erythrocyte membrane proteins (386) 107

Dunnand, M.J., see Green, J.R. (382) 457

Dunnill, P., see Das, K. (397) 277

Dupont, J., see Moreau, F. (396) 116

Dupont-Mairesse, N. and Galand, P.
Inability of the estrogen-induced uterine protein to serve as a substrate for the endogenous phosphokinase(s) (404) 214

Duportail, G. and Lami, H.
Studies of the interaction of the fluorophores harmine and harmaline with calf thymus DNA (402) 20

Duranton, J., see Acker, S. (387) 279

Durbin, R.P. and Kircher, A.B.
Hydrolysis of exogenous ATP by isolated frog gastric mucosa (413) 298

Dure, III, L.S., see Brantner, J.H. (414) 99

Durham, D.L., see Fung, B.M. (385) 180

Durham, D.L., see Fung, B.M. (399) 191

Durham, J.P., Galanti, N. and Revis, N.W.
The purification and characterization of plasma membranes and the subcellular distribution of adenylate cyclase in mouse parotid gland (394) 388

Durham, N.N., see Fung, B.M. (385) 180

D'Urso, M., see Romeo, G. (391) 349

Dusenbery, R.L.
Characterization of the genome of Phycomyces blakesleeanus (378) 363

Dutta, S.P., see Rosenfeld, J.L. (410) 164

Dutton, G.J., see Fyffe, J. (411) 41

Dutton, P.L., Petty, K.M., Bonner, H.S. and Morse, S.D.
Cytochrome c_2 and reaction center of Rhodopseudomonas spheroides Ga. membranes. Extinction coefficients, content, half-reduction potentials, kinetics and electric field alterations (387) 536

Dutton, P.L., see Prince, R.C. (387) 609

Duvaldestin, P., Mahu, J.-L. and Berthelot, P.
Effect of fasting on substrate specificity of rat liver UDPglucuronosyltransferase (384) 81

Duysens, L.N.M., see van Best, J.A. (408) 154

Dwek, R.A., Levy, H.R., Radda, G.K. and Seeley, P.J.
Spin lable and lanthanide binding sites on glyceraldehyde-3-phosphate dehydrogenase (377) 26

Dye, D.M. and Toliver, A.P.
Evidence for the existence of a stable association between nascent DNA and the nuclear membrane of HeLa cells (414) 173

E

Eady, R.R., see Thorneley, R.N.F. (403) 269
Eakin, R.T.
Kinetic properties of an enzyme highly enriched in carbon-13 (377) 9
East, J.M., Chepenik, K.P. and Waite, B.M.
Phospholipase A activities in rat placentas of 14 days' gestation (388) 106
Easton, J.A., see Holden, J.T. (382) 657
Ebert, B., see Kuznetsov, A.N. (379) 139
Edalji, R., see Benesch, R. (393) 368
Edelman, I.S., see Spooner, P.M. (406) 304
Edelstein, P., see Heller, M. (413) 472
Edelstein, S., see Bar, A. (411) 106
Edelstein, S., Harell, A., Bar, A. and Hurwitz, S.
The functional metabolism of vitamin D in chicks fed low-calcium and low-phosphorus diets (385) 438
Eden, F.C., see Farrand, S.K. (390) 264
Edwards, E.M., Dhand, U.K., Jeacock, M.K. and Shepherd, D.A.L.
Activities of enzymes concerned with pyruvate and oxaloacetate metabolism in the heart and liver of developing sheep (399) 217
Edwards, P.A.
Effect of plasma lipoproteins and lecithin-cholesterol dispersions on the activity of 3-hydroxy-3-methylglutarylcoenzyme A reductase of isolated rat hepatocytes (409) 39
Efremov, G.D., see Niazi, G.A. (412) 181
Egami, F., see Yanagawa, H. (384) 342
Egelrud, T., see Hernell, O. (381) 233
Egmond, M.R., Finazzi-Agrò, A., Fasella, P.M., Veldink, G.A. and Vliegenthart, J.F.G.
Changes in the fluorescence and absorbance of lipoxygenase-1 induced by 13-L_S-hydroperoxylinoleic acid and linoleic acid (397) 43
Egmond, M.R., Veldink, G.A., Vliegenthart, J.F.G. and Boldingh, J.
On the positional specificity of the oxygenation reaction catalysed by soybean lipoxygenase-1 (409) 399
Egneus, H., Heber, U., Matthiesen, U. and Kirk, M.
Reduction of oxygen by the electron transport chain of chloroplasts during assimilation of carbon dioxide (408) 252
Eguchi, Y., see Wada, F. (410) 237
Egyed, A.
Effect of adenine nucleotides and pyrophosphate on the exchange of transferrin-bound carbonate (411) 349
Egyházi, E.
The inhibition of nuclear RNA synthesis by the rifampicin derivative AF/013 in living cells (378) 205
Ehrenberg, A., see Anderson, R.E. (376) 63
Ehrenberg, A., see Israelachvili, J. (382) 125
Ehrhart, J.C. and Chauveau, J.
Differential solubilization of proteins, phospholipids, free and esterified cholesterol of rat liver cellular membranes by sodium deoxycholate (375) 434
Ehrlich, K., see Ehrlich, M. (395) 109
Ehrlich, M., Ehrlich, K. and Mayo, J.A.
Unusual properties of the DNA from Xanthomonas phage XP-12 in which 5-methylcytosine completely replaces cytosine (395) 109
Ehrström, M., see Israelachvili, J. (382) 125
Eicholz, A., see Critchley, D.R. (394) 361
Eilam, Y.
Two-carrier models for mediated transport. I. Theoretical analysis of several two-carrier models (401) 349
Eilam, Y.
Two-carrier models for mediated transport. II. Glucose and galactose equilibrium exchange experiments in human erythrocytes as a test for several two-carrier models (401) 364
Einarsson, R., see Bull, T.E. (377) 1
Eisenbarth, G.S., see Drezner, M.K. (381) 384

Eisenberg, S., see Fainaru, M. (386) 432
Eker, A.P.M. and
Fichtinger-Schepman, A.M.J.
Studies on a DNA photoreactivating enzyme from Streptomyces griseus. II. Purification of the enzyme (378) 54
Ekholm, J.E., see Luthra, M.G. (382) 634
Ekholm, R., see Berg, G. (386) 422
El-Bassiouni, E.A., Piantadosi, C. and Snyder, F.
Metabolism of alkyldihydroxyacetone phosphate in rat brain (388) 5
Elbrink, J., see Clausen, T. (375) 292
El Gammal, H., see Beuzard, Y. (393) 182
Elgart, E., Gusovsky, T. and Rosenberg, M.D.
Preparation and characterization of an enzymatically active immobilized derivative of myosin (410) 178
El-Gorab, M.I., Underwood, B.A. and Loerch, J.D.
The roles of bile salts in the uptake of β-carotene and retinol by rat everted gut sacs (401) 265
Eliceiri, G.L., see Fujisawa, T. (402) 238
Eliceiri, G.L., see Sayavedra, M.S. (378) 216
Eliseeva, G.I., see Shibaev, V.N. (403) 9
Ellar, D.J., see Birdsall, N.J.M. (380) 344
Ellem, K.A.O., see Goody, H.E. (383) 30
Ellfolk, N., see Kuronen, T. (393) 48
Ellfolk, N. and Sievers, G.
Circular dichroism of soybean leghemoglobin (405) 213
Elliott, W.H., see Ali, S.S. (409) 249
Elliott, W.H., see Mui, M.M. (388) 126
Elliott, W.H., see Siegfried, C.M. (380) 66
Ellis, L.M. and Woodward, C.K.
On the molecular weight of thiosulfate sulfurtransferase (379) 385
Ellis, R.J., see Joy, K.W. (378) 143
Ellory, J.C., see Fortes, P.A.G. (413) 65
Elson, C.E., see Majumder, G.P. (384) 399
Elwell, M. and Schellman, J.
Phage T4 lysozyme. Physical properties and reversible unfolding (386) 309
Emelyanenko, V.I., see Burstein, E.A. (400) 1
Emilio, M.G. and Menano, H.P.
Excretion of hydrogen ion by the isolated amphibian skin. Effects of antidiuretic hormone and amiloride (382) 344
Emmelot, P., see Van Hoeven, R.P. (380) 1
Emmelot, P., see Vernie, L.N. (414) 283
Emmens, M., see Bricteux-Grégoire, S. (386) 244
Endo, M. and Yosizawa, Z.
Glycosaminoglycans and acidic glycoproteins in rabbit uterus under estrogenic conditions (404) 274
Endo, Y., Tominaga, H. and Natori, Y.
The state of messenger ribonucleic acid and ribosomes in the cytoplasm of ethionine-treated rat liver (383) 305
Endou, H., Reuter, E. and Weber, H.
Relationship between L-alanine and sodium ion transport in isolated renal tubules (389) 516
Engel, A.G., see Barnes, L.D. (405) 422
Enger, M.D. and Campbell, E.W.
RNA synthesis in Chinese hamster cells. III. Non-coordinate increases during interphase in synthesis rates for informosomal, polysomal and heterogeneous nuclear RNAs (390) 182
Entlicher, G. and Kocourek, J.
Studies on phytohemagglutinins. XXIV. Isoelectric point and hybridization of the pea (Pisum sativum L.) isophytohemagglutinins (393) 165
Epand, R.M. and Wheeler, G.E.
The effects of trinitrophenylation of the amino groups of glucagon on its conformational properties and on its ability to activate rat liver adenylyl cyclase (393) 236
Erdmann, V.A., see Gaunt-Klöpfer, M. (390) 226
Erecińska, M., see Leigh, J.S. (387) 95
Erickson, S.K., Davison, A.M. and Gould, R.G.
Correlation of rat liver chromatin-bound free and esterified cholesterol with the circadian rhythm of cholesterol biosynthesis in the rat (409) 59
Erlij, D., see Machen, T. (406) 120
Erman, J.E.
Oxidation of dicyano-bis(1,10 phenanthroline) iron(II) by compounds I and II of cytochrome c peroxidase. Transient state kinetics (397) 36

Erman, J.E. and Yonetani, T.
The oxidation of cytochrome c peroxidase by hydrogen peroxide. Characterization of products (393) 343
Erman, J.E. and Yonetani, T.
A kinetic study of the endogenous reduction of the oxidized sites in the primary cytochrome c peroxidase-hydrogen peroxide compound (393) 350
Ernst, S.A., see Mills, J.W. (375) 268
Ernst, V. and Arnstein, H.R.V.
Synthesis of α- and β-globin directed by messenger ribonucleoprotein from rabbit reticulocytes (378) 251
Escarmis, C., Domingo, E. and Warner, R.C.
Temperature and salt effects on the formation of preinitiation complexes between RNA polymerase and phage DNA (402) 261
Essig, A., see Lang, M.A. (401) 481
Essig, A., see Owen, A. (389) 407
Essig, A., see Owen, A. (394) 438
Estes, L.W., see Saito, R. (381) 185
Etienne, A.L., see Lemasson, C. (408) 135
Etter-Kjelsaas, H. and Kuenzle, C.C.
A polypeptide conjugate of bilirubin from human bile (400) 83
Evans, D.F., see Sehlin, R.C. (388) 385
Evans, G.A. and Rosenfeld, M.G.
Inhibitor of protein synthesis co-isolating with polyribosomal RNA (390) 342
Evans, H.J., see Bishop, P.E. (381) 248
Evans, R.M. and Scholz, R.W.
Citrate formation by rat lung mitochondrial preparations (381) 278
Evans, T.A. and Katz, J.J.
Evidence for 5- and 6-coordinated magnesium in bacteriochlorophyll a from visible absorption spectroscopy (396) 414
Evans, W.H., see Bergeron, J.J.M. (407) 325
Everly, J.L., see Matthieu, J.M. (392) 167
Exner, R.H.T., see Wilkinson, T. (393) 195
Eylar, E.H., see Papahadjopoulos, D. (401) 317

F

Fabbri, E., see Baccarini Melandri, A. (376) 72
Fabbri, E., see Baccarini Melandri, A. (376) 82
Fabisz-Kijowska, A., Dullin, P. and Walerych, W.
Isolation and purification of RNA polymerases from rye embryos (390) 105
Fainaru, M., Glangeaud, M.C. and Eisenberg, S.
Radioimmunoassay of human high density lipoprotein apoprotein A-I (386) 432
Fainaru, M., see Stein, Y. (380) 106
Fairbanks, V.F., see Lorkin, P.A. (386) 256
Fakes, W., see Romero-Herrera, A.E. (379) 13
Falke, D., see Bittlingmaier, K. (407) 384
Fall, R.R., Alberts, A.W. and Vagelos, P.R.
Analysis of bacterial biotin-proteins (379) 496
Fallon, A.M. and Wyatt, G.R.
Cyclic guanosine 3′,5′-monophosphate: High levels in the male accessory gland of Acheta domesticus and related crickets (411) 173
Fan, S. and Bersohn, R.
Interaction of transition metal ions with ribonuclease A. II. The selective effects of Mn^{2+}, Zn^{2+}, Ca^{2+} and Hg^{2+} on the histidine magnetic resonance (397) 405
Farber, E., see Parodi, S. (407) 174
Farber, F.E., Melnick, J.L. and Butel, J.S.
Optimal conditions for uptake of exogenous DNA by chinese hamster lung cells deficient in hypoxanthine-guanine phosphoribosyltransferase (390) 298
Farĩas, R.N., Bloj, B., Morero, R.D., Siñeriz, F. and Trucco, R.E.
Regulation of allosteric membrane-bound enzymes through changes in membrane lipid composition (415) 231
Faris, B., see Juřicová, M. (386) 239
Farkas, W.R. and Singh, R.D.
Guanine aminohydrolase in rat and mouse red cells: A potent inhibitor of guanylation of tRNA (377) 166
Farrah, D., see Poulik, M. (412) 326
Farrand, S.K., Eden, F.C. and Chilton, M.-D.
Attempts to detect Agrobacterium tumefaciens and bacteriophage PS8 DNA in crown gall tumors by DNA·DNA-filter hybridization (390) 264
Fasella, P.M., see Egmond, M.R. (397) 43
Fatih, S., see Storring, P.L. (392) 26
Fattoum, A., Kassab, R. and Pradel, L.-A.
The tyrosyl residues in creatine kinase. Modification by iodine (405) 324
Favaudon, V., see Dubourdieu, M. (376) 519
Favorova, O.O., see Prasolov, V.S. (378) 92
Fee, J.A. and Briggs, R.G.
Studies on the reconstitution of bovine erythrocyte superoxide dismutase. V. Preparation and properties of derivatives in which both Zinc and Copper sites contain Copper (400) 439
Fee, J.A. and Phillips, W.D.
The behavior of holo- and apo-forms of bovine superoxide dismutase at low pH (412) 26
Fee, J.A., see Schepler, K.L. (397) 510
Feeney, R.E., see Blankenhorn, G. (386) 470
Fehlmann, M., Bellemare, G. and Godin, C.
Free and membrane-bound ribosomes. II. Two-dimensional gel electrophoresis of proteins from free and membrane-bound rabbit reticulocyte ribosomes (378) 119
Feigenson, G.W., see Lichtenberg, D. (382) 10

Feinstein, G. and Janoff, A.
A rapid method for purification of human granulocyte cationic neutral proteases: Purification and characterization of human granulocyte chymotrypsin-like enzyme (403) 477
Feinstein, G. and Janoff, A.
A rapid method of purification of human granulocyte cationic neutral proteases: Purification and further characterization of human granulocyte elastase (403) 493
Feinstein, M.B., Fernandez, S.M. and Sha'afi, R.I.
Fluidity of natural membranes and phosphatidylserine and ganglioside dispersions. Effect of local anesthetics, cholesterol and protein (413) 354
Feldman, N., see Yuthavong, Y. (382) 116
Felicetti, L. and Urbani, C.
Inhibition of hemoglobin synthesis by pancreatic DNAase in rabbit reticulocyte lysates (414) 146
Fellman, J.H., Wada, G.H. and Roth, E.S.
Metabolism and properties of 3-methoxy-4-hydroxyphenyl pyruvate, a metabolite of dihydroxyphenylalanine (381) 9
Felsted, R.L., Leavitt, R.D. and Bachur, N.R.
Purification of the phytohemagglutinin family of proteins from red kidney beans (Phaseolus vulgaris) by affinity chromatography (405) 72
Fensom, D.J., see Beattie, J.K. (405) 109
Feo, F., Canuto, R.A., Garcea, R. and Gabriel, L.
Effect of cholesterol content on some physical and functional properties of mitochondria isolated from adult rat liver, fetal liver, cholesterol-enriched liver and hepatomas AH-130, 3924A and 5123 (413) 116
Ferber, E., De Pasquale, G.G. and Resch, K.
Phospholipid metabolism of stimulated lymphocytes: Composition of phospholipid fatty acids (398) 364
Fermandjian, S., Tran-Dinh, S., Savrda, J., Sala, E., Mermet-Bouvier, R., Bricas, E. and Fromageot, P.
^{13}C Nuclear magnetic resonance studies of 85% ^{13}C-enriched amino acids and small peptides. pH effects on the chemical shifts, coupling constants, kinetics of cis-trans isomerisation and conformation aspects (399) 313
Fernandez, S.M., see Feinstein, M.B. (413) 354
Fernández-Sousa, J.M., Gavilanes, J.G., Municio, A.M., Paredes, J.A., Pérez-Aranda, A. and Rodriguez, R.
Primary structure of cytochrome c from insect Ceratitits capitata (393) 358
Ferrell, R.E., Camacho, Z. and Kitto, G.B.
Purification of a carboxypeptidase B-like enzyme from the starfish Dermasterias imbricata (386) 260
Ferrigni, F., see Stevenson, N.R. (406) 131
Ferro, A.M. and Kuehl, L.
Adenosine triphosphate: nicotinamide mononucleotide adenyltransferase of pig liver, purification and properties (410) 285
Festy, B., Sturm, J. and Daune, M.
Interaction between hydroxystilbamidine and DNA. I. Binding isotherms and thermodynamics of the association (407) 24
Fewson, C.A., see Clarke, K.F. (404) 169
Fex, G. and Lernmark, A.
Effects of insulin secretagogues on phospholipid metabolism in pancreatic β-cells (388) 1
Fialová, D., Tichá, M. and Kocourek, J.
Studies on phytohemagglutinins. XXV. A new type of a lentil hemagglutinin isolated from Lens esculenta Moench., subsp. microsperma (Baumg.) Barulina (393) 170
Fichtinger-Schepman, A.M.J., see Eker, A.P.M. (378) 54
Field, J.M., see Serafini-Fracassini, A. (386) 80
Field, J.M., see Spina, M. (400) 162
Fierstein, J.S., see Stevenson, N.R. (406) 131
Figarella, C., see De Caro, A. (379) 431
Filjak, B., see Hoshino, J. (399) 42
Finnazzi-Agrò, A., see Egmond, M.R. (397) 43
Finch, A., see Ledward, D.A. (379) 426

Finch, E.D. and Schneider, A.S.
Mobility of water bound to biological membranes. A proton NMR relaxation study (406) 146
Finean, J.B., see Allan, D. (413) 309
Finer, E.G., Henry, R., Leslie, R.B. and Robertson, R.N.
NMR studies of pig low- and high-density serum lipoproteins: molecular motions and morphology (380) 320
Fink, K.
Fluctuations in deoxyribo- and ribonuclease triphosphate pools during the mitotic cucle of Physarum polycephalum (414) 85
Finkelstein, J.N., see Basu, M.K. (398) 385
Finne, J.
Structure of the o-glycosidically linked carbohydrate units of rat brain glycoproteins (412) 317
Fiolet, J.W.T., Van der Erf-ter Haar, L., Kraayenhof, R. and Van Dam, K.
On the stimulation of the light-induced proton uptake by uncoupling aminoacridine derivatives in spinach chloroplasts (387) 320
Firstater, E., see Baccarini Melandri, A. (376) 72
Fischer, I., see Shalitin, C. (414) 263
Fischer, S., Nagel, R.L., Bookchin, R.M., Roth, Jr., E.F. and Tellez-Nagel, I.
The binding of hemoglobin to membranes of normal and sickle erythrocytes (375) 422
Fischer, W. and Landgraf, H.R.
Glycerophosphorylphosphatidyl kojibiosyl diacylglycerol, a novel phosphoglucolipid from streptococcus faecalis (380) 227
Fisher, R.J., see Houghton, R.L. (396) 17
Flaherty, J.O., Barrett, E.J., Bradley, D.P. and Headon, D.R.
Association of basal ATPase activity and cholesterol with a distinct group of rabbit skeletal muscle microsomal particles (401) 177
Flatmark, T. and Pedersen, J.I.
Brown adipose tissue mitochondria (416) 53
Flatmark, T., see Romslo, I. (387) 80
Flavell, R.A., see Groot, G.S.P. (378) 186
Fleet, G.H. and Phaff, H.J.
Glucanases in Schizosaccharomyces: isolation and properties of an exo-β-glucanase from the cell extracts and culture fluid of Schizosaccharomyces japonicus var. versatilis (410) 318
Fleischer, B., see Zambrano, F. (380) 357
Fleischer, S., see Zambrano, F. (380) 357
Fleming, B.C., see Lee, L.D. (412) 82
Fleming, R.M., see Ridderknecht, H. (377) 158
Fleron, P., see Sestoft, L. (375) 462
Florkin, M., see Bricteux-Grégoire, S. (386) 244
Flory, W., see Neuhaus, O.W. (411) 74
Floss, H.G., see Larson, P.O. (381) 397
Flower, R.J., see Blackwell, G.J. (398) 178
Fluck, R.A. and Jaffe, M.J.
Cholinesterases from plant tissues. VI. Preliminary characterization of enzymes from Solanum melongena L. and Zea mays L. (410) 130
Folkman, J. and Greenspan, H.
Influence of geometry on control of cell growth (417) 211 (Review)
Fölsch, G., see Lilja, H. (384) 277
Fong, F., Peters, J., Pauling, C. and Heath, R.L.
Two mechanisms of near-ultraviolet lethality in Saccharomyces cerevisiae. A respiratory capacity dependent and an irreversible inactivation (387) 451
Forbes, M., see Ahern, E. (393) 188
Fordhan, R.A., see Knight, B.L. (384) 102
Forer, A., see LeStourgeon, W.M. (379) 529
Forestier, M., see Bourdel, G. (399) 339
Forget, P., see DerVartanian, D.V. (379) 74
Forrest, L., see Shuttleworth, C.A. (379) 207
Forstner, G.G., see Forstner, J.F. (386) 283
Forstner, J.F. and Forstner, G.G.
Calcium binding to intestinal goblet cell mucin (386) 283
Forte, L.R., Chao, W.-T.H., Walkenbach, R.J. and Byington, K.H.
Studies of kidney plasma membrane adenosine-3′5′-monophosphate-dependent protein kinase (389) 84

Fortes, P.A.G. and Ellory, J.C.
Asymmetric membrane expansion and modification of active and passive cation permeability of human red cells by the fluorescent probe 1-anilino-8-naphthalene sulfonate (413) 65
Forti, G., see Jennings, R.C. (376) 89
Forti, G., see Jennings, R.C. (396) 63
Fortier, N., see Snyder, L.M. (381) 157
Fossey, D., see Romero-Herrera, A.E. (393) 383
Foster, M., Sawyers, D.L. and Harrison, J.H.
The amino acid sequence of a peptide containing the active center histidine residue of porcine malate dehydrogenase — a correction (393) 597
Fottrell, P.F., see O'Cuinn, G. (391) 388
Fottrell, P.F., see Piggott, C.O. (391) 403
Franchi-Gazzola, R., see Guidotti, G.G. (406) 264
Frangione, B., see Wolfenstein-Todel, C. (379) 627
Frank, J.J., Hawk, I.A. and Levy, C.C.
Polyamine activation of staphylococcal nuclease (390) 117
Franklin, E.C., see Wolfenstein-Todel, C. (379) 627
Franzblau, C., see Juřicová, M. (386) 239
Frayssinet, C., see Cazillis, M., (407) 133
Fredericq, E., see Gatti, C. (407) 308
Freedberg, I.M., Levin, Y., Kay, C.M. McCubbin, W.D. and Katchalski-Katzir, E.
Purification and characterization of Aspergillus niger exo-1,4-glucosidase (391) 361
Freedberg, I.M., see Melbye, S.W. (384) 466
Freedman, S.O., see Shuster, J. (417) 123
Freeman, H.C., see Beattie, J.K. (405) 109
Freer, J.H., see Smyth, C.J. (382) 479
Frenkel, E.P., see Burton, W.C. (398) 217
Frick, J.P., see Mansy, S. (378) 319
Friedman, M.E., Otwell, H.B. and Teggins, J.E.
Protection of the active site of mitochondrial malate dehydrogenase from inhibition by potassium tetrachloroplatinate (391) 1
Friedman, S., see Asakura, T. (412) 197
Friedman, Y., Lang, M. and Burke, G.
Further characterization of bovine thyroid prostaglandin synthase (397) 331
Friedrichs, D.
On the stimulation of gluconeogenesis by L-lysine in isolated rat kidney cortex tubules (392) 255
Friman, C., see Juvani, M. (411) 1
Frith, L.O.C., see Lloyd, E.A. (402) 113
Fröhlich, O., see Benz, R. (394) 323
Fromageot, P., see Fermandjian, S. (399) 313
Fromherz, P., see Peters, J. (394) 111
Fromson, D. and Duchastel, A.
Poly(A)-containing polyribosomal RNA in sea urchin embryos: Changes in proportion during development (378) 394
Fuchila, J., see Malchow, D. (385) 421
Fujime, S.
Optical diffraction study of muscle fibers (379) 227
Fujisawa, T. and Eliceiri, G.L.
Ribosomal proteins of hamster, mouse and hybrid cells (402) 238
Fujisawa, T., see Koike, K. (402) 351
Fujita, S. and Cleve, H.
Isolation and partial characterization of two minor glycoproteins from human erythrocyte membranes (382) 172
Fujita, S. and Cleve, H.
Isolation and partial characterization of the major glycoproteins of horse and swine erythrocyte membranes (406) 206
Fujita, Y. and Komano, T.
Deoxyribonucleic acid synthesis induced with ultraviolet light in Brij 58-treated Bacillus subtilis spores germinated in the presence of chloramphenicol (378) 35
Fukami, M.H., see Salganicoff, L. (385) 394
Fuks, A., Banjo, C., Shuster, J., Freedman, S.O. and Gold, P.
Carcinoembryonic antigen (CEA). Molecular biology and clinical significance (417) 123
Fukuei, K., see Sakamaki, T. (395) 314
Fukui, S., see Hirai, M. (391) 282
Fukui, T., see Ariki, M. (386) 301
Fukui, T., see Kamogawa, A. (403) 326
Fukunaga, Y., Sobue, M., Suzuki, N., Kushida, H., Suzuki, S. and Suzuki, S.
Synthesis of a fluorogenic mucopoly-

saccharide by chondrocytes in cell culture with 4-methylumbelliferyl β-D-xyloside (381) 443
Fukushima, H., see Nozawa, Y. (406) 248
Fulco, A.J., see Miura, Y. (388) 305
Fuller, W.A., see Rees, T.Ap (385) 145
Fullmer, C.S. and Wasserman, R.H.
Isolation and partial characterization of intestinal calcium-binding proteins from the cow, pig, horse, guinea pig and chick (393) 134
Fullmer, C.S., Wasserman, R.H., Hamilton, J.W., Huang, W.Y. and Cohn, D.V.
The effect of calcium on the tryptic digestion of bovine intestinal calcium-binding protein (412) 256
Fung, B.M., Durham, D.L. and Wasseil, D.A.
The state of water in biological systems as studied by proton and deuteron relaxation (399) 191
Fung, B.M., Wassil, D.A., Durham, D.L., Chesnut, R.W., Durham, N.N. and Berlin, K.D.
Water in normal muscle and muscle with a tumor (385) 180
Furcht, L.T. and Scott, R.E.
Modulation of the distribution of plasma membrane intramembranous particles in contact-inhibited and transformed cells (401) 213
Furia, M., see Silano, V. (391) 170
Furlan, M., Kemp, G. and Beck, E.A.
Plasmic degradation of human fibrinogen. III. Molecular model of the plasmin-resistant disulfide knot in monomeric fragment D (400) 95
Furlan, M., Seelich, T. and Beck, E.A.
Plasmic degradation of human fibrinnogen. IV. Identification of subunit chain remnants in fragment Y (400) 112
Furth, A.J.
Purification and properties of a constitutive β-lactamase from Pseudomonas aeruginosa strain Dalgleish (377) 431
Furuya, K., see Inoko, Y. (413) 24
Futai, M., see Tsung, P.-K. (392) 216
Fyffe, J. and Dutton, G.J.
Induction of UDPglucose dehydrogenase during development, organ culture, and exposure to phenobarbital. Its relation to levels of UDPglucuronic acid and overall glucuronidation in chicken and mouse (411) 41

G

Gabriel, L., see Feo, F. (413) 116
Gafni, A., Hardt, H., Schlessinger, J. and Steinberg, I.Z.
Circular polarization of fluorescence of chlorophyll in solution and in native structure (387) 256
Galand, P., see Dupont-Mairesse, N. (404) 214
Galanti, N., see Durham, J.P. (394) 388
Galeotti, T., see Dionisi, O. (403) 292
Galeotti, T., see van Rossum, G.D.V. (394) 267
Galesloot, J.M., see Hostetler, K.Y. (380) 382
Galla, H.J. and Sackmann, E.
Chemically induced lipid phase separation in model membranes containing charged lipids. A spin label study (401) 509
Gallay, J., Vincent, M. and Alfsen, A.
Mammalian 3-oxosteroid Δ4-Δ5-isomerase: A membrane-bound enzyme. I. Fluorescence study of the relationship between the enzymatic binding site, phospholipids, water and ions (397) 489
Gallay, J., Vincent, M. and Alfsen, A.
Mammalian 3-oxosteroid Δ4-Δ5-isomerase: A membrane-bound enzyme. II. Activation by divalent cations (397) 501
Galli, R., see Libonati, M. (407) 292
Galliard, T. and Matthew, J.A.
Enzymic reactions of fatty acid hydroperoxides in extracts of potato tuber. I. Comparison of 9D- and 13L-hydroperoxyoctadecadienoic acids as substrates for the formation of a divinyl ether derivative (398) 1
Galliard, T., Phillips, D.R. and Matthew, J.A.
Enzymic reactions of fatty acid hydroperoxides in extracts of potato tuber. II. Conversion of 9- and 13-hydroperoxy-octadecadienoic acids to monohydroxydienoic acid, epoxyhydroxy- and trihydroxymonoenoic acid derivatives (409) 157
Gallo, R.C., see Sethi, V.S. (378) 269
Gan, J.C.
Metabolism of D-mannosamine in bovine thyroid gland slices (385) 412
Ganguly, P., see James, H.L. (386) 209
Garbers, D.L., Suddath, J.L. and Hardman, J.G.
Enzymatic formation of inosine 3′,5′-monophosphate and of 2′-deoxyguanosine 3′,5′-monophosphate: Inosinate and deoxyguanylate cyclase activity (377) 174
Garbin, G., see Spina, M. (400) 162
Garcea, R., see Feo, F. (413) 116
Garcia, A.F., Drews, G. and Kamen, M.D.
Electron transport in an in vitro-reconstituted bacterial phosphorylating system (387) 129
Garcia-Olmedo, F., see Torres, J.V. (409) 367
García-Patrone, M., Gonzalez, N.S. and Algranati, I.D.
Association of ribosomal subunits. IV. Polyamines as active components of the association factor from Bacillus stearothermophilus (395) 373
Garcia-Sancho, F.J. and Herreros, B.
Characterization of transport systems for the transfer of 3,4-L-dihydroxyphenylalamine into slices of rat cerebral cortex (406) 538
Gardner, F.H., see Koch, P.A. (389) 162
Gardner, F.H., see Koch, P.A. (389) 177
Garel, A., Kovacs, A.M., Champagne, M. and Daune, M.
Comparison between histones F_V and F_{2a2} of chicken erythrocyte. I. Structure, stability and conformation of the free proteins (395) 5
Garel, A., Kovacs, A.M., Champagne, M. and Daune, M.
Comparison between histones F_V and F_{2a2} of chicken erythrocyte. II. Interaction with homologous DNA (395) 16
Garlick, P.J., Millward, D.J., James, W.P.T. and Waterlow, J.C.
Effect of protein deprivation and

starvation on the rate of protein synthesis in tissues of rat (414) 71
Garlick, R.L., see Terwilliger, R.C. (400) 302
Garnett, H.M. and Kemp, R.B. (Ca^{2+} + Mg^{2+})-activated ATPases in the plasma membrane of mouse liver cells (382) 526
Garnier, A., see Herve, M. (405) 318
Garnier, J., see Maroc, J. (387) 52
Garreau, H., see Kotlarz, D. (381) 257
Garrett, R.H., see Vega, J.M. (377) 251
Garrett, R.J.B. and Redman, C.M. Localization of enzymes involved in polyphosphoinositide metabolism on the cytoplasmic surface of the human erythrocyte membrane (382) 58
Gartrell, Jr., J.E., see Koch, P.A. (389) 162
Gartrell, Jr., J.E., see Koch, P.A. (389) 177
Gassen, H.G., see Hillen, W. (407) 347
Gassenheimer, L.N., see Rooney, S.A. (398) 433
Gatmaitan, Z., see Kamisaka, K. (393) 24
Gattass, C.R. and de Meis, L. Ca^{2+}-dependent inhibitory effects of Na^+ and K^+ on Ca^{2+} transport in sarcoplasmic reticulum vesicles (389) 506
Gatti, C., Houssier, C. and Fredericq, E. Binding of ethidium dibromide to ribosomal RNA. Absorption, fluorescence, circular and electric dichroism study (407) 308
Gaunt-Klöpfer, M. and Erdmann, V.A. ATPase and GTPase activities associated with the 5-S RNA-protein complex of Escherichia coli ribosomes (390) 226
Gause, Jr., G.G. and Dolgilevich, S.M. Replication of mitochondrial DNA. Selective inhibition of the H-strand synthesis in isolated mitochondria by sibiromycin (383) 9
Gautheron, D.C., see Coulet, P.R. (391) 272
Gavach, C. and Sandeaux, R. Non-mediated zero voltage conductance of hydrophobic ions through bilayer lipid membranes (413) 33
Gavaret, J.M. and Nunez, J. 9 S Thyroid particulate iodoprotein (405) 353
Gavilanes, J.G., see Fernández-Sousa, J.M. (393) 358
Gawienowski, A.M., see Stacewicz-Sapuncakis, M. (380) 264
Gazitt, Y., Ohad, I. and Loyter, A. Changes in phospholipid susceptibility toward phospholipases induced by ATP depletion in avian and amphibian erythrocyte membranes (382) 65
Gazzola, G.C., see Guidotti, G.G. (406) 264
Gear, A.R.L. and Schneider, W. Control of platelet glycogenolysis. Activation of phosphorylase kinase by calcium (392) 111
Gebauer, M., see Hüttermann, A. (384) 493
Geidarov, T.G., see Dudkin, S.M. (386) 275
Geller, M., see Kulakowska, I. (407) 420
Geller, M. and Lesyng, B. Barrier to rotation and conformation of the -NR_2 group in cytosine and its derivatives (407) 407
I. Part I. Theoretical study of cytosine
Gellerfors, P., see Nelson, B.D. (396) 202
Gellerman, J.L., Anderson, W.H., Richardson, D.G. and Schlenk, H. Distribution of arachidonic and eicosapentaenoic acids in the lipids of mosses (388) 277
Gelman, R.A., see Meyer, F.A. (392) 223
Gemzell, C., see Roos, P. (405) 363
Generalov, I.V., see Zav'yalov, V.P. (386) 155
Gentsch, J., see Abou-Sabe, M. (385) 281
Geokas, M.C., Largman, C., Brodrick, J.W., Raeburn, S. and Rinderknecht, H. Human pancreatic carboxypeptidase B. I. Isolation, purification and characterization of fraction II (391) 396
Geokas, M.C., see Ridderknecht, H. (377) 158
Georgescu, I., see Drogomir, C.T. (389) 530
Gepshtein, A., see Carmeli, C. (376) 249
Gerday, C., see Closset J. (405) 228
Gerencser, G.A. and Hong, S.K. Roles of sodium and potassium ions on p-aminohippurate transport in rabbit kidney slices (406) 108
Germershausen, J.I., see Greenspan, M.D. (380) 190

Gerrie, J., see Callahan, J.W. (391) 141
Gersteuer, T., see Alsen, C. (377) 297
Geurts van Kessel, W.S.M., see Demel, R.A. (406) 97
Ghei, O.K. and Kay, W.W.
Succinate transport in Bacillus subtilis. Dependence on inorganic anions (401) 440
Ghosh, P., see Stephens, R.W. (399) 101
Ghosh, S., see Basu, M.K. (398) 385
Ghosh, S., see Chatterjee, S.N. (402) 161
Ghosh, S.K. and Mitra, H.P.
Oblique banding pattern in collagen fibrils reconstituted in vitro after trypsin treatment (405) 340
Giacobino, J.P. and Chmelar, M.
Comparison of plasma membranes and endoplasmic reticulum fractions obtained from whole white adipose tissue and isolated adipocytes (406) 68
Giaquinta, R.T. and Dilley, R.A.
Partial reaction in Photosystem II. Reduction of silicomolybdate prior to the site of dichlorophenyldimethylurea inhibition (387) 288
Gianfranceschi, G.L., Amici, D. and Guglielmi, L.
Evidence for the presence in the calf thymus of a peptidic factor controlling the DNA transcription in vitro (414) 9
Gianfrida, L., see Silano, V. (391) 170
Giangranda, M., Kim, Y.W. and Mizukami, H.
N-Terminal spin label studies of hemoglobin. Ligand and pH dependence (412) 187
Gibbons, G.F. and Mitropoulos, K.A.
Effect of trans-1,4-bis(2-chlorobenzylaminomethyl)cyclohexane dihydrochloride and carbon monoxide on hepatic cholesterol biosynthesis from 4,4-dimethyl sterols in vitro (380) 270
Gibbs, M.B., see Alving, C.R. (394) 157
Gilbert, G.A., Gilbert, L.M. and Shawky, N.A.F.
Evaluation of the precision of difference chromatography (379) 488
Gilbert, J.M., see Subramanian, A.R. (383) 93
Gilbert, L.M., see Gilbert, G.A. (379) 488
Gilboe, D.D., see Betz, A.L. (401) 416
Gilboe, D.D., see Betz, A.L. (406) 505
Gill, G.N., see Walton, G.M. (390) 23i
Gill, III, T.J., see Smith, W.I. (382) 506
Gillard, R.D., see Thorpe, C. (392) 175
Giloh (Freundenberg), H. and Mager, J.
Inhibition of peptide chain initiation in lysates from ATP-depleted cells. I. Stages in the evolution of the lesion and its reversal by thiol compounds, cyclic AMP or purine derivatives and phosphorylated sugars (414) 293
Giloh (Freundenberg), H., Schochot, L. and Mager, J.
Inhibition of peptide chain initiation in lysates from ATP-depleted cells. II. Studies on the mechanism of the lesion and its relation to similar alterations caused by oxidised glutathione and hemin deprivation (414) 309
Gilvarg, C., Jockusch, H. and Weissmann, C.
Evidence for the participation of a host enzyme in the activation of poly(A)-QB RNA as an infectious agent (414) 341
Ginjaar, H.B., see Vernie, L.N. (414) 283
Ginsburg, H. and Ram, D.
Zero-trans and equilibrium-exchange efflux and infinite-trans uptake of galactose by human erythrocytes (382) 369
Ginsburg, H. and Stein, W.D.
Zero-trans and infinite-cis uptake of galactose in human erythrocytes (382) 353
Ginsburg, H., see Wolosin, J.M. (389) 20
Giordano, G., see Riviere, C. (389) 219
Giordano, G., Riviere, C. and Azoulay, E.
Membrane reconstitution in chl-r mutants of Escherichia coli K12. VII. Purification of the soluble ATPase of supernatant extracts and kinetics of incorporation in reconstituted particles (389) 203
Girard, J.B. and Istin, M.
Isoenzymes de l'anhydrase carbonique d'un poisson euryhalin. Variations en relation avec l'osmoregulation (Isoenzymes of carbonic anhydrase of an euryhaline fish. Variations related to the osmoregulation) (381) 221
Girardet, J.-L., see Lichtenberg, D. (382) 10
Girard-Globa, A., see Bourdel, G. (399) 339
Glad, M., see Rosengren, J. (412) 51

Glangeaud, M.C., see Fainaru, M. (386) 432
Glangeaud, M.C., see Stein, Y. (380) 106
Glass, R.E. and Banthorpe, D.V. Properties of nerve growth factor from the venom of Bothrops atrox (405) 23
Glauert, A.M., see Thorne, K.J.I. (389) 97
Glimcher, M.J., see Sakamoto, S. (385) 41
Glomset, J.A., see Riddle, M.C. (388) 339
Gluck, L., see Hall, M. (409) 172
Gockerman, J.P., see Alving, C.R. (394) 157
Godeneche, D., see Maurizis, J.C. (404) 188
Godin, C., see Fehlmann, M. (378) 119
Godinot, C., see Coulet, P.R. (391) 272
Goff, H. and Simic, M.G. Free radical reduction of hemin c (392) 201
Goffeau, A., see Landry, Y. (376) 470
Gold, E., see Hunt, R.C. (413) 453
Gold, P., see Shuster, J. (417) 123
Gold, R. and Shalatin, Y. On the specificity of porcine elastase (410) 421
Goldbach, R.W., see Arnberg, A.C. (383) 359
Goldberg, D.M., see Holme, D.J. (377) 61
Goldfinger, M., see Decroly, M. (390) 82
Goldhaber, P., see Sakamoto, S. (385) 41
Goldman, J.A., see Butcher, F.R. (392) 82
Goldstein, I.J., Hammarström, S. and Sundblad, G. Precipitation and carbohydrate bind[illegible] specificity studies on wheat germ agglutinin (405) 53
Goldstein, J., see Brennessel, B.A. (378) 73
Goldstone, A.D., see Needleman, S.B. (379) 57
Golovina, T.O., see Nagradova, N.K. (377) 15
Gomez-Eichelman, M.C. and Bastarrachea, F. Progress in the resolution of the cytoplasmic membrane-DNA initiation complex of Escherichia coli (407) 273
Gonnerman, W.A., see Mechanic, G.L. (393) 419
Gonzalez, C.A. and Rees, K.R. Non-histone chromosomal proteins from virus-transformed and untransformed 3T3 mouse fibroblasts (395) 361
Gonzalez, N.S., see García-Patrone, M. (395) 373
Goodgame, D.M.L., see Collins, A.D. (402) 1
Goodlad, G.A.J., see Clark, C.M. (378) 230
Goodlad, G.A.J. and Ma, G.Y. Ribosomal RNA turnover and the level of ribonuclease activity in the liver of the pregnant rat (378) 221
Goodman, G.C., see Tannenbaum, J. (413) 322
Goodman, R.M., see Homer, R.B. (378) 296
Goodman, Z.D. and LeQuire, V.S. Transfer of esterified cholesterol from serum lipoproteins to the liver (398) 325
Goodwin, G.H., Nicolas, R.H. and Johns, E.W. An improved large-scale fractionation of high mobility group non-histone chromatin proteins (405) 280
Goody, H.E. and Ellem, K.A.O. Nutritional effects on precursor uptake and compartmentalization of intracellular pools in relation to RNA synthesis (383) 30
Göpel, G.M., see Dugal, B.S. (410) 407
Göran Eriksson, L.E., see Israelachvili, J. (382) 125
Gorczyca, L.E., see Lippert, J.L. (382) 51
Gorelic, L. Photoinduced covalent crosslinkage, in situ, of Escherichia coli 50 S ribosomal proteins to rRNA (390) 209
Goridis, C., see Coquil, J.F. (403) 425
Goridis, C., see Helwig, J.J. (377) 463
Gorin, E. and Zendowski, S. Effect of methoxyindole 2-carboxylic acid and 4-pentenoic acid on adipose tissue metabolism (388) 268
Gorman, J.J. Inhibition of human thrombin assessed with different substrates and inhibitors. Characterization of fibrinopeptide binding interaction (412) 273
Gorneva, G.A., see Ryabova, I.D. (401) 109
Gorter, G., see Akkerman, J.W.N. (397) 395

Goto, H., see Ogasawara, N. (403) 530
Gotoh, O., see Yabuki, S. (395) 258
Gots, J.S., see Benson, C.E. (403) 47
Gotto, A.M., see David, J.S.K. (398) 72
Gouhot-Nubel, B., see Bourdel, G. (399) 339
Gould, J.M.
Phosphorylation site associated with the oxidation of exogenous donors of electrons to Photosystem I (387) 135
Gould, R.G., see Erickson, S.K. (409) 59
Gould, R.G., see Heller, R.A. (388) 254
Goulian, M., see Mendelson, J. (407) 283
Goulian, M., see Ramareddy, G.V. (402) 323
Goulian, S.H., see Ramareddy, G.V. (402) 323
Gounaris, A.D., Turkenkopf, I., Civerchia, L.L. and Greenlie, J.
Pyruvate decarbozylase III: specificity restrictions for thiamine pyrophosphate in the protein association step, sub-unit structure (405) 492
Govindjee, see Wydrzynski, T. (376) 151
Govindjee, see Wydrzynski, T. (387) 403
Govindjee, see Wydrzynski, T. (408) 349
Govindjee, see Zilinskas, B.A. (387) 306
Gower, I., see Riordan, J.R. (411) 393
Goz, B., see Cheng, Y.C. (390) 253
Graham, G., see Workman, Jr., E.F. (399) 254
Grand, R.J., see Wojcik, J.D. (411) 250
Granner, D., see Sherod, D. (381) 337
Grant, M.M., Brown, A.S., Corwin, L.M., Troxler, R.F. and Franzblau, C.
Effect of L-azetidine-2-carboxylic acid on growth and proline metabolism in Escherichia coli (404) 180
Gräslund, A., see Israelachvili, J. (382) 125
Graves, C.N., Sanders, S.S., Shoemaker, R.L. and Rehm, W.S.
Diffusion resistance of endothelium and stroma of bullfrog cornea determined by potential response to K^+ (389) 550
Gray, G.M., see Wojnarowska, F. (403) 147
Green, J.P., see Badley, R.A. (412) 214
Green, J.R., Dunnand, M.J. and Maddy, A.H.
The interaction between sodium dodecyl sulphate-solubilized human ghosts and antisera to human serum lipoproteins. A non-immune precipitation effect of sodium dodecyl sulphate (382) 457
Green, J.R., see Reilly, P.E.B. (381) 424
Greenbaum, P., see Vega, J.M. (377) 251
Greenfield, L., Simpson, L. and Kaplan, D.
Conversion of closed, circular DNA molecules to single-nicked molecules by digestion with DNAase I in the presence of ethidium dibromide (407) 365
Greenfield, N.J.
Circular dichroism studies of dihydrofolate reductase from a methotrexate-resistant strain of Escherichia coli B, MB 1428: Ternary complexes (403) 32
Greenlie, J., see Gounaris, A.D. (405) 492
Greenspan, H., see Folkman, J. (417) 211
Greenspan, M.D., Germershausen, J.I. and Mackow, R.
Effect of halofenate and clofibrate on lipid synthesis in rat adipocytes (380) 190
Greenstock, C.L. and Miller, R.W.
Oxidation of tiron by superoxide anion. Kinetics of the reaction in aqueous solution and in chloroplasts (396) 11
Greenstock, C.L. and Ruddock, G.W.
Application of pulse radiolysis to the study of drug interactions with biological macromolecules (383) 464
Greenwald, R.A., Cantor, J.O., Prieur, D.J. and Young, D.M.
Composition of cartilage from lysozyme-deficient rabbits (385) 435
Greth, M.L. and Chevallier, M.R.
Studies on deoxyribonucleases from Haemophilus influenzae on DNA·agarose affinity chromatography. Two-step purification of ATP-dependent deoxyribonuclease (390) 168
Griffin, A.C., see Briscoe, W.T. (383) 441
Griffith, A.L., see Vulimiri, L. (412) 148
Grimmelikhuijzen, C.J.P., Marres, C.A.M. and Slater, E.C.
Antimycin-insensitive mutants of Candida utilis. II. The effects of antimycin on cytochrome b (376) 533
Grimminger, H., see Koerner, K. (397) 220

Grinna, L.S.
Multiple thermal discontinuities in glucose-6-phosphatase activity (403) 388
Grohlich, D., see Sly, D.A. (385) 36
Groot, G.S.P., Flavell, R.A. and Sanders, J.P.M.
Sequence homology of nuclear and mitochondrial DNAs of different yeasts (378) 186
Groot, P.H.E.
The activation of short-chain fatty acids by the soluble fraction of guinea-pig heart and liver mitochondria: The search for a distinct propionyl-CoA synthetase (380) 12
Groot, P.H.E., see Scholte, H.R. (409) 283
Gross, E.L., see Davis, D.J. (387) 557
Gross, E.L., see Prochaska, L.J. (376) 126
Gross, E.L., see Wydrzynski, T. (376) 151
Gross, I., see Rooney, S.A. (398) 433
Groth, D.P., see Kenimer, J.G. (384) 87
Grove, T.H. and Levy, H.R.
Anthranilate synthetase-anthranilate 5-phosphoribosylpyrophosphate phosphoribosyltransferase from Salmonella typhimurium. Inactivation of glutamine-dependent anthranilate synthetase by agarose-bound anthranilate (397) 80
Grozdanovič, J. and Hradec, J.
Different binding of poly(A)-containing and poly(A)-free fractions of nuclear ribonucleic acid to ribosomes from rat liver (402) 69
Grozdova, I.D., see Nagradova, N.K. (377) 15
Gruber, M., see Buys, C.H.C.M. (392) 95
Gruber, M., see van Ooyen, A.J.J. (395) 128
Gruen, L.C.
Interaction of amino acids with silver (I) ions (386) 270
Gruenwendel, D.W.
Salt effects on the denaturation of DNA. IV. A calorimetric study of the helix-coil conversion of the alternating copolymer poly[d(A-T)] (395) 246
Gruenwedel, D.W., Heskett, M.G. and Lammert, J.E.
Quantitative separation of nucleotides on mercurated dextran (402) 7
Gruol, D., Rawson, J.R. and Haselkorn, R.
Ribosomal RNA genes in the nucleus and chloroplast of Euglena (414) 20
Grynne, B., see Slinde, E. (398) 191
Gschwendt, M.
The effect of antiestrogens on egg yolk protein synthesis and estrogen-binding to chromatin in the rooster liver (399) 395
Gubler, C.J., see Peterson, J.W. (397) 377
Guerrieri, F., see Papa, S. (387) 425
Guertin, M. and Mamet-Bratley, M.D.
Difference in the action of ethyl and methyl methane sulfonates on DNA template activity for RNA synthesis in vitro (390) 312
Guest, M.M., see Chen, J.P. (386) 69
Guglielmi, L., see Gianfranceschi, G.L. (414) 9
Guidotti, G.G., Gazzola, G.C., Borghetti, A.F. and Franchi-Gazzola, R.
Adaptive regulation of amino acid transport across the cell membrane in avian and mammalian tissues (406) 264
Guija, E., see Baldijao, C.E.M. (391) 316
Guillemaut, P., Steinmetz, A., Burkard, G. and Weil, J.H.
Aminoacylation of $tRNA^{Leu}$ species from Escherichia coli and from the cytoplasm, chloroplasts and mitochondria of Phaseolus vulgaris by homologous and heterologous enzymes (378) 64
Guillemaut, P. and Weil, JH.
Aminoacylation of Phaseolus vulgaris cytoplasmic, chloroplastic and mitochondrial $tRNAs^{Met}$ and of Escherichia coli $tRNAs^{Met}$ by homologous and heterologous enzymes (407) 240
Guion-Rain, M.C., Portemer, C. and Chatagner, F.
Rat liver cysteine sulfinate decarboxylase: Purification new appraisal of the molecular weight and determination of catalytic properties (384) 265
Guiraldes, E., Lamabadusuriya, S.P., Oyesiku, J.E.J., Whitfield, A.E. and Harries, J.T.
A comparative study on the effects of different bile salts on mucosal ATPase and transport in the rat jejunum in vivo (389) 495

Gulik-Krzywicki, T.
Structural studies of the associations between biological membrane components (415) 1
Gulik-Krzywicki, T., see Overath, P. (389) 358
Gulyaev, N.N., see Severin, E.S. (384) 413
Gunaga, K.P., see Kawano, A. (385) 88
Gunven, P.
Burkitt's lymphoma. A human tumor model system for immunological studies (417) 187 (Review)
Guseinov, V.A. and Vanyushin, B.F.
Content and localisation of 5-methylcytosine in DNA of healthy and wilt-infected cotton plants (395) 229
Gusovsky, T., see Elgart, E. (410) 178
Gusseck, D.J., Yuen, P. and Longo, L.D.
Amino acid transport in placental slices. Mechanism of increased accumulation by prolonged incubation (401) 278
Gustafson, M., see Davis, P.J. (385) 133
Gutnick, D.L., see Kanner, B.I. (396) 347
Guy, O., see De Caro, A. (379) 431
Guzik, G., see Anderson, K.M. (383) 56

H

Habeeb, A.F.S.A
Studies on ϵ-prototoxin of Clostridium perfringens type D. Physicochemical and chemical properties of ϵ-prototoxin (412) 62
Habeeb, A.F.S.A., see Atassi, M.Z. (405) 452
Habeeb, A.F.S.A., see Lee, C.L. (400) 423
Haber, E., see Poulsen, K. (400) 258
Haberman, S., see Beitner, R. (397) 355
Habig, W.H., see Cagen, L.M. (398) 205
Hackett, M.H., see Arsenis, C. (391) 301
Haest, C.W.M. and Deuticke, B.
Experimental alteration of phospholipid-protein interactions within the human erythrocyte membrane. Dependence on glycolytic metabolism (401) 468
Haga, T. and Kurokawa, M.
Microtubule formation from two components separated by gel filtration of a tubulin preparation (392) 335
Hagen, I.
Effects of thrombin on washed, human platelets; changes in the subcellular fractions (392) 242
Haines, M.E., see Sensky, T.E. (407) 430
Hajra, A.K., see Pollock, R.J. (380) 421
Hakomori, S.I.
Structures and organization of cell surface glycolipids. Dependancy on cell growth and malignant transformation (417) 55
Haksar, A., Maudsley, D.V. and Péron, F.G.
Stimulation of cyclic adenosine 3′,5′-monophosphate and corticosterone formation in isolated rat adrenal cells by cholera enterotoxin. Comparison with the effects of ACTH (381) 308
Hall, D.O., see Anderson, R.E. (376) 63
Hall, J.E., see Boheim, G. (389) 436
Hall, M. and Gluck, L.
Phosphatidylglycerol in lung surfactant. II. Subcellular distribution and mechanism of biosynthesis in vitro (409) 172
Hall, R.H., see Monahon, J.J. (383) 40
Hallinan, T., see Berry, C. (403) 335
Halpern, B.C., see Pritchard, D.G. (404) 289
Halpern, J.A., see Pritchard, D.G. (404) 289
Halpern, R.M., see Pritchard, D.G. (404) 289
Halpern, Y.S., see Barash, H. (386) 168
Halsey, Y.D. and Byers, B.
Large phororeactive particle from Chromatium vinosum chromatophores (387) 349
Hamang, P.H., see Armstrong, W.McD. (401) 137
Hamel, E.
Activities of guanosine triphosphate analogues in reactions catalyzed by elongation factor Tu and initiation factor 2 of Escherichia coli (414) 326
Hamilton, J.W., see Fullmer, C.S. (412) 256
Hamilton, S.E., Dudman, N.P.B., De Jersey, J., Stoops, J.K. and Zerner, B.
Organophosphate inhibitors: The reactions of bis(ρ-nitrophenyl) methyl phosphate with liver carboxylesterases and a-chymotrypsin (377) 282
Hamilton, T.H., see Luck, D.N. (383) 23
Hammarström, S., see Goldstein, I.J. (405) 53
Hamosh, M. and Hamosh, P.
Lipoprotein lipase in rat lung: The effect of fasting (380) 132
Hamosh, P., see Hamosh, M. (380) 132
Hammar, L., Påhlman, S. and Hjertén, S.
Chromatographic purification of a mammalian histidine decarboxylase on charged and non-charged alkyl derivatives of agarose (403) 554
Hampton, J.W., see Shinada, S. (412) 357
Hampton, R.O., see Bishop, P.E. (381) 248

Hanahan, D.J., see Luthra, M.G. (382) 634
Handley, C.J., Bateman, J.F., Oakes, B.W. and Lowther, D.A.
Characterization of the collagen synthesized by cultured cartilage cells (386) 444
Häni, H., see Rüegg, M. (400) 17
Hansen, T., Slegers, J.F.G. and Bonting, S.L.
Gastric acid secretion in the lizard. Ionic requirements and effects of inhibitors (382) 590
Harada, H., see Ranjeva, R. (399) 23
Harada, T., see Kato, K. (391) 96
Harada, T., see Sano, K. (377) 410
Harding, J.J., see Dilley, K.J. (386) 391
Hardman, J.G., see Garbers, D.L. (377) 174
Hardman, J.G., see Patterson, W.D. (384) 159
Hardman, J.G., see Wells, J.N. (384) 430
Hardt, H., see Gafni, A. (387) 256
Harell, A., see Edelstein, S. (385) 438
Harewood, K.R., Chang, P., Higdon, C. and Larson, D.
The endogenous reverse transcriptase activity of gibbon ape lymphoma virus: Characterization of the DNA product (407) 14
Hariharan, P.V., see Mattern, M.R. (395) 48
Harikumar, P., see Venugopal, V. (403) 521
Harries, J.T., see Guiraldes, E. (389) 495
Harris, D.A., see Rosing, J. (376) 13
Harris, D.A. and Slater, E.C.
Tightly bound nucleotides of the energy-transducing ATPase of chloroplasts and their role in photophosphorylation (387) 335
Harris, R.R., see Dryer, R.L. (380) 370
Harrison, J.H., see Foster, M. (393) 597
Harrison, R., Higginbotham, J.D. and Newman, R.
Sialoglycopeptides from bovine milk fat globule membrane (389) 449
Hartline, R.A., see Pekala, P.H. (394) 65
Harwood, J.L.
Synthesis of sulphoquinovosyl diacylglycerol by higher plants (398) 224
Hasegawa, E., see Tsuchida, E. (393) 483
Hasegawa-Sasaki, H. and Ohno, K.
Acyltransferase activities in rat lung microsomes (380) 486
Haselkorn, R., see Gruol, D. (414) 20
Hasin, M., see Rottem, S. (375) 395
Hasin, M., Rottem, S. and Razin, S.
The outer membrane of Proteus mirabilis. I. Isolation and characterization of the outer and cytoplasmic membrane fractions (375) 381
Hasnain, S., see Strøm, A.R. (383) 325
Hasselbach, W., see Dancker, P. (400) 407
Hatano, H., see Akasaka, K. (412) 120
Hatano, M., see Yoshida, S. (405) 122
Hatayama, T., see Yukioka, M. (390) 192
Hatton, M.W.C. and Regoeczi, E.
The relevance of the structure of lysine bound to Sepharose for the affinity of rabbit plasminogen (379) 504
Hatton, M.W.C. and Regoeczi, E.
The effect of heparin on the affinity chromatography of plasminogen. Demonstration of heparin-plasminogen interaction (386) 451
Haug, A., see Hsung, J.C. (389) 477
Hauser, H., see Badley, R.A. (412) 214
Hauser, H., see Oldani, D. (382) 1
Hauser, H., see Phillips, M.C. (406) 402
Hauser, H., Phillips, M.C. and Barratt, M.D.
Differences in the interaction of inorganic and organic (hydrophobic) cations with phosphatidylserine membranes (413) 341
Hauska, G.A., see Prince, R.C. (387) 212
Haveman, J. and Lavorel, J.
Identification of the 120 μs phase in the decay of delayed fluorescence in spinach chloroplasts and subchloroplast particles as the intrinsic back reaction. The dependence of the level of this phase on the thylakoids internal pH (408) 269
Haverberg, L.N., Omstedt, P.T., Munro, H.N. and Young, V.R.
N^{τ}-Methylhistidine content of mixed proteins in various rat tissues (405) 67
Hawk, I.A., see Frank, J.J. (390) 117
Hax, W.M.A., see Van Venrooij, G.E.P.M. (394) 620
Hayatsu, H., see Kaneko, I. (392) 131
Hayatsu, H., see Kaneko, I. (411) 334
Hayatsu, H., see Onozaki, K. (407) 99

Hayashi, H., Plishker, G.A. and Penniston, J.T.
Effect of carbonylcyanide m-chlorophenylhydrazone on the calcium-stimulated ATPase activity of erythrocyte ghosts (394) 145
Hayashi, H., Plishker, G.A., Vaughan, L. and Penniston, J.T.
Energy-dependent endocytosis in erythrocyte ghosts. IV. Effects of Ca^{2+}, Na^{+} + K^{+}, and 5′-adenylylimidodiphosphate (382) 218
Haynes, D.H., see Lansman, J. (394) 335
Headon, D.R., see Flaherty, J.O. (401) 177
Heald, P.J., see O'Grady, J.E. (407) 125
Heath, R.L., see Fong, F. (387) 451
Hebda, P.A., see Salganicoff, L. (385) 394
Heber, U., see Egneus, H. (408) 252
Heber, U. and Kirk, M.R.
Flexibility of coupling and stoichiometry of ATP formation in intact chloroplasts (376) 136
Heber, U., see Volger, H.G. (412) 335
Hecht, N.B.
Relationship between two murine DNA-dependent DNA polymerases from the cytosol and the low molecular weight DNA polymerase (383) 388
Hecht, N.B.
DNA-directed DNA polymerase from murine liver mitochondria (414) 59
Heckels, J.E., see Archibald, A.R. (406) 60
Heckmann, K.D., see Lüschow, U.L. (389) 1
Hedges, T., see Maestracci, D. (382) 147
Hegner, D., see Schummer, U. (394) 93
Heidrich, H.G., see Albracht, S.P.J. (376) 231
Heilmann, H.-D. and Pfleiderer, G.
On the role of tryptophan residues in the mechanism of action of glyceraldehyde-3-phosphate dehydrogenase as tested by specific modification (384) 331
Heimberg, M., see Danon, A. (388) 318
Heimberg, M., see Wilcox, H.G. (398) 39
Heine, M.C. and Brown, G.M.
Enzymatic epimerization of D-erythro-dihydroneopterin triphosphate to L-threo-dihydroneopterin triphosphate (411) 236
Heinemann, M., see Duckworth, W.C. (377) 421
Heininger, J.A., see Jackson, S.H. (381) 359
Heinonen, K.
Induction of cystathionase in foetal rat liver explants. Effects of dexamethasone, N^{6}, O^{2}-dibutyryladenosine 3′:5′-monophosphate and glucagon in vitro (399) 113
Heinze, J.E. and Carl, P.L.
The effects of organic solvents on Escherichia coli DNA polymerase III (402) 35
Heldt, H.W., see Werdan, K. (396) 276
Helenius, A. and Simons, K.
Solubilization of membranes by detergents (415) 29
Helgeland, L.
On the presence of a heat-stable, macromolecular inhibitor of the thrombin·fibrinogen reaction in rat liver microsomes and its separation from prothrombin (386) 203
Helgeland, L., see Janson, T.L. (379) 598
Heller, J.S., Canellakis, E.S., Bussolotti, D.L. and Coward, J.K.
Stable multisubstrate adducts as enzyme inhibitors. Potent inhibition of ornithine decarboxylase by N-(5′-phosphopyridoxyl)-ornithine (403) 197
Heller, M., Edelstein, P. and Mayer, M.
Membrane-bound enzymes. III. Protease activity in leucocytes in relation to erythrocyte membranes (413) 472
Heller, R.A. and Gould, R.G.
Prevention of cold-inactivation of 3-hydroxy-3-methylglutaryl coenzyme A reductase by NADPH (388) 254
Hellerman, G., see Billen, D. (383) 379
Hellman, B.
Modifying actions of calcium ionophores on insulin release (399) 157
Hellman, B., Idahl, L.-A., Lernmark, A., Sehlin, J. and Täljedal, I.-B.
Stimulation of insulin release by thiols (392) 101
Helwig, J.J., Bollack, C., Mandel, P. and Goridis, C.
Renal cortex guanylate cyclase: Preferential enrichment in glomerular membranes (377) 463
Hemker, H.C., see Bas, B.M. (379) 164

Hemker, H.C., Bas, B.M. and Muller, A.D.
Activation of a pro-enzyme by a stoichiometric reaction with another protein: The reaction between prothrombin and staphylocoagulase (379) 180
Hemker, H.C., see Devilee, P.P. (379) 172
Hems, D.A., Whitton, P.D. and Ma, G.Y.
Metabolic actions of vasopressin, glucagon and adrenalin in the intact rat (411) 155
Hen, A.C., see Shigeura, H.T. (388) 180
Hendler, R.W., Towne, D.W. and Schrager, R.I.
Redox properties of b-type cytochromes in Escherichia coli and rat liver mitochondria and techniques for their analysis (376) 42
Hendricks, J., see Schmidt-Ullrich, R. (382) 295
Hendriks, T., see Hyono, A. (389) 34
Hénin, S., see Cremaschi, D. (411) 291
Henning, R.
pH gradient across the lysosomal membrane generated by selective cation permeability and Donnan equilibrium (401) 307
Henquin, J.-C. and Lambert, A.E.
Extracellular bicarbonate ions and insulin secretion (381) 437
Henry, R., see Finer, E.G. (380) 320
Hensby, C.N.
Distribution studies on the reduction of prostaglandin E_2 to prostaglandin $E_{2\alpha}$ by tissue homogenates (409) 225
Henshaw, E.C., see Morton, B. (395) 28
Henson, L.C. and Schotz, M.E.
Detection and partial characterization of lipoprotein lipase in bovine aorta (409) 360
Hermsdorf, C.L. and Bronner, F.
Vitamin D-dependent calcium binding protein from rat kidney (379) 553
Hernell, O., Egelrud, T. and Olivecrona, T.
Serum-stimulated lipases (lipoprotein lipase). Immunological crossreaction between the bovine and the human enzymes (381) 233
Heron, E.J. and Caprioli, R.M.
Classification of fructose-1,6-bisphosphate aldolases based on ^{18}O retention in the cleavage reaction (403) 563
Herreros, B., see Garcia-Sancho, F.J. (406) 538
Herries, D.G., see Mian, N. (391) 179
Herrmann, R.G., Bohnert, H.J., Kowallik, K.V. and Schmitt, J.M.
Size, conformation and purity of chloroplast DNA of some higher plants (378) 305
Herve, M., Garnier, A., Tosi, L. and Steinbuch, M.
The effects of neutral salts on the conformational transition of ceruloplasmin (405) 318
Heskett, M.G., see Gruenwedel, D.W. (402) 7
Hess, J.J., Taylor, A. and Maffly, R.H.
On the effects of propionate and other short-chain fatty acids on sodium transport by the toad bladder (394) 416
Heywood, S.M., see Jorgensen, A.O. (414) 321
Hiatt, H.H., see Morton, B. (395) 28
Hidaka, H., see Asano, T. (397) 124
Hidaka, H., Asano, T. and Shimamoto, T.
Cyclic 3′, 5′-AMP phosphodiesterase of rabbit aorta (377) 103
Higdon, C., see Harewood, K.R. (407) 14
Higginbotham, J.D., see Harrison, R. (389) 449
Higuti, T., Mizuno, S. and Muraoka, S.
Stepwise reduction of cytochrome b-562, b-566 and b-558 in rat liver mitochondria (396) 36
Hildebrand, C.E., see Walters, R.A. (407) 120
Hilderink, J.M.H.C., see Vermorken, A.J.M. (414) 167
Hilf, R., see Ringler, M.B. (411) 50
Hill, H.A.O., see Beattie, J.K. (405) 109
Hill, R.J., see Lancaster, Jr., J.R. (401) 285
Hillen, W. and Gassen, H.G.
Physical and coding properties of poly(5-amino-uridylic acid) and 5-aminouridine-containing trinucleotides (407) 347
Hinson, J.A. and Neal, R.A.
An examination of octanol and octanal metabolism to octanoic acid by horse liver alcohol dehydrogenase (384) 1
Hirai, M., Tanaka, A. and Fukui, S.
Difference in pyruvate kinase regula-

tion among three groups of yeast (391) 282
Hiramatsu, A., see Tsurushiin, S. (400) 451
Hirano, H., see Irimura, T. (413) 192
Hirayama, C., see Kawasaki, H. (385) 334
Hirayama, K., see Tsuruo, T. (383) 274
Hirayama, O., Matsuda, H., Takeda, M., Maenaka, K. and Takatska, H.
Purification and properties of a lipid acyl-hydrolase from potato tubers (384) 127
Hiromi, K., see Nakatani, H. (391) 415
Hirsch, C.A., see Morton, B. (395) 28
Hirschberg, G., see Kohen, E. (396)
Hirschhäuser, C., see Schachtschabel, D.O. (381) 242
Hitkari, R., see Simonson, L.P. (379) 114
Hiwatashi, A., Ichikawa, Y. and Yamano, T.
Effect of cyanide on stearyl-coenzyme A desaturase activities in microsomes from various mammalian tissues (388) 397
Hjerpe, A., see Lohmander, S. (404) 93
Hjertén, S., see Bjerrum, O.J. (394) 173
Hjertén, S., see Hammar, L. (403) 554
Hjertén, S., see Rosengren, J. (412) 51
Hladky, S.B.
Steady-state ion transport by nonactin and trinactin (375) 350
Hladky, S.B.
Tests of the carrier model for ion transport by nonactin and trinactin (375) 327
Hnilica, L.S., see Thomson, J.A. (407) 114
Ho, M.W. and Rigby, M.
Glucocerebrosidase: Stoichiometry of association between effector and catalytic proteins (397) 267
Ho, P.P., see Yu, W. (387) 159
Hochstein, L.I.
Studies of a halophilic NADH dehydrogenase. II. Kinetic properties of the enzyme in relation to salt activation (403) 58
Hodgsen, D.J., see de Meester, P. (402) 281
Hodson, R.C., see Semler, B.L. (399) 71
Hoebe, J.P.M., see Bakker, E.P. (387) 491
Hoeberichts, J.A. and Borst-Pauwels, G.W.F.H.
Effect of tetraphenylboron upon the uptake of lipophilic cation dibenzyldimethylammonium by yeast cells (413) 248
Hof, H., see Javaid, J. (404) 74
Hofer, H.W., see Bartholomé-Dönnicke, M. (397) 347
Hoffmann, W., see Hüttermann, A. (384) 493
Hofmann, H., see Schmut, O. (411) 231
Holasek, A., see Knipping, G.M.J. (393) 88
Holden, J.T., Easton, J.A. and Bunch, J.M.
Heterogeneous elevation of amino acid transport rates in pantothenate- and lipid-deficient Lactobacillus plantarum (382) 657
Holden, J.T., Utech, N.M. and Reid, K.G.
a-Methyl-L-glutamic acid uptake by the high affinity dicarboxylic amino acid transport system in Streptococcus faecalis (394) 55
Holder, W., see Ahern, E. (393) 188
Holdsworth, G. and Coleman, R.
Enzyme profiles of mammalian bile (389) 47
Holladay, L.A., Levine, J.H., Nicholson, W.E., Orth, D.N., Salmon, Jr., W.D. and Puett, D.
Evidence for structural dissociation of two biological actions of growth hormone (381) 47
Holman, G.D. and Naftalin, R.J.
Galactose transport across the serosal border of rabbit ileum and its role in intracellular accumulation (382) 230
Holman, G.D. and Naftalin, R.J.
D-Galactose accumulation in rabbit ileum. The effects of theophylline on serosal permeability (406) 386
Holme, D.J. and Goldberg, D.M.
Coupled optical rate determinations of amino acid oxidase activity (377) 61
Holt, C.
Casein micelle size from elastic and quasi-elastic light scattering measurements (400) 293
Holt, C., Parker, T.G. and Dalgleish, D.G.
The thermochemistry of reactions between α_{s1}-casein and calcium chloride (379) 638

Holt, C., Parker, T.G. and Dalgleish, D.G.
Measurement of particle sizes by elastic and quasi-elastic light scattering (400) 283
Hölttä, E.
Immunochemical demonstration of increased accumulation of ornithine decarboxylase in rat liver after partial hepatectomy and growth hormone induction (399) 420
Holz, M., see Brunner, H. (379) 408
Holz, R.W.
The release of dopamine from synaptosomes from rat striatum by the ionophores X 537A and A 23187 (375) 138
Holzer, H., see Saheki, T. (384) 203
Homer, R.B. and Goodman, R.M.
Circular dichroism and fluorescence studies on potato virus X and its structural components (378) 296
Hommersand, M.H., see Marsho, T.V. (376) 354
Honda, K., see Tsuchida, E. (393) 483
Hong, S.K., see Gerencser, G.A. (406) 108
Hoogsteen, K., see Shigeura, H.T. (388) 180
Hope Cook, G., see Wolff, J. (413) 283
Hope Cook, G., see Wolff, J. (413) 291
Hori, S.
Effects of sulphydryl agents on the activation of tryptophan-5-monooxygenase from bovine pineal glands (384) 58
Horiguchi, M. and Rosenberg, H.
Phosphonopyruvic acid. A probable precursor of phosphonic acids in cell-free preparations of Tetrahymera (404) 333
Horikoshi, K. and Atsukawa, Y.
Production of 1,3-β-glucanase by Bacillus No. 221. An alkalophilic microorganism (384) 477
Horikoshi, K., see Nakamura, N. (397) 188
Hornby, W.E., see Campbell, J. (384) 307
Hornby, W.E., see Campbell, J. (403) 79
Horton, P. and Cramer, W.A.
Light-induced turnover of chloroplast cytochrome b-559 in the presence of N-methylphenazonium methosulfate (396) 310
Horvat, A., Li, E. and Katsoyannis, P.G.
Cellular binding sites for insulin in rat liver (382) 609
Horvath, C., see Wan, H. (410) 135
Hoshino, J., Kühne, U., Filjak, B. and Kröger, H.
Inhibitory effect of cortisone acetate on the stimulation of rat liver cytosol L-serine. Pyruvate aminotransferase by dibutyryl adenosine 3′, 5′ monophosphate (399) 42
Hoshino, M.
Dissociation of Tetrahymena 30-S dynein into 14-S subunit by sonication (403) 544
Hosoda, S.
Further studies on tryptophan hydroxylase from neoplastic murine mast cells (397) 58
Hosokawa, Y., see Yamaguchi, K. (381) 1
Hospattankar, A.V., see Zaheer, A. (394) 293
Hostetler, K.Y., Galesloot, J.M., Boer, P. and Van den Bosch, H.
Further studies on the formation of cardiolipin and phosphatidylglycerol in rat liver mitochondria. Effect of divalent cations and the fatty acid composition of CDP-diglyceride (380) 382
Hosty, T.S., see Brimhall, B. (379) 28
Hosty, T.S., see Schneider, R.G. (400) 365
Hou, C.T., see Zaborsky, O.R. (386) 18
Houghton, R.L., Fisher, R.J. and Sanadi, D.R.
Energy-linked and energy-independent transhydrogenase activities in Escherichia coli vesicles (396) 17
Houssier, C., see Gatti, C. (407) 308
Hovingh, P., see Linker, A. (385) 324
Howell, K.E., see Critchley, D.R. (394) 361
Howell, S.H., see Semler, B.L. (399) 71
Hozumi, T. and Tawada, K.
Temperature-dependent transitions of the myosin-product intermediate at 10 °C in the Mn(II)—ATP hydrolysis (376) 1
Hradec, J., see Grozdanovič, J. (402) 69
Hsie, A.W., see O'Neill, J.P. (404) 243
Hsu, J., see Neumann, H. (391) 292
Hsu, K.-H., see Papir, Y.S. (399) 170

Hsu, R.Y., see Bratcher, S.C. (410) 229
Hsung, J.C. and Haug, A.
Intracellular pH of Thermoplasma acidophila (389) 477
Huang, C.-C. and Abramson, M.
Purification and characterization of collagenase from guinea pig skin (384) 484
Huang, C.H. and Lee, C.P.
Further characterization of gradient-fractionated submitochondrial membrane fragments from beef heart mitochondria (376) 398
Huang, H.V., see Lim, R.W. (394) 377
Huang, W.Y., see Fullmer, C.S. (412) 256
Huang, Y.P., see Taketa, F. (400) 348
Hubbard, M., Winton, E., Lindeman, J.G., Dessauer, P.L., Wilson, J.B., Wrightstone, R.N. and Huisman, T.H.J.
Hemoglobin Atlanta or $\alpha_2\beta_2$ 75 Leu→Pro (E19); an unstable variant found in several members of a Caucasian family (386) 538
Huberman, J.A., see Waqar, J.A. (383) 410
Hudry-Clergeon, G., see Tranqui-Pouit, L. (400) 189
Huebner, J.S.
Photo-voltages of bilayer lipid membranes in the presence of cyanine dyes (406) 178
Huet, C. and Bernadac, A.
Dynamic state of concanavalin A. Receptor interactions on fibroblast surfaces (394) 605
Huet, J., see Satre, M. (387) 241
Hughes, F. and Pedersen, Jr., C.E.
Paramagnetic spin label interactions with the envelope of a group A arbovirus. Lipid organization (394) 102
Hughes, L.B., see Zilversmit, D.B. (409) 395
Hughes, M.E., see Johnson, L.W. (375) 176
Hui, S.W., Cowden, M., Papahadjopoulos, D. and Parsons, D.F.
Electron diffraction study of hydrated phospholipid single bilayers. Effects of temperature, hydration and surface pressure of the "precursor" monolayer (382) 265
Huisman, T.H.J., see Hubbard, M. (386) 538
Huisman, T.H.J., see Kleckner, H.B. (400) 343
Huisman, T.H.J., see Niazi, G.A. (412) 181
Huisman, T.H.J., see Sharma, R.S. (393) 379
Huisman, T.H.J., see Wrightstone, R.N. (412) 283
Hull, H.H., Chang, R. and Kaplan, L.J.
On the location of the sulfhydryl group in bovine plasma albumin (400) 132
Hulsebos, Th.J.M., see Van Hummel, H.C. (380) 219
Hülsmann, W.C., see Jansen, H. (398) 337
Hülsmann, W.C., see Lamers, J.M.J. (394) 31
Hultberg, B., Lundblad, A., Masson, P.K. and Öckerman, P.A.
Specificity studies on α-mannosidase using oligosaccharides from mannosidosis urine at substrates (410) 156
Hultin, T. and Näslund, P.H.
Effects of anions on the structure and functions of mammalian ribosomes (402) 199
Humpreys, G.O., Willshaw, G.A. and Anderson, E.S.
A simple method for the preparation of large quantities of pure plasmid DNA (383) 457
Hunt, J.W., see Imada, A. (395) 490
Hunt, R.C., Gold, E. and Brown, J.C.
Cell cycle dependent exposure of a high molecular weight protein on the surface of mouse L cells (413) 453
Hunter, E., see Kleckner, H.B. (400) 343
Hunter, Jr., E., see Niazi, G.A. (412) 181
Hunter, J.A.A., see Steven, F.S. (405) 188
Huntsman, R.G., see Lorkin, P.A. (379) 22
Hurwitz, L., see Moore, L. (413) 432
Hurwitz, S., see Bar, A. (411) 106
Hurwitz, S., see Edelstein, S. (385) 438
Huseby, R.M., see Mosesson, M.W. (386) 509
Hustvedt, B.-E., see Løvø, A. (409) 51
Hutchison, H.T., see Chen, J.P. (386) 69

Hüttermann, A., Gebauer, M., Wessel, I. and Hoffmann, W.
Activity, isoenzyme pattern, and synthesis of UDPglucose 4-epimerase during differentiation of Physarum polycephalum (384) 493
Hutzler, J. and Dancis, J.
Lysine-ketoglutarate reductase in human tissues (377) 42
Huvos, P. and Cox, R.A.
Solution of ribosomal proteins under mild conditions (383) 421
Hyde, J.S., see Lowe, D.J. (377) 205
Hyer, R.C., see Campillo, A.J. (387) 533
Hyono, A., Hendriks, T., Daemen, F.J.M. and Bonting, S.L.
Movement of calcium through artificial lipid membranes and the effects of ionophores (389) 34

I

Iammartino, A.J., see Schulz, R.M. (386) 120
Ibayashi, H., see Kawasaki, H. (385) 334
Ichihara, A., see Tanaka, K. (399) 302
Ichijima, E., see Nakatani, H. (391) 415
Ichikawa, T., Inoue, Y. and Shibata, K.
Characteristics of thermoluminescence bands of intact leaves and isolated chloroplasts in relation to the water-splitting activity in photosynthesis (408) 228
Ichikawa, Y.
Distribution of NAD(P)H-dependent cytochrome P-450 mixed function oxidase system in the brush border membrane of rabbit kidney cortex (394) 406
Ichikawa, Y., see Hiwatashi, A. (388) 397
Ichimura, S., see Zama, M. (414) 256
Ichishima, E., see Yokoyama, S. (397) 443
Idahl, L.-A., see Hellman, B. (392) 101
Iida, H., see Nozawa, Y. (406) 248
Iizuka, T., see Morishima, I. (386) 542
Iizuka, T. and Morishima, I.
NMR studies of hemoproteins. VI. Acid base transitions of ferric myoglobin and its imidazole complex (400) 143
Iizuka, T., see Yoshida, S. (405) 122
Ikdeda-Saito, M. and Ilzuka, T.
Studies on the heme environment of horse heart ferric cytochrome c: Azide and imidazole complexes of ferric cytochrome c (393) 335
Ikeda, Y., see Kometani, T. (413) 415
Ikeda, Y., see Toda, G. (413) 52
Ikegami, A., see Kinosita, Jr., K. (393) 10
Ikehara, M., see Ohtsuka, E. (383) 236
Ikenaka, T., see Isemura, M. (411) 11
Ikezawa, H., see Ishihara, H. (388) 413
Ikezawa, H., see Sonoki, S. (403) 412
Ikezawa, H., see Taguchi, R. (409) 75
Illingworth, D.R.
Metabolism of lipoproteins in non-human primates. Studies on the origin of low density lipoprotein apoprotein in the plasma of the squirrel monkey (388) 38
Illingworth, D.R., see Portman, O.W. (398) 55
Ilzuka, T., see Ikeda-Saito, M. (393) 335
Imada, A., Hunt, J.W., Van de Sande, H., Sinskey, A.J. and Tannenbaum, S.R.
Purification and properties of an intracellular ribonuclease from Candida lipolytica (395) 490
Imai, K. and Lehmann, H.
The oxygen affinity of haemoglobin Tak, a variant with an elongated β chain (412) 288
Imai, M., Inoue, K. and Nojima, S.
Effect of polymyxin B on liposomal membranes derived from Escherichia coli lipids (375) 130
Inamasu, M., see Tsurushiin, S. (400) 451
Ingraham, L.L., see Lowe, J.N. (385) 343
Ingram, L.O., see Olson, G.J. (383) 215
Inoko, Y., Yamaguchi, T., Furuya, K. and Mitsui, T.
Effect of cations on dipalmitoyl phosphatidylcholine/cholesterol/water systems (413) 24
Inoue, K., see Imai, M. (375) 130
Inoue, N., see Moroi, M. (379) 217
Inoue, N., Moroi, M. and Yamasaki, M.
Plasmic degradation of bovine fibrinogen and non-crossed-linked fibrins in solution and in gel form (400) 322
Inoue, Y.
Multiple-flash activation of the water-photolysis system in wheat leaves as observed by delayed emission (396) 402
Inoue, Y., see Ichikawa, T. (408) 228
Inoue, Y., Matsushima, A. and Shibata, K.
Difference-derivative absorbance spectrophotometry as a technique to measure state changes of phenylalanine residues in proteins (379) 653
Inouye, A., see Okada, Y. (413) 104
Intenzo, C.M., see Capuzzi, D.M. (409) 144

Irace, G., see Balestrieri, C. (405) 517
Irimura, T., Nakajima, M., Hirano, H. and Osawa, T.
Distribution of ferritin-conjugated lectins on sialidase-treated membranes of human erythrocytes (413) 192
Irisa, T., see Kawasaki, H. (385) 334
Iriyama, K., see Aoshima, R. (406) 362
Isaacs, R.A., see Kim, Y.S. (391) 39
Isac, T., see Papahadjopoulos, D. (401) 317
Isemura, M. and Ikenaka, T.
β-Elimination and sulfite addition reaction of chondroitin sulfate peptidoglycan and the peptide structure of the linkage region (411) 11
Ishaq, K.S., see Lee, T.-C. (409) 218
Ishihama, A., see Naito, S. (402) 88
Ishihara, H., Okuyama, H., Ikezawa, H. and Tehima, S.
Studies in lipase from Mucor javanicus. I. Purification and properties (388) 413
Ishikura, H., see Yamada, Y. (402) 285
Ishinaga, M., see Nishihara, M. (409) 212
Isobe, M., see Sugiura, M. (397) 412
Israel, A., Audubert, F. and Semmel, M.
Phospholipids in Newcastle Disease Virus infected cells (375) 224
Israelachvili, J. and Mitchell, D.J.
A model for the packing of lipids in bilayer membranes (389) 13
Israelachvili, J., Sjösten, J., Göran Eriksson, L.E., Ehrström, M., Gräslund, A. and Ehrenberg, A.
ESR spectral analysis of the molecular motion of spin labels in lipid bilayers and membranes based on a model in terms of two angular motional parameters and rotational correlation times (382) 125
Istin, M., see Girard, J.B. (381) 221
Ito, T. and Kobashi, K.
An acridine probe into the physiological state of the cell (378) 125
Itoh, K.B., see Sogami, M. (393) 446
Itoh, R., see Nishino, T. (403) 17
Ittel, M.E., see Okazaki, H. (391) 84
Itzhaki, R.F., see Cooper, H.K. (407) 263
Ivanov, I.G. and Markov, G.G.
RNA · DNA hybridization on membrane filters with fragmented mammalian DNA (383) 123
Iversen, J., see Keller, P.J. (379) 562
Iversen, J., see Robinovitch, M.R. (382) 260
Ives, D.H., see Deng, Q. (377) 84
Iwamori, M., Moser, H.W., McCluer, R.H. and Kishimoto, Y.
3-Ketosphingolipids. Application to the determination of sphingolipids which contain 4-sphingenine (380) 308
Iwanami, Y., see Suzuki, T. (395) 355
Iwashima, A. and Nose, Y.
Inhibition of thiamine transport in anaerobic baker's yeast by iodoacetate, 2,4-dinitrophenol, N,N′-dicyclohexylcarbodiimide and fatty acids (399) 375
Iwashima, A., Wakabayashi, Y. and Nose, Y.
Thiamine transport mutants of Saccharomyes cerevisiae (413) 243
Iwata, H., see Onishi, T. (378) 439
Izawa, M., see Sameshima, M. (378) 405
Izui, K., see Nishihara, M. (409) 212
Izumi, Y., see Ohba, Y. (405) 155
Izutsu, K.T. and Siegel, I.A.
Bicarbonate ion -ATPase in rat liver cell fractions (382) 193

J

Jackson, D.E., see Adams, J.B. (384) 423
Jackson, D.S., see Shuttleworth, C.A. (379) 207
Jackson, J.B., see Saphon, S. (408) 58
Jackson, J.B., see Saphon, S. (408) 67
Jackson, J.B., Saphon, S. and Witt, H.T.
The extent of the stimulated electrical potential decay under phosphorylating conditions and the H^+ /ATP ratio in Rhodopseudomonas sphaeroides chromatophores following short flash excitation (408) 83
Jackson, R.J. and Shiota, T.
The nature of the multiple forms of D-Erythro-dihydroneopterin triphosphate synthetase (403) 232
Jackson, S.H. and Heininger, J.A.
Proline recycling during collagen metabolism as determined by concurrent $^{18}O_2$- and ^3H-labeling (381) 359
Jackson, V., see Sherod, D. (381) 337
Jacob, J.L., see Moreau, F. (396) 116
Jacobs, J.M.C., Bienfait, H.F. and Slater, E.C.
Mitochondrial oxygen affinity as a function of redox and phosphate potentials (376) 446
Jacobs, S., see Chang, K.-J. (406) 294
Jacobson, A.L. and Krueger, P.J.
Infra-red spectroscopic studies of solvent-induced conformational changes in globular proteins (393) 274
Jacobson, G., see Roos, P. (379) 247
Jacobson, K., see Papahadjopoulos, D. (394) 483
Jacobson, K., see Papahadjopoulos, D. (394) 504
Jacobson, K., see Poste, G. (394) 520
Jaffe, M.J., see Fluck, R.A. (410) 130
Jaffe, R.C., Socher, S.H. and O'Malley, B.W.
An analysis of the binding of the chick oviduct progesterone-receptor to chromatin (399) 403
Jahn, A., see Busse, D. (401) 231
Jain, K., Logothetopoulos, J. and Zucker, P.
The effect of D- and L-glyceraldehyde on glucose oxidation, insulin secretion and insulin biosynthesis by pancreatic islets of the rat (399) 384
Jakob, A. and Diem, S.
Metabolic responses of perfused rat livers to alpha- and beta-adrenergic agonists, glucagon and cyclic AMP (404) 57
Jakoby, W.B., see Cagen, L.M. (398) 205
Jakubowski, H. and Pawetkiewicz, J.
Fractionation of plant aminoacyl-tRNA synthetases on tRNA-sepharose columns (407) 213
James, A.T., see Safford, R. (409) 86
James, H.L., Bradford, H.R. and Ganguly, P.
Platelet fibrinogen. Identity and initial observations on the mode of its degradation by plasmin (386) 209
James, W.P.T., see Garlick, P.J. (414) 71
Jänchen, M., see Scheller, F. (412) 157
Janki, R.M., Aithal, H.N., Tustanoff, E.R. and Ball, A.J.S.
The biogenesis of mitochondrial membranes in the yeast Saccharomyces cerevisiae (375) 446
Janoff, A., see Feinstein, G. (403) 477
Janoff, A., see Feinstein, G. (403) 493
Jansen, H. and Hülsmann, W.C.
On hepatic and extrahepatic postheparin serum lipase activities and the influence of experimental hypercortisolism and diabetes on these activities (398) 337
Jansen, P.L.M. and Arias, I.M.
Delipidation and reactivation of UDPglucuronosyltransferase from rat liver (391) 28
Janson, T.L. and Helgeland, L.
Biological and immunological activity of prothrombin in rough and smooth microsomes isolated from rat liver (379) 598
Jansons, V.K., see Redwood, W.R. (406) 347
Jard, S., see Premont, J. (381) 368
Järnefelt, J., see Skulskii, I.A. (394) 569

Jaspers, H.T.A. and van Steveninck, J.
Transport-associated phosphorylation of the 2-deoxy-D-glycose in Saccharomyces fragilis (406) 370
Jastorff, B., see Simonson, L.P. (379) 114
Jatzkewitz, H., see Stinshoff, K. (377) 126
Javaid, J., see Brunngraber, E.G. (404) 67
Javaid, J., Hof, H. and Brunngraber, E.G.
Preparation and properties of concanavalin A-binding glycopeptides derived from rat brain glycoproteins (404) 74
Jayle, M.F., see Azzopardi, O. (389) 339
Jayle, M.F., see Benassayag, C. (412) 295
Jayle, M.F., see Khaïat, A. (401) 1
Jaynes, J.M., Vernon, L.P. and Klein, S.M.
Photophosphorylation and related properties of reaggregated vesicles from spinach Photosystem I particles (408) 240
Jayson, G.G., see Butler, J. (408) 215
Jeacock, M.K., see Edwards, E.M. (399) 217
Jeffcoat, R., see Safford, R. (409) 86
Jeffrey, P.D., see Kuchel, P.W. (397) 478
Jenkins, I.D., see Letham, D.S. (399) 61
Jenkins II, R.M., see Paterson, C.A. (375) 309
Jenness, R., see Quarfoth, G.J. (379) 476
Jennette, K.W., Lippard, S.J. and Ucko, D.A.
Carbon-13 magnetic resonance investigation of mercury (II) binding to nucleosides and thiolated nucleosides in dimethyl sulfoxide (402) 403
Jennings, B.R., see Morris, V.J. (392) 328
Jennings, R.C. and Forti, G.
Evidence for energy migration from Photosystem I to Photosystem II and the effect of magnesium (376) 89
Jennings, R.C. and Forti, G.
Fluorescence induction in intact spinach chloroplasts (396) 63
Jenny, E., see Bruggmann, S. (412) 39
Jessee, Jr., F., see Watlington, C.O. (382) 204
Jetten, A.M. and Jetten, M.E.R.
Energy requirement for the initiation of colicin action in Escherichia coli (387) 12
Jetten, M.E.R., see Jetten, A.M. (387) 12
Jimenez, A., Sanchez, L. and Vazquez, D.
Simultaneous ribosomal resistance to trichodermin and anisomycin in Saccharomyces cerevisiae mutants (383) 427
Jirgensons, B., see Père, M. (393) 31
Jöbsis, F.F., see Mandel, L.J. (408) 123
Jocelyn, P.C.
Some properties of mitochondrial glutathione (396) 427
Jockusch, H., see Gilvarg, C. (414) 341
Johansson, B.C., see Berzborn, R.J. (396) 360
Johns, E.W., see Goodwin, G.H. (405) 280
Johnson, C., Attridge, T. and Smith, H.
Regulation of phenylalanine ammonia-lyase synthesis by cinnamic acid: Its implication for the light mediated regulation of the enzyme (385) 11
Johnson, G., see Sherod, D. (381) 337
Johnson, J.D., St. John, T. and Bonner, J.
DNA-binding proteins from Novikoff hepatoma cells (378) 424
Johnson, K.G., see Stockton, G.W. (401) 535
Johnson, L.W., Hughes, M.E. and Zilversmit, D.B.
Use of phospholipid exchange protein to measure inside—outside transposition in phosphatidylcholine liposomes (375) 176
Johnson, L.W. and Zilversmit, D.B.
Catalytic properties of phospholipid exchange protein from bovine heart (375) 165
Johnson, S.M. and Miller, K.W.
The effect of pressure and the volume of activation on the monovalent cation and glucose permeabilities of liposomes of varying composition (375) 286
Johnstone, R.M.
Reversed transport of amino acids in Ehrlich cells (413) 252
Jonah, M.M., Cerny, E.A. and Rahman, Y.E.
Tissue distribution of EDTA encapsulated within liposomes of varying surface properties (401) 336
Jonas, A.
Isolation and partial characterization

of the major apolipoprotein components of bovine serum high density lipoprotein (393) 460
Jonås, A.
Self-association of the major protein component of bovine serum high density lipoprotein (393) 471
Jones, E.E., see Wozny, M.E. (383) 106
Jones, H.E. and Skyring, G.W.
Effect of enzymic assay conditions on sulfite reduction catalysed by desulfoviridin from Desulfovibrio gigas (377) 52
Jones, I.L. and Lemperg, R.
Chondroitin sulphate of calf knee-joint cartilage (392) 310
Jones, L.N.
The isolation and characterization of α-keratin microfibrils (412) 91
Jones, O.T.G., see Saunders, V.A. (396) 220
Jones, R.T., see Ahern, E. (393) 188
Jones, R.T., see Brimhall, B. (379) 28
Joos, P.
Approach for an equation of state for adsorbed protein surfaces (375) 1
Jorgensen, A.O. and Heywood, S.M.
Cell-free synthesis of tubulin 1 and tubulin 2 on polysomes isolated from embryonic chick brain (414) 321
Jørgensen, P.L.
Purification and characterization of (Na^+, K^+)-ATPase. V. Conformational changes in the enzyme. Transitions between the Na-form and the K-form studied with tryptic digestion as a tool (401) 399
Jorgenson, R.A., see Colilla, W. (377) 117
Joseleau-Petit, D. and Kepes, A.
A novel electrophoretic fractionation of Escherichia coli envelopes (406) 36
Joubert, F.J.
Naja melanoleuca (Forest Cobra) venom. The amino acid sequence of phospholipase A, fraction DE-III (379) 329
Joubert, F.J.
Naja melanoleuca (Forest Cobra) venom. The amino acid sequence of phospholipase A, fractions DE-I and DE-II (379) 345
Joubert, F.J. and Van der Walt, S.J.
Naja melanoleuca (Forest Cobra) venom. Purification and some properties of phospholipases A (379) 317
Joy, K.W. and Ellis, R.J.
Protein synthesis in chloroplasts. IV. Polypeptides of the chloroplast envelope (378) 143
Juliano, R.L. and Behar-Bannelier, M.
An evaluation of techniques for labelling the surface proteins of cultured mammalian cells (375) 249
Juliano, R.L. and Stanley, P.
Altered cell surface glycoproteins in phytohemagglutinin-resistant mutants of Chinese hamster ovary cells (389) 401
Julien, R., Rathelot, J., Canioni, P., Sarda, L. and Plummer, Jr., T.H.
Further characterization of bovine pancreatic lipase (379) 157
Junge, W. and DeVault, D.
Symmetry, orientation and rotational mobility of the A_3 heme of cytochrome c oxidase in the inner membrane of mitochondria (408) 200
Junge, W., see Schmid, R. (394) 76
Jungmann, R.A., see Lee, P.C. (399) 265
Juntti, N., see Brishammar, S. (383) 351
Juřicová, M., Franzblau, C., Faris, B., Deyl, Z. and Adam, M.
Some lysine containing peptides from the elastase digest of elastin and their relation to lysinonorleucine cross-link (386) 239
Justice, S.K., see Dirmikis, S.M. (379) 239
Juvani, M., Friman, C., Ranta, H. and Wegelius, O.
Isolation and characterization of undersulphated chondroitin-4-sulphate from normal human plasma (411) 1

K

Kada, T., see Noguti, T. (395) 284
Kada, T., see Noguti, T. (395) 294
Kader, J.C.
Proteins and the intracellular exchange of lipids. I. Stimulation of phospholipid exchange between mitochondria and microsomal fractions by proteins isolated from potato tuber (380) 31
Kagan, Z.S., Dorozhko, A.I., Kovaleva, S.V. and Yakovleva, L.I.
Studies of homogeneous "biosynthetic" L-threonine dehydratase from Escherichia coli K-12. Some kinetic properties and molecular multiplicity (403) 208
Kahn, L.D. and Witnauer, L.P.
The effects of an electric field on soluble collagen (393) 247
Kainosho, M., see Lichtenberg, D. (382) 10
Kainuma, K., Wako, K., Kobayashi, S., Nogami, A. and Suzuki, S.
Purification and some properties of a novel maltohexaose-producing exo-amylase from Aerobacter aerogenes (410) 333
Kaizu, T. and Margolius, H.S.
Studies on rat renal cortical cell kallikrein I. Separation and measurement (411) 305
Kaji, A., see Ko, T.-S. (414) 155
Kaji, A., see Ogawa, K. (402) 288
Kaji, A. and Saheki, T.
ENDO-Arabinanase from Bacillus subtilis F-11 (410) 354
Kakinuma, K., see Patriarca, P. (385) 380
Kakinuma, K., see Patriarca, P. (385) 387
Kakiuchi, S., see Miyamoto, E. (384) 458
Kalkman, M.L., see van der Vusse, G.J. (398) 28
Kalkman, M.L., see van der Vusse, G.J. (380) 473
Kalous, V., see Anzenbacher, P. (386) 603
Kamen, M.D., see Garcia, A.F. (387) 129
Kamen, M.D., see Oelze, J. (387) 1
Kamenets, R.L., see Rojas-Espinosa, O. (403) 161
Kamisaka, K., Listowsky, I., Gatmaitan, Z. and Arias, I.M.
Circular dichroism analysis of the secondary structure of Z protein and its complexes with bilirubin and other organic anions (393) 24
Kamogawa, A. and Fukui, T.
Photooxidation of α-glucan phosphorylases from rabbit muscle and potato tubers (403) 326
Kamp, H.H., Sprengers, E.D., Westerman, J., Wirtz, K.W.A. and Van Deenen, L.L.M.
Action of phospholipases on the phosphatidylcholine exchange protein from beef liver (398) 415
Kamp, H.H., Wirtz, K.W.A. and Van Deenen, L.L.M.
Delipidation of the phosphatidylcholine exchange protein from beef liver by detergents (398) 401
Kandutsch, A.A., see Breslow, J.L. (398) 10
Kaneko, I., Hayatsu, H., Satoh, H. and Ukita, T.
Cellular energy dependent agglutination of rat ascites tumor cells mediated by concanavalin A and Ricinus communis agglutinin (411) 334
Kaneko, I., Hayatsu, H. and Ukita, T.
A quantitative assay for concanavalin A and Ricinus Communis agglutinin-mediated agglutinations of rat ascites hepatoma cells. Relationship between concanavalin A binding and cell-agglutination (392) 131
Kanfer, J.N., Raghaven, S.S. and Mumford, R.A.
Hydrolytic and transglucosylation activities of a purified calf spleen β-glucosidase (391) 129
Kanner, B.I., Nelson, N. and Gutnick, D.L.
Differentiation between mutants of Escherichia coli K_{12} defective in oxidative phosphorylation (396) 347
Kanno, C., see Kobayashi, H. (380) 282

Kanoh, H. and Ohno, K.
Substrate-selectivity of rat liver microsomal 1,2-diacylglycerol: CDPcholine(ethanolamine) choline (ethanolamine)phosphotransferase in utilizing endogenous substrates (380) 199
Kao, W.W.-Y., Berg, R.A. and Prockop, D.J.
Ascorbate increases the synthesis of procollagen hydroxyproline by cultured fibroblasts from chick embryo tendons without activation of prolyl hydroxylase (411) 202
Kaplan, D., see Greenfield, L. (407) 365
Kaplan, J. and Moskowitz, M.
Studies on the turnover of plasma membranes in cultured mammalian cells. I. Rates of synthesis and degradation of membrane proteins and carbohydrates (389) 290
Kaplan, J. and Moskowitz, M.
Studies on the turnover of plasma membranes in cultured mammalian cells. II. Demonstration of heterogeneous rates of turnover for plasma membrane proteins and glycoproteins (389) 306
Kaplan, L.J., see Hull, H.H. (400) 132
Kaplan, M.W. and Klein, M.P.
Modification of optical responses associated with the action potential of lobster giant axons (382) 106
Karabachyan, L.V., see Dudkin, S.M. (386) 275
Karijord, Ø. and Øyen, T.B.
Study of a haploid yeast strain with an unusually high rDNA content. II. Fractionation of the DNA in preparative Ag^{+}-Cs_2SO_4 density gradients (383) 255
Karjakin, A.V., see Archakov, A.I. (408) 93
Karlsson, J.
Membrane-bound K^{+}- and Mg^{2+}-stimulated inorganic pyrophosphatase from roots and cotyledons of sugarbeet (Beta vulgaris L.) (399) 356
Karlsson, K.-A., see Smith, E.L. (388) 171
Karlsson, K.-A., see Smith, E.L. (398) 84
Karpeisky, M.Ya., see Dudkin, S.M. (386) 275
Kasai, M., see Kometani, T. (413) 415
Kassab, R., see Fattoum, A. (405) 324
Kassis, S. and Kindler, S.H.
Dispersion of epinephrine sensitive and insensitive adenylate cyclase from the ciliate Tetrahymena pyriformis (391) 513
Kassner, R.J., see Wagner, G.C. (392) 319
Kassner, R.J., see Wagner, G.C. (405) 205
Katchalski-Katzir, E., see Freedberg, I.M. (391) 361
Kates, M., see Anderson, R. (409) 259
Kates, M., see Komaratat, P. (398) 464
Kates, M., see Kushwaha, S.C. (398) 303
Kates, M., see Pugh, E.L. (380) 442
Kato, K., see Kobayashi, M. (377) 343
Kato, K., Sugimoto, T., Amemura, A. and Harada, T.
A pseudomonas intracellular amylase with high activity on maltodextrins and cyclodextrins (391) 96
Kato, M., see Nishihara, M. (409) 212
Katsoyannis, P.G., see Horvat, A. (382) 609
Katsuki, M. and Sekiguchi, M.
Excision of pyrimidine dimers in normal and T4-infected Escherichia coli: effect of POLA and other mutations (383) 188
Katz, J.J., see Evans, T.A. (396) 414
Katz, S. and Blostein, R.
Ca^{2+}-stimulated membrane phosphorylation and ATPase activity of the human erythrocyte (389) 314
Katze, J.R.
Alteration in SVT2 cell transfer RNAs in response to cell density and serum type (383) 131
Katze, J.R.
Relation of cell type and cell density to the degree of post-transcriptional modification of $tRNA^{Lys}$ and $tRNA^{Phe}$ (407) 392
Katze, J.R.
Isoaccepting species differences between poly-some-bound and total cellular tRNA in SVT2 cells (407) 399
Kauerz, M.T., see Op den Kamp, J.A.F. (406) 169
Kauffman, D.L., see Keller, P.J. (379) 562
Kauffman, D.L., see Robinovitch, M.R. (382) 260
Kauffman, J.W., see Lis, L.J. (406) 453

Kauffman, J.W., see Simon, S.A. (375) 317
Kauffman, S.A., see Wille, Jr., J.J. (407) 158
Kawachi, T., see Sasajima, K. (403) 139
Kawai, Y. and Anno, K.
Glycopeptides from the egg jelly coat of the toad Bufo vulgaris (381) 195
Kawamura, M. and Nagano, K.
A calcium ion-dependent ATP pyrophosphohydrolase in Physarum polycephalum (397) 207
Kawano, A., Gunaga, K.P. and Menon, K.M.J.
Stimulatory effect of gonadotrpins on the synthesis of adenosine 3′:5′-cyclic monophosphate and progesterone by suspensions of rat ovarian interstitial cells (385) 88
Kawasaki, H., Sakaguchi, S., Arimura, K., Irisa, T., Tominaga, K., Hirayama, C. and Ibayashi, H.
Studies on the relationship of hepatic anion-binding proteins and sulfobromophthalein congugation in normal and phenobarbital-treated rats (385) 334
Kay, C.M., see Freedberg, I.M. (391) 361
Kay, J.E., Ahern, T., Lindsay, V.J. and Sampson, J.
The control of protein synthesis during the stimulation of lymphocytes by phytohaemagglutinin. III. Poly(U) translation and the rate of polypeptide chain elongation (378) 241
Kay, J.E., see Austin, S.A. (395) 468
Kay, W.W., see Ghei, O.K. (401) 440
Ke, B., Sugahana, K. and Shaw, E.R.
Further purification of "Triton subchloroplast fraction I" (TSF-I particles). Isolation of a cytochrome-free high-P-700 particle and a complex containing cytochromes f and b_6, plastocyanin and iron-sulfur protein(s) (408) 12
Kearns, D.R., see Lim Wong, K. (383) 446
Kearns, D.R., see Lim Wong, K. (395) 1
Kearns, D.R., see Lim Wong, K. (395) 381
Keele, Jr., B.B., see Misra, H.P. (379) 418
Keenan, T.W., see Patton, S. (415) 273
Keenan, T.W., see Richardson, C.L. (417) 175 (Review)
Kegeles, S.W., see Tsung, P.K. (403) 98
Keir, H.M., see McLennan, A.G. (407) 253
Keith, A., see Cupp, J. (389) 345
Keith, A.D., Aloia, R.C., Lyons, J., Snipes, W. and Pengelley, E.T.
Spin label evidence for the role of lysoglycerophosphatides in cellular membranes of hibernating mammals (394) 204
Kelemen, G.Sz. and Magyar, M.
The role of alkali cation in formation and decomposition of myosin ATP complex (384) 508
Keller, P.J., Robinovitch, M., Iversen, J. and Kauffman, D.L.
The protein composition of rat parotid saliva and secretory granules (379) 562
Keller, P.J., see Robinovitch, M.R. (382) 260
Kelley, R.E., Olson, M.S. and Pinckard, R.N.
Characterization of autoantigenic sites on isolated dog heart mitochondria (401) 370
Kellner, B.M.J., see Cadenhead, D.A. (382) 253
Kematorn, B., see Pootrakul, S. (405) 161
Kemp, Jr., A., see Rosing, J. (376) 13
Kemp, G., see Furlan, M. (400) 95
Kemp, R.B., see Garnett, H.M. (382) 526
Kempen, H.J.M., de Pont, J.J.H.H.M. and Bonting, S.L.
Rat pancreas adenylate cyclase. III. Its role in pancreatic secretion assessed by means of cholera toxin (392) 276
Kenimer, J.G., Young, L.G. and Groth, D.P.
Purification and properties of rat liver adenine phosphoribosyltransferase (384) 87
Kennedy, I.R., Rigaud, J. and Trinchant, J.C.
Nitrate reductase from bacteroids of Rhizobium japonicum: Enzyme characteristics and possible interaction with nitrogen fixation (397) 24
Kepes, A., see Daniel, J. (376) 195
Kepes, A., see Ducouret-Prigent, B. (401) 119

Kepes, A., see Joseleau-Petit, D. (406) 36
Kepes, A., see Robin, A. (406) 50
Keranen, A.
Gangliosides of the human gastrointestinal mucosa (409) 320
Kern, P., Picard, J., Caron, M. and Veissiere, D.
Decreased binding of insulin to liver plasma membrane receptors in hereditary diabetic mice (389) 281
Kershenobich, D., see Rojkind, M. (378) 415
Kersten, W., see Ogilvie, A. (395) 136
Kersten, W., see Ogilvie, A. (407) 357
Kersters-Hilderson, H., see Claeyssens, M. (405) 475
Kessler, M., Meier, W., Storelli, C. and Semenza, G.
The biguanide inhibition of D-glucose transport in membrane vesicles from small intestinal brush borders (413) 444
Kester, M.V. and Norton, S.J.
The isolation and characterization of mouse liver glyoxalase I (391) 212
Ketchum, P.A. and Downey, R.J.
In vitro restoration of nitrate reductase. Investigation of Aspergillus nidulans and Neurospora crassa nitrate reductase mutants (385) 354
Ketevi, P., see Khaïat, A. (401) 1
Ketley, J.N., see Cagen, L.M. (398) 205
Kezdy, F., see Neumann, H. (391) 292
Khaïat, A., Ketevi, P., Ter-Minassian-Saraga, L., Cittanova, N. and Jayle, M.F.
Surface behaviour of oestradiol-17β (401) 1
Khalifa, A. and Cohen, M.P.
Glomerular protocollagen lysylhydroxylase activity in streptozotocin diabetes (386) 332
Kidroni, G. and Weinbaum, G.
Glucosamine-labelled envelope proteins of Escherichia coli K-12.
I. Electrophoretic studies and partial fractionation of the phenol-soluble proteins (399) 428
Kidroni, G. and Weinbaum, G.
Glucosamine-labelled envelope proteins of Escherichia coli K-12.
II. Location in inner and outer membranes (399) 447
Kiger, Jr., J.A., see Tsuzuki, J. (393) 225
Kikuchi, T., see Miyazaki, T. (385) 345
Kilejian, A.
Circular mitochondrial DNA from the avian malarial parasite Plasmodium lophurae (390) 276
Kilmartin, J.V., see Wajcman, H. (400) 354
Kim, H.D., see Luthra, M.G. (382) 634
Kim, Y.S., Perdomo, J., Ochoa, P. and Isaacs, R.A.
Regional and cellular localization of glycotransferases in rat small intestine; changes in enzymes with differentiation of intestinal epithelial cells (391) 39
Kim, Y.W., see Giangranda, M. (412) 187
Kimberg, D.V., see Walling, M.W. (382) 213
Kimberg, D.V., see Wojcik, J.D. (411) 250
Kimelberg, H.K.
Alterations in phospholipid-dependent ($Na^+ + K^+$)-ATPase activity due to lipid fluidity. Effects of cholesterol and Mg^{2+} (413) 143
Kimura, G., see Yuasa, S. (413) 277
Kimura, K., see Nishihara, M. (409) 212
Kimura, T., see Matson, R.S. (396) 293
Kindler, S., see Kassis, S.H. (391) 513
Kindler, S.H., see Shabtai, Y. (403) 345
King, L.A., see Miller, J.N. (393) 435
King, M., see Meyer, F.A. (392) 223
King, T.E., see Yu, L. (379) 33
Kinosita, Jr., K., Mitaku, S. and Ikegami, A.
Degree of dissociation of apohemoglobin studied by nanosecond fluorescence polarization technique (393) 10
Kircher, A.B., see Durbin, R.P. (413) 298
Kirjukhin, I.F., see Troitsky, G.V. (400) 24
Kirk, M., see Egneus, H. (408) 252
Kirk, M.R., see Heber, U. (376) 136
Kirkwood, D.H., see Solomon, A.K. (406) 157
Kirshner, N., see Wallach, D. (375) 87
Kishimoto, Y., see Iwamori, M. (380) 308
Kisliuk, R.L., see Sharma, R.K. (391) 19
Kisselev, L.L., see Prasolov, V.S. (378) 92
Kitabchi, A.E., see Duckworth, W.C. (377) 421

Kitabchi, A.E., see Nathans, A.H. (399) 244
Kitajima, M. and Butler, W.L.
Quenching of chlorophyll fluorescence and primary photochemistry in chloroplasts by dibromothymoquinone (376) 105
Kitajima, M., see Butler, W.L. (376) 116
Kitajima, M., see Butler, W.L. (396) 72
Kitajima, M., and Butler, W.L.
Excitation spectra for Photosystem I and Photosystem II in chloroplasts and the spectral charactaristics of the distribution of quanta between the two photosystems (408) 297
Kitajima, Y. and Nozawa, Y.
Isolation, ultrastructure and chemical composition of the outermost layer ("exo-layer") of the Epidermophyton floccosum cell wall (394) 558
Kitamura, K., Yamanaka, T. and Uyemura, K.
On basic proteins in bovine peripheral nerve myelin (379) 582
Kitano, R. and Morimoto, S.
Isolation of peroxisomes from the dog kidney cortex (411) 113
Kito, M., see Nishihara, M. (409) 212
Kitron, N., see Lazarus, L.H. (402) 309
Kitto, G.B., see Ferrell, R.E. (386) 260
Klaasen-Boor, P., see Oudega, B. (392) 184
Klebe, R., see Srivastava, S.K. (397) 428
Kleckner, H.B., Wilson, J.B., Lindeman, J.G., Stevens, P.D., Niazi, G., Hunter, E., Chen, C.J. and Huisman, T.H.J.
Hemoglobin Fort Gordon or $a_2\beta_2$ $^{145\ Tyr\rightarrow Asp}$, a new high-oxygen-affinity hemoglobin variant (400) 343
Klein, M.P., see Kaplan, M.W. (382) 106
Klein, S.M., see Jaynes, J.M. (408) 240
Kleinkauf, H., see Ristow, H. (390) 246
Kleinkauf, H., see Ristow, H. (414) 1
Kleinsmith, L.J., see Pumo, D.E. (402) 125
Kleisen, C.M. and Borst, P.
Are 50% of all cellular proteins synthesized on mitochondrial ribosomes in Crithidia luciliae? (390) 78
Kleisen, C.M. and Borst, P.
Sequence heterogeneity of the minicircles of kinetoplast DNA of Crithidia luciliae and evidence for the prescence of a component more complex than the mini-circle DNA in the kinetoplast network (407) 473
Kleisen, C.M., Borst, P. and Weijers, P.J.
The structure of kinetoplast DNA. I. Properties of the intact multicircular complex from Crithidia luciliae (390) 155
Klenow, H., see Donelly, Jr., T.E. (402) 150
Klimov, A.N., Nikiforova, A.A. and Tchistiakova, A.M.
Inhibition of cholesterol esterification by polyene antibiotics in blood plasma (380) 76
Klodos, I. and Skou, J.C.
The effect of Mg^{2+} and chelating agents on intermediary steps of the reaction of Na^+, K^+-activated ATPase (391) 474
Klotz, C., Aumont, M.C., Leger, J.J. and Swynghedauw, B.
Human cardiac myosin ATPase and light subunits. A comparative study (386) 461
Klotz, L.C., see Muller, W.A. (378) 171
Klump, H.
A calorimetric study of the helix-coil transition of poly(cytidylic acid) in acid solution (383) 1
Klump, H.
A calorimetric study of the triple helix formation: interaction of poly(C) · guanosine · protonated poly(C) (383) 117
Klymkowski, M., see Cupp, J. (389) 345
Knaff, D.B. and Buchanan, B.B.
Cytochrome b and photosynthetic sulfur bacteria (376) 549
Knecht, M., see Pfister, M. (410) 193
Knight, B.L. and Fordhan, R.A.
The separation properties and possible subunit composition of adenosine 3′,5′-monophosphate-dependent protein kinases in brown adipose tissue (384) 102
Knight, B.L., see Skala, J.P. (385) 114
Knight, B.L. and Skala, J.P.
Protein kinases in brown adipose tissue of developing rats. II. Two soluble kinase activities and their affinities for nucleotide and protein substrates (385) 124

Knipping, G.M.J., Kostner, G.M. and Holasek, A.
Studies on the composition of pig serum lipoproteins. Isolation and characterization of different apoproteins (393) 88
Knöchel, W.
The separation of 9 S RNA from avian immature red blood cells into f2c-histone mRNA and globin mRNA (395) 501
Knöchel, W. and Tiedemann, H.
Size distribution and cell-free translation of globin-coding HnRNA from avian erythroblasts (378) 383
Knüfermann, H., see Bhakdi, S. (394) 550
Knüfermann, H., see Bhakdi, S. (406) 21
Knüfermann, H., Bhakdi, S. and Wallach, D.F.H.
Rapid preparative isolation of major erythrocyte membrane proteins using polyacrylamide gel electrophoresis in sodium dodecylsulfate (389) 464
Knüfermann, H., see Bjerrum, O.J. (406) 489
Knutsen, G., see Schreiner, Ø. (384) 180
Ko, T.-S. and Kaji, A.
Effect of Ricin on biosynthesis of myeloma protein (IgA) and general cellular proteins in MOPC-315 cells (414) 155
Kobashi, K., see Ito, T. (378) 125
Kobashi, M., see Koike, K. (402) 351
Kobayashi, H., Kanno, C., Yamauchi, K. and Tsugo, T.
Identification of α-, β-, γ- and δ-tocopherols and their contents in human milk (380) 282
Kobayashi, M., Kato, K. and Sato, S.
Multiple molecular forms of phosphoprotein phosphatase. III. Phosphorylase phosphatase and phosphohistone phosphatase of rabbit liver (377) 343
Kobayashi, M. and Matsuda, K.
Purification and characterization of two activities of the intracellular dextransucrase from Leuconostoc mesenteroides NRRL B-1299 (397) 69
Kobayashi, S., see Kainuma, K. (410) 333
Kobayasi, S. and Totsuka, T.
Electric birefringence of myosin subfragments (376) 375
Koch, P.A., Gardner, F.H., Gartrell, Jr., J.E. and Carter, Jr., J.R.
Biogenesis of erythrocyte membrane proteins. In vitro studies with rabbit reticulocytes (389) 177
Koch, P.A., Gartrell, Jr., J.E., Gardner, F.H. and Carter, Jr., J.R.
Biogenesis of erythrocyte membrane proteins. In vivo studies in anemic rabbits (389) 162
Kochetkov, N.K., see Druzhinina, T.N. (381) 301
Kochetkov, N.K., see Druzhinina, T.N. (403) 1
Kochetkov, N.K., see Shibaev, V.N. (403) 9
Kochetkov, S.N., see Severin, E.S. (384) 413
Kocourek, J., see Entlicher, G. (393) 165
Kocourek, J., see Fialová, D. (393) 170
Kocourek, J., see Pacék, F. (400) 374
Koenig, H., see Needleman, S.B. (379) 43
Koenig, H., see Needleman, S.B. (379) 57
Koerner, K., Rahimi-Laridjani, I. and Grimminger, H.
Purification of biosynthetic threonine deaminase from Escherichia coli (397) 220
Kohen, C., see Kohen, E. (396) 149
Kohen, E., Hirschberg, G., Kohen, C., Wouters, A., Pearson, A., Salmon, J.-M. and Thorell, B.
Multichannel microspectrofluorometry for topographic and spectral analysis of NAD(P)H fluorescence in single living cells (396) 149
Kohlhaw, G.B., see Teng-Leary, E. (410) 210
Koike, K., Kobashi, M., Fujisawa, T. and Tanaka, S.
Abnormal synthesis of mitochondrial DNA in the presence of N-methyl-N′-nitro-N-nitrosoguanidine in vitro (402) 351
Koivula, T. and Koivusalo, M.
Different forms of rat liver aldehyde dehydrogenase and their subcellular distribution (397) 9
Koivula, T. and Koivusalo, M.
Partial purification and properties of a phenobarbital-induced aldehyde dehydrogenase of rat liver (410) 1
Koivusalo, M., see Koivula, T. (397) 9

Koivusalo, M., see Koivula, T. (410) 1
Kojima, H., see Ryuzaki, M. (398) 294
Kolk, A.H.J. and Samuel, T.
Isolation, chemical and immunological characterization of two strongly basic nuclear proteins from human spermatozoa (393) 307
Kollman, V.H., see Campillo, A.J. (387) 533
Kolodner, R. and Tewari, K.K.
The molecular size and conformation of the chloroplast DNA from higher plants (402) 372
Komano, T., see Fujita, Y. (378) 35
Komano, T., see Sakai, H. (395) 433
Komaratat, P. and Kates, M.
The lipid composition of a halotolerant species of Staphylococcus epidermidis (398) 464
Kometani, T., Ikeda, Y. and Kasai, M.
Acetylcholine-binding substance extracted by using organic solvent and acetylcholine receptor of electric organ of Narke japonica (413) 415
Kon, H.
An interpretation of the three line EPR spectrum of nitric oxide hemeproteins and related model systems: The effect of the heme environment (379) 103
Konecny, J. and Slanicka, J.
The effects of buffer diffusion on the activity of an immobilized esterase (403) 573
Konijn, T.M., see Mato, J.M. (385) 173
Konopa, G. and Taylor, K.
Isolation of coliphage lambda ghosts able to absorb onto bacterial cells (399) 460
Konrad, M.W., see Cook, J.L. (383) 399
Kopecka, H.
A rapid purification method of restriction endonucleases from Haemophilus strains (391) 109
Koritz, S.B. and Wiesner, R.
Mitochondrial protein synthesis and the stimulation of steroidogenesis by cyclic adenosine 3′,5′-monophosphate in isolated rat adrenal cells (383) 86
Kornfeld, S., see Triche, T.J. (394) 540
Kornguth, S.E. and Sunderland, E.
Isolation and partial characterization of a tubulin-like protein from human and swine synaptosomal membranes (393) 100
Kornhauser, D.M. and Vaughan, M.
Release of lipoprotein lipase from fat cells in vitro (380) 97
Korver, O., see van Gorkum, M. (392) 141
Koskelo, P., see Morgan, W.T. (400) 415
Kosower, E.M., see Kosower, N.S. (401) 530
Kosower, E.M., see Lustig, S. (401) 458
Kosower, N.S., Kosower, E.M. and Wegman, P.
Membrane mobility agents. II. Active promoters of cell fusion (401) 530
Kosower, N.S., see Lustig, S. (401) 458
Kostner, G.M., see Knipping, G.M.J. (393) 88
Kotlarz, D., Garreau, H. and Buc, H.
Regulation of the amount and of the activity of phosphofructokinases and pyruvate kinases in Escherichia coli (381) 257
Koudelka, Ja., see Budowsky, E.I. (390) 1
Kovačević, Z.
Possible mechanism of the efflux of glutamate from kidney mitochondria generated by the activity of mitochondrial glutaminase (396) 325
Kovacs, A.M., see Garel, A. (395) 5
Kovacs, A.M., see Garel, A. (395) 16
Koval, G.J., see Swann, A.C. (401) 299
Kovalev, Yu.I., see Umansky, S.R. (383) 242
Kovaleva, S.V., see Kagan, Z.S. (403) 208
Kowallik, K.V., see Herrmann, R.G. (378) 305
Kraayenhof, R., see Fiolet, J.W.T. (387) 320
Krakow, J.S.
Cyclic adenosine monophosphate receptor. Effect of cyclic AMP analogues on DNA binding and proteolytic inactivation (383) 345
Kramer, J.K.G., see Dow-Walsh, D.S. (396) 125
Kramer, J.K.G., see Kushwaha, S.C. (398) 303
Kratzky, Z., Biely, P. and Bauer, S.
Wall mannan of Saccharomyces cerevisiae. Metabolic stability and release into growth medium (404) 1
Krebs, A., see Probst, E., (407) 147
Kregar, I., see Turnšek, T. (403) 514
Kretsinger, R.H. and Barry, C.D.
The predicted structure of the calcium

binding component of troponin (405) 40
Kristensen, B.I., see Pape, L. (406) 516
Křiváková, M., see Turková, J. (386) 503
Kröger, H., see Hoshino, J. (399) 42
Krol, J.H., see Van Hoeven, R.P. (380) 1
Kroll, M., see Muller, W.E.G. (383) 147
Kronenberg, H., see Wilkinson, T. (393) 195
Kroon, P.A., see Lichtenberg, D. (382) 10
Krueger, P.J., see Jacobson, A.L. (393) 274
Krupa, Z. and Baszynski, T.
Requirement of galactolipids for Photosystem I activity in lyophilized spinach chloroplasts (408) 26
Krupka, R.M.
Differential effects of denaturing agents on acetylcholinesterase: Insensitivity of the reaction of methanesulfonyl fluoride compared to diisopropylphosphorofluoridate and p-nitrophenyl acetate (410) 115
Krupka, R.M.
Indophenyl acetate and acetylcholinesterase: binding of a non-specific substrate on the margin of the active centre (410) 120
Kruski, A.W. and Scanu, A.M.
Properties of rooster serum density lipoproteins (409) 26
Ku, E.C. and Wasvary, J.M.
Inhibition of prostaglandin synthetase by pirprofen: Studies with sheep seminal vesicle enzyme (384) 360
Kubrina, L.N., see Blumenfeld, L.A. (379) 512
Kuby, S.A., see Peterson, J.W. (397) 377
Kucar, S., see Druzhinina, T.N. (381) 301
Kuchel, P.W., Nichol, L.W. and Jeffrey, P.D.
Physicochemical and kinetic properties of beef liver argininosuccinase: Studies in the presence and absence of arginase (397) 478
Kuchel, P.W., see Smith, G.D. (377) 197
Kuciel, R. and Ostrowski, W.
Preparation and characterization of ribonuclease from human hypertrophic prostate gland (RNAase P2) (402) 253
Kuechler, E., see Bauer, K. (395) 146
Kuehl, L., see Ferro, A.M. (410) 285
Kuenzle, C.C., see Etter-Kjelsaas, H. (400) 83
Kühne, U., see Hoshino, J. (399) 42
Kulakowska, I., Geller, M., Lesyng, B., Bolewska, K. and Wierzchowski, K.L.
Barrier to rotation and conformation of the -NR_2 group and its derivatives. Part II. Experimental and theoretical dipole moments of methylated cytosines (407) 420
Kumagai, H., see Yoshida, H. (391) 494
Kumar, A., see Subramanian, A.R. (383) 93
Kumar, R. and Tao, M.
Multiple forms of casein kinase from rabbit erythrocytes (410) 87
Kumta, U.S., see Venugopal, V. (403) 521
Kuntzel, H., see Bernard, U. (402) 270
Kunze, H., see Traynor, J.R. (409) 68
Kuo, S.C. and Lampen, J.O.
Action of cytochalasin A, a sulfhydryl-reactive agent, on sugar metabolism and membrane-bound adenosine triphosphatase of yeast (389) 145
Kurokawa, M., see Haga, T. (392) 335
Kuronen, T., Saraste, M. and Ellfolk, N.
The subunit structure of Pseudomonas cytochrome oxidase (393) 48
Kurth, R. and Bauer, H.
Avian RNA tumor viruses. A model for studying tumor-associated cell surface alterations (417) 1
Kurtz, D.I.
Effect of ageing on in vitro fidelity of translation in mouse liver (407) 479
Kurtz, M.J. and Stidworthy, G.H.
Control over acid mucopolysaccharide production of cells in vitro (399) 90
Kurup, P.A., see Bhaskaran Nair, R. (381) 165
Kurylo-Borowska, A.
Biosynthesis of edeine. II. Localization of edeine synthetase within Bacillus brevis Vm4 (399) 31
Kurz, G., see Ueberschär, K.-H. (391) 15
Kurz, G., see Wengenmayer, F. (386) 590
Kushida, H., see Fukunaga, Y. (381) 443
Kushwaha, S.C., Kramer, J.K.G. and Kates, M.
Isolation and characterization of C_{50}-carotenoid pigments and other polar isoprenoids from Halobacterium curirubrum (398) 303

Kusnĭr, J., see Meloun, B. (393) 505
Kusov, Y.Y., see Druzhinina, T.N. (381) 301
Kusov, Y.Y., see Druzhinina, T.N. (403) 1
Kuusela, P., Ruoslahti, E. and Vaheri, A. Polypeptides of a glycoprotein antigen (SF) present in serum and surface of normal but not of transformed chicken fibroblasts (379) 295
Kuwano, M., see Takeda, Y. (407) 83
Kuznetsov, A.N., Ebert, B., Lassmann, G. and Shapiro, A.B. Adsorption of small molecules to bovine serum albumin studied by the spin probe method (379) 139
Kwak, E., see van Heerikhuizen, H. (413) 177
Kwanyuen, P. and Wildman, S.G. Nuclear DNA codes for Nicotiana ferredoxin (405) 167

L

Labia, R., Andrillon, J. and Le Goffic, F.
Kinetic studies of a β-lactamase by the computerized microacidimetric method (384) 242
Labie, D., see Wajcman, H. (400) 354
Lackman, R.D., see Capuzzi, D.M. (409) 144
Lacombe, G., see Thiem, N.V. (377) 95
Lacroix, M., see Verly, W.G. (414) 185
Ladenstein, R., see Wendel, A. (377) 211
Ladoulis, C.T., see Smith, W.I. (382) 506
Lafont, J. and Pilon, R.
Influence of glucocorticoids on some morphological and biochemical aspects of rat small intestinal mucosa (392) 288
Lai, H.-Y.L. and Axelrod, B.
The specificity of the synthetic reaction of two yeast α-glucosidases (391) 121
Laidler, K.J., see Ngo, T.T. (377) 303
Laidler, K.J., see Ngo, T.T. (377) 317
Lake, W., see Rasmussen, H. (411) 63
Lalumière, G., see Bleau, G. (375) 220
Lalumière, G., Longpré, J., Trudel, J., Chapdelaine, A. and Roberts, K.D.
Cholesterol sulfate. II. Studies on its metabolism and possible function in canine blood (394) 120
Lamabadusuriya, S.P., see Guiraldes, E. (389) 495
Lambert, A.E., see Henquin, J.-C. (381) 437
Lamed, R., see Oplatka, A. (385) 20
Lamers, J.M.J.
Some characteristics of monocarboxylic acid transfer across the cell membrane of epithelial cells from rat small intestine (413) 265
Lamers, J.M.J. and Hülsmann, W.C.
Inhibition of pyruvate transport by fatty acids in isolated cells from rat small intestine (394) 31
Lami, H., see Duportail, G. (402) 20
Lämmermann, M., see Ogilvie, A. (395) 136
Lammert, J.E., see Gruenwedel, D.W. (402) 7
La Montagna, R., see Libonati, M. (407) 292
Lampe, J., see Scheller, F. (412) 157
Lampen, J.O., see Colonna, W.J. (386) 293
Lampen, J.O., see Kuo, S.C. (389) 145
Lancaster, Jr., J.R., Hill, R.J. and Struve, W.G.
The characterization of energized and partially de-energized (respiration-independent) β-galactoside transport into Escherichia coli (401) 285
Lance, C., see Moreau, F. (396) 116
Landgraf, H.R., see Fischer, W. (380) 227
Landon, E.J., see Moore, L. (413) 432
Landry, J. and Marceau, N.
The relative rates of degradation of the plasma membrane glycoproteins from normal rat liver (389) 154
Landry, Y. and Goffeau, A.
Physiological and genetic modifications of the expression of the yeast mitochondrial adenosine triphosphatase inhibitor (376) 470
Lang, B., see Burger, G. (396) 187
Lang, J., see Breithaupt, H. (403) 355
Lang, M., see Friedman, Y. (397) 331
Lang, M.A., Caplan, S.R. and Essig, A.
Action of aldosterone on frog skin in the presence and absence of in vitro molting effects (401) 481
Langenbach, R.
Gangliosides of chemically and virally transformed rat embryo cells (388) 231
Langer, J.A., Acharya, A. and Moore, P.B.
Characterization of the particles produced by exposure of ribosomal subunits to urea (407) 320
Lansman, J. and Haynes, D.H.
Kinetics of a Ca^{2+}-triggered membrane aggregation reaction of phospholipid membranes (394) 335
Lanzani, G.A., Caldiroli, E., Zocchi, G., Manzocchi, L.A., Bollini, R. and De Alberti, L.
Subcellular distribution and functional properties of different forms of elon-

gation factor EF1 from wheat embryos (407) 449
Lapetina, E.G., Seguin, E.B. and Agranoff, B.W.
Preparation of ^{32}P-labeled inositides and their degradation by soluble kidney enzymes (398) 118
Lapiere, Ch.M., see Lenaers, A. (400) 121
Lapka, R., see Valentová, O. (403) 192
Largman, C., see Geokas, M.C. (391) 396
Laris, P.C., Bahr, D.P. and Chaffee, R.R.J.
Membrane potentials in mitochondrial preparations as measured by means of a cyanine dye (376) 415
Larsen, P.O., see Dardenne, G.A. (381) 416
Larsen, P.O., Onderka, D.K. and Floss, H.G.
Biosynthesis of phenylalanine, tyrosine, 3-(3-carboxyphenyl)alanine and 3-(3-carboxy-4-hydroxyphenyl)alanine in higher plants. Examples of the transformation possibilities for chorismic acid (381) 397
Larsen, P.O. and Wieczorkowska, E.
Intermediate in the metabolism of m-carboxy-substituted aromatic amino acids in plants: Phenylpyruvic acids, mandelic acids, and phenylglyoxylic acids (381) 409
Larson, D., see Harewood, K.R. (407) 14
Lassmann, G., see Kuznetsov, A.N. (379) 139
Latorre, R., see Alvarez, O. (389) 444
Latzko, E., see Baier, D. (396) 141
Lauf, P.K.
Antigen-antibody reactions and cation transport in biomembranes. Immunophysiological aspects (415) 173
Läuger, P.
Shot noise in ion channels (413) 1
Läuger, P., see Benz, R. (394) 323
Laurent, T.C., see McCabe, M. (399) 131
Lauris, V., see MacDonald, M.J. (385) 188
Lavintman, N., see Tandecarz, J. (399) 345
Lavorel, J., see Haveman, J. (408) 269
Lazarus, L.H. and Kitron, N.
Differentiation and characterization of the cytoplasmic and nuclear deoxyribonucleic acid polymerases from baby hamster kidney cells (402) 309
Lea, E.J.A. and Rich, G.T.
The effects of the membrane-penetrating polypeptide segment of the human erythrocyte Mn-glycoprotein on the permeability of model lipid membranes (382) 41
Leach, S.J., Minasian, E. and Reichert, L.E.
Bovine luteinizing hormone. Circular dichroism and thermal difference spectra (386) 144
Leavitt, R.D., see Felsted, R.L. (405) 72
Lebez, D., see Turnšek, T. (403) 514
Lebovitz, H.E., see Drezner, M.K. (381) 384
Lebovitz, H.E., see Neelon, F.A. (412) 1
Le Deaut, J.Y., see Ledig, M. (381) 324
Ledford, J.H. and Alaupovic, P.
Subcellular fractionation, partial purification and characterization of neutral triacylglycerol lipase from pig liver (398) 132
Ledig, M., Le Deaut, J.Y. and Mandel, P.
Phosphopeptide and phosphoprotein metabolism in brain (381) 324
Ledoigt, G., Curgy, J.-J., Stevens, B.J. and André, J.
Analyse de ribosomes par électrophorèse en gel de polyacrylamide (407) 222
Ledoux, L., see Tshitenge, G. (414) 357
Ledward, D.A., Finch, A. and Rickert, W.S.
Structural and functional determinants of Mucor miehei protease. V. Enthalpy changes upon thermal denaturation in solutions of varying pH (379) 426
Lee, A.G.
Fluorescence studies of chlorophyll a incorporated into lipid mixtures, and the interpretation of 'phase' diagrams (413) 11
Lee, A.G., see Birdsall, N.J.M. (380) 344
Lee, C.-J., see Sprecher, H. (388) 113
Lee, C.L. and Atassi, M.Z.
Enzymic and immunochemical properties of lysozyme. XI. Conformation and immunochemistry of the two-disulfide peptide and the role of the tryptophan and lysine residues in its antigenic reactivity (405) 464
Lee, C.L., Atassi, M.Z. and Habeeb, A.F.S.A.
Enzymic and immunochemical properties of lysozyme. IX. Conforma-

tion and immunochemistry of derivatives succinylated at certain lysine residues (400) 423
Lee, C.P., see Huang, C.H. (376) 398
Lee, H.S., see Blankenhorn, G. (386) 470
Lee, J.S., see Waring, M.J. (407) 200
Lee, K.M., see Wilkinson, T. (393) 195
Lee, L.D., Fleming, B.C., Waitkus, R.F. and Baden, H.P.
Isolation of the polypeptide chains of prekeratin (412) 82
Lee, P.C. and Jungmann, R.A.
Ontogeny of cyclic AMP-dependent protein phosphokinase during hepatic development of the rat (399) 265
Lee, T.-C., Blank, M.L., Piantadosi, C., Ishaq, K.S. and Snyder, F.
Incorporation and subcellular distribution of an unnatural phospholipid base-analog, N-isopropylethanolamine, in rat liver (409) 218
Leese, H.J. and Bronk, J.R.
Lactate formation by rat small intestine in vitro (404) 40
Lefkowitz, R.J., see Limbird, L.E. (377) 186
Le Gall, J., see Dubourdieu, M. (376) 519
Leger, J.J., see Klotz, C. (386) 461
Legler, G.
4,4′-Dinitrodiphenyldisulfides of different charge type as probes for the electrostatic environment of sulfhydryl groups (405) 136
Le Goffic, F., see Labia, R. (384) 242
Lehle, L. and Tanner, W.
Formation of lipid-bound oligosaccharides in yeast (399) 364
Lehmann, A.R. and Stevens, S.
Postreplication repair of DNA in chick cells. Studies using photoreactivation (402) 179
Lehmann, H., see Darbre, P.D. (393) 201
Lehmann, H., see Imai, K. (412) 288
Lehmann, H., see Lorkin, P.A. (379) 22
Lehmann, H., see Lorkin, P.A. (386) 256
Lehmann, H., see Romero-Herrera, A.E. (379) 13
Lehmann, H., see Romero-Herrera, A.E. (393) 205
Lehmann, H., see Romero-Herrera, A.E. (393) 383
Lehmann, H., see Romero-Herrera, A.E. (400) 387
Lehmann, H., see Schneider, R.G. (400) 365
Lehmann, J., see Ueberschär, K.-H. (391) 15
Lehoczki, E.
New chlorophyll b forms in a chlorophyll-detergent photosynthetic model system (408) 223
Lehoczki, E., see Csatorday, K. (376) 268
Lehoczki, E. and Csatorday, K.
Energy transfer by chlorophyll b in detergent micelles (396) 86
Lehotay, D.C.
Studies of normal and nephritic rat glomerular basement membrane (394) 193
Leibach, F.H., see Pillion, D.J. (382) 246
Leichter, S.B. and Chase, L.R.
Activation of adenylate cyclase in renal medulla by bovine growth hormone: An artifact attributable to vasopressin (399) 291
Leigh, J.S. and Erecińska, M.
Thermodynamic and EPR characterization of mitochondrial succinate-cytochrome c reductase-phospholipid complexes (387) 95
Lelievre, L., see Ducouret-Prigent, B. (401) 119
Le Lous, M., see Bailey, A.J. (405) 412
LeMahieu, M., see Seki, S. (378) 333
Lemasson, C. and Etienne, A.L.
Photo-inactivation of System II centres by carbonyl cyanide m-chlorophenylhydrazone in Chlorella pyrenoidosa (408) 135
Lembach, K.J., see DiMari, S.J. (393) 320
Lemon, M.J.C. and Bhoola, K.D.
Excitation-secretion coupling in exocrine glands. Properties of cyclic AMP phosphodiesterase and adenylate cyclase from the submaxillary gland and pancreas (385) 101
Lemperg, R., see Jones, I.L. (392) 310
Lenaers, A. and Lapiere, Ch.M.
Type III procollagen and collagen in skin (400) 121
Lendzian, K. and Bassham, J.A.
Regulation of glucose-6-phosphate dehydrogenase in spinach chloroplasts by ribolose-1, 5, diphosphate and NADPH/NADP$^+$ ratios (396) 260
Leong, C.K., see Moustafa, E. (391) 9

Leoni, S., Luly, P., Mangiantini, M.T., Spagnuolo, S., Trentalance, A. and Verma, R.
Hormone responsiveness of plasma membrane-bound enzymes in normal and regenerating rat liver (394) 317
Leonis, J., see Deconinck, M. (386) 567
Léonis, J., see Tribout, M. (405) 82
Leprince, C., see Sacquet, E. (380) 52
LeQuire, V.S., see Goodman, Z.D. (398) 325
Lerbs, V., see Saphon, S., (408) 58
Lernmark, A., see Fex, G. (388) 1
Lernmark, A., see Hellman, B. (392) 101
Lesko, L. and Marinetti, G.V.
Hormone action at the membrane level. IV. Epinephrine binding to rat liver plasma membranes and rat epididymal fat cells (382) 419
Leskovac, V.
State and reactivity of tryptophyl residues in two bacterial proteases from Sorangium Sp. (393) 563
Leskovac, V., Trivić, S., Pavkov-Peričin, D. and Prodanov, V.
External yeast β-fructosidase. The role of tryptophyl residues in catalysis (405) 482
Leslie, R.B., see Finer, E.G. (380) 320
Leslie, R.B., see Phillips, M.C. (406) 402
Leslie, S.W. and Borowitz, J.L.
Evidence for a plasma membrane calcium pump in bovine adrenal medulla but not adrenal cortex (394) 227
LeStourgeon, W.M., Forer, A., Yang, Y.-Z., Bertram, J.S. and Rusch, H.P.
Contractile proteins. Major components of nuclear and chromosome non-histone proteins (379) 529
Lesyng, B., see Geller, M. (407) 407
Lesyng, B., see Kulakowska, I. (407) 420
Letellier, L., see Overath, P. (389) 358
Letham, D.S., Wilson, M.M., Parker, C.W., Jenkins, I.D., MacLeod, J.K. and Summons, R.E.
Regulators of cell division in plant tissues. XXIII. The identity of an unusual metabolite of 6-benzylaminopurine (399) 61
Levi, A., Cimino, M., Mercanti, D., Chen, J.S. and Calissano, P.
Interaction of nerve growth factor with tubulin. Studies on binding and induced polymerization (399) 50
Levin, I.W., see Spiker, Jr., R.C. (388) 361
Levin, J., see Tomasulo, P.A. (400) 399
Levin, Y., see Freedberg, I.M. (391) 361
Levine, J.H., see Holladay, L.A. (381) 47
Levy, C.C., see Frank, J.J. (390) 117
Levy, H.R., see Dwek, R.A. (377) 26
Levy, H.R., see Grove, T.H. (397) 80
Lewis, N.J., see Matthews, R.H. (394) 182
Lewis, R.W.
Occurrence of fatty acid methyl esters and cholesterol in a molecular complex with riboflavin: A correction (398) 353
Ley, A.C., Babcock, G.T. and Sauer, K.
Flash kinetics and light intensity dependence of oxygen evolution in the blue-green alga Anacystis nidulans (387) 379
Li, C.H., see Sairam, M.R. (412) 70
Li, E., see Horvat, A. (382) 609
Li, S.-C., see Romeo, G. (391) 349
Li, Y.S.
Salts and chloroplast fluorescence (376) 180
Li, Y.-T., see Romeo, G. (391) 349
Li, Y.-T., see Tsay, G.C. (385) 305
Libnoch, J.A., see Taketa, F. (400) 348
Libonati, M., Malorni, M.C., Parente, A. and D'Alessio, G.
Degradation of double-stranded RNA by a monomeric derivative of ribonuclease BS-1 (402) 83
Libonati, M., Sorrentino, S., Galli, R., La Montagna, R. and Di Donato, A.
Degradation of DNA·RNA hybrids by aggregates of pancreatic ribonuclease (407) 292
Lichtenberg, D., Petersen, N.O., Girardet, J.-L., Kainosho, M., Kroon, P.A., Seiter, C.H.A., Feigenson, G.W. and Chan, S.I.
The interpretation of proton magnetic resonance linewidths for lecithin dispersions. Effect of particle size and chain packing (382) 10
Lieber, C.S., see Baraona, E. (388) 19
Liebes, L.F., Zand, R. and Phillips, W.D.
Solution behaviour, circular dichroism and 220 MHz PMR studies of the bovine myelin basic protein (405) 27

Lien, T. and Schreiner, Ø.
Purification of a derepressible arylsulfatase from Chlamydomonas reinhardti. Properties of the enzyme in intact cells and in purified state (384) 168
Lien, T., see Schreiner, Ø. (384) 180
Liepkalns, V.A., see Brenneman, D.E. (387) 301
Lifshitz, Y., see Carmeli, C. (376) 249
Lilja, H., Csopak, H., Lindman, B. and Fölsch, G.
^{19}F NMR studies of the binding of a fluorine-labeled phosphonate ion to E. coli alkaline phosphatase (384) 277
Lilly, M.D., see Das, K. (397) 277
Lim, R. and Mitsunobu, K.
Partial purification of a morphogical transforming factor from pig brain (400) 200
Lim, R.W., Molday, R.S., Huang, H.V. and Yen, S.P.S.
Application of latex microspheres in the isolation of plasma membranes. Affinity density perturbation of erythrocyte membranes (394) 377
Limbird, L.E. and Lefkowitz, R.J.
Myocardial guanylate cyclase: Properties of the enzyme and effects of cholinergic agonists in vitro (377) 186
Lim Wong, K., Bolton, P.H. and Kearns, D.R.
Tertiary structures in Escherichia coli $tRNA^{Arg}$ and $tRNA_1^{Val}$ (383) 446
Lim Wong, K. and Kearns, D.R.
Specific conversion of s^4U to U in Escherichia coli tRNA by iodate oxidation (395) 381
Lim Wong, K., Kearns, D.R., Wintermeyer, W. and Zachau, H.G.
NMR investigation of the effect of selective modifications in the anticodon loop on the conformation of yeast $tRNA^{Phe}$ (395) 1
Lin, H.J.
Abscence of long pyrimidine tracts in cytosine-rich repeating units present in Escherichia coli DNA (414) 217
Lin, P.S., Wallach, D.F.H., Mikkelsen, R.B. and Schmidt-Ullrich, R.
Action of halothane on human erythrocytes. Mechanisms of cell lysis and production of sealed ghosts (401) 73
Lin, R.-L. and Narasimhachari, N.
Tetrahydrofolic acid: an inhibitor of the methyltetrahydrofolic acid-mediated methylation of indolethylamines (385) 268
Lincoln, D.R., Black, J.A. and Rittenberg, M.B.
The immunological properties of pyruvate kinase. II. The relationship of the human erythrocyte isozyme to the human liver isozymes (410) 279
Lindblom, G., see Nilsson, J. (389) 197
Lindeman, J.G., see Hubbard, M. (386) 538
Lindeman, J.G., see Kleckner, H.B. (400) 343
Linder, M.C., Moor, J.R., Munro, H.N. and Morris, H.P.
Structural differences in ferritins from normal and malignant rat tissues (386) 409
Linder, M.C., see Vulimiri, L. (412) 148
Lindman, B., see Bull, T.E. (377) 1
Lindman, B., see Lilja, H. (384) 277
Lindsay, V.J., see Kay, J.E. (378) 241
Link, G. and Richter, G.
Properties and subunit composition of RNA polymerase II from plant cell cultures (395) 337
Linker, A. and Hovingh, P.
Structural studies of heparitin sulfates (385) 324
Lion, F., Rotmans, J.P., Daemen, F.J.M. and Bonting, S.L.
Biochemical aspects on the visual process. XXVII. Stereospecificity of ocular retinol dehydrogenases and the visual cycle (384) 283
Lippard, S.J., see Jennette, K.W. (402) 403
Lippert, J.L., Gorczyca, L.E. and Meiklejohn, G.
A laser Raman spectroscopic investigation of phospholipid and protein configurations in hemoglobin-free erythrocyte ghosts (382) 51
Lis, L.J., Kauffman, J.W. and Shriver, D.F.
Effect of ions on phospholipid layer structure as indicated by Raman spectroscopy (406) 453

Lis, L.J., see Simon, S.A. (375) 317
Listowsky, I., see Kamisaka, K. (393) 24
Litman, B.J.
Surface distribution of the fatty acid side chains of phosphatidylethanolamine in mixed phospholipid vesicles (413) 157
Litman, B.J. and Barenholz, Y.
The optical activity of D-erythrocyte-sphingomyelin and its contribution to the circular dichroism of sphingomyelin-containing systems (394) 166
Litman, G.W., Litman, R.T. and Merz, D.C.
Analysis of polypeptide disposition in human erythrocyte membranes employing membrane inversion (394) 348
Litman, R.T., see Litman, G.W. (394) 348
Little, C. and Otnaess, A.-B.
The metal ion-dependence of phospholipase C from Bacillus cereus (391) 326
Liu, L.F. and Wang, J.C.
On the degree of unwinding of the DNA helix by ethidium. II. Studies by electron microscopy (395) 405
Liu, T.Y., see Sidhu, K.S. (397) 254
Liu, W.K. and Ward, D.N.
Preparation of lutropin with acetyl or acetimidinyl on the amino groups of the β-subunit (405) 522
Livermore, B.P., see Anderson, R. (401) 259
Livingstone, A., see Clarke, K.F. (404) 169
Livni, L., see Beitner, R. (397) 355
Lloyd, E.A., Saunders, S.J., O'C Frith, L. and Wright, J.E.
Albumin synthesis and catabolism following partial hepatectomy in the rat: The effects of amino acids and adrenocortical steroids on albumin synthesis after partial hepatectomy (402) 113
Lo, C.-S., see Baker, R.D. (401) 429
Loerch, J.D., see El-Gorab, M.I. (401) 265
Löffler, H.G. and Schneider, F.
On the reaction of papain and succinyl-papain with diazo-1-H-tetrazole (386) 221
Logani, M.K., Austin, W.A., Nhari, D.B. and Davies, R.E.
Neutral lipids from the skin of the Rhino mutant mouse (380) 155
Logani, M.K., Nhari, D.B. and Davies, R.E.
Triester wax. A novel neutral lipid from the skin of the rhino mutant mouse (388) 291
Logothetopoulos, J., see Jain, K. (399) 384
Lohmander, S. and Hjerpe, A.
Proteoglycans of mineralizing rib and epiphyseal cartilage (404) 93
Loizzi, R.F., de Pont, J.J.H.H.M. and Bonting, S.L.
Inhibition by cyclic AMP of lactose production in lactating guinea pig mammary gland slices (392) 20
Lombardi, B., see Saito, R. (381) 185
London, D.R., see Wettenhall, R.E.H. (390) 363
London, Y., see Abramsky, O. (393) 556
Longo, L.D., see Gusseck, D.J. (401) 278
Longpré, J., see Lalumière, G. (394) 120
Loontiens, F.G., see Van Wauwe, J.P. (379) 456
Lorkin, P.A., Lehmann, H. and Fairbanks, V.F.
The amino acid substitution in Hb Olmsted: β 141 (H19) leucine→arginine (386) 256
Lorkin, P.A., Huntsman, R.G., Ager, J.A.M., Lehman, H., Vella, F. and Darbre, P.
Haemoglobin G Norfolk: α 85 (F6) Asp→Asn (379) 22
Lorkin, P.A., see Schneider, R.G. (400) 365
Lorusso, M., see Papa, S. (387) 425
Lothrop, D.A., see Breslow, J.L. (398) 10
Louvard, D., Maroux, S. and Desnuelle, P.
Topological studies on the hydrolases bound to the intestinal brush border membrane. II. Interactions of free and bound aminopeptidase with a specific antibody (389) 389
Louvard, D., Maroux, S., Vannier, C. and Desnuelle, P.
Topological studies on the hydrolases bound to the intestinal brush border membrane. I. Solubilization by papain and Triton X-100 (375) 236
Løvø, A. and Hustvedt, B.-E.
Increased hepatic triacylglycerol secretion in fasted rats with ventromedial hypothalamic lesions (409) 51

Löw, I., see Dancker, P. (400) 407
Low, M.G., see Allan, D. (413) 309
Lowe, D.J. and Hyde, J.S.
Electron-electron double resonance measurements on xanthine oxidase (377) 205
Lowe, J.N., Sorensen, H.C. and Ingraham, L.L.
Dihydrothiamine-like substances as experimental artefacts (385) 343
Lowell, N., see Previc, E.P. (411) 378
Lowendorf, H.S., Bazinet, Jr., G.F. and Slayman, C.W.
Phosphate transport in Neurospora. Depression of a high-affinity transport system during phosphorus starvation (389) 541
Lowendorf, H.S. and Slayman, C.W.
Genetic regulation of phosphate transport system II (413) 95
Lowther, D.A., see Handley, C.J. (386) 444
Loyter, A., see Gazitt, Y. (382) 65
Lucas-Lenard, J., see Beres, L. (395) 80
Lucier, G.W., see Sonawane, B.R. (411) 97
Luck, D.N. and Hamilton, T.H.
Early estrogen action: Stimulation of the synthesis of methylated ribosomal and transfer RNAs (383) 23
Luly, P., see Leoni, S. (394) 317
Lundahl, P.
Proteins selectively released from water-extracted human erythrocyte membranes upon citraconylation or maleylation. Electrophoretic analysis and chromatographic fractionation (379) 304
Lundahl, P., see Bjerrum, O.J. (394) 173
Lundberg, P.
ATP- and phosphate-induced conformational changes of submitochondrial particles (376) 458
Lundblad, A., see Chester, M.A. (391) 341
Lundblad, A., see Hultberg, B. (410) 156
Lunenfeld, B., see Sulimovici, S. (377) 454
Lurquin, P.F., see Tshitenge, G. (414) 357
Lüschow, U.L., Heckmann, K.D. and Pring, M.
Current voltage curves of bimolecular lipid membranes (389) 1
Lusk, J.E. and Park, M.H.
Phospholipase activity plays no role in the action of colicin K (394) 129
Lustig, S., Pluznik, D.H., Kosower, N.S. and Kosower, E.M.
Membrane mobility agent alters the consequences of lectin-cell interaction in a malignant cell membrane (401) 458
Luthra, M.G., Ekholm, J.E., Kim, H.D. and Hanahan, D.J.
Effects of Tris and histidine on human erythrocytes and conditions influencing their mode of action (382) 634
Luyindula, N., see Tshitenge, G. (414) 357
Luzanna, M.R. and Penniston, J.T.
Electrode measurement of oxygen tension with 1-ms time resolution (396) 157
Lyles, D.S., Sulya, L.L. and White, Jr., H.B.
The effect of essential fatty acid deficiency upon fatty acid uptake by the brain (388) 331
Lynch, M.C., see Cohn, M.S. (377) 444
Lyons, J., see Keith, A.D. (394) 204

M

Ma, G.Y., see Goodlad, G.A.J. (378) 221
Ma, G.Y., see Hems, D.A. (411) 155
McBay, W., see Dunn, M.J. (386) 107
McCabe, M. and Laurent, T.C.
Diffusion of oxygen, nitrogen and water in hyaluronate solutions (399) 131
McCall, M.J. and Taylor, M.R.
Crystal structure of a zinc-(9-methyladenine) complex with N1 as the preferred binding site (390) 137
McCalla, D.R., see Tu, Y. (402) 142
McCann, P.P. and Martin, R.G.
Nuclease digestion of the DNA·protein complex from simian virus 40 virions (395) 280
McCarrity, J.T. and Armstrong, J.B.
Effect of salt on phospholipid fatty acid composition in Escherichia coli K-12 (398) 258
McCluer, R.H., see Iwamori, M. (380) 308
McConachie, W.A., see You, K.-S. (384) 317
McConnell, D.G., see Manthorpe, M. (403) 438
McCubbin, W.D., see Freedberg, I.M. (391) 361
McCuen, R.W. and Sirotnak, F.M.
Thymidylate synthetase from Diplococcus pneumoniae. Properties and inhibition by folate analogs (384) 369
McDaniel, L.E., see Martin, J.F. (411) 186
MacDonald, G. and Thompson, W.
Different selectivities in acylation and methylation pathways of phosphatidylcholine formation in guinea pig and rat livers (398) 424
MacDonald, I.A.
Differentiation of fluoride stimulated and non-fluoride stimulated components of beef brain cortex adenylate cyclase by calcium ions, EGTA and Triton X-100 (397) 244
Macdonald, I.A., Williams, C.N., Mahony, D.E. and Christie, W.M.
NAD- and NADP-dependent 7*a*-hydroxysteroid dehydrogenases from Bacteroides fragilis (384) 12
MacDonald, M.J., Ball, D.H., Patel, T.N., Lauris, V. and Steinke, J.
Studies of insulin release and rat pancreatic islet metabolism with diastereomers of D-glucose (385) 188
MacDonald, D.C., see Simon, S.A. (375) 317
Macdowall, F.D.H., see Miller, R.W. (387) 176
McGee, R., see Brenneman, D.E. (388) 301
Machen, T. and Erlij, D.
Some features of hydrogen (ion) secretion by the frog skin (406) 120
Machold, O.
On the molecular nature of chloroplast thylakoid membranes (382) 494
Machovich, R.
Heparin-sensitive and nonsensitive forms of thrombin (400) 62
Machovich, R.
Mechanism of action of heparin through thrombin on blood coagulation (412) 13
Machovich, R., Blaskó, G. and Pálos, L.A.
Action of heparin on thrombin-antithrombin reaction (379) 193
McIntosh, A.R., Chu, M. and Bolton, J.R.
Flash photolysis electron spin resonance studies of the electron acceptor species at low temperatures in Photosystem I of spinach subchloroplast particles (376) 308
Mack, D., see Chung, G.C.H. (386) 556
Mackedonski, V.V.
Effect of the exotoxin of Bac thuringiensis on the biosynthesis and maturation of mouse liver nuclear RNA (390) 319
Mackenzie, C.G., see Nelsen, V.E. (388) 188
Mackenzie, J.B., see Nelsen, V.E. (388) 188
MacKenzie, R., see Beaudet, R. (410) 252

MacKenzie, S.L., see Sundaram, G.S. (388) 349
McKeon, C., see Wobschall, D. (413) 317
McKibbin, J.M., see Smith, E.L. (388) 171
McKibbin, J.M., see Smith, E.L. (398) 84
Mackow, R., see Greenspan, M.D. (380) 190
McLaren, J.D., see Rivard, G.E. (381) 144
McLaughlin, S., Bruder, A., Chen, S. and Moser, C.
Chaotropic anions and the surface potential of bilayer membranes (394) 304
McLennan, A.G. and Keir, H.M.
Subcellular location and growth stage dependence of the DNA polymerases of Euglena gracilis (407) 253
MacLeod, J.K., see Letham, D.S. (399) 61
McMinn, L., see O'Grady, J.E. (407) 125
McMurrich, B.J., see Scamman, J.P. (404) 281
Macnicol, P.K., see Appleby, C.A. (387) 461
Macquet, J.P., see Millard, M.M. (402) 166
Macri, A., see Silano, V. (391) 170
MacWhorter, G.W., see Wilson, R.G. (378) 260
Madden, J.J. and Werbin, H.
Purification of an inhibitor of DNA photolyase with fluorescent spectra similar to those of the enzyme (383) 160
Maddy, A.H., see Dunn, M.J. (386) 107
Maddy, A.H., see Green, J.R. (382) 457
Madhosingh, C., see Barran, L.R. (392) 148
Madia, A.M., Mattoo, A.K. and Modi, V.V.
8-Azaguanine and flavinogenesis in Eremothecium ashbyii (385) 51
Madson, T.H., see Schmid, H.H.O. (409) 311
Maenaka, K., see Hirayama, O. (384) 127
Maestracci, D., Preiser, H., Hedges, T., Schmitz, J. and Crane, R.K.
Enzymes of the human intestinal brush border membrane. Identification after gel electrophoretic separation (382) 147
Maffly, R.H., see Hess, J.J. (394) 416
Mager, J., see Giloh (Freundenberg), H. (414) 293
Mager, J., see Giloh (Freundenberg), H. (414) 309
Mager, W.H. and Planta, R.J.
Cellular site of synthesis of ribosomal proteins in yeast (402) 105
Maglothin, J.A., Wins, P. and Wilson, I.B.
Reactivation and aging of diphenyl phosphoryl acetylcholinesterase (403) 370
Magyar, M., see Kelemen, G.Sz. (384) 508
Mah, He.D. and Daly, J.W.
Intracellular formation of analogs of cyclic AMP. Studies with brain slices labelled with radioactive derivatives of adenine and adenosine (404) 49
Mahadevan, S., see Dow-Walsh, D.S. (396) 125
Mahdavi, N., see Rahbar, S. (386) 525
Mahony, D.E., see Macdonald, I.A. (384) 12
Mahu, J.-L., see Duvaldestin, P. (384) 81
Maiti, M., see Chatterjee, S.N. (402) 161
Majeska, R.J. and Wuthier, R.E.
Studies on matrix vesicles isolated from chick epiphyseal cartilage: Association of pyrophosphatase and ATPase activities with alkaline phosphatase (391) 51
Majumder, G.P., Shrago, E. and Elson, C.E.
Changes in cyclic AMP-dependent protein kinase activity in Tetrahymena pyriformis during the growth cycle (384) 399
Malchow, D., Fuchila, J. and Nanjundiah, V.
A plausible role for a membrane-bound cyclic AMP phosphodiesterase in cellular slime mold chemotaxis (385) 421
Malek, G.H., see Poulik, M. (412) 326
Malins, D.C., see Varanasi, U. (409) 304
Malkin, R. and Bearden, A.J.
Laser-flash-activated electron paramagnetic resonance studies of primary photochemical reactions in chloroplasts (396) 250
Maloof, F., see Neary, J.T. (379) 262
Malorni, M.C., see Libonati, M. (402) 83

Maltempo, M.M.
EPR studies of protein state transitions in Chromatium ferricytochrome c′ (379) 95
Mamet-Bratley, M.D., see Guertin, M. (390) 312
Mandel, L.J., Moffett, D.F. and Jöbsis, F.F.
Redox state of respiratory chain enzymes and potassium transport in silkworm midgut (408) 123
Mandel, P., see Aunis, D. (393) 284
Mandel, P., see Coquil, J.F. (403) 425
Mandel, P., see Helwig, J.J. (377) 463
Mandel, P., see Ledig, M. (381) 324
Mandel, P., see Okazaki, H. (391) 84
Mandelsloot, J.G., Reman, F.C., van Deenen, L.L.M. and de Gier, J.
Barrier properties of lecithin/lysolecithin mixtures (382) 22
Manery, J.F., see Woo, Y.-T. (397) 144
Mangiantini, M.T., see Leoni, S. (394) 317
Manley, R.St.J., see Cooper, D. (381) 78
Manley, R.St.J., see Cooper, D. (381) 97
Manley, R.St.J., see Cooper, D. (381) 109
Mann, N., Carr, N.G. and Midgley, J.E.M.
RNA synthesis and the accumulation of guanine nucleotides during growth shift down in the blue green alga Anacystis nidulans (402) 41
Mannella, C.A. and Bonner, Jr., W.D.
Biochemical characteristics of the outer membranes of plant mitochondria (413) 213
Mannella, C.A. and Bonner, Jr., W.D.
X-Ray diffraction from oriented outer mitochondrial membranes. Detection of in-plane subunit structure (413) 226
Manninen, V., see Skulskii, I.A. (394) 569
Manoa, G., see Ramponi, G. (391) 486
Mansy, S., Frick, J.P. and Tobias, R.S.
Heavy metal-nucleotide interactions. III. The participation of amino groups in the binding of methylmercury (II) to cytidine and adenosine-5′-phosphate in aqueous solution: Studies by Raman difference spectrophotometry (378) 319
Manthorpe, M. and McConnell, D.G.
Cyclic nucleotide phosphodiesterases associated with bovine retinal outer-segment fragments (403) 438
Manzocchi, L.A., see Lanzani, G.A. (407) 449
Mar, T., Brebner, J. and Roy, G.
Induction kinetics of delayed light emission in spinach chloroplasts (376) 345
Marangos, P., Zomzely-Neurath, C., York, C. and Bondy, S.C.
Axoplasmic transport of a brain-specific soluble protein (392) 75
Marasa, J.C., see Volpe, J.J. (409) 235
Marceau, N., see Landry, J. (389) 154
March, S.C., see Tomasulo, P.A. (400) 399
Marciani, D.J. and Bader, J.P.
Polypeptide composition of cell membranes from chick embryo fibroblasts transformed by Rous sarcoma virus (401) 386
Marder, V.J., see Tranqui-Pouit, L. (400) 189
Mårdh, S.
Bovine brain Na^+, K^+-stimulated ATP phosphohydrolase studied by a rapid mixing technique. K^+-stimulated liberation of [^{32}P]orthophosphate from [^{32}P]phosphoenzyme and resolution of the dephosphorylation into two phases (391) 448
Mårdh, S.
Bovine brain Na^+, K^+-stimulated ATP phosphohydrolase studied by a rapid-mixing technique. Detection of a transient [^{32}P]phosphoenzyme formed in the presence of potassium ions (391) 464
Margni, R.A., see Castrelos, O.D. (400) 137
Margolis, S., see Baylin, S.B. (397) 294
Margolius, H.S., see Kaizu, T. (411) 305
Margulies, M.M., see Michaels, A. (390) 352
Margulies, M.M. and Michaels, A.
Free and membrane-bound chloroplast polyribosomes in Chlamydomonas reinhardtii (402) 297
Margulis, G.V., see Prasolov, V.S. (378) 92
Marigo, G., see Ranjeva, R. (399) 23
Marinetti, G.V., see Lesko, L. (382) 419
Markov, G.G., see Ivanov, I.G. (383) 123
Markus, H., see Cabantchik, Z.I. (382) 621

Marlborough, D.I., Miller, D.S. and Cammack, K.A.
Comparative study on conformational stability and subunit interactions of two bacterial asparaginases (386) 576
Maroc, J. and Garnier, J.
La photooxydation du cytochrome b-559, en présence de FCCP et de DBMIB ou de p-benzoquinone, chez trois mutants non-photosynthétiques de Chlamydomonas reinhardti
(Cytochrome b-559 photooxidation in the presence of carbonyl cyanide p-trifluoromethoxyphenylhydrazone and 2,5-dibromo-3-methyl-6-isopropyl-p-benzoquinone or p-benzoquinone in three non-photosynthetic mutants of Chlamydomonas reinhardti) (387) 52
Maroux, S., see Louvard, D. (375) 236
Maroux, S., see Louvard, D. (389) 389
Marres, C.A.M., see Grimmelikhuijzen, C.J.P. (376) 533
Marsh, J.M., see Sidhu, K.S. (397) 254
Marshall, M.V., see Briscoe, W.T. (383) 441
Marshall, R.D., see Davies, M.R. (390) 94
Marsho, T.V. and Hommersand, M.H.
Slow 514 nm absorption phases and oxygen exchange transients in Ulva (376) 354
Martin, J.F. and McDaniel, L.E.
Specific inhibition of candicidin biosynthesis by the lipogenic inhibitor cerulenin (411) 186
Martin, J.T., see Parodi, S., (407) 174
Martin, L., see Beuzard, Y. (393) 182
Martin, R.G., see McCann, P.P. (395) 280
Martino, E.E., see Romeu, A.M. (409) 376
Martonosi, A.
Membrane transport during development in animals (415) 311
Maruo, B., see Yamane, K. (393) 571
Marushige, K., see Marushige, Y. (403) 180
Marushige, Y. and Marushige, K.
Enzymatic unpacking of bull sperm chromatin (403) 180
Maruyama, K., see Arisaka, F. (400) 263
Marzzoco, A. and Colli, W.
Characterization of the genome of the small free-living amoeba Acanthamoeba castellanii (395) 525
Masara, J.C., see Volpe, J.J. (380) 454
Mašek, F., see Balgavý, P. (390) 24
Mašek, F., see Slezáriková, V. (390) 28
Masiak, S.J. and D'Angelo, G.
Effects of N-acetylimidazole on human erythrocyte ATPase activity. Evidence for a tyrosyl residue at the ATP binding site of the ($Na^+ + K^+$)-dependent ATPase (382) 83
Mason, J., see Cardin, C.J. (394) 46
Massari, S.
The interaction of atebrin with phospholipid vesicles (375) 22
Masson, P.K., see Chester, M.A. (391) 341
Masson, P.K., see Hultberg, B. (410) 156
Masters, C.J., see Clarke, F.M. (381) 37
Masters, C.J., see Don, M. (384) 25
Masuda, M., see Shinjyo, S. (411) 165
Matheson, A.T., see Strøm, A.R. (383) 325
Mathis, P. and Vermeglio, A.
Chlorophyll radical cation in Photosystem II of chloroplasts. Millisecond decay at low temperatures (396) 371
Mato, J.M. and Konijn, T.M.
Chemotaxis and binding of cyclic AMP in cellular slime molds (385) 173
Matson, R.S. and Kimura, T.
Immunological quantitation of chloroplast ferredoxin (396) 293
Matsubara, H., see Yoshida, H. (391) 494
Matsubara, T.
The structure and distribution of ceramide aminoethylphosphonates in the Oyster (Ostrea gigas) (388) 353
Matsuda, H., see Hirayama, O. (384) 127
Matsuda, K., see Kobayashi, M. (397) 69
Matsukage, A., Bohn, E.W. and Wilson, S.H.
Differential sensitivity of low molecular weight DNA polymerase to sulfhydryl-blocking reagents (383) 338
Matsumoto, H., Tokunaga, F. and Yoshizawa, T.
Accessibility of the iodopsin chromophore (404) 300
Matsuoka, M., see Ohba, Y. (405) 155
Matsushima, A., see Inoue, Y. (379) 653
Matsushima, T., see Takeuchi, T. (403) 122
Matsushima, T., see Takeuchi, T. (403) 456
Matsutake, Y., Sagara, J., Yamada, T. and Shimizu, H.
On the active streaming experiment

of actomyosin solutions in glass microcapillaries (405) 347
Matthew, J.A., see Galliard, T. (398) 1
Matthew, J.A., see Galliard, T. (409) 157
Matthews, B.W.
Comparison of the predicted and observed secondary structure of T4 phage lysozyme (405) 442
Matthews, R.H., Sardovia, M., Lewis, N.J. and Zand, R.
Biphasic kinetic plots and specific analogs distinguishing and describing amino acid transport sites in S37 ascites tumor cells (394) 182
Matthiesen, U., see Egneus, H. (408) 252
Matthieu, J.M., Everly, J.L., Brady, R.O. and Quarles, R.H.
[^{35}S]Sulfate incorporation into myelin glycoproteins. II. Peripheral nervous tissue (392) 167
Matthieu, J.M., Quarles, R.H., Poduslo, J.F. and Brady, R.O.
[^{35}S]Sulfate incorporation into myelin glycoproteins. I. Central nervous system (392) 159
Mattoo, A.K., see Madia, A.M. (385) 51
Mattoo, A.K. and Modi, V.V.
Palmitic acid activation of peroxidase and its possible significance in mango ripening (397) 318
Maude, M.B., see Benolken, R.M. (413) 234
Maudsley, D.V., see Haksar, A. (381) 308
Maurizis, J.C., Godeneche, D., Michelot, J. and Meyniel, G.
Biosynthese in vitro d'iodothyronines a partir du diiodo-3',5'-L tyrosyl-diiodo-3,5-L-tyrosine (In vitro biosynthesis of iodothyronines from diiodo-3,5-L-tyrosyl-diiodo-3,5-L-tyrosine) (404) 188
May, S.W., Schwartz, R.D., Abbott, B.J. and Zaborsky, O.R.
Structural effects on the reactivity of substrates and inhibitors in the epoxidation system of Pseudomonas oleovorans (403) 245
Mayer, F., see Bernard, U. (402) 270
Mayer, M., see Heller, M. (413) 472
Mayo, J.A., see Ehrlich, M. (395) 109
Mazen, A., see Burckard, J. (405) 434
Mazza, C., see Williams, R.J.P. (412) 127
Meakin, J.W., see Bruchovsky, N. (381) 61
Mechanic, G.L., Toverud, S.U., Ramp, W.K. and Gonnerman, W.A.
The effect of vitamin D on the structural crosslinks and maturation of chick bone collagen (393) 419
Meekel, C.J.A.M., see Oudega, B. (399) 213
Megerman, J. and Murphy, R.A.
Myosin from arterial smooth muscle: Isolation following actin depolymerization (412) 241
Meier, W., see Kessler, M. (413) 444
Meighen, E.A. and Yue, R.
Hybrids of chemical derivatives of Escherichia coli alkaline phosphatase (412) 262
Meigs, R.A., see Oliveira, A.A. (376) 426
Meigs, R.A., see Olivera, A.A. (376) 436
Meiklejohn, G., see Lippert, J.L. (382) 51
Meisler, M., see Tanaka, H. (398) 452
Meisler, M.H.
Inhibition of human liver β-galactosidases and β-glucosidase by N-bromoacetyl-β-D-galactosylamine (410) 347
Meissner, G.
Isolation and characterization of two types of sarcoplasmic reticulum vesicles (389) 51
Melander, W.R.
Effect of aggregation on the kinetic properties of aspartase aminotransferase (410) 74
Melandri, B.A., see Baccarini Melandri, A. (376) 72
Melandri, B.A., see Baccarini Melandri, A. (376) 82
Melandri, B.A., see Prince, R.C. (387) 212
Melbye, S.W. and Freedberg, I.M.
Epidermal nucleases: Purification and characterization of ribonuclease from mammalian epidermis (384) 466
Melnick, J.L., see Farber, F.E. (390) 298
Melnick, J.L., see Nicolau, C. (382) 311
Meloun, B., Saber, M.A. and Kusnĭr, J.
Structure of N-terminal cyanogen bromide fragment of human plasma albumin (393) 505
Menano, H.P., see Emilio, M.G. (382) 344
Mendelsohn, R., Sunder, S. and Bernstein, H.J.
Structural studies of biological membranes and related model systems by Raman spectroscopy. Sphingomyelin and 1,2-dilauroyl phosphatidylethanolamine (413) 329

Mendelson, C., Dufau, M. and Catt, K.
Dependence of gonadotropin-induced steroidogenesis upon RNA and protein synthesis in the interstitial cells of the rat testis (411) 222
Mendelson, I.S.
Synthesis of viral proteins by the avian myeloblastosis viral core component (407) 442
Mendelson, I.S., see Anderson, K.M. (383) 56
Mendelson, J., Castagnola, J.M. and Goulian, M.
On the mechanism for the formation of DNA·RNA complexes from lymphocytes (407) 283
Mennucci, L., Rojas, S. and Camargo, E.P.
Polyamines and ornithine decarboxylase activity during growth and differentiation in Blastocladiella emersonii (404) 249
Menon, K.M.J., see Azhar, S. (392) 64
Menon, K.M.J., see Kawano, A. (385) 88
Mento, S., see Abou-Sabé, M. (385) 294
Mercado, M.R., see Castrelos, O.D. (400) 137
Mercanti, D., see Levi, A. (399) 50
Mermet-Bouvier, R., see Fermandjian, S. (399) 313
Merz, D.C., see Litman, G.W. (394) 348
Meslov, A.I., see Vartapetian, B.B. (411) 357
Messer, H.H., see Shami, Y. (401) 256
Messer, H.H., Shami, Y. and Copp, D.H.
Stimulation by ATP of alkaline phosphatase in placental plasma membranes (391) 61
Metcalfe, J.C., see Birdsall, N.J.M. (380) 344
Mettern, M.R., Hariharan, P.V. and Cerutti, P.A.
Selective excision of gamma ray damaged thymine from the DNA of cultured mammalian cells (395) 48
Meuling, W.J.A., see Van Hemmen, J.J. (402) 133
Mével-Ninio, M.T. and Valentine, R.C.
Energy requirement for biosynthesis of DNA in Escherichia coli: Role of membrane-bound energy-transducing ATPase (coupling factor) (376) 485
Meyer, F.A., King, M. and Gelman, R.A.
On the role of sialic acid in the rheological properties of mucus (392) 223
Meyniel, G., see Maurizis, J.C. (404) 188
Mian, N., Herries, D.G., Cowen, D.M. and Batte, E.A.
Studies on the kinetics of glycosidases from chemically induced rat colonic tumours and normal rat colon (391) 179
Michaels, A. and Margulies, M.M.
Amino acid incorporation into protein by ribosomes bound to chloroplast thykaloid membranes. Formation of discrete products (390) 352
Michaels, A., see Margulies, M.M. (402) 297
Michell, R.H.
Inositol phospholipids and cell surface receptor function (415) 81
Michell, R.H., see Allan, D. (413) 309
Michelot, J., see Maurizis, J.C. (404) 188
Midgley, J.E.M., see Mann, N. (402) 41
Mikkelsen, R.B., see Lin, P.S. (401) 73
Miko, M. and Chance, B.
Isothiocyanates. A new class of uncouplers (396) 165
Mildner, P., Ries, B. and Barbarić, S.
Acid phosphatase and adenosine triphosphatase activities in the cell wall of baker's yeast (391) 67
Milgram, J., see Solomon, A.K. (406) 157
Millard, M.M., Macquet, J.P. and Theophanides, T.
X-ray photoelectron spectroscopy of DNA·Pt complexes. Evidence of O^6 (Gua) · N_7 (Gua) chelation of DNA with cis-dichlorodiamine platinum (II) (402) 166
Miller, D.S., see Marlborough, D.I. (386) 576
Miller, E.G.
Stimulation of nuclear poly(adenosine diphosphate-ribose) polymerase activity from HeLa cells by endonucleases (395) 191
Miller, I., see Stroeve, P. (401) 157
Miller, K.W., see Johnson, S.M. (375) 286
Miller, J.N. and King, L.A.
The low-temperature luminescence properties of bovine α-lactalbumin (393) 435
Miller, J.N. and Nwokedi, G.I.C.
The luminescence properties of concanavalin A (393) 426
Miller, R.A., see Munro, G.F. (411) 263
Miller, R.W., see Barran, L.R. (392) 148

Miller, R.W., see Greenstock, C.L. (396) 11
Miller, R.W. and Macdowall, F.D.H.
Tiron free radical as a senstive indicator of chloroplastic photoautoxidation (387) 176
Mills, J.W. and Ernst, S.A.
Localization of sodium pump sites in frog urinary bladder (375) 268
Mills, O.E. and Creamer, L.K.
A conformational change in bovine β-lactoglobulin at low pH (379) 618
Millward, D.J., see Garlick, P.J. (414) 71
Milovancev, M., see Werdan, K. (396) 276
Minakami, S., see Nishimura, J. (396) 1
Minasian, E., see Leach, S.J. (386) 144
Minesita, T., see Bruchovsky, N. (381) 61
Miras-Portugal, M.-T., see Aunis, D. (393) 284
Misra, D.N., see Smith, W.I. (382) 506
Misra, H.P. and Keele, Jr., B.B.
The purification and properties of superoxide dimutase from blue-green alga (379) 418
Mitaku, S., see Kinosita, Jr., K. (393) 10
Mitchell, D.J., see Israelachvili, J. (389) 13
Mitchell, L.W., see Urry, D.W. (393) 296
Mitchell, T.W. and Rigby, B.J.
In vivo and in vitro aging of collagen examined using an isometric melting technique (393) 531
Mitra, H.P., see Ghosh, S.K. (405) 340
Mitropoulos, K.A., see Balasubramaniam, S. (398) 172
Mitropoulos, K.A., see Gibbons, G.F. (380) 270
Mitsui, T., see Inoko, Y. (413) 24
Mitsunobu, K., see Lim, R. (400) 200
Miura, Y. and Fulco, A.J.
ω−1, ω−2 and ω−3 hydroxylation of long-chain fatty acids, amides and alcohols by a soluble enzyme system from Bacillus megaterium (388) 305
Miyaji, T., see Ohba, Y. (405) 155
Miyamoto, E. and Kakiuchi, S.
Phosphoprotein phosphatases for myelin basic protein in myelin and cytosol fraction of brain (384) 458
Miyazaki, T., Yadomae, T., Terui, T., Yamada, H. and Kikuchi, T.
Studies on fungal polysaccharide. XVII. A new glucuronan "protuberic acid" produced by a fungus Kobayashia nipponica (385) 345
Mizukami, H., see Giangranda, M. (412) 187
Mizuno, D., see Tsung, P.-K. (392) 216
Mizuno, S.
Mechanism of inhibition of protein synthesis initiation by diacetoxyscirpenol and fusarenon X in the reticulocyte lysate system (383) 207
Mizuno, S.
Temperature sensitivity of protein synthesis initiation in the reticulocyte lysate system. Reduced formation of the 40 S ribosomal subunit·Met-tRNA$_f$ complex at an elevated temperature (414) 273
Mizuno, S., see Higuti, T. (396) 36
Mizushima, S., see Nakamura, K. (413) 371
Mizushima, S., see Uemura, J. (413) 163
Mizushima, S. and Yamada, H.
Isolation and characterization of two outer membrane preparations from Escherichia coli (375) 44
Mizuta, K. and Tokushige, M.
Studies on aspartase. II. Role of sulfhydryl groups in aspartase from Escherichia coli (403) 221
Modi, V.V., see Madia, A.M. (385) 51
Modi, V.V., see Mattoo, A.K. (397) 318
Moffatt, G.E., see O'Grady, J.E. (407) 125
Moffett, D.F., see Mandel, L.J. (408) 123
Moisescu, D.G., Ashley, C.C. and Campbell, A.K.
Comparative aspects of the calcium-sensitive photoproteins aequorin and obelin (396) 133
Molday, R.S., see Lim, R.W. (394) 377
Molitoris, H.P. and Reinhammar, B.
The phenoloxidases of the ascomycete Podospora anserina. XI. The state of copper of laccases I, II and III (386) 493
Monahon, J.J. and Hall, R.H.
A high molecular weight RNA fraction in chromatin (383) 40
Mondovi, B., see van Leeuwen, F.X.R. (403) 285
Monger, T.G., see Cogdell, R.J. (408) 189
Mönkemeyer, H., see Uber, U. (402) 206
Montaguti, M., see Calandra, S. (409) 1
Montaguti, M., see Pasquali-Ronchetti, I. (409) 13

Montal, M., see Benz, R. (394) 323
Monteil, H., Roussel, G. and Boulouis, D.
Membrane ATPase of Proteus L-forms. Solubilization and molecular properties (382) 465
Monticelli, G., Celentano, F. and Torelli, G.
Sodium chloride reflection coefficient in rabbit gall bladder (401) 41
Mookerjea, S. and Schimmer, B.P.
UDPGalactose:glycoprotein galactosyltransferase activity in a clonal line of rat glial tumor cells and in rat brain (384) 381
Moor, J.R., see Linder, M.C. (386) 409
Moor, U., see Ruëgg, M. (400) 334
Moore, G.P. and Sullivan, D.T.
The characterization of multiple forms of kynurenine formamidase in Drosophila melanogaster (397) 468
Moore, L., Hurwitz, L., Davenport, G.R. and Landon, E.J.
Energy-dependent calcium uptake activity of microsomes from the aorta of normal and hypertensive rats (413) 432
Moore, L.E.
Membrane conductance changes in single nodes of Ranvier, measured by laser-induced temperature-jump experiments (375) 115
Moore, L.E., Tufts, M. and Soroka, M.
Light scattering spectroscopy of the squid axon membrane (382) 286
Moore, P.B., see Langer, J.A. (407) 320
Moore, S., Pepper, D.S. and Cash, J.D.
The isolation and characterisation of a platelet-specific β-globulin(β-thromboglobulin) and the detection of antiurokinase and antiplasmin released from thrombin-aggregated washed human platelets (379) 360
Moore, S., Pepper, D.S. and Cash, J.D.
Platelet antiheparin activity. The isolation and characterisation of platelet factor 4 released from thrombin-aggregated washed human platelets and its dissociation into subunits and the isolation of membrane-bound antiheparin activity (379) 370
Morandi, C., see Shanmugam, K.T. (408) 101
Moreau, F., Jacob, J.-L., Dupont, J. and Lance, C.
Electron transport in the membrane of lutoids from the latex of Hevea brasiliensis (396) 116
Morero, R.D., see Farías, R.N. (415) 231
Moret, V., see Pinna, L.A. (397) 519
Morgan, E.H., see Tsang, C.P. (386) 32
Morgan, E.H., see Yeoh, G.C.T. (378) 133
Morgan, W.T., Sutor, R.P., Muller-Eberhard, U. and Koskelo, P.
Interaction of rabbit hemopexin with copro- and uroporphyrins (400) 415
Morimoto, S., see Kitano, R. (411) 113
Morimoto, T., see Negishi, M. (381) 215
Morisawa, S., see Yukioka, M. (390) 192
Morishima, I.
Cyclic nucleotide phosphodiesterase in silkworm: Separation and characterization of multiple forms of the enzyme (391) 75
Morishima, I.
Cyclic nucleotide phosphodiesterases in silkworm: Developmental change of cyclic AMP and cyclic GMP phosphodiesterases (403) 106
Morishima, I.
Cyclic nucleotide phosphodiesterase in silkworm: characterization of cyclic GMP phosphodiesterase (410) 310
Morishima, I. and Iizuka, T.
Nuclear magnetic resonance studies of hemoproteins. IV. Hindered rotation of heme side methyl group as a probe for studying van der Waals contacts in the heme side environments of myoglobin derivatives (386) 542
Morishima, I., see Iizuka, T. (400) 143
Moritz, E., see Nelsen, V.E. (388) 188
Mørland, J., see Berg, T. (392) 233
Moroff, G. and Brandt, K.G.
Yeast glutathione reductase. Studies of the kinetics and stability of the enzyme as a function of pH and salt concentration (410) 21
Moroi, M., see Inoue, N. (400) 322
Moroi, M., Inoue, N. and Yamasaki, M.
Analysis of the fibrin-polymerizing reaction using sodium dodecyl sulfate—agarose gel electrophoresis (379) 217
Morré, D.J., see Richardson, C.L. (417) 175 (Review)
Morris, D.L., see Campbell, J. (384) 307
Morris, H.P., see Linder, M.C. (386) 409

Morris, H.P., see van Rossum, G.D.V. (394) 267
Morris, V.J. and Jennings, B.R.
The effect of neomycin and streptomycin on the electrical polarisability of aqueous suspensions of Escherichia coli (392) 328
Morrisett, J.D., see David, J.S.K. (398) 72
Morrison, M., see Singer, J.A. (406) 553
Morrison, P.J., see Williams-Smith D.L. (405) 253
Morse, S.D., see Dutton, P.L. (387) 536
Mortensen, L.E., see Zumft, W.G. (416) 1
Morton, B., Nwizu, C., Henshaw, E.C., Hirsch, C.A. and Hiatt, H.H.
The isolation of large polysomes in high yield from unfractionated tissue homogenates (395) 28
Mosbach, E.H., see Raicht, R.F. (388) 374
Mosbach, K., Danielsson, B., Borgerud, A. and Scott, M.
Determination of heat changes in the proximity of immobilised enzymes with an enzyme thermistor and its use for the assay of metabolites (403) 256
Moscarello, M., see Papahadjopoulos, D. (401) 317
Moser, C., see McLaughlin, S. (394) 304
Moser, H.W., see Iwamori, M. (380) 308
Moser, H.W., see Sugita, M. (398) 125
Moses, S.W., see Pines, M. (411) 369
Mosesson, M.W., Chen, A.B. and Huseby, R.M.
The cold-insoluble globulin of human plasma-studies of its essential structural features (386) 509
Moskowitz, M., see Kaplan, J. (389) 290
Moskowitz, M., see Kaplan, J. (389) 306
Moss, T.H., see Antanaitis, B.C. (405) 262
Mostafavi, I., see Rahbar, S. (386) 525
Motoyama, E.K., see Rooney, S.A. (398) 433
Moustacchi, E., see Averbeck, D. (395) 393
Moustafa, E. and Leong, C.K.
Effect of adenine nucleotides on NAD-dependent isocitrate dehydrogenases in rhizobia and bacteroids of legume root nodules (391) 9
Mowbray, S.L. and Nierlich, D.P.
Regulation of RNA synthesis in Escherichia coli during a shift-up transition (395) 91
Mueller, G.C., see Seki, S. (378) 333
Mueller, G.C., see Seki, S. (378) 354
Mueller, G.C., see Thompson, L.R. (378) 344
Mueller, G.C., see Thompson, L.R. (414) 231
Muezner, J., Weinbach, E.C. and Wolfe, S.M.
Oxygen consumption of human blood platelets. I. Effect of thrombin (376) 237
Muezner, J., Weinbach, E.C. and Wolfe, S.M.
Oxygen consumption of human blood platelets. II. Effect of inhibitors on thrombin-induced oxygen burst (376) 243
Muhlrad, A., see Oplatka, A. (385) 20
Mui, M.M. and Elliott, W.H.
Bile acids. XLV. Metabolism of 3β,7α-dihyroxy-5α-cholestanoic acid in the rat with a bile fistula (388) 126
Mukhopadhyay, S., see Nardacci, N.J. (377) 146
Mulivor, R.A., see Parodi, S. (407) 174
Muller, A.D., see Bas, B.M. (379) 164
Muller, A.D., see Hemker, H.C. (379) 180
Muller, J.L.M., see de Kok, J. (387) 441
Muller, P., see De Billy, G. (397) 231
Müller, W., see Dattagupta, N. (378) 44
Muller, W.A. and Klotz, L.C.
Retardation time measurements on replicating Bacillus subtilis chromosomes: Effect of EDTA concentration (378) 171
Muller, W.E.G., Totsuka, A., Kroll, M., Nusser, I. and Zahn, R.K.
Poly(A) polymerase in quail oviduct. Changes during estrogen induction (383) 147
Muller-Eberhard, U., see Morgan, W.T. (400) 415
Müller-Landau, F., see Cadenhead, D.A. (382) 253
Mullinger, R., see Anderson, R.E. (376) 63
Mumford, R.A., see Kanfer, J.N. (391) 129
Munchausen, L.L. and Rahn, R.O.
Physical studies on the binding of cis-dichlorodiamine platinum(II) to DNA and homopolynucleotides (414) 242

Munck, B.G. and Rasmussen, S.N.
Characteristics of rat jejunal transport of tryptophan (389) 261
Münck, E., Rhodes, H., Orme-Johnson, W.H., Davis, L.C., Brill, W.J. and Shah, V.K.
Nitrogenase. VIII. Mössbauer and EPR spectroscopy. The MoFe protein component from Azotobacter vinelandii OP (400) 32
Municio, A.M., see Fernández-Sousa, J.M. (393) 358
Munoz, E., see Andreu, J.M. (387) 228
Munoz, J., see Nieto, M. (413) 394
Munro, D.S., see Dirmikis, S.M. (379) 239
Munro, G.F., Miller, R.A., Bell, C.A. and Verderber, E.L.
Effects of external osmolality on polyamine metabolism in Hela cells (411) 263
Munro, H.N., see Haverberg, L.N. (405) 67
Munro, H.N., see Linder, M.C. (386) 409
Munro, H.N., see Vulimiri, L. (412) 148
Mura, M., see Takeuchi, T. (403) 456
Murakami, K. and Tsushima, K.
Purine nucleoside phosphorylase from chicken liver. IV. Crystallization and some properties (384) 390
Murao, S., see Akasaka, K. (412) 120
Murao, S., see Nakatani, H. (391) 415
Muraoka, S., see Higuti, T. (396) 36
Muronetz, V.I., see Nagradova, N.K. (377) 15
Murphy, R.A., see Megerman, J. (412) 241
Murphy, R.F. and Bonner, J.
Alkaline extraction of non-histone proteins from rat liver chromatin (405) 62
Murphy, T.M., see Wright, Jr., L.A. (407) 338
Myant, N.B., see Balasubramaniam, S. (398) 172
Myers, C.J., see Armstrong, W.McD. (401) 137

N

Nabeshima, Y.-I., Tsurgi, K. and Ogata, K.
Preferential biosynthesis of ribosomal structural proteins by free and loosely bound polysomes from regenerating rat liver (414) 30

Nachmias, V.T.
Calcium sensitivity of hybrid complexes of muscle myosin and Physarum proteins (400) 208

Naftalin, R.J., see Holman, G.D. (382) 230

Naftalin, R.J., see Holman, G.D. (406) 386

Nagai, K., see Schneider, R.G. (400) 365

Nagai, Y.
Sialosphingolipids of sea urchin eggs and spermatozoa showing a characteristic composition for species and gamate (388) 146

Nagai, Y.
Novel sialosphingolipid from spermatozoa of the sea urchin, Anthocidaris crassispina (388) 152

Nagai, Y., see Ohsawa, T. (389) 69

Nagano, K., see Kawamura, M. (397) 207

Nagata, K., see Ohba, Y. (405) 155

Nagel, R.L., see Fischer, S. (375) 422

Nagl, W., see Capesius, I. (395) 67

Nagradova, N.K., Muronetz, V.I., Grozdova, I.D. and Golovina, T.O.
Cold inactivation of glyceraldehyde-phosphate dehydrogenase from rat skeletal muscle (377) 15

Nagura, T., see Ohtsuka, E. (383) 236

Naisbitt, P., see Thorne, K.J.I. (389) 97

Naito, S. and Ishihama, A.
Isolation and properties of the transcription complex of Escherichia coli RNA polymerase (402) 88

Najman, A., see Wajcman, H. (400) 354

Nakagawa, H. and Tsurufuji, S.
Collagenolytic activity of carrageenin granuloma in rats (411) 316

Nakai, C. and Brooker, G.
Assay for adenylate cyclase and cyclic nucleotide phosphodiesterases and the preparation of high specific activity ^{32}P-labeled substrates (391) 222

Nakajima, M., see Irimura, T. (413) 192

Nakamura, K. and Mizushima, S.
In vitro reassembly of the membranous vesicle from Escherichia coli outer membrane components. Role of individual components and magnesium ions in reassembly (413) 371

Nakamura, N., Watanabe, K. and Horikoshi, K.
Purification and some properties of alkaline pullulanase from a strain of bacillus No. 202-1; an alkalophilic microorganism (397) 188

Nakamura, T., Yanagisawa, T. and Yamaguchi, M.
Studies on the subunits of myosin from muscle layer of Ascaris lumbricoides suum (412) 229

Nakamura, Y., see Ushiwata, A. (393) 215

Nakashima, M., Takai, Y., Yamamura, H. and Nishizuka, Y.
Protamine kinase from yeast (397) 117

Nakatani, H., Hiromi, K., Satoi, S., Oda, K., Murao, S. and Ichijima, E.
Studies on the interaction between Streptomyces pepsin inhibitor and several acid proteinases by means of a zinc(II)-dye complex as a probe (391) 415

Nakaya, K., see Ushiwata, A. (393) 215

Nakaya, N., Sugano, N., Nishi, A. and Tsukada, K.
Protein kinase in cultured plant cells (410) 273

Nakhleh, E.T., see Atassi, M.Z. (379) 1

Na-Nakorn, S., see Pootrakul, S. (405) 161

Nanjundiah, V., see Malchow, D. (385) 421

Nanninga, L.B., see Chen, J.P. (386) 69

Narasimhachari, N., see Lin, R.-L. (385) 268

Nardacci, N.J., Mukhopadhyay, S. and Campbell, B.J.
Partial purification and characterization of the antidiuretic hormone inactivating enzyme from renal plasma membranes (377) 146
Nashat, M., see Pace-Asciak, C. (388) 243
Näslund, P.H., see Hultin, T. (402) 199
Naso, R.B., Arcement, L.J., Wood, T.G., Saunders, T.E. and Arlinghaus, R.B.
The cell-free translation of Rauscher leukemia virus RNA into high molecular weight polypeptides (383) 195
Nathans, A.H. and Kitabchi, A.E.
Effect of ascorbic acid on ACTH-induced cyclic AMP formation and steroidogenesis in isolated adrenal cells of vitamin E-deficient rats (399) 244
Natori, Y., see Endo, Y. (383) 305
Nayak, R., Sirsi, M. and Podder, S.K.
Mode of action of antitumour antibiotics: Spectrophotometric studies on the interaction of chromomycin A_3 with DNA and chromatin of normal and neoplastic tissue (378) 195
Neal, R.A., see Hinson, J.A. (384) 1
Neary, J.T., Armstrong, A., Davidson, B., Maloof, F. and Soodak, M.
Thyroid microsomal membrane proteins: Effects of solubilization on molecular size (379) 262
Needleman, S.B. and Koenig, H.
Isoelectric-focusing behaviour of acid hydrolases in rat kidney lysosomes. Effects of the pH gradient, autolysis and neuraminidase (379) 43
Needleman, S.B., Koenig, H. and Goldstone, A.D.
Changes in electronegativity of lysosomal hydrolases during intracellular transport. An isoelectric focusing study in subcellular fractions in rat kidney (379) 57
Neelon, F.A., Delcher, H.K., Steinman, H.M. and Lebovitz, H.E.
A comparison of the structure of hamster pancreatic insulin extracted from a transplantable hamster islet-cell carcinoma (412) 1
Neelon, F.A., see Drezner, M.K. (381) 384
Ne'eman, Z. and Razin, S.
Characterization of the mycoplasma membrane proteins. V. Release and localization of membrane-bound enzymes in Acholeplasma laidlawii (375) 54
Negishi, M., Sawamura, T., Morimoto, T. and Tashiro, Y.
Localization of nascent NADPH-cytochrome c reductase in rat liver microsomes (381) 215
Neher, E.
Ionic specificity of the gramicidin channel and the thallous ion (401) 540
Nelsen, V.E., Mackenzie, C.G., Reiss, O.K., Mackenzie, J.B. and Moritz, E.
Differential labeling of glycerol moieties of phospholipids and triacylglycerols of cultured mammalian cells by [U-^{14}C]glucose (388) 188
Nelson, B.D. and Gellerfors, P.
Alkali-induced reduction of the b-cytochromes in purified complex III from beef heart mitochondria (396) 202
Nelson, N., see Kanner, B.I. (396) 347
Nelson, T.E.
The attack mechanism of an exo-1,3-β-glucosidase from Basidiomycete sp. QM 806 (377) 139
Nelson, T.E., see White, R.C. (400) 154
Nemerovski, M., see Butcher, F.R. (392) 82
Nemoto, Y., see Sogami, M. (393) 446
Neri, L.L., see Snyder, L.M. (381) 157
Ness, A.T., see Pastewska, J.V. (386) 530
Nesterova, M.V., Sashchenko, L.P., Vasiliev, V.Yu. and Severin, E.S.
A cyclic adenosine 3′,5′-monophosphate-dependent histone kinase from pig brain. Purification and some properties of the enzyme (377) 271
Nesterova, M.V., see Severin, E.S. (384) 413
Netrawali, M.S., see Prakash, R.K. (383) 435
Neuhaus, O.W. and Flory, W.
The effect of dietary protein on the excretion of a_{2u}, the sex-dependent protein of the adult male rat (411) 74
Neuman, S., see Diamant, Y.Z. (385) 257
Neumann, H., Kezdy, F., Hsu, J. and Rosenberg, I.H.
The reaction of tris(hydroxymethyl)-aminoethane with calf intestinal alkaline phosphatase (391) 292

Neumann, H. and Sokolovsky, M.
Photoreactions of phosphorothioate and cysteamine-S-phosphate: Photosubstitution and photophosphoryl transfer (381) 292
Neville, M.C.
Amino acid accumulation in frog muscle. II. Are cycloleucine fluxes consistent with an adsorption model for concentrative uptake of amino acid? (382) 393
Neville, M.C., see Paterson, C.A. (375) 309
Newburgh, R.W., see Albin, E.E. (377) 364
Newburgh, R.W., see Albin, E.E. (377) 381
Newburgh, R.W., see Albin, E.E. (377) 389
Newman, R., see Harrison, R. (389) 449
Nexø, B.A.
Ribo- and deoxyribonucleotide triphosphate pools in synchronized populations of Tetrahymena pyriformis (378) 12
Nexø, E.
A new principle in biospecific affinity chromatography used for purification of cobalamin-binding proteins (379) 189
Ngo, T.T. and Laidler, K.J.
Immobilized electric eel acetylcholinesterase. I. Kinetics of acetylcholinesterase trapped in polyacrylamide membranes (377) 303
Ngo, T.T. and Laidler, K.J.
Immobilized electric eel acetylcholinesterase. II. Flow kinetics of acetylcholinesterase chemically attached to nylon tubing (377) 317
Nhari, D.B., see Logani, M.K. (380) 155
Nhari, D.B., see Logani, M.K. (388) 291
Niazi, G., see Kleckner, H.B. (400) 343
Niazi, G.A., Efremov, G.D., Nikolov, N., Hunter, Jr., E. and Huisman, T.H.J.
Hemoglobin-Strumica or a_2 112(G19)His→Arg β_2. With an addendum: Hemoglobin-J-Paris-I, a_2 12(A10)Ala→Asp β_2, in the same population (412) 181
Nichol, L.W., see Baghurst, P.A. (412) 168
Nichol, L.W., see Kuchel, P.W. (397) 478
Nicolau, C., Dietrich, W., Steiner, S. and Melnick, J.L.
^1H and ^{13}C nuclear magnetic resonance spectra of the lipids in normal and SV 40 virus-transformed hamster embryo fibroblast membranes (382) 311
Nicholls, P.
Effect of sulphide on cytochrome aa_3. Isosteric and allosteric shifts of the reduced a-peak (396) 24
Nichols, B.W., see Oldani, D. (382) 1
Nichols, J.H., Bezkorovainy, A. and Paque, R.
Isolation and characterization of several glycoproteins from human colostrum whey (412) 99
Nicholson, W.E., see Holladay, L.A. (381) 47
Nicolas, R.H., see Goodwin, G.H. (405) 280
Nicoletis, C., see Bailey, A.J. (405) 412
Nicolini, C., see Parodi, S. (407) 174
Nicolson, J., see Telfer, A. (396) 301
Niedergang, C., see Okazaki, H. (391) 84
Nielsen, S. and Notides, A.C.
Transformation of the rat uterine estrogen receptor after partial purification (381) 377
Nierlich, D.P., see Mowbray, S.L. (395) 91
Nies, A.S., see Danon, A. (388) 71
Nieto, M., Munoz, J., Carreira, J. and Andreu, J.M.
Conformational and molecular responses to pH variation of the purified membrane adenosine triphosphatase of Micrococcus lysodeikticus (413) 394
Nikiforov, A.A., see Bresler, V.M. (406) 526
Nikiforova, A.A., see Klimov, A.N. (380) 76
Nikolaev, N., Birenbaum, M. and Schlessinger, D.
30 S pre-ribosomal RNA of Escherichia coli: Primary and secondary processing (395) 478
Nikolov, N., see Niazi, G.A. (412) 181
Nilsson, J., Wennerstrom, H., Lindblom, G. and Arvidson, G.
Proton NMR bandshape studies of lamellar liquid crystals and gel phases containing lecithins and cholesterol (389) 197

Nimmo, I.A., see Young, J.D. (404) 124
Nishi, A., see Nakaya, N. (410) 273
Nishihara, M., Kimura, K., Izui, K., Ishinaga, M., Kato, M. and Kito, M. Phosphatidylethanolamine molecular species of fatty acid auxotroph of Escherichia coli grown with elaidate (409) 212
Nishikawa, S., see Ohtsuka, E. (383) 236
Nishimura, J. and Minakami, S. Effect of hydrogen ion concentration on energy metabolism in pig platelets (396) 1
Nishimura, M., see Takamiya, K.-I. (396) 93
Nishino, T., Itoh, R. and Tsushima, K. Studies on chicken liver xanthine dehydrogenase with reference to the problem of non-equivalence of FAD moieties (403) 17
Nishizuka, Y., see Nakashima, M. (397) 117
Noble, J.S. and Pasternak, J. Properties and synthesis of ribosomal RNA in the free-living nematode Panagrellus silusiae (402) 51
Noda, H., see Arisaka, F. (400) 263
Nogami, A., see Kainuma, K. (410) 333
Noguti, T. and Kada, T. Studies on DNA repair in Bacillus subtilis. I. A cellular factor acting on γ-irradiated DNA and promoting its priming activity for DNA polymerase I (395) 284
Noguti, T. and Kada, T. Studies on DNA repair in Bacillus subtilis. II. Partial purification and mode of action of an enzyme enhancing the priming activity of γ-irradiated DNA (395) 294
Nojima, S., see Imai, M. (375) 130
Nolan, W.G. and Park, R.B. Comparative studies on the polypeptide composition of chloroplast lamellae and lamellar fractions (375) 406
Noma, A., see Okabe, H. (398) 149
Nomura, T., see Ogata, H. (388) 84
Nordlie, R.C., see Colilla, W. (377) 117
Noronha, S.H., see Zaheer, A. (394) 293
Norton, S.J., see Kester, M.V. (391) 212
Nose, Y., see Iwashima, A. (399) 375
Nose, Y., see Iwashima, A. (413) 243
Notides, A.C., see Nielsen, S. (381) 377
Nowak, E., see Dabrowska, R. (400) 54
Nowack, J., see Wilkening, J. (392) 299
Nowak, T.P. and Barondes, S.H. Agglutinin from Limulus polyphemus: Purification with formalinized horse erythrocytes as the affinity absorbent (393) 115
Nowzari, G., see Rahbar, S. (379) 645
Nowzari, G., see Rahbar, S. (386) 525
Nozawa, T., see Yoshida, S. (405) 122
Nozawa, Y., Fukushima, H. and Iida, H. Studies on Tetrahymena membranes. Modification of surface membrane lipids by replacement of tetrahymanol by exogenous ergosterol in Tetrahymena pyriformis (406) 248
Nozawa, Y., see Kitajima, Y. (394) 558
Nugteren, D.H. Arachidonate lipoxygenase in blood platelets (380) 299
Numakura, H., see Ohba, Y. (405) 155
Numata, N., see Wada, F. (410) 237
Nunez, E., see Benassayag, C. (412) 295
Nunez, J., see Gavaret, J.M. (405) 353
Nunn, A.S., see Baker, R.D. (401) 429
Nunn, W.D. The inhibition of phospholipid synthesis in Escherichia coli by phenethyl alcohol (380) 403
Nusser, I., see Muller, W.E.G. (383) 147
Nuttall, F.Q., see Tan, A.W.H. (410) 45
Nwizu, C., see Morton, B. (395) 28
Nwokedi, G.I.C., see Miller, J.N. (393) 426
Nyberg, L., see Roos, P. (405) 363

O

Oakes, B.W., see Handley, C.J. (386) 444
Oates, J.A., see Danon, A. (388) 71
Oates, J.A., see Danon, A. (388) 318
Ochoa, P., see Kim, Y.S. (391) 39
Öckerman, P.A., see Hultberg, B. (410) 156
O'Connor, P.J., see Rodgers, J.B. (409) 192
O'Cuinn, G. and Fottrell, P.F.
Purification and characterization of an aminoacylproline hydrolase from guinea-pig intestinal mucosa (391) 388
Oda, K., see Nakatani, H. (391) 415
Oda, T., see Toda, G. (413) 52
Oelze, J. and Kamen, M.D.
Separation of respiratory reactions in Rhodospirillum rubrum: Inhibition studies with 2-hydroxydiphenyl (387) 1
Ogasawara, N., Goto, H. and Watanabe, T.
Isozymes of rat AMP deaminase (403) 530
Ogata, H. and Nomura, T.
Isolation and identification of prostaglandin E_2 from the gastrointestinal tract of shark Triakis scyllia (388) 84
Ogata, K., see Nabeshima, Y.-I. (414) 30
Ogata, K., see Terao, K. (402) 214
Ogata, K., see Terao, K. (402) 230
Ogawa, K. and Kaji, A.
Ribosome run through of the termination codon in the absence for the ribosome releasing factor (402) 288
Ogawara, H. and Umezawa, H.
Bacillus cereus β-lactamase: Reaction with N-bromosuccinimide and the properties of the product (391) 435
Ogilvie, A., Lämmermann, M., Wiebauer, K. and Kersten, W.
Quinone induced stringent control. Accumulation of ppGpp and inhibition of RNA synthesis in stringent Escherichia coli by 5,8-dioxo-6-amino-7-chloroquinoline (395) 136
Ogilvie, A., Wiebauer, K., Spitzbath, P. and Kersten, W.
Inhibition of leucyl tRNA in Escherichia coli by the cytostatic 5,8-dioxo-6-amino-7-chloroquinoline (407) 357
Ogletree, J., see Zaborsky, O.R. (386) 18
O'Grady, J.E., Moffatt, G.E., McMinn, L., Vass, M.A., O'Hare, A. and Heald, P.J.
Uterine chromatin template activity during the early stages of pregnancy in the rat (407) 125
Ogston, D., see Crawford, G.P.M. (391) 189
Ogura, Y., see Suzuki, H. (403) 23
Ohad, I., see Gazitt, Y. (382) 65
O'Hare, A., see O'Grady, J.E. (407) 125
Ohba, Y., Miyaji, T., Matsuoka, M., Yokoyama, M., Numakura, H., Nagata, K., Takebe, Y., Izumi, Y. and Shibata, S.
Hemoglobin Hirosaka (α43[CE 1] Phe→Leu), a new unstable variant (405) 155
Ohisalo, J.J. and Pispa, J.P.
Regulation of hepatic tyrosine aminotransferase in frog Rana temporaria (397) 94
Ohkuma, S., see Tsung, P.-K. (392) 216
Ohnesorge, F.K., see Alsen, C. (377) 297
Ohnishi, T.
Thermodynamic and EPR characterization of iron-sulfur centers in the NADH-ubiquinone segment of the mitochondrial respiratory chain in pigeon heart (387) 475
Ohnishi, T., see Urry, D.W. (393) 296
Ohno, H., see Awaya, J. (409) 267
Ohno, K., see Hasegawa-Sasaki, H. (380) 486
Ohno, K., see Kanoh, H. (380) 199
Ohno, K., see Okabe, H. (398) 149
Ohsawa, T. and Nagai, Y.
Immunological evidence for the localization of sialoglycosphingolipids at the cell surface of sea urchin spermatozoa (389) 69

Ohtsuka, E., Nagura, T., Shimokawa, K., Nishikawa, S. and Ikehara, M.
Polynucleotides. XXVIII. Stimulation of the binding of aminoacyl-tRNA to ribosomes by tri- and polynucleotide analogs (383) 236
Oka, H., see Toda, G. (413) 52
Okabe, H., Noma, A. and Ohno, K.
Partial purification and properties of phospholipase A_2 from starfish Asterina pectinifera (398) 149
Okada, S., see Sugana, N. (383) 78
Okada, Y., Sato, T. and Inouye, A.
Effects of K^+ and Na^+ on membrane potential of epithelial cells in rat duodenum (413) 104
Okamoto, K.
Requirement of heat and metabolic energy for expression of inhibitory action of colicin K (389) 370
Okamura, Y., see Shibata, N. (400) 222
Okazaki, H., Ittel, M.E., Niedergang, C. and Mandel, P.
Purification of alkaline ribonuclease from soluble fraction of beef brain (391) 84
Oki, T., Yoshimoto, A., Sato, S. and Takamatsu, A.
Purine nucleotide pyrophosphotransferase from Streptomyces Morookaensis, capable of synthesizing pppApp and pppGpp (410) 262
Okuyama, H., see Ishihara, H. (388) 413
Oldani, D., see Badley, R.A. (412) 214
Oldani, D., Hauser, H., Nichols, B.W. and Phillips, M.C.
Monolayer characteristics of some glycolipids at the air-water interface (382) 1
Oldani, D., see Phillips, M.C. (406) 402
Oldenborg, V., Van Vugt, F. and Van Golde, L.M.G.
Composition and metabolism of phospholipids of Fasciola hepatica, the common liver fluke (398) 101
Oldendorf, W.H., see Cornford, E.M. (394) 211
Oldendorf, W.H., see Pardridge, W.M. (382) 377
Oldendorf, W.H., see Pardridge, W.M. (401) 128
Olivecrona, T., see Hernell, O. (381) 233
Olivera, A.A. and Meigs, R.A.
Mitochondria from human term placenta. I. Isolation and assay conditions for oxidative phosphorylation (376) 426
Olivera, A.A. and Meigs, R.A.
Mitochondria from human term placenta. II. Characterization of respiratory pathways and coupling mechanisms (376) 436
Olsnes, S., Refsnes, K., Christensen, T.B. and Pihl, A.
Studies on the structure and properties of lectins from Abrus precatorius and Ricinus communis (405) 1
Olson, G.J. and Ingram, L.O.
Cell division in Agmenellum quadruplicatum: evidence for the negative control by a protein (383) 215
Olson, M.S., see Kelley, R.E. (401) 370
O'Malley, B.W., see Jaffe, R.C. (399) 403
Omori-Satoh, T., see Breithaupt, H. (403) 355
Omstedt, P.T., see Haverberg, L.N. (405) 67
Omura, S., see Awaya, J. (409) 267
Onderka, D.K., see Larsen, P.O. (381) 397
O'Neill, J.P. and Hsie, A.W.
Prostaglandin E_1 induced changes in cyclic AMP levels in WI-38 human fibroblasts. Two different effects of cell density (404) 243
Onishi, T., Iwata, H. and Takagi, Y.
Effects of extracts of rat tissues on the action of bleomycin (378) 439
Onozaki, K., Hayatsu, H. and Ukita, T.
Inhibition of protein synthesis in mouse myeloma cells by Ricinus communis toxin (407) 99
Oobayashi, A., see Yokoyama, S. (397) 443
Oomen-Meulemans, E.P.M., see Van Hoeven, R.P. (380) 1
Oosterhuis, W.T., see Spartalian, K. (399) 203
Op den Kamp, J.A.F., Kauerz, M.T. and van Deenen, L.L.M.
Action of pancreatic phospholipase A_2 on phosphatidylcholine bilayers in different physical states (406) 169
Oplatka, A., Lamed, R. and Muhlrad, A.
Dynamic affinity chromatography of heavy meromyosin subfragment-1 (385) 20
Orita, Y., see Yuasa, S. (413) 277

Orme-Johnson, W.H., see Münck, E. (400) 32
Ortega, F., see Pineiro, A. (379) 201
Orth, D.N., see Holladay, L.A. (381) 47
Ortiz, O., see Beaugé, L.A. (389) 189
Osada, J. and Dobryszycka, W.
Effect of modification on physico-chemical and biological properties of haptoglobin. VI. Reaction with azlactone of p-nitrobenzoyl-valine (412) 306
Osawa, T., see Irimura, T. (413) 192
Osbahr, A.J.
Structure-activity relationships of the vasopressor activity of canine peptide-A from fabrinogen (386) 373
Oscai, L.B., see York, J.W. (381) 22
Ostroumov, S.A., see Barksy, E.L. (387) 388
Ostrowski, W., see Kuciel, R. (402) 253
Ostrowski, W., see Steczko, J. (393) 253
Osuga, D.T., see Blankenhorn, G. (386) 470
Otnaess, A.-B., see Little, C. (391) 326
Otsuka, J., see Arata, Y. (405) 388
Otto, K. and Riesenkönig, H.
Improved purification of cathepsin B1 and cathepsin B2 (379) 462
Otwell, H.B., see Friedman, M.E. (391) 1
Oudard, J.L., see Beuzard, Y. (393) 182
Oudega, B., Klaasen-Boor, P. and de Graaf, F.K.
Mode of action of the cloacin DF13-immunity protein (392) 184
Oudega, B., Meekel, C.J.A.M. and De Graaf, F.K.
Effects of temperature on the activity of cloacin DF13 and cloacin DF13-immunity protein (399) 213
Ouyang, C. and Yang, F.Y.
Purification and properties of the anticoagulant principle of Trimeresurus gramineus venom (386) 479
Ovchinnikov, Y.A., see Ryabova, I.D. (401) 109
Over, J., see Akkerman, J.W.N. (397) 395
Overath, P., Brenner, M., Gulik-Krzywicki, T., Shechter, E. and Letellier, L.
Lipid phase transitions in cytoplasmic and outer membranes of Escherichia coli (389) 358
Owen, A., Caplan, S.R. and Essig, A.
The interaction of 2-deoxy-D-glucose and glucose. Effects on the short-circuit current of the frog skin (389) 407
Owen, A., Caplan, S.R. and Essig, A.
A comparison of the effects of ouabain and 2-deoxy-D-glucose on the thermodynamic variables of the frog skin (394) 438
Owen, P. and Salton, M.R.J.
Isolation and characterization of a mannan from mesosomal membrane vesicles of Micrococcus lysodeikticus (406) 214
Owen, P. and Salton, M.R.J.
Distribution of enzymes involved in mannan synthesis in plasma membranes and mesosomal vesicles of Micrococcus lysodeikticus (406) 235
Owen, W.G.
Evidence for the formation of an ester between thrombin and heparin cofactor (405) 380
Øyen, T.B., see Karijord, Ø. (383) 255
Oyesiku, J.E.J., see Guiraldes, E. (389) 495
Ozols, J., see Cinti, D.L. (410) 32

P

Pace-Asciak, C. and Domazet, Z.
9-Hydroxyprostaglandin dehydrogenase activity in the adult rat kidney. Regional distribution and subfractionation (380) 338

Pace-Asciak, C. and Nashat, M.
Catabolism of an isolated, purified intermediate of prostaglandin biosynthesis by regions of the adult rat kidney (388) 243

Pacék, F. and Kocourek, J.
Studies on phytohemagglutinins. XXV. Isolation and characterization of hemagglutinins on the spindle tree seeds (Evonymus europaea L.) (400) 374

Packter, N.M. and Stumpf, P.K.
Fat metabolism in higher plants. Production of short- and medium-chain acyl-acyl carrier protein by spinach (409) 274

Pagano, D., see Chaiken, R. (403) 315

Pagala, K.M.D., see Sandow, A. (404) 157

Påhlman, S., see Hammar, L. (403) 554

Påhlman, S., see Rosengren, J. (412) 51

Pal, N.C., see Takashima, S. (401) 15

Pal, S., see Strider, W. (379) 271

Palecek, E., see Scheller, F. (412) 157

Palescandolo, R., see Silano, V. (391) 170

Palfreyman, J.W. and Schulster, D.
On the mechanism of action of cholera toxin on isolated rat adrenocortical cells. Comparison with the effects of ACTH on steroidogenesis and cyclic AMP output (404) 221

Palitti, F., see Van Dorp, B. (395) 446

Palombini, G., see van Rossum, G.D.V. (394) 267

Pálos, L.A., see Machovich, R. (379) 193

Papa, S., Lorusso, M. and Guerrieri, F.
Mechanism of respiration-driven proton translocation in the inner mitochondrial membrane. Analysis of proton translocatic associated with oxidation of endogenous ubiquinol (387) 425

Papahadjopoulos, D., see Hui, S.W. (382) 265

Papahadjopoulos, D., Jacobson, K., Poste, G. and Shepherd, G.
Effects of local anesthetics on membrane properties. I. Changes in the fluidity of phospholipid bilayers (394) 504

Papahadjopoulos, D., Moscarello, M., Eylar, E.H. and Isac, T.
Effects of proteins on thermotropic phase transitions of phospholipid membranes (401) 317

Papahadjopoulos, D., see Poste, G. (394) 520

Papahadjopoulos, D., Vail, W.J., Jacobson, K. and Poste, G.
Cochleate lipid cylinders. Formation by fusion of unilamellar lipid vesicles (394) 483

Pape, L., Kristensen, B.I. and Bengtson, O.
Sialic acid, electrophoretic mobility, and transmembrane potentials of the Amphiuma red cell (406) 516

Papir, Y.S., Hsu, K.-H. and Wildnauer, R.H.
The mechanical properties of stratum corneum. I. The effect of water and ambient temperature on the tensile properties of newborn rat stratum corneum (399) 170

Paque, R., see Nichols, J.H. (412) 99

Paraf, A., see Ducouret-Prigent, B. (401) 119

Pardee, A.B.
Cell surface and fibroblast proliferation. Some current research trends (417) 153

Pardo, A. and Tamayo, R.P.
The presence of collagenase in collagen preparations (392) 121

Pardridge, W.M. and Oldendorf, W.H.
Kinetics of blood-brain barrier transport of hexoses (382) 377

Pardridge, W.M. and Oldendorf, W.H.
Kinetic analysis of blood-brain barrier transport of amino acids (401) 128

Paredes, S., see Schlusselberg, J. (405) 89
Parente, A., see Libonati, M. (402) 83
Pargaonkar, P.S., see Srinivasan, S.R. (388) 58
Park, C.R., see Claus, T.H. (404) 110
Park, M.H., see Lusk, J.E. (394) 129
Park, R.B., see Nolan, W.G. (375) 406
Parker, C.W., see Letham, D.S. (399) 61
Parker, T.G., see Holt, C. (379) 638
Parker, T.G., see Holt, C. (400) 283
Parkin, L., see Carey, E.M. (380) 176
Parnicky, K., see Stevenson, N.R. (406) 131
Parodi, S., Mulivor, R.A., Martin, J.T., Nicolini, C., Sarma, D.S.R. and Farber, E.
Alkaline iysis of mammalian cells for sedimentation analysis of nuclear DNA: Conformation of released DNA as monitored by physical electron microscopic and enzymological techniques (407) 174
Parson, W.W., see Carithers, R.P. (387) 194
Parson, W.W., Clayton, R.K. and Codgdell, R.J.
Excited states of photosynthetic reaction centers at low redox potentials (387) 265
Parson, W.W., see Cogdell, R.J. (408) 189
Parson, W.W. and Codgell, R.J.
Primary photochemical reaction of bacterial photosynthesis (416) 105
Parsons, D.F., see Hui, S.W. (382) 265
Paschenko, V.Z., Protasov, S.P., Rubin, A.B., Timofeev, K.N., Zamazova, L.M. and Rubin, L.B.
Probing the kinetics of Photosystem I and Photosystem II fluorescence in pea chloroplasts on a picosecond pulse fluorometer (408) 143
Pascher, I., see Smith, E.L. (388) 171
Pascher, I., see Smith, E.L. (398) 84
Pasquali-Ronchetti, I., see Calandra, S. (409) 1
Pasquali-Ronchetti, I., Calandra, S., Baccarani-Contri, M. and Montaguti, M.
Plasma lipoproteins in rats with experimental biliary obstruction. II. An ultrastructural study (409) 13
Pasternak, J., see Noble, J.S. (402) 51
Pastewska, J.V., Ness, A.T. and Peacock, A.C.
Hemoglobin binding by isolated polymeric proteins from human haptoglobin types 2-1 and 2-2. Some suggested polymer subunit compositions (386) 530
Patel, B.C., see Redwood, W.R. (406) 347
Patel, D.J., Canuel, L.L. and Bovey, F.A.
Assignment of the imidazole ring nitrogen protons of histidine 48 in the proton NMR spectrum of ribonuclease A in water solution (400) 275
Patel, K., see Williams-Smith, D.L. (405) 243
Patel, T.N., see MacDonald, M.J. (385) 188
Paterson, C.A., Neville, M.C., Jenkins, R.M. and Cullen, J.P.
An electrogenic component of the potential difference in the rabbit lens (375) 309
Patriarca, P., Cramer, R., Tedesco, F. and Kakinuma, K.
Studies on the mechanism of metabolic stimulation in polymorphonuclear leucocytes during phagocytosis. II. Presence of the $NADPH_2$ oxidizing activity in a myeloperoxidase-deficient subject (385) 387
Patriarca, P., Dri, P., Kakinuma, K., Tedesco, F. and Rossi, F.
Studies on the mechanism of metabolic stimulation in polymorphonuclear leucocytes during phagocytosis. I. Evidence for superoxide anion involvement in the oxidation of $NADPH_2$ (385) 380
Patterson, W.D., Hardman, J.G. and Sutherland, E.W.
Hydrolysis of guanosine and adenosine 3′,5′-monophosphates by rat blood (384) 159
Patton, S. and Keenan, T.W.
The milk fat globule membrane (415) 273
Patzelt-Wenczler, R. and Schoner, W.
Disulfide of thioinosine triphosphate, an ATP-analog inactivating $(Na^+ + K^+)$-ATPase (403) 538
Paul, C., see Deconinck, M. (386) 567
Paule, M.R., see Detke, S. (383) 67
Pauling, C., see Fong, F. (387) 451

Pavkov-Peričin, D., see Leskovac, V. (405) 482
Pawetkiewicz, J., see Jakubowski, H. (407) 213
Peacock, A.C., see Pastewska, J.V. (386) 530
Pearson, A., see Kohen, E. (396)
Pearson, A.M., see Porzio, M.A. (384) 235
Pechère, J.-F., see Burstein, E.A. (400) 1
Pedersen, Jr., C.E., see Hughes, F. (394) 102
Pedersen, J.I., see Flatmark, T. (416) 53
Pederson, J.I., see Slinde, E. (398) 191
Pederson, L.G., see Putnam, Jr., J.B. (411) 168
Pedersen, T., see Auerbach, S. (395) 388
Pederson, T.C. and Aust, S.D.
The mechanism of liver microsomal lipid peroxidation (385) 232
Peiffer, S., see Deconinck, M. (386) 567
Peirce, K., Abe, T. and Cooper, B.A.
Incorporation and metabolic conversion of cyanocobalamin by Ehrlich ascites carcino cells in vitro and in vivo (381) 348
Peisach, J., Blumberg, W.E. and Rachmilewitz, E.A.
The demonstration of ferrihemichrome intermediate in Heinz body formation following the reduction of oxyhemoglobin A by acetylphenylhydrazine (393) 404
Pekala, P.H., Perfetti, T. and Hartline, R.A.
Physiological basis for preferential uptake of D-α-aminoadipate over the L-isomer by Alcaligenes denitrificans (394) 65
Peled, Y., see Tietz, A. (388) 165
Pellicer, A., Salas, J. and Salas, M.L.
Poly(A) polymerases in normal and virus-transformed cells (378) 107
Pendyala, L. and Wellman, A.M.
Endogenous purine metabolism in the conidia of wild type and certain adenine mutants of Neurospora crassa. I. The nature of the reserve pools and pool utilization during adenine starvation (385) 194
Pengelley, E.T., see Keith, A.D. (394) 204
Penney, D.G., see York, J.W. (381) 22
Penniston, J.T., see Hayashi, H. (382) 218
Penniston, J.T., see Hayashi, H. (394) 145
Penniston, J.T., see Luzanna, M.R. (396) 157
Penon, P., see Teissere, M. (402) 391
Penton, E., Poenaru, L. and Dreyfus, J.C.
Hexosaminidase C in Tay-Sachs and Sandhoff disease (391) 162
Pepper, D.S., see Moore, S. (379) 360
Pepper, D.S., see Moore, S. (379) 370
Perdomo, J., see Kim, Y.S. (391) 39
Père, M., Bourrillon, R. and Jirgensons, B.
Circular dichroism and conformational transition of Dolichos biflorus and Robinia pseudoacacia lectins (393) 31
Paredes, J.A., see Fernández-Sousa, J.M. (393) 358
Pérez-Aranda, A., see Fernández-Sousa, J.M. (393) 358
Perfetti, T., see Pekala, P.H. (394) 65
Perlman, R.L., see Pinkett, M.O. (399) 473
Perlman, R.L., see Ullman, B. (403) 393
Permyakov, E.A., see Burstein, E.A. (400) 1
Péron, F.G., see Haksar, A. (381) 308
Perry, M.C., see Akhtar, R.A. (411) 30
Peters, J., see Fong, F. (387) 451
Peters, J. and Fromherz, P.
Interaction of electrically charged lipid monolayers with malate dehydrogenase (394) 111
Petersen, N.O., see Lichtenberg, D. (382) 10
Peterson, J.W., Gubler, C.J. and Kuby, S.A.
Partial purification and properties of thiamine pyrophosphokinase from pig brain (397) 377
Petersson, L., see Anderson, R.E. (376) 63
Petrova, M., Philippsen, P. and Zachau, H.G.
Partial degradation of transfer RNAs by different preparations of snake venom exonuclease (395) 455
Petty, K.M., see Dutton, P.L. (387) 536
Pfister, M., Schaub, M., Watterson, J, Knecht, M. and Waser, P.
Radioactive labeling and location of specific thiol groups in myosin from fast, slow and cardiac muscles (410) 193
Pfleiderer, G., see Heilmann, H.-D. (384) 331

Phaff, H.J., see Fleet, H.J. (410) 318
Philippot, J.R., Cooper, A.G. and Wallach, D.F.H.
A nitroxide-sterol derivative potentyl modifies cholesterol biosynthesis by normal and neoplastic guinea pig lymphocytes (406) 161
Philippsen, P., see Petrova, M. (395) 455
Phillips, A.T., see Cohn, M.S. (377) 444
Phillips, D.R., see Galliard, T. (409) 157
Phillips, M.C., see Hauser, H. (413) 341
Phillips, M.C., Hauser, H., Leslie, R.B. and Oldani, D.
A comparison of the interfacial interactions of the apoprotein from high density lipoprotein and β-casein with phospholipids (406) 402
Phillips, M.C., see Oldani, D. (382) 1
Phillips, W.D., see Fee, J.A. (412) 26
Phillips, W.D., see Liebes, L.F. (405) 27
Piantadosi, C., see Lee, T.-C. (409) 218
Piantadosi, C., see Blank, M.L. (380) 208
Piantadosi, C., see El-Bassiouni, E.A. (388) 5
Picard, J., see Kern, P. (389) 281
Piggott, C.O. and Fottrell, P.F.
Purification and characterization from guinea-pig intestinal mucosa of two peptide hydrolases which preferentially hydrolyse dipeptides (391) 403
Pihl, A., see Olsnes, S. (405) 1
Pilkis, S.J., see Claus, T.H. (404) 110
Pillion, D.J. and Leibach, F.H.
The effect of diamide and glutathione on the uptake of α-methyl-D-glucoside by slices of rat kidney cortex (382) 246
Pilon, R., see Lafont, J (392) 288
Pilwat, G., see Riemann, F. (394) 449
Pilwat, G., see Zimmermann, U. (375) 209
Pilwat, G., Zimmermann, U. and Riemann, F.
Dielectric breakdown measurements of human and bovine erythrocyte membranes using benzyl alcohol as a probe molecule (406) 424
Pilz, W., see Wendel, A. (377) 211
Pina, E., see Pina, M.Z. (384) 501
Pina, M.Z., Brunner, A., de Sanchez, V.C. and Pina, E.
On the regulation of myo-inositol-1-phosphate synthase activity from Neurospora crassa by pyrophosphate and some cations (384) 501
Pinckard, R.N., see Kelley, R.E. (401) 370
Pineiro, A., Ortega, F. and Uriel, J.
Trypsin inhibitor from cow colostrum: Isolation, electrophoretic characterization and immunologic properties (379) 201
Pines, M., Bashan, N. and Moses, S.W.
Effect of hydrocortisone and glucagon on glycogen metabolism in the fetal rat liver (411) 369
Pinkett, M.O. and Perlman, R.L.
Stimulation of sugar transport in rat diaphragm by 8-bromoguanosine 3′,5′-monophosphate (399) 473
Pinna, L.A., Donella, A., Clari, G. and Moret, V.
Structural requirements for the enzymatic phosphorylation of phosvitin (397) 519
Pirola, R.C., see Baraona, E. (388) 19
Pisano, J.J., see Cagen, L.M. (398) 205
Pispa, J.P., see Ohisalo, J.J. (397) 94
Pitts, B.J.R. and Schwartz, A.
Improved purification and partial characterization of (Na^+, K^+)-ATPase from cardiac muscle (401) 184
Planta, R.J., see Mager, W.H. (402) 105
Planta, R.J., see Trapman, J. (414) 115
Planta, R.J., see van Keulen, H. (395) 179
Planta, R.J., see Van 't Riet, J. (379) 81
Planta, R.J., see Van 't Riet, J. (405) 306
Plaquet, R., see Rogez, J.C. (410) 370
Pledger, W.J., Thompson, W.J. and Strada, S.J.
Isolation of an activator of multiple forms of cyclic nucleotide phosphodiesterase of rat cerebrum by isoelectric focusing (391) 334
Plessy, B., see Bettelheim, F.A. (381) 203
Plishker, G.A., see Hayashi, H. (382) 218
Plishker, G.A., see Hayashi, H. (394) 145
Plummer, Jr., T.H., see Julien, R. (379) 157
Pluznik, D.H., see Lustig, S. (401) 458
Podder, S.K., see Nayak, R. (378) 195
Podevin, R.A. and Boumendil-Podevin, E.F.
Inhibition by cyclic AMP and dibutyryl cyclic AMP of transport of organic acids in kidney cortex (375) 106

Podlubnaya, Z., see Dabrowska, R. (400) 54
Poduslo, J.F., see Matthieu, J.M. (392) 159
Poenaru, L., see Penton, E. (391) 162
Poglazov, B.F., see Sultanov, R.A. (386) 369
Polek, B., see Šimúth, J. (379) 397
Pollock, R.J., Hajra, A.K. and Agranoff, B.W.
The relative utilization of the acyl dihydroxyacetone phosphate and glycerol phosphate pathways for synthesis of glycerolipids in various tumors and normal tissues (380) 421
Polnaszek, C.F., see Stockton, G.W. (401) 535
Polya, G.M.
Purification and characterization of a cyclic nucleotide-regulated 5′-nucleotidase from potato (384) 443
Pommier, G., Ripert, G., Azoulay, E. and Depieds, R.
Effect of concanavalin A on membrane-bound enzymes from mouse lymphocytes (389) 483
Pommier, J., see Azoulay, E. (389) 236
Pommier, J., see Riviere, C. (389) 219
Pontus, M. and Delmelle, M.
Fluid lipid fraction in rod outer segment membrane (401) 221
Poole, B., see Davidson, E. (397) 437
Poon, J.P., see Shapiro, S.S. (385) 221
Poon, R.W.M. and Simon, J.B.
Cholesterol ester hydrolase in human red blood cells (384) 138
Pootrakul, S., Kematorn, B., Na-Nakorn, S. and Suanpan, S.
A new hemoglobin variant: haemoglobin Anantharaj alpha 11 (A9) lysine→glutamic acid (405) 161
Porath, J., see Brandt, J. (386) 196
Porath-Füredi, A.
A novel method for the follow-up of shape changes in erythrocyte and other particles (392) 197
Portemer, C., see Guion-Rain, M.C. (384) 265
Portman, O.W., Illingworth, D.R. and Alexander, M.
The effects of hyperlipidemia on lipoprotein metabolism in squirrel monkeys and rabbits (398) 55
Porzio, M.A. and Pearson, A.M.
Isolation of an extracellular neutral proteinase from Pseudomonas fragi (384) 235
Poste, G., see Papahadjopoulos, D. (394) 483
Poste, G., see Papahadjopoulos, D. (394) 504
Poste, G., Papahadjopoulos, D., Jacobson, K. and Vail, W.J.
Effects of local anesthetics on membrane properties. II. Enhancement of the susceptibility of mammalian cells to agglutination by plant lectins (394) 520
Poteat, L.W., see Stokes, G.B. (380) 245
Poulik, M., Farrah, D., Malek, G.H., Shinnick, C. and Smithies, O.
Low molecular weight urinary proteins. I. Partial amino acid sequences of the retinol-binding proteins of man and dog (412) 326
Poulos, A., Brown-Woodman, P.D.C., White, I.G. and Cox, R.I.
Changes in phospholipids of ram spermatozoa during migration through the epididymis and possible origin of prostaglandin F_{2a} in testicular and epididymal fluid (388) 12
Poulsen, K., Burton, J. and Haber, E.
Purification of hog renin by affinity chromatography using the synthetic competitive inhibitor [D-Leu^6]octapeptide (400) 258
Poulton, J.E. and Butt, V.S.
Purification and properties of S-adenosyl-L-methionine: caffeic acid O-methyltransferase from leaves of spinach beet (Beta Vulgaris L.) (403) 301
Powell, D., see Duffy, M.J. (385) 275
Pradel, L.A., see Brevet, A. (393) 1
Pradel, L.A., see Fattoum, A. (405) 324
Pradhan, D.S., see Prakash, R.K. (383) 435
Prakash, R.K., Netrawali, M.S., Pradhan, D.S. and Sreenavasan, A. (383) 435
Ineffectiveness of rifampicin in inhibiting RNA synthesis in Escherichia coli and T_4-infected Escherichia coli cells after exposure to ultraviolet radiation (383) 435
Prasada Reddy, T.L., Suryanarayana Murthy, P. and

Venkitasubramanian, T.A.
Variations in the pathways of malate oxidation and phosphorylation in different species of Mycobacteria (376) 210
Prasolov, V.S., Favorova, O.O., Margulis, G.V. and Kisselev, L.L.
Limited proteolysis of the tryptophanyl-tRNA synthetase (378) 92
Preiser, H., see Maestracci, D. (382) 147
Premont, J., Benda, P. and Jard, S.
[^{3}H]Norepinephrine binding by rat glial cells in culture. Lack of correlation between binding and adenylate cyclase activation (381) 368
Prescott, F.A.A., see Chan, H.W.-S. (380) 141
Prescott, F.A.A., see Chan, H.W.-S. (398) 347
Previc, E.P. and Lowell, N.
Peptidoglycan compositions of a new strain of Arthrobacter crystallopoietes during sphere-rod morphogenesis (411) 378
Price, P.A., see Douvas, A. (395) 201
Prieels, J.P. and Barel, A.O.
A fluorimetric study of the interactions of insolubilized human α-lactalbumin with galactosyltransferase (A protein) and with anti-α-lactalbumin antibodies (393) 496
Prieur, D.J., see Greenwald, R.A. (385) 435
Primack, M.P.
Stimulation of mitochondrial protein synthesis by metal ions (407) 439
Prince, R.C., Baccarini-Melandri, A., Hauska, G.A., Melandri, B.A. and Crofts, A.R.
Asymmetry of an energy-transducing membrane; the localisation of cytochrome c_2 in Rhodopseudomonas spheroides and Rhodopseudomonas capsulata (387) 212
Prince, R.C. and Dutton, P.L.
Kinetic completion of the cyclic photosynthetic electron pathway of Rhodopseudomonas sphaeroides. Cytochrome b-cytochrome c_2 oxidation-reduction (387) 609
Pring, D.R. and Thornbury, D.W.
Molecular weights of maize mitochondrial and cytoplasmic ribosomal RNAs under denaturing conditions (383) 140
Pring, M., see Lüschow, U.L. (389) 1
Pritchard, D.G., Halpern, R.M., Halpern, J.A., Smith, R.A. and Halpern, B.C.
Fractionation of mucopolysaccharides by countercurrent distribution in aqueous polymer two-phase systems (404) 289
Probst, E. and Krebs, A.
Ornithine decarboxylase activity in relation to DNA synthesis in mouse interfollicular epidermis and hair follicles (407) 147
Prochaska, L.J. and Gross, E.L.
The effect of 1-ethyl-3(3-dimethylaminopropyl)carbodiimide on calcium binding and associated changes in chloroplast structure and chlorophyll a fluorescence in spinach chloroplasts (376) 126
Prockop, D.J., see Kao, W.W.-Y. (411) 202
Prodanov, V., see Leskovac, V. (405) 482
Protasov, S.P., see Paschenko, V.Z. (408) 143
Proulx, P., see Audet, A. (380) 414
Proverbio, F., Condrescu-Guidi, M. and Whittembury, G.
Ouabain-insensitive Na^+ stimulation of an Mg^{2+}-dependent ATPase in kidney tissue (394) 281
Prpić, V., see Carević, O. (381) 269
Prümke, H.-J., see Scheller, F. (412) 157
Prusoff, W.H., see Cheng, Y.C. (390) 253
Pryce-Jones, R.H. and Wood, G.C.
Purification of granulocyte neutral protease from human blood and rheumatoid synovial fluid (397) 449
Prydz, H., see Spaeren, U. (395) 413
Puett, D., see Holladay, L.A. (381) 47
Pugh, E.L. and Kates, M.
Characterization of a membrane-bound phospholipid desaturase system of Candida lipolytica (380) 442
Pühler, A., see Bernard, U. (402) 270
Pulles, M.P.J., see van Gorkom, H.J. (408) 331
Pumo, D.E., Stein, G.S. and Kleinsmith, L.J.
Stimulated phosphorylation of non-histone phosphoproteins in SV-40

transformed WI-38 human diploid fibroblasts (402) 125
Purdy, J.L., see Bondy, S.C. (390) 332
Putnam, Jr., J.B. and Pederson, L.G. Discovery of a cyclic 3′,5′-guanosine monophosphate-simulating factor in amoebae of Dictyostelium discoideum (411) 168

Q

Quarfoth, G.J. and Jenness, R.
Isolation, composition and functional properties of α-lactalbumins from several species (379) 476

Quarles, R.H., see Matthieu, J.M. (392) 159
Quarles, R.H., see Matthieu, J.M. (392) 167
Quinn, P.J., see Abra, R.M. (380) 436

R

Rab, A., see Silano, V. (391) 170
Rachmilewitz, E.A., see Peisach, J. (393) 404
Radda, G.K., see Berden, J.A. (375) 186
Radda, G.K., see De Kruijff, B. (406) 6
Radda, G.K., see Dwek, R.A. (377) 26
Radhakrishnamurthy, B., see Srinivasan, S.R. (388) 58
Radhakrishnan, A.N., see Aswanikumar, S. (382) 194
Radhakrishnan, A.N., see Ramaswamy, S. (403) 446
Radola, B.J.
Isoelectric focusing in layers of granulated gels. II. Preparative isoelectric focusing (386) 181
Raeburn, S., see Geokas, M.C. (391) 396
Rafael, J., see Wagner, T. (408) 284
Rafter, G.W., see Riley, R.S. (381) 120
Rafter, G.W., see Riley, R.S. (410) 382
Raghaven, S.S., see Kanfer, J.N. (391) 129
Ragsdale, N.N.
Specific effects if triarimol on sterol biosynthesis in Ustilago maydis (380) 81
Rahbar, S., Mahdavi, N., Nowzari, G. and Mostafavi, I.
Haemoglobin Arya, α_2 47 (CD5), Aspartic acid→Asparagine (386) 525
Rahbar, S., Nowzari, G., Haydari, H. and Daneshmand, P.
Haemoglobin Hamadan $\alpha_2 A\beta_2 56$(D7)-Glysine→Arginine (379) 645
Rahimi-Laridjani, I., see Koerner, K. (397) 220
Rahman, Y.E., see Jonah, M.M. (401) 336
Rahn, R.O., see Munchausen, L.L. (414) 242
Raicht, R.F., Cohen, B.I., Shefer, S. and Mosbach, E.H.
Sterol balance studies in the rat. Effects of dietary cholesterol and B-sitosterol on sterol balance and rate-limiting enzymes of sterol metabolism (388) 374
Ralston, G.B.
The proteins of the camel erythrocyte membrane (401) 83
Rao, E.Y.T., Rao, T.K. and DeBusk, A.G.
Isolation and characterization of a mutant of Neurospora crassa deficient in general amino acid permease activity (413) 45
Rao, K.K., see Anderson, R.E. (376) 63
Rao, T.K., see Rao, E.Y.T. (413) 45
Ram, D., see Ginsburg, H. (382) 369
Ramage, P.R. and Barry, J.M.
RNA synthesis in nuclei isolated from early embryos of Xenopus laevis (395) 152
Ramage, P.R. and Cunningham, W.L.
The occurrence of low α-L-fucosidase activities in normal human serum (403) 473
Ramage, P.R. and Cunningham, W.L.
Comparative structural studies of urinary glycosaminoglycans in the Hurler and Hunder syndromes (411) 325
Ramareddy, G.V., Goulian, S.H. and Goulian, M.
DNA synthesis in vitro in lysates of Escherichia coli (402) 323
Ramasamy, I. and Butterworth, P.J.
Nicotinamide-adenine dinucleotide inhibition of pig kidney alkaline phosphatase (384) 146
Ramaswamy, K., see Dugas, M.C. (382) 576
Ramaswamy, S. and Radhakrishnan, A.N.
Lactase-phlorizin hydrolase complex from monkey small intestine: Purification, properties and evidence for two catalytic sites (403) 446
Ramos, E.H., De Bongioanni, L.C., Claisse, M.L. and Stoppani, A.O.M.
Energy requirements for the uptake of L-leucine by Saccharomyces cerevisiae (394) 470
Ramp, W.K., see Mechanic, G.L. (393) 419
Ramponi, G., Manoa, G., Camici, G. and White, G.F.
Inhibition of horse muscle acyl-phosphatase by pyridoxal 5′-phosphate (391) 486

Ranjeva, R., Boudet, A.M., Harada, H. and Marigo, G.
Phenolic metabolism in petunia tissues. I. Characteristic responses of enzymes involved in different steps of polyphenol synthesis to different hormonal influences (399) 23
Ranta, H., see Juvani, M. (411) 1
Rasmussen, H., Lake, W. and Allen, J.E.
The effect of catecholamines and prostaglandins upon human and rat erythrocytes (411) 63
Rasmussen, S.N., see Munck, B.G. (389) 261
Rasumova, V.V., see Severin, E.S. (384) 413
Rathelot, J., see Julien, R. (379) 157
Ratledge, C., see Brown, K.A. (385) 207
Ratliff, R.L., see Walters, R.A. (414) 221
Raué, H.A. and Cashel, M.
Regulation of RNA synthesis in Escherichia coli. III. Degradation of guanosine 5′-diphosphate 3′-diphosphate in cold-shocked cells (383) 290
Raveed, D., see Reed, D.W. (387) 368
Rawson, J.R., see Gruol, D., (414) 20
Rawson, J.R.Y.
The characterization of Euglena gracilis DNA by its reassociation kinetics (402) 171
Razin, S., see Hasin, M. (375) 381
Razin, S., see Ne'eman, Z. (375) 54
Razin, S., see Rottem, S. (375) 395
Rebrov, L.B.
Synthesis of heteropolyribonucleotides by toluene-treated Escherichia coli cells (390) 14
Redman, C.M., see Garrett, R.J.B. (382) 58
Redwood, W.R., Jansons, V.K. and Patel, B.C.
Lectin-receptor interactions in liposomes (406) 347
Reed, D.W., Raveed, D. and Reporter, M.
Localization of photosynthetic reaction centers by antibody binding to chromatophore membranes from Rhodopseudomonas spheroides strain R26 (387) 368
Reed, M.A., see Capuzzi, D.M. (409) 144
Rees, A.M. and Bell, P.A.
The involvement of receptor sulphydryl groups in the binding of steroids to the cytoplasmic glucocorticoid receptor from rat thymus (411) 121
Rees, E.D., see Danzer, L.A. (386) 26
Rees, K.R., see Gonzalez, C.A. (395) 361
Rees, K.R., see Sensky, T.E. (407) 430
Rees, K.R., see White, J.S. (378) 378
Rees, M.W. and Short, M.N.
The amino acid sequence of the cowpea strain of tobacco mosaic virus protein (393) 15
Refsnes, K., see Olsnes, S. (405) 1
Regañon, E., see Albert, A. (386) 382
Regoeczi, E., see Hatton, M.W.C. (379) 504
Regoeczi, E., see Hatton, M.W.C. (386) 451
Rehm, W.S., see Graves, C.N. (389) 550
Reichert, L.E., see Leach, S.J. (386) 144
Reid, K.G., see Holden, J.T. (394) 55
Reijnders, L., Aalbers, A.M.J., Van Kammen, A. and Berns, A.J.M.
The effect of double-stranded cowpea mosaic viral RNA on protein synthesis (390) 69
Reijnders, L., Visser, L., Aalbers, A.M.J. and van Kammen, A.
Comparison of DNA from free-living and endo-symbiotic Rhizobium leguminosarum (strain PRE) (414) 206
Reilly, A.E., see Conner, R.L. (398) 209
Reilly, P.E.B. and Green, J.R.
Multi-exponential analysis of plasma free amino acid kinetics in the rat (381) 424
Rein, H., Ristau, O. and Ruckpaul, K.
Evidence for the existence of a low spin complex in acidic methemoglobin: Its structure and formation (393) 373
Reinhammar, B., see Brändén, R. (405) 236
Reinhammar, B., see Molitoris, H.P. (386) 493
Reinking, A., see Boer, P. (377) 331
Reiss, O.K., see Nelsen, V.E. (388) 188
Reitz, R.C.
A possible mechanism for the peroxidation of lipids due to chronic ethanol ingestion (380) 145
Reitz, R.C., see Thompson, J.A. (398) 159
Reman, F.C., see Mandersloot, J.G. (382) 22
Renaud, F., see Dray, F. (403) 131

Rennie, P.S., see Bruchovsky, N. (394) 248
Reno, D., see Boyer, J.L. (401) 59
Reportèr, M., see Raveed, D. (387) 368
Resch, K., see Ferber, E. (398) 364
Retèl, J., see van Keulen, H. (395) 179
Reusser, F.
Steffimycin B, a DNA binding agent (383) 266
Reuter, E., see Endou, H. (389) 516
Revis, N.W., see Durham, J.P. (394) 388
Reznick, A.Z. and Winzler, R.J.
Glycoproteins from ascitic fluid of Ehrlich ascites tumor. Isolation and chemical characterization (404) 268
Rezvukhin, A.I., see Weiner, L.M. (383) 316
Rhodes, H., see Münck, E. (400) 32
Ricard, J., see Teissere, M. (402) 391
Ricard, J.R., see Williams, R.J.P. (412) 127
Rice, J.M. and Wolff, D.A.
Phospholipase in the lysosomes of HEp-2 cells and its release during poliovirus infection (381) 17
Rice, R., see Snyder, L.M. (381) 157
Rich, G.T., see Lea, E.J.A. (382) 41
Richardson, B.C. and Creamer, L.K.
Comparative micelle structure. IV. The similarity between caprine a_s-casein and bovine a_{s3}-casein (393) 37
Richardson, C.L., Baker, S.R., Morré, D.J. and Keenan, T.W.
Glycosphingolipid synthesis and tumorigenesis. A role for the Golgi apparatus in the origin of specific receptor molecules of the mammalian cell surface (417) 175 (Review)
Richardson, D.G., see Gellerman, J.L. (388) 277
Richter, G., see Link, G. (395) 337
Rickert, W.S., see Ledward, D.A. (379) 426
Riddle, M.C., Smuckler, E.A. and Glomset, J.A.
Cholesteryl ester hydrolytic activity of rat liver plasma membrane (388) 339
Ridderknecht, H., Fleming, R.M. and Geokas, M.C.
Effect of $a_2$macroglobulin on some kinetic parameters of trypsin (377) 158
Rider, C.C. and Taylor, C.B.
Enolase isoenzymes II: Hybridization studies, developmental and phylogenetic aspects (405) 175
Riemann, F., see Pilwat, G. (406) 424
Riemann, F., see Zimmermann, U. (375) 209
Riemann, F., Zimmermann, U. and Pilwat, G.
Release and uptake of haemoglobin and ions in red blood cells induced by dielectric breakdown (394) 449
Ries, B., see Mildner, P. (391) 67
Riesenkönig, H., see Otto, K. (379) 462
Rigano, C. and Aliotta, G.
Electron donors and inhibitors of nitrate reductase from Cyanidium caldarium (384) 37
Rigaud, J., see Kennedy, I.R. (397) 24
Rigby, B.J., see Mitchell, T.W. (393) 531
Rigby, M., see Ho, M.W. (397) 267
Riley, R.S. and Rafter, G.W.
Activation of rabbit brain microsomal ($Na^+ + K^+$)-dependent ATPase by a leukocytic product (381) 120
Riley, R.S. and Rafter, G.W.
Further studies on the activation of microsomal ($Na^+ + K^+$)-ATPase by a leukocytic product (410) 382
Rinderknecht, H., see Geokas, M.C. (391) 396
Rindler-Ludwig, R. and Braunsteiner, H.
Cationic proteins from human neutrophil granulocytes. Evidence for their chymotrypsin-like properties (379) 606
Ringler, M.B. and Hilf, R.
Effect of esterogen on synthesis of glucose-6-phosphate dehydrogenase in R323OAC mammary tumors and uteri (411) 50
Riordan, J.R. and Gower, I.
Small copper-binding proteins from normal and copper-loaded liver (411) 393
Riottot, M., see Sacquet, E. (380) 52
Ripert, G., see Pommier, G. (389) 483
Ristau, O., see Rein, H. (393) 373
Ristow, H., Schazschneider, B., Bauer, K. and Kleinkauf, H.
Tyrocidine and linear gramicidin: Do these peptide antibiotics play an antagonistic regulative role in sporulation? (390) 246

Ristow, H., Schazschneider, B., Vater, J. and Kleinkauf, H.
Some characteristics of the DNA·tyrocidine complex and a possible mechanism of the gramicidin action (414) 1
Rittenberg, M.B., see Lincoln, D.R. (410) 279
Rivard, G.E., McLaren, J.D. and Brunst, R.F.
Incorporation of hypoxanthine into adenine and guanine nucleotides in human platelets (381) 144
Riviere, C., see Azoulay, E. (389) 236
Riviere, C., see Giordano, G. (389) 203
Riviere, C., Giordano, G., Pommier, J. and Azoulay, E.
Membrane reconstitution in chl-r mutants of Escherichia coli K 12. VIII. Purification and properties of the F_A factor, the product of the chl-B gene (389) 219
Robern, H., Stavric, S. and Dickie, N.
The application of QAE-Sephadex for the purification of two staphylococcal enterotoxins. I. Purification of enterotoxin C_2 (393) 148
Robern, H., Stavric, S. and Dickie, N.
The application of QAE-Sephadex for the purification of two staphylococcal enterotoxins. II. Purification of enterotoxin A (393) 159
Roberts, D.V., see Smith, G.D. (377) 197
Roberts, K.D., see Bleau, G. (375) 220
Roberts, K.D., see Lalumière, G. (394) 120
Roberts, W.K., see Sharma, O.K. (390) 327
Robertson, R.N., see Finer, E.G. (380) 320
Robey, W.G., see Ascione, R. (395) 509
Robin, A. and Kepes, A.
Inducible gluconate permease in a gluconate kinase-deficient mutant of Escherichia coli (406) 50
Robinovitch, M., see Keller, P.J. (379) 562
Robinovitch, M.R., Keller, P.J., Iversen, J. and Kauffman, D.L.
Demonstration of a class of proteins loosely associated with secretory granule membranes (382) 260
Robinson, G.B., see Cecil, D. (404) 164
Robinson, J.D.
Functionally distinct classes of K^+-sites on the ($Na^+ + K^+$)-dependent ATPase (384) 250
Robinson, J.D.
Interactions between K^+- and ATP-binding to the ($Na^+ + K^+$)-dependent ATPase (397) 194
Robinson, J.D.
Mechanism by which Li^+ stimulates the ($Na^+ + K^+$)-dependent ATPase (413) 459
Rock, C.O. and Snyder, F.
Short-chain acyl CoA:1-alkyl-2-acyl-sn-glycerol acyltransferase from a microsomal fraction of rabbit harderian gland (388) 226
Rodger, G.W., see Serafini-Fracassini, A. (386) 80
Rodgers, J.B.
Lipid absorption in bile fistula rats. Lack of a requirement for biliary lecithin (398) 92
Rodgers, J.B. and O'Connor, P.J.
Effect of phosphatidylcholine on fatty acid and cholesterol absorption from mixed micellar solutions (409) 192
Rodnight, R., see Weller, M. (389) 573
Rodriguez, R., see Fernández-Sousa, J.M. (393) 358
Roelofsen, B., see Demel, R.A. (406) 97
Roelofsen, B., see Zwaal, R.F.A. (406) 83
Rogez, J.C., Plaquet, R. and Biserte, G.
Guinea pig liver L-asparaginase: separation, purification and intracellular localisation of two distinct enzymatic activities (410) 370
Roguet, R. and Bourrillon, R.
Interaction between Dolichos biflorus lectin and chick embryonic fibroblasts at different stages of development (389) 380
Roisin, M.-P., see Daniel, J. (376) 195
Rojas, S., see Mennucci, L. (404) 249
Rojas-Espinosa, O., Arce-Paredoz, P., Dannenberg, Jr., A. and Kamenets, R.L.
Macrophage esterase: Identification, purification and properties of a chymotrypsin-like esterase from lung that hydrolyses and transfers nonpolar amino acid esters (403) 161

Rojkind, M. and Kershenobich, D.
Effect of colchicine on collagen, albumin and transferrin synthesis by cirrhotic rat liver slices (378) 415
Romeo, G., Di Matteo, G., D'Urso, M., Li, S.-C. and Li, Y.-T.
Characterization of human α-galactosidase A and B before and after neuraminidase treatment (391) 349
Romero-Herrera, A.E., see Darbre, P.D. (393) 201
Romero-Herrera, A.E. and Lehmann, H.
The myoglobin of primates. VII. Perodicticus potto edwarsi (Potto) (393) 205
Romero-Herrera, A.E. and Lehmann, H.
The primary structure of the myoglobin of Didelphis marsupialis (Virginia opossum) (400) 387
Romero-Herrera, A.E., Lehmann, H. and Fakes, W.
The primary structure of the myoglobin of the insectivore Erinaceus europaeus (Common European hedgehog) (379) 13
Romero-Herrera, A.E., Lehmann, H. and Fossey, D.
The myoglobin of primates. VIII. Gorilla gorilla beringei (Eastern highland gorilla) (393) 383
Romeu, A.M., Martino, E.E. and Stoppani, A.O.M.
Structural requirements for the action of steroids as quenchers of albumin fluorescence (409) 376
Romslo, I.
Energy-dependent accumulation of iron by isolated rat liver mitochondria. IV. Relationship to the energy state of the mitochondria (387) 69
Romslo, I. and Flatmark, T.
Energy-dependent accumulation of iron by isolated rat liver mitochondria. V. Effect on factors controlling respiration and oxidative phosphorylation (387) 80
Rone, M.S., see Borensztajn, J. (398) 394
Ronner, P., see Sigrist, H. (406) 433
Rooney, S.A., Gross, I., Gassenheimer, L.N. and Motoyama, E.K.
Stimulation of glycerolphosphate phosphatidyltransferase activity in fetal rabbit lung by cortisol administration (398) 433
Roos, P., Jacobson, G. and Wide, L.
Isolation of five active thyrotropin components from human pituitary gland (379) 247
Roos, P., Nyberg, L., Wide, L. and Gemzell, C.
Human pituitary luteinizing hormone. Isolation and characterization of four glycoproteins with luteinizing activity (405) 363
Root, M., see Buonassisi, V. (385) 1
Rosazza, J.P., see Davis, P.J. (385) 133
Rosen, B.P. and Adler, L.W.
Maintenance of the energized membrane state and its relation to active transport in Escherichia coli (387) 23
Rosen, D., Barr, R. and Crane, F.L.
Vanadium compounds and ferrocyanide as ionic redox agents in photosynthesis (408) 35
Rosen, S.D., see Simpson, D.L. (412) 109
Rosenberg, E., see Shabtai, Y. (403) 345
Rosenberg, H., see Horiguchi, M. (404) 333
Rosenberg, I.H., see Neumann, H. (391) 292
Rosenberg, L., see Strider, W. (379) 271
Rosenberg, M.D., see Elgart, E. (410) 178
Rosenfeld, J.L., Dutta, S.P., Chheda, G.B. and Tritsch, G.L.
Purine and pyrimidine inhibitors of arginase (410) 164
Rosenfeld, M.G., see Evans, G.A. (390) 342
Rosengren, J., Påhlman, S., Glad, M. and Hjertén, S.
Hydrophobic interaction chromatography on non-charged Sepharose derivatives. Binding of a model protein, related to ionic strength, hydrophobicity of the substituent, and degree of substitution (determined by NMR) (412) 51
Rosenthal, A.F., see Tyhach, R.J. (388) 29
Rosing, J., Harris, D.A., Kemp, Jr., A. and Slater, E.C.
Nucleotide-binding properties of native and cold-treated mitochondrial ATPase (376) 13
Rossi, F., see Patriarca, P. (385) 380
Roth, Jr., E.F., see Fischer, S. (375) 422
Roth, E.S., see Fellman, J.H. (381) 9

Roth, G.S.
Reduced glucocorticoid responsiveness and receptor concentration in splenic leukocytes of senescent rats (399) 145
Roth, S., see Shur, B.D. (415) 473
Rother, W., see Bhakdi, S. (406) 21
Rothstein, A., see Cabantchik, Z.I. (382) 621
Rotmans, J.P., see Lion, F. (384) 283
Rottem, S., see Hasin, M. (375) 381
Rottem, S., Hasin, M. and Razin, S.
The outer membrane of Proteus mirabilis. II. The extractable lipid fraction and electron-paramagnetic resonance analysis of the outer and cytoplasmic membranes (375) 395
Roukema, P.A., see Vreugdenhil, A.P. (413) 79
Roussel, G., see Monteil, H. (382) 465
Rowe, P.B., see Silink, M. (381) 28
Roy, A.B.
L-Ascorbic acid 2-sulphate: A substrate for mammalian arylsulphatases (377) 356
Roy, G., see Mar, T. (376) 345
Rozenberg, M.C., see Bishop, G.A. (384) 112
Rubin, A.B., see Paschenko, V.Z. (408) 143
Rubin, L.B., see Paschenko, V.Z. (408) 143
Rücker, W., see Capesius, I. (395) 67
Ruckpaul, K., see Rein, H. (393) 373
Ruddock, G.W., see Greenstock, C.L. (383) 464
Rudolph, J., see Arsenis, C. (391) 301
Rüegg, M. and Häni, H.
Infrared spectroscopy of the water vapor sorption process of caseins (400) 17
Ruëgg, M., Moor, U. and Blanc, B.
Hydration and thermal denaturation of β-lactoglobulin. A calorimetric study (400) 334
Ruoslahti, E., see Kuusela, P. (379) 295
Rusch, H.P., see LeStourgeon, W.M. (379) 529
Rushton, A.R. and Dawson, G.
Glycosphingolipid β-galactosidases of cultured mammalian cells. Characterization of the enzymes from mouse cell line LMTK⁻ and human Lesch-Nyhan fibroblasts (388) 92
Ryabova, I.D., Gorneva, G.A. and Ovchinnikov, Y.A.
Effect of valinomycin on ion transport in bacterial cells and on bacterial growth (401) 109
Ryhänen, L.
Hydroxylation of lysyl residues in lysine-rich and arginine-rich histones by lysyl hydroxylase in vitro (397) 50
Ryuzaki, M., see Tamai, Y. (398) 294

S

Saari, H., see Wikström, M. (408) 170
Sabater, B. and DelaFuente, G.
Kinetic properties and related changes of molecular weight in a fructokinase from Streptomyces violaceoruber (377) 258
Saber, M.A., see Meloun, B. (393) 505
Sackmann, E., see Galla, H.J. (401) 509
Sacquet, E., Van Heijenoort, Y., Riottot, M. and Leprince, C.
Action de la flore microbienne du tractus digestif sur le metabolisme des acides biliaires chex le rat (Action of microbial flora of the digestive tract on the metabolism of bile acids in the rat) (380) 52
Safford, R., Jeffcoat, R. and James, A.T.
Factors effecting the solubilisation of stearoyl-CoA desaturase of hen liver microsomes (409) 86
Sagara, J., see Matsutake, Y. (405) 347
Sagimura, T., see Sasajima, K. (403) 139
Saheki, T. and Holzer, H.
Proteolytic activities in yeast (384) 203
Saheki, T., see Kaji, A. (410) 354
St. John, T., see Johnson, J.D. (378) 424
Sairam, M.R. and Li, C.H.
Human pituitary lutropin. Isolation, properties, and the complete amino acid sequence of the β-subunit (412) 70
Saito, K., see Taniguchi, N. (391) 265
Saito, R., Estes, L.W. and Lombardi, B.
Reduced response to phenobarbital by the liver of rats fed a choline-deficient diet (381) 185
Saitoh, Y. and Ui, M.
Activation and inactivation of phosphorylase and glycogen synthetase during perfusion of rat liver as influenced by epinephrine, glucagon and hydrocortisone (404) 7
Saiz, J.L., see Albert, A. (386) 382
Sakaguchi, S., see Kawasaki, H. (385) 334
Sakai, H. and Komano, T.
Bacteriophage φX174 DNA synthesis in Escherichia coli HF4704S (dnaH^{ts}) cells (395) 433
Sakakibara, S., see Yamaguchi, K. (381) 1
Sakamaki, T., Fukuei, K., Takahashi, N. and Tanifuji, S.
Rapidly labeled intermediates in DNA replication in higher plants (395) 314
Sakamoto, M., see Sakamoto, S. (385) 41
Sakamoto, S., Sakamoto, M., Goldhaber, P. and Glimcher, M.J.
Studies on the interaction between heparin and mouse bone collagenase (385) 41
Sakamoto, W.
Immunochemical study of β-glucuronidase inhibitor from porcine sublingual gland. Interaction of β-glucuronidase inhibitor with a_2-macroglobulin (411) 195
Sakamoto, Y., see Wada, F. (410) 237
Sala, E., see Fermandjian, S. (399) 313
Salahuddin, A., see Waheed, A. (379) 147
Salas, J., see Pellicer, A. (378) 107
Salas, M.L., see Pellicer, A. (378) 107
Salganicoff, L., Hebda, P.A., Yandrasitz, J. and Fukami, M.H.
Subcellular fractionation of pig platelets (385) 394
Salmon, A., see Vickery, L. (386) 87
Salmon, J.-M., see Kohen, E. (396) 149
Salmon, Jr., W.D., see Holladay, L.A. (381) 47
Salser, J.S. and Balis, M.E.
Relationships between non-extractable DNA and the bacterial growth cycle (378) 22
Salton, M.R.J., see Owen, P. (406) 214
Salton, M.R.J., see Owen, P. (406) 235
Saman, E., see Claeyssens, M. (405) 475
Sameshima, M. and Izawa, M.
Properties and synthesis of multiple components in native small ribosomal subunits of mouse ascites tumor cells (378) 405
Sampson, J., see Kay, J.E. (378) 241

Samuel, T., see Kolk, A.H.J. (393) 307
Samuelsson, B.E., see Smith, E.L. (388) 171
Samuelsson, B.E., see Smith, E.L. (398) 84
Samuilov, V.D., see Barksy, E.L. (387) 388
Sanadi, D.R., see Houghton, R.L. (396) 17
Sanchez, L., see Jimenez, A. (383) 427
Sandberg, H.E., see Bray, T.M. (382) 534
Sandeaux, R., see Gavach, C. (413) 33
Sanders, J.P.M., see Groot, G.S.P. (378) 186
Sanders, S.S., see Graves, C.N. (389) 550
Sandow, A., Pagala, K.M.D. and Sphicas, E.C.
Excitation-contraction coupling. Effects of "zero" - Ca^{2+} medium (404) 157
Sandros, T., see Borensztajn, J. (398) 394
Sands, J., see Cupp, J. (389) 345
Sands, R.H., see Anderson, R.E. (408) 306
Sands, R.H., see Schepler, K.L. (397) 510
Sano, K., Anemura, A. and Harada, T.
Purification and properties of a β-1,6-glucosidase from Flavobacterium (377) 410
Saphon, S., see Jackson, J.B. (408) 83
Saphon, S., Jackson, J.B., Lerbs, V. and Witt, H.T.
The functional unit of electrical events and phosphorylation in chromatophores from Rhodopseudomonas (408) 58
Saphon, S., Jackson, J.B. and Witt, H.T.
Electrical potential changes, H^+ translocation and phosphorylation induced by short flash excitation in Rhodopseudomonas sphaeroides chromatophores (408) 67
Saraste, M., see Kuronen, T. (393) 48
Sarda, L., see Julien, R. (379) 157
Sardovia, M., see Matthews, R.H. (394) 182
Sargent, M.G.
Control of membrane protein synthesis in Bacillus subtilis (406) 564
Sarma, D.S.R., see Parodi, S. (407) 174
Sasajima, K., Kawachi, T., Sato, S. and Sugimura, T.
Purification and properties of α,α-trehalase from the mucosa of rat small intestine (403) 139
Sasaki, R., see Takeuchi, T. (403) 456
Sashchenko, L.P., see Nesterova, M.V. (377) 271
Sashchenko, L.P., see Severin, E.S. (384) 413
Sasvári-Székely, M., Vitéz, M., Staub, M. and Antoni, F.
Determination of UTP and ATP pool sizes in human tonsillar lymphocytes by using Escherichia coli RNA polymerase (395) 221
Sato, K.
Serum-induced inhibition of isotonic fluid absorption by the kidney proximal tubule. III. Further evidence that complement-mediated cell lysis is involved (411) 144
Sato, M. and Yamashina, I.
Intracellular distribution of β-galactosidase in mucosal cells from hog small intestine (397) 179
Sato, S., see Akasaka, K. (412) 120
Sato, S., see Kobayashi, M. (377) 343
Sato, S., see Oki, T. (410) 262
Sato, S., see Sasajima, K. (403) 139
Sato, S. and Uchida, T.
On the interaction of ribonuclease U_2 and substrate analogues (383) 168
Sato, T., see Okada, Y. (413) 104
Satoh, H., see Kaneko, I. (411) 334
Satoi, S., see Nakatani, H. (391) 415
Satre, M., de Jerphanion, M.-B., Huet, J. and Vignais, P.V.
ATPase inhibitor from yeast mitochondria. Purification and properties (387) 241
Sattler, M., see Wenger, D.A. (409) 297
Sauer, F.D., see Dow-Walsh, D.S. (396) 125
Sauer, K., see Babcock, G.T. (376) 315
Sauer, K., see Babcock, G.T. (376) 329
Sauer, K., see Babcock, G.T. (396) 48
Sauer, K., see Blankenship, R.E. (387) 165
Sauer, K., see Ley, A.C. (387) 379
Sauer, K., see Vickery, L. (386) 87
Saunders, S.J., see Lloyd, E.A. (402) 113
Saunders, T.E., see Naso, R.B. (383) 195
Saunders, V.A. and Jones, O.T.G.
Detection of two further b-type cytochromes in Rhodopseudomonas spheroides (396) 220
Savrda, J., see Fermandjian, S. (399) 313

Sawamura, T., see Negishi, M. (381) 215
Sawatzki, G., see Wendel, A. (377) 211
Sawyers, D.L., see Foster, M. (393) 597
Sayavedra, M.S. and Eliceiri, G.L.
Regulation of species-specific ribosomal RNA in a somatic hybrid cell (378) 216
Sayeed, M.M., see Chaudry, I.H. (399) 85
Scamman, J.P., Zawacki, J.K., McMurrich, B.J. and Babior, B.M.
Glycosidases of rat Kupffer cells, hepatocytes and peritoneal macrophages (404) 281
Scandalios, J.G., see Yang, N.-S. (384) 293
Scanu, A.M., see Kruski, A.W. (409) 26
Scardi, V., see Silano, V. (391) 170
Schachtschabel, D.O., Yooktatat, J. and Hirschhäuser, C.
Changes in enzyme pattern of Ehrlich ascites tumor cells following serial cultivation in media with increased (hypertonic) NaCl contant (381) 242
Schalch, W. and Bode, W.
Involvement of tyrosine residues in the protomer-protomer interaction of Proteus mirabilis flagella as studied by spectroscopic methods, chemical modification and aggregation experiments (405) 292
Schapira, G., see Delaunay, J. (386) 138
Schaub, M., see Pfister, M. (410) 193
Schazschneider, B., see Ristow, H. (390) 246
Schazschneider, B., see Ristow, H. (414) 1
Scheller, F., Jänchen, M., Lampe, J., Prümke, H.-J., Blanck, J. and Palecek, E.
Studies on electron transfer between mercury electrode and hemoprotein (412) 157
Schellman, J., see Elwell, M. (386) 309
Schepler, K.L., Dunham, W.R., Sands, R.H., Fee, J.A. and Abeles, R.H.
A physical explanation of the EPR spectrum observed during catalysis by enzymes utilizing coenzyme B_{12} (397) 510
Scherphof, G. and Westenberg, H.
Stimulation and inhibition of pancreatic phospholipase A_2 by local anesthetics as a result of their interaction with the substrate (398) 442
Schiefke, R., see Burr, A.H. (405) 404
Schimmel, R.J.
Characterization of a colchicine receptor protein in rat epididymal adipose tissue (399) 181
Schimmer, B.P., see Mookerjea, S. (384) 381
Schimpfessel, L., see Wiesenfeld, M. (405) 500
Schirmer, H., see Zimmer, G. (401) 244
Schlenk, F. and Dainko, J.L.
The S-n-propyl analogue of S-adenosylmethionine (385) 312
Schlenk, H., see Gellerman, J.L. (388) 277
Schlessinger, D., see Chaney, S.G. (378) 80
Schlessinger, D., see Nikolaev, N. (395) 478
Schlessinger, J., see Gafni, A. (387) 256
Schlusselberg, J. and Paredes, S.
The use of computed activity coefficients in Raoult's reference system, for n-alcohol/water mixtures, and their application to the study of proteins (405) 89
Schmid, H.H.O., Bandi, P.C., Chang, N.C., Madson, T.H. and Baumann, W.J.
Ether lipid matabolism. Incorporation of O-hexadeyl ethanediol into rat brain lipids (409) 311
Schmid, H.H.O., see Su, K.L. (380) 119
Schmid, R. and Junge, W.
Current-voltage studies on the thylakoid membrane in the presence of ionophores (394) 76
Schmid, W. and Sekeris, C.E.
Nucleolar RNA synthesis in the liver of partially hepatectomized and cortisol-treated rats (402) 244
Schmidt, P.G., see Wydrzynski, T. (408) 349
Schmidt-Ullrich, R., see Lin, P.S. (401) 73
Schmidt-Ullrich, R., Wallach, D.F.H. and Hendricks, J.
Concanavalin A-reactive protein of rabbit thymocyte plasma membranes. Analysis by crossed immune electrophoresis and sodium dodecylsulfate/polyacrylamide gel electrophoresis (382) 295
Schmidt-Ullrich, R., see Verma, S.P. (394) 633

Schmitt, J.M., see Herrmann, R.G. (378) 305
Schmitz, J., see Maestracci, D. (382) 147
Schmut, O. and Hofmann, H.
Studies on the generation of hydrogen peroxide during some non-enzymic reactions changing the hyaluronic acid molecule (411) 231
Schneider, A.S., see Finch, E.D. (406) 146
Schneider, D., see Bittlingmaier, K. (407) 384
Schneider, E.F., see Barran, L.R. (392) 148
Schneider, F., see Löffler, H.G. (386) 221
Schneider, P.B.
Activation of bovine liver glycerol kinase by ethanol (397) 110
Schneider, R.G., Atkins, R.J., Hosty, T.S., Tomlin, G., Casey, R., Lehmann, H., Lorkin, P.A. and Nagai, K.
Haemoglobin Titusville: α94 Asp→Asn; a new haemoglobin with a lowered affinity for oxygen (400) 365
Schneider, R.G., see Brimhall, B. (379) 28
Schneider, W., see Gear, A.R.L. (392) 111
Schnek, A.G., see Deconinck, M. (386) 567
Schnepel, G.H., see Schummer, U. (394) 93
Schochot, L., see Giloh (Freundenberg), H. (414) 309
Scholte, H.R. and Groot, P.H.E.
Organ and intracellular localization of short-chain acyl-CoA synthetases in rat and guinea-pig (409) 283
Scholz, R.W., see Evans, R.M. (381) 278
Schoner, W., see Patzelt-Wenczler, R. (403) 538
Schopfer, P., see Acton, G.J. (404) 231
Schotz, M.E., see Henson, L.C. (409) 360
Schouten, V.J.A., see Van Venrooij, G.E.P.M. (394) 620
Schrager, R.I., see Hendler, R.W. (376) 42
Schramm, M., see Wallach, D. (375) 87
Schramm, M., see Wallach, D. (382) 552
Schreiber, U. and Vidaver, W.
Analysis of anaerobic fluorescence decay in Scenedesmus obliquus (387) 37
Schreiner, Ø., see Lien, T. (384) 168
Schreiner, Ø., Lien, T. and Knutsen, G.
The capacity for arylsulfatase synthesis in synchronous and synchronized cultures of Chlamydomonas reinhardti (384) 180
Schremmer Lockmiller, J.M., see Wykle, R.L. (380) 291
Schreurs, V.V.A.M., Swarts, H.G.P., de Pont, J.J.H.H.M. and Bonting, S.L.
Role of calcium in exocrine pancreatic secretion. I. Calcium movements in the rabbit pancreas (404) 257
Schrøder, K., see Spaeren, U. (395) 413
Schroter, W., see Tillmann, W. (382) 157
Schulman, H.M.
Evidence supporting a physiological role for the hemin-controlled translational repressor of globin synthesis in reticulocytes (414) 161
Schulster, D., see Palfreyman, J.W. (404) 221
Schultz, J.C. and Takayama, K.
The role of mannosyl phosphoryl polyisoprenol in glycoprotein biosynthesis in mycobacterium smegmatis (381) 175
Schulz, R.M., Iammartino, A.J. and Aktipis, S.
Circular dichroism study of the conformation of ultraviolet-irradiated ribonuclease A (386) 120
Schummer, U., Hegner, D., Schnepel, G.H. and Wellhöner, H.H.
Investigations of thermotropic phase changes in peripheral nerve of frog and rat. A spin label study (394) 93
Schürmann, P. and Buchanan, B.B.
Role of ferredoxin in the activation of sedoheptulose diphosphatase in isolated chloroplasts (376) 189
Schutgens, R.B.H., see Arnberg, A.C. (383) 359
Schwartz, A., see Pitts, B.J.R. (401) 184
Schwartz, E., see Asakura, T. (412) 197
Schwartz, R.D., see May, S.W. (403) 245
Schwarz, G. and Seelig-Löffler, A.
Aggregation of linear biopolymers induced by cooperative binding of ligands (379) 125
Schweppe, J.S., see Basu, M.K. (398) 385
Schyns, R., see Bricteux-Grégoire, S. (386) 244
Scott, Jr., H.L.
A theoretical model for lipid monolayer phase transitions (406) 329
Scott, J.M., see Davidson, G.E. (392) 207

Scott, M., see Mosbach, K. (403) 256
Scott, R.E., see Furcht, L.T. (401) 213
Searcy, D.G.
Histone-like protein in the prokaryote Thermoplasma acidophilum (395) 535
Sedliaková, M., see Slezáriková, V. (390) 28
Seeley, P.J., see Dwek, R.A. (377) 26
Seelich, T., see Furlan, M. (400) 112
Seelig, A. and Seelig, J.
Bilayers of dipalmitoyl-3-sn-phosphatidylcholine. Conformational differences between the fatty acyl chains (406) 1
Seelig, J., see Seelig, A. (406) 1
Seelig-Löffler, A., see Schwarz, G. (379) 125
Seguin, E.B., see Lapetina, E.G. (398) 118
Sehlin, J., see Hellman, B. (392) 101
Sehlin, R.C., Cussler, E.L. and Evans, D.F.
Diffusion in bile and its implications on detergency (388) 385
Seibert, M., see Yu.W. (387) 159
Seifart, K.H., see Benecke, B.J. (414) 44
Seiter, C.H.A., see Lichtenberg, D. (382) 10
Sekeris, C.E., see Schmid, W. (402) 244
Seki, S., LeMahieu, M. and Mueller, G.C.
A permeable cell system for studying DNA replication in synchronized HeLa cells (378) 333
Seki, S. and Mueller, G.C.
A requirement for RNA, protein and DNA synthesis in the establishment of DNA replicase activity in synchronized HeLa cells (378) 354
Sekiguchi, M., see Katsuki, M. (383) 188
Sekiguchi, M., see Tanaka, J. (383) 178
Semenza, G., see Kessler, M. (413) 444
Semenza, G., see Sigrist, H. (406) 433
Semler, B.L., Hodson, R.C., Williams, II, S.K. and Howell, S.H.
The induction of allophanate lyase during the vegetative cell cycle in light synchronized cultures of Chlamydomonas reinhardi (399) 71
Semmel, M., see Israel, A. (375) 224
Senda, N., see Shibata, N. (400) 222
Sensky, T.E., Haines, M.E. and Rees, K.R.
Half-life of polyadenylated polysomal RNA from normal and transformed cells in monolayer culture (407) 430
Serafini-Fracassini, A., Field, J.M., Rodger, G.W. and Spina, M.
Application of affinity chromatography to the purification of collagenase for the isolation of insoluble elastin (386) 80
Serafini-Fracassini, A., see Spina, M. (400) 162
Serjeant, B.E., see Ahern, E. (393) 188
Serjeant, G.R., see Ahern, E. (393) 188
Sestoft, L. and Fleron, P.
Kinetics of glycerol uptake by the perfused rat liver. Membrane transport, phosphorylation and effect on NAD redox level (375) 462
Sethi, V.S. and Gallo, R.C.
Deoxyribonucleic acid-dependent ribonucleic acid polymerases from spleen of uninfected and Rauscher murine leukemia virus-infected NIH swiss mice (378) 269
Seufert, W.D., see Bessette, F. (375) 10
Severin, E.S., see Nesterova, M.V. (377) 271
Severin, E.S., Nesterova, M.V., Sashchenko, L.P., Rasumova, V.V., Tunitskaya, V.L., Kochetkov, S.N. and Gulyaev, N.N.
Investigation of the adenosine 3′,5′-cyclic phosphate binding site of pig brain histone kinase with the aid of some analogues of adenosine 3′,5′-cyclic phosphate (384) 413
Sha'afi, R.I., see Feinstein, M.B. (413) 354
Shabtai, Y., Rosenberg, E. and Kindler, S.H.
Aspartokinase isoenzymes of the fruiting myxobacterium Myxococcus xanthus (403) 345
Shafferman, A. and Stein, G.
Study of biochemical redox processes by the technique of pulse radiolysis (416) 287
Shafrir, E., see Diamant, Y.Z. (385) 257
Shafritz, D.A., see Drysdale, J.W. (383) 97
Shah, V.K., see Davis, L.C. (403) 67
Shah, V.K., Davis, L.C. and Brill, W.J.
Nitrogenase. VI. Acetylene reduction assay: Dependence of nitrogen fixation estimates on component ratio and acetylene concentration (384) 353

Shah, V.K., see Münck, E. (400) 32
Shalitin, C. and Fischer, I.
Abundant species of poly(A)-containing RNA from Saccharomyces cerevisiae (414) 263
Shalatin, Y., see Gold, R. (410) 421
Shamgar, F.A. and Collins, F.D.
Incorporation ortho[^{32}P]phosphate into phosphatidylcholines and phosphatidylethanolamines in rat skeletal muscle (409) 104
Shamgar, F.A. and Collins, F.D.
Biosynthesis of phosphoglycerides in skeletal muscle in control rats and in rats deficient in essential fatty acids (409) 116
Shami, . see Messer, H.H. (391) 61
Shami, Y., Messer, H.H. and Copp, D.H.
Calcium uptake by placental plasma membrane vesicles (401) 256
Shanmugam, K.T., Chan, I. and Morandi, C.
Regulation of nitrogen fixation. Nitrogenase-derepressed mutants of Klebsiella pneumoniae (408) 101
Shapiro, A.B., see Kuznetsov, A.N. (379) 139
Shapiro, B., see Caras, I. (409) 201
Shapiro, M., see Asakura, T. (412) 197
Shapiro, S.L., see Campillo, A.J. (387) 533
Shapiro, S.S. and Poon, J.P.
Apparent sulfation of glycosaminoglycans by ascorbic acid 2-[^{35}S]sulphate: an explanation (385) 221
Sharma, O.K., Roberts, W.K., Beezley, D.N. and Borek, E.
A transfer RNA-dependent protein synthesizing system from Ehrlich ascites extracts (390) 327
Sharma, R.K., Kisliuk, R.L., Verma, S.P. and Wallach, D.F.H.
Srudy of thymidylate synthetase-function by laser Raman spectroscopy (391) 19
Sharma, R.S., Williams, L., Wilson, J.B. and Huisman, T.H.J.
Hemoglobin-A_2-Coburg or $\alpha_2\delta_2$ 116 Arg His (G18) (393) 379
Shaw, E.R., see Ke, B. (408) 12
Shawky, N.A.F., see Gilbert, G.A. (379) 488
Shechter, E., see Overath, P. (389) 358
Shefer, S., see Raicht, R.F. (388) 374
Shenoy, T.S. and Clifford, A.J.
Adenine nucleotide metabolism in relation to purine enzymes in liver, erythrocytes and cultured fibroblasts (411) 133
Shepherd, D.A.L., see Edwards, E.M. (399) 217
Shepherd, G., see Papahadjopoulos, D. (394) 504
Sherod, D., Johnson, G., Balhorn, R., Jackson, V., Chalkley, R. and Granner, D.
The phosphorylation region of lysine-rich histone in dividing cells (381) 337
Sherwin, J.R. and Tong, W.
Thyroidal autoregulation. Iodine-induced suppression of thyrotropin-stimulated cyclic AMP production and iodinating activity in thyroid cells (404) 30
Shibaev, V.N., see Druzhinina, T.N. (381) 301
Shibaev, V.N., see Druzhinina, T.N. (403) 1
Shibaev, V.N., Eliseeva, G.I. and Kochetkov, N.K.
Interaction of uridine diphosphate glucose analogs with calf liver uridine diphosphate glucose dehydrogenase. Influence of substituents at C-5 of pyrimidine nucleus (403) 9
Shibata, K., see Ichikawa, T. (408) 228
Shibata, K., see Inoue, Y. (379) 653
Shibata, N., Tatsumi, N., Tanaka, K., Okamura, Y. and Senda, N.
Leucocyte myosin and its location in the cell (400) 222
Shibata, S., see Ohba, Y. (405) 155
Shieh, J.J., Tamaye, R. and Yasunobu, K.T.
A purification procedure for the isolation of homogeneous preparations of bovine aorta amine oxidase and a study of its lysyl oxidase activity (377) 229
Shigehisa, S., see Yamaguchi, K. (381) 1
Shigeura, H.T., Hen, A.C. and Hoogsteen, K.
Drug-induced supression of phospholipid synthesis in HeLa cells by inhibition of choline uptake (388) 180
Shimamoto, T., see Hidaka, H. (377) 103
Shimizu, H., see Matsutake, Y. (405) 347

Shimazu, T. and Amakawa, A.
Regulation of glycogen metabolism in liver by the autonomic nervous system. VI. Possible mechanism of phosphorylase activation by the splanchnic nerve (385) 242
Shimokawa, K., see Ohtsuka, E. (383) 236
Shin, B.C., see Carraway, K.L. (382) 181
Shinada, S. and Hampton, J.W.
The separation of S-carboxymethylated human fibrinogen chains with a single carboxymethyl-cellulose chromatography (412) 357
Shinjyo, S., Abe, H. and Masuda, M.
Carbohydrate composition of horse spleen ferritin (411) 165
Shinnick, C., see Poulik, M. (412) 326
Shiota, T., see Jackson, R.J. (403) 232
Shipp, D.W. and Bowness, J.M.
Insoluble non-collagenous cartilage glycoproteins with aggregating subunits (379) 282
Shirai, D., see Yuasa, S. (413) 277
Shishido, K. and Ando, T.
Site-specific fragmentation of bacteriophage T5 DNA by single-strand-specific S1 endonuclease (390) 125
Shiverick, K.T., Thomas, L.L. and Alpert, N.R.
Purification of cardiac myosin: Application to hypertrophied myocardium (393) 124
Shlyapnikov, S.V., see Dudkin, S.M. (386) 275
Shnoll, S.E. and Chetverikova, E.P.
Synchronous reversible alterations in enzymatic activity (conformational fluctuations) in actomyosin and creatine kinase preparations (403) 89
Shoemaker, R.L., see Graves, C.N. (389) 550
Short, M.N., see Rees, M.W. (393) 15
Showell, H.J., see Tsung, P.K. (403) 98
Shporer, M. and Civan, M.M.
NMR study of ^{17}O from $H_2{}^{17}O$ in human erythrocytes (385) 81
Shrago, E., see Majumder, G.P. (384) 399
Shur, B.D. and Roth, S.
Cell surface glycosyltransferases (415) 473
Shuster, J., see Fuks, A. (417) 123
Shuttleworth, C.A., Forrest, L. and Jackson, D.S.
Comparison of the cyanogen bromide peptides of insoluble guinea-pig skin and scar collagen (379) 207
Sidhu, K.S., Liu, T.Y., Camp, C.E. and Marsh, J.M.
Subcellular localization and partial characterization of bovine corpus luteum adenylate cyclase (397) 254
Siefermann, D. and Yamamoto, H.Y.
Light-induced de-epoxidation of violaxanthin in lettuce chloroplasts. IV. The effects of electron-transport conditions on violaxanthin availability (387) 149
Siegel, F.L., see Childers, S.R. (405) 99
Siegel, G.J., Tormay, A. and Candia, O.A.
Microsomal ($Na^+ + K^+$)-activated ATPase from frog skin epithelium. Cation activations and some effects of inhibitors (389) 557
Siegel, I.A., see Izutsu, K.T. (382) 193
Siegfried, C.M., Doisy, Jr., E.A. and Elliott, W.H.
Bile acids. XLIV. Quantitation of bile acids from the bile fistula rat given [4-^{14}C]cholesterol (380) 66
Sievers, G., see Ellfolk, N. (405) 213
Sigrist, H., Ronner, P. and Semenza, G.
A hydrophobic form of the small-intestinal sucrase-isomaltase complex (406) 433
Sigrist-Nelson, K.
Dipeptide transport in isolated intestinal brush border membrane (394) 220
Silano, V., Furia, M., Gianfrida, L., Macri, A., Palescandolo, R., Rab, A., Scardi, V., Stella, E. and Valfré, F.
Inhibition of amylase from different origins by albumins from the wheat kernel (391) 170
Silink, M. and Rowe, P.B.
The localization of glutamate carboxypeptidase in rat liver lysosomes (381) 28
Silverman, M. and Black, J.
High affinity phlorizin receptor sites and their relation to the glucose transport mechanism in the proximal tubule of dog kidney (394) 10
Silverman-Jones, C.S., see De Luca, L.M. (409) 342
Simic, M.G., see Goff, H. (392) 201
Simon, J.B. see Poon, R.W.M. (384) 138

Simon, S.A., Lis, L.J., Kauffman, J.W. and MacDonald, R.C.
A calorimetric and monolayer investigation on the influence of ions on the thermodynamic properties of phosphatidylcholine (375) 317
Simoncsits, A. and Tomasz, J.
A simple one-step synthesis of ribonucleoside 2′,3′-cyclic phosphate 5′-phosphates (395) 74
Simons, K., see Helenius, A. (415) 29
Simonson, L.P., Bär, H.-P., Jastorff, B. and Hitkari, R.
An extended scatchard analysis for competitively bound ligands and its application to adenosine-3′,5′-cyclic monophosphate and 5′-amido-5′-deoxyadenosine-3′,5′-cyclic monophosphate binding to beef skeletal muscle protein (379) 114
Simpson, D.L., Rosen, S.D. and Barondes, S.H.
Pallidin. Purification and characterization of a carbohydrate-binding protein from Polysphondylium pallidum implicated in intercellular adhesion (412) 109
Simpson, E.R. and Williams-Smith, D.L.
Effect of calcium (ion) uptake by rat adrenal mitochondria on pregnenolone formation and spectral properties of cytochrome P-450 (404) 309
Simpson, L., see Greenfield, L. (407) 365
Sims, T.J., see Bailey, A.J. (405) 412
Šimúth, J., Zelinka, J. and Polek, B.
Polynucleotide phosphorylase from Streptomyces aureofaciens. Purification and properties (379) 397
Sin, I.L.
Purification and properties of xanthine dehydrogenase from Pseudomonas acidovorans (410) 12
Sineriz, F., see Farías, R.N. (415) 231
Singer, J.A. and Morrison, M.
The effect of metabolic state on phytohemagglutinin-P agglutination of normal human erythrocytes (406) 553
Singh, A.P. and Bragg, P.D.
Reduced nicotinamide adenine dinucleotide-dependent reduction of fumarate coupled to membrane energization in a cytochrome-deficient mutant of Escherichia coli K12 (396) 229
Singh, R.D., see Farkas, W.R. (377) 166
Sinskey, A.J., see Imada, A. (395) 490
Sirotnak, F.M., see McCuen, R.W. (384) 369
Sirsi, M., see Nayak, R. (378) 195
Sixma, J.J., see Akkerman, J.W.N. (397) 395
Sjodin, R.A., see Beaugé, L.A. (389) 189
Sjösten, J., see Israelachvili, J. (382) 125
Skala, J.P. and Knight, B.L.
Protein kinases in brown adipose tissue of developing rats. I. GTP as nucleotide substrate for histone phosphorylation (385) 114
Skala, J.P., see Knight, B.L. (385) 124
Skapski, A.C., see Collins, A.D. (402) 1
Skerrett, R.J.
Interactions between the macromolecule and the gradient-forming solute in isopycnic sedimentation (385) 28
Skou, J.C., see Klodos, I. (391) 474
Skulachev, V.P., see Archakov, A.I. (408) 93
Skulachev, V.P., see Barksy, E.L. (387) 388
Skulskii, I.A., Manninen, V. and Järnefelt, J.
Thallium inhibition of ouabain-sensitive sodium transport and of the ($Na^+ + K^+$)-ATPase in human erythrocytes (394) 569
Skyring, G.W., see Jones, H.E. (377) 52
Slanicka, J., see Konecny, J. (403) 573
Slater, E.C., see Bertina, R.M. (376) 492
Slater, E.C., see De Kok, J. (376) 27
Slater, E.C., see De Kok, J. (387) 441
Slater, E.C., see Grimmelikhuijzen, C.J.P. (376) 533
Slater, E.C., see Harris, D.A. (387) 335
Slater, E.C., see Jacobs, J.M.C. (376) 446
Slater, E.C., see Rosing, J. (376) 13
Slayman, C.W., see Lowendorf, H.S. (389) 541
Slayman, C.W., see Lowendorf, H.S. (413) 95
Slegers, J.F.G., see Hansen, T. (382) 590
Slezáriková, V., Mašek, F. and Sedliaková, M.
Survival and ability to synthesize intact DNA molecules after ultraviolet irradiation in Escherichia coli cells (390) 28

Slinde, E., Pedersen, J.I., Grynne, B. and Aas, M.
The intracellular localization of long-chain acyl-CoA synthetase in brown adipose tissue (398) 191
Slomiany, A. and Slomiany, B.L.
Blood group A active difucosyl glycolipid from hog gastric mucosa (388) 135
Slomiany, B.L., see Slomiany, A. (388) 135
Sly, D.A., Grohlich, D. and Bezkorovainy, A.
Transferrin in the reticulocyte cytosol (385) 36
Smarra, N., see Spartalian, K. (399) 203
Smida, J., see Ascione, R. (395) 509
Smith, E.L., McKibbin, J.M., Breimer, M.E., Karlsson, K.A., Pascher, I. and Samuelsson, B.E.
Identification of a novel heptaglycosylceramide with two fucose residues and a terminal hexosamine (398) 84
Smith, E.L., McKibbin, J.M., Karlsson, K.-A., Pascher, I. and Samuelsson, B.E.
Main structures of the forssman glycolipid hapten and an Le^b-like glycolipid of dog snall intestine, as revealed by mass spectrometry of intact molecules. Difference in ceramide structure related to tissue localization (388) 171
Smith, G.D., Roberts, D.V. and Kuchel, P.W.
Active site directed effectors of allosteric enzymes (377) 197
Smith, H., see Johnson, C. (385) 11
Smith, I.C.P., see Stockton, G.W. (401) 535
Smith, L.L., see Wrightstone, R.N. (412) 283
Smith, M.B. and Back, J.F.
Thermal transitions in the low density lipoprotein and lipids of the egg yolk of hens (388) 203
Smith, N., see Strøm, A.R. (383) 325
Smith, P.A. and Case, R.M.
Effects of cholera toxin on cyclic adenosine 3′,5′-monophosphate concentration and secretory processes in the exocrine pancreas (399) 277
Smith, P.G.
Frequency dependence of the frog skin impedance (375) 124
Smith, R.A., see Pritchard, D.G. (404) 289
Smith, R.W.
The effects of pregnancy and lactation on the activities in rat liver of some enzymes associated with glucose metabolism (411) 22
Smith, W.I., Ladoulis, C.T., Misra, D.N., Gill, III, T.J. and Bazin, H.
Lymphocyte plasma membranes. III. Composition of lymphocyte plasma membranes from normal and immunized rats (382) 506
Smithies, O., see Poulik, M. (412) 326
Smuckler, E.A., see Riddle, M.C. (388) 339
Smyth, C.J., Freer, J.H. and Arbuthnott, J.P.
Interaction of Clostridium perfringens θ-haemolysin, a contaminant of commercial phospholipase C, with erythrocyte ghost membranes and lipid dispersions. A morphological study (382) 479
Snipes, W., see Cupp, J. (389) 345
Snipes, W., see Keith, A.D. (394) 204
Snyder, F., see Blank, M.L. (380) 208
Snyder, F., see El-Bassiouni, E.A. (388) 5
Snyder, F., see Lee, T.-C. (409) 218
Snyder, F., see Rock, C.O. (388) 226
Snyder, L.M., Neri, L.L., Rice, R. and Fortier, N.
^{32}P distribution into 2,3-bisphosphoglyceric acid from human erythrocytes following molybdate catalyzed hydrolysis (381) 157
Sobue, M., see Fukunaga, Y. (381) 443
Socher, S.H., see Jaffe, R.C. (399) 403
Sodhi, H.S., see Sundaram, G.S. (388) 349
Sogami, M., Itoh, K.B. and Nemoto, Y.
Fluorescence polarization studies on the conformational transition of bovine plasma albumin in acidic solutions (393) 446
Sogor, B.V. and Zull, J.E.
Studies of a serum albumin-liposome complex as a model lipoprotein membrane (375) 363
Sokolovsky, M., see Neumann, H. (381) 292
Soll, D.R., see Yarger, J. (390) 46
Solomon, A.K., Milgram, J. and Kirkwood, D.H.

Observations on Levitt's "New theory of transport" (406) 157
Solomon, A.K., see Ting, P. (406) 447
Sonawane, B.R. and Lucier, G.W.
Hepatic and extrahepatic N-acetyltransferase. Perinatal development using a new radioassay (411) 97
Song, S.W., see Davidson, S.J. (375) 274
Sonoki, S. and Ikezawa, H.
Studies on phospholipase C from Pseudomonas aureofaciens. I. Purification and some properties of phospholipase C. (403) 412
Soodak, M., see Neary, J.T. (379) 262
Sorbi, R.T. and Cavaggioni, A.
Effect of strong illumination on the ion efflux from the isolated discs of frog photoreceptors (394) 577
Sorensen, H.C., see Lowe, J.N. (385) 343
Soroka, M., see Moore, L.E. (382) 286
Sorrentino, S., see Libonati, M. (407) 292
Spaeren, U., Schrøder, K., Sudbery, C., Bjørklid, E. and Prydz, H.
DNA synthesis in HeLa cell nuclei isolated in a non-aqueous medium (395) 413
Spagnuolo, S., see Leoni, S. (394) 317
Spartalian, K., Oosterhuis, W.T. and Smarra, N.
Mössbauer effect studies in the fungus phycomyces (399) 203
Spasokukotskaya, T.N., see Budowsky, E.I. (390) 1
Spaulding, D.R., see Breslow, J.L. (398) 10
Spector, A.A., see Brenneman, D.E. (387) 301
Spencer, R. and Cross, G.A.M.
Purification and properties of nucleic acids from an unusual cytoplasmic organelle in the flagellate protozoan Crithidia oncopelti (390) 141
Sphicas, E.C., see Sandow, A. (404) 157
Spiker, Jr., R.C. and Levin, I.W.
Raman spectra and vibrational assignments for dipalmitoyl phosphatidylcholine and structurally related molecules (388) 361
Spiker, S.
An evolutionary comparison of plant histones (400) 461
Spina, M., Garbin, G., Field, J.M. and Serafini-Fracassini, A.
The application of collagenase, purified by affinity chromatography, to the isolation of insoluble elastin from bovine aorta (400) 162
Spina, M., see Serafini-Fracassini, A. (386) 80
Spiro, T.G.
Resonance Raman spectroscopic studies of heme proteins (416) 169
Spitzbath, P., see Ogilvie, A. (407) 357
Sponar, J., see Votavova, H. (383) 370
Spooner, P.M. and Edelman, I.S.
Further studies on the effect of aldosterone on electrical resistance of toad bladder (406) 304
Sprecher, H., see Bernert, Jr., J.T. (398) 354
Sprecher, H. and Duffy, M.P.
The biosynthesis and turnover of different molecular species of rat testicular choline phosphoglycerides and triacylglycerols following intratesticular injection with [1(3)-^{14}C]-glycerol (380) 21
Sprecher, H. and Lee, C.-J.
The absence of an 8-desaturase in rat liver: A reevaluation of optional pathways for the metabolism of linoleic and linolenic acids (388) 113
Sprengers, E.D., see Kamp, H.H. (398) 415
Sreenavasan, A., see Prakash, R.K. (383) 435
Srinivasan, S.R., Dolan, P., Radhakrishnamurthy, B., Pargaonkar, P.S. and Berenson, G.S.
Lipoprotein-acid and mucopolysaccharide complexes of human atherosclerotic lesions (388) 58
Srivastava, B.
Modified nucleotide polymers as inhibitors of DNA polymerases (414) 126
Srivastava, P.N., see Yang, C.H. (391) 382
Srivastava, S.K., Wiktorowicz, J., Klebe, R. and Awasthi, Y.C.
Studies on β-D-N-acetylhexosaminidase. Various isoenzymes in tissues of normal subjects and Sandhoff's disease patients (397) 428
Staal, G.E.J., see Akkerman, J.W.N. (397) 395
Stacewicz-Sapuncakis, M., Chang Wang, H.-H. and Gawienowski, A.M.

Biosynthesis of retinol in bovine corpus luteum tissue (380) 264
Staehlin, L.A.
Chloroplast membrane structure. Intramembranous particles of different sizes make contact in stacked membrane regions (408) 1
Stafford, D.W. and Bieber, D.
Concentration of DNA solutions by extraction with 2-butanol (378) 18
Stanley, P., see Juliano, R.L. (389) 401
Stark, G., see Benz, R. (382) 27
Staub, M., see Sasvári-Székely, M. (395) 221
Stavric, S., see Robern, H. (393) 148
Stavric, S., see Robern, H. (393) 159
Steczko, J. and Ostrowski, W.
The role of tryptophan residues and hydrophobic interaction in the binding of riboflavin in egg-yoke flavoprotein (393) 253
Stefanescu, D.T., see Dragomir, C.T. (389) 530
Stein, G., see Shafferman, A. (416) 287
Stein, G.S. and Burtner, D.L.
Gene activation in human diploid cells. Age-dependent modification in the stability of messenger RNA's for nonhistone chromosomal proteins (390) 56
Stein, G.S., see Pumo, D.E. (402) 125
Stein, M.T., Berman, H.M. and Varghese, A.J.
Crystal structure of a uracil-acetone photoaddition product (407) 377
Stein, O., see Chajek, T. (380) 127
Stein, O., see Chajek, T. (388) 260
Stein, O., see Stein, Y. (380) 106
Stein, O. and Stein, Y.
Surface binding and interiorization of homologous and heterologous serum lipoproteins by rat aortic smooth muscle cells in culture (398) 377
Stein, W.D., see Ginsburg, H. (382) 353
Stein, Y., see Chajek, T. (388) 260
Stein, Y., Glangeaud, M.C., Fainaru, M. and Stein, O.
The removal of cholesterol from aortic smooth muscle cells in culture and landschütz ascites cells by fractions of human high density apolipoprotein (380) 106
Stein, Y., see Stein, O. (398) 377
Steinberg, I.Z., see Gafni, A. (387) 256
Steinbuch, M., see Herve, M. (405) 318
Steiner, S., see Nicolau, C. (382) 311
Steinke, J., see MacDonald, M.J. (385) 188
Steinmaier, G., see Busse, D. (401) 231
Steinman, H.M., see Neelon, F.A. (412) 1
Steinmetz, A., see Guillemaut, P. (378) 64
Stella, E., see Silano, V. (391) 170
Stellon, A., see Berry, C. (403) 335
Stellwagen, E., Babul, J. and Wilgus, H.
The alkaline isomerization of lysine-modified ferricytochrome c (405) 115
Stephens, R.W., Ghosh, P. and Taylor, T.K.F.
The characterization and function of the polysaccharidases of human synovial fluid in rheumatoid and osteoarthritis (399) 101
Stere, G.N., see Dragomir, C.T. (389) 530
Sternglanz, H. and Bugg, C.E.
Relationship between the mutagenic and base-stacking properties of halogenated uracil derivatives: The crystal structures of 5-chloro- and 5-bromouracil (378) 1
Steven, F.S., Torre-Blanco, A. and Hunter, J.A.A.
A neutral protease in rheumatoid synovial fluid capable of attacking the telopeptide regions of polymeric collagen fibrils (405) 188
Stevens, B.J., see Ledoigt, G. (407) 222
Stevens, P.D., see Kleckner, H.B. (400) 343
Stevens, S., see Lehmann, A.R. (402) 179
Stevenson, K.J. and Voordouw, J.K.
Characterization of trypsin and elastase from the moose (Alces alces). I. Amino acid composition and specificity towards polypeptides (386) 324
Stevenson, N.R., Ferrigni, F., Parnicky, K., Day, S. and Fierstein, J.S.
Effect of changes in feeding schedule on the diurnal rhythms and daily activity levels of intestinal brush border enzymes and transport systems (406) 131
Steyn-Parvé, E.P., see Boer, P. (377) 331
Stidworthy, G.H., see Kurtz, M.J. (399) 90
Stinshoff, K. and Jatzkewitz, H.
Comparison of the cerebroside sulphatase and the arylsulphatase activity

of human sulphatase A in the absence of activators (377) 126
Stinson, R.H.
Structural deterioration of tendon collagen in genetic muscular dystrophy (400) 255
Stjernholm, R.L., see Tou, J.-S. (392) 1
Stockton, G.W., Johnson, K.G., Butler, K.W., Polnaszek, C.F., Cyr, R. and Smith, I.C.P.
Molecular order in Acholeplasma laidlawii membranes as determined by deuterium magnetic resonance of biosynthetically-incorporated specifically labelled lipids (401) 535
Stoffyn, A., Stoffyn, P. and Yip, M.C.M.
Chemical structure of monosialoganglioside G_{M1b} biosynthesized in vitro (409) 97
Stoffyn, P., see Stoffyn, A. (409) 97
Stokes, A.M., see Beattie, J.K. (405) 109
Stokes, G.B., Poteat, L.W. and Tove, S.B.
Distribution of fatty acids incorporated into tryacylglycerols by microsome/cytosol preparations from adipose tissue (380) 245
Stokrova, J., see Votavova, H. (383) 370
Stokstad, E.L.R., see Vidal, A.J. (399) 228
Stone, A.B. and Wilkie, D.
Mitochondrial and cellular inhibition by the folate analogue pyrimethamine in Saccharomyces cerevisiae: Reversal of cellular effects by TMP (390) 133
Stoops, J.K., see Hamilton, S.E. (377) 282
Stoppani, A.O.M., see Ramos, E.H. (394) 470
Stoppani, A.O.M., see Romeu, A.M. (409) 376
Storelli, C., see Kessler, M. (413) 444
Storring, P.L. and Fatih, S.
Erythropoietin effects on iron metabolism in rat bone marrow cells (392) 26
Strach, S.J., see Benga, G. (400) 69
Strada, S.J., see Pledger, W.J. (391) 334
Strating, M., see Visser, J. (384) 69
Strauss, M.
Determination of the subunit molecular weight of hypoxanthineguanine phosphoribosyl-transferase from human erythrocytes by recovery of enzyme activity from sodium dodecyl sulphate gas (410) 426
Strider, W., Pal, S. and Rosenberg, L.
Comparison of proteoglycans from bovine articular cartilage (379) 271
Stroeve, P. and Miller, I.
Lateral diffusion of cholesterol in monolayers (401) 157
Strøm, A.R., Hasnain, S., Smith, N., Matheson, A.T. and Visentin, L.P.
Ion effects on protein-nucleic acid interactions. The disassembly of the 50-S ribosomal subunit from the halophilic bacterium, Halobacterium cutirubrum (383) 325
Struve, W.G., see Lancaster, Jr., J.R. (401) 285
Stuart, A.L. and Wasserman, A.R.
Chloroplast cytochrome b_6: Molecular composition as a lipoprotein (376) 561
Stubbe, J., see Blumberg, K. (384) 120
Stubbs, J.M., see Badley, R.A. (412) 214
Stumpf, P.K., see Packter, N.M. (409) 274
Sturm, J., see Festy, B. (407) 24
Sturm, J., Zana, R. and Daune, M.
Interaction between hydroxystilbamidine and DNA. II. Temperature jump relaxation study. Dynamics of nucleic acids and polynucleotides (407) 43
Su, K.L. and Schmid, H.H.O.
Metabolism of long-chain isoprenoid alcohols. Incorporation of phytol and dihydrophytol into the lipids of rat brain (380) 119
Suanpan, S., see Pootrakul, S. (405) 161
Subramanian, A.R., Gilbert, J.M. and Kumar, A.
Comparison of ribosomal proteins from neoplastic and non-neoplastic cells. Resolution by two dimensional gel electrophoresis (383) 93
Sudbery, C., see Spaeren, U. (395) 413
Suddath, J.L., see Garbers, D.L. (377) 174
Sugahana, K., see Ke, B. (408) 12
Sugana, N. and Okada, S.
Physicochemical properties of chromatin digested with trypsin (383) 78
Sugano, N., see Nakaya, N. (410) 273
Sugimoto, T., see Kato, K. (391) 96
Sugimura, T., see Takeuchi, T. (403) 122
Sugimura, T., see Takeuchi, T. (403) 456

Sugita, M., Williams, M., Dulaney, J.T. and Moser, H.W.
Ceramidase and ceramide synthesis in human kidney and cerebellum. Description of a new alkaline ceramidase (398) 125
Sugiura, M. and Isobe, M.
Studies on the mechanism of the lipase reaction. II. Comparative studies on the adsorption of lipases and various proteins at the air-water interface (397) 412
Suliman, A.M., see Atassi, M.Z. (405) 452
Sulimovici, S., Bartoov, B. and Lunenfeld, B.
Rat testis mitochondrial adenylate cyclase. Partial purification and characterization (377) 454
Sullivan, D.T., see Moore, G.P. (397) 468
Sultanov, R.A., Chernyak, V.Ya. and Poglazov, B.F.
Molecular weight of base plates of bacteriophage T4D (386) 369
Sulya, L.L., see Lyles, D.S. (388) 331
Summers, K.
Role of flagellar structures in motility (416) 153
Summons, R.E., see Letham, D.S. (399) 61
Sundaram, G.S., MacKenzie, S.L. and Sodhi, H.S.
Isoelectric focusing of human serum high density lipoprotein in the presence of radioactive ampholines (388) 349
Sundblad, G., see Goldstein, I.J. (405) 53
Sunder, S., see Mendelsohn, R. (413) 329
Sunderland, E., see Kornguth, S.E. (393) 100
Surolia, A., Ahmad, A. and Bachawat, B.K.
Affinity chromatography of galactose containing biopolymers using covalently coupled Ricinus communis lectin to Sepharose 4B (404) 83
Suryanarayana, T. and Burma, D.P.
Substrate specificity of Salmonella typhymurium RNAase III and the nature of products formed (407) 459
Suryanarayana Murthy, P., see Prasada Reddy, T.L. (376) 210
Suscillon, M., see Tranqui-Pouit, L. (400) 189
Sutherland, D.J.A., see Bruchovsky, N. (381) 61
Sutherland, E.W., see Patterson, W.D. (384) 159
Sutor, R.P., see Morgan, W.T. (400) 415
Sutphin, H.D., see Campillo, A.J. (387) 533
Suzuki, H., Ogura, Y., Yamada, H. and Arima, K.
Studies on sulfhydryl groups of Aspergillus niger amine oxidase (403) 23
Suzuki, K., see Tanaka, H. (398) 452
Suzuki, N., see Fukunaga, Y. (381) 443
Suzuki, S., see Fukunaga, Y. (381) 443
Suzuki, S., see Kainuma, K. (410) 333
Suzuki, T., see Azuma, K. (393) 520
Suzuki, T. and Iwanami, Y.
Interaction of lysine-rich histone and DNA in chromatin structure (395) 355
Suzuki, T., see Yoshimura, F. (410) 167
Svenson, A. and Carlsson, J.
The thiol group of bovine serum albumin. High reactivity at acidic pH as measured by the reaction with 2,2'-dipyridyl disulphide (400) 433
Sverdlov, E.D., see Budowsky, E.I. (390) 1
Sverko, V., see Carević, O. (381) 269
Swallow, A.J., see Butler, J. (408) 215
Swann, A.C. and Albers, R.W.
Sodium+potassium–activated ATPase of mammalian brain. Regulation of phosphatase activity (382) 437
Swann, A.C., Daniel, A., Albers, R.W. and Koval, G.J.
Interactions of lectins with $(Na^+ + K^+)$-ATPase of eel electric organ (401) 299
Swarts, H.G.P., see Schreurs, V.V.A.M. (404) 257
Sweetman, B.J., see Danon, A. (388) 71
Świerczyński, J., see Aleksandrowicz, Z. (382) 92
Swoboda, P.A.T., see Chan, H.W.-S. (398) 347
Swynghedauw, B., see Klotz, C. (386) 461
Syrewicz, J.J., see Briscoe, W.T. (383) 441
Szalay, L., see Csatorday, K. (376) 268
Szuchet, S., see Weiner, R.E. (393) 143

T

Tabacik, C., Astruc, M., Descomps, B. and Crastes de Paulet, A.
Oxidosqualene cyclization in human placenta: An easy step of sterol biosynthesis (398) 490

Tachiki, T. and Tochikura, T.
Further characterization of L-leucine-pyruvate transaminase from Acetobacter suboxydans (397) 342

Taguchi, R. and Ikezawa, H.
Phospholipase C from Clostridium novyi type A.I. (409) 75

Tait, A. and Cummings, D.J.
DNA-dependent DNA polymerase activities from Paramecia macronuclei (378) 282

Takagi, T. and Doolittle, R.F.
Amino acid sequence of the carboxy-terminal cyanogen bromide peptide of the human fibrinogen β-chain. Homology with the corresponding γ-chain peptide and presence in fragment D (386) 617

Takagi, Y., see Onishi, T. (378) 439

Takahashi, N., see Sakamaki, T. (395) 314

Takahashi, S.
Physiological transition of a coliphage γ DNA replication (395) 306

Takahashi, Y., see Terao, K. (402) 230

Takai, Y., see Nakashima, M. (397) 117

Takakuwa, E., see Taniguchi, N. (391) 265

Takamatsu, A., see Oki, T. (410) 262

Takamitsu, Y., see Yuasa, S. (413) 277

Takamiya, K.-I. and Nishimura, M.
Nature of photochemical reactions in chromatophores of Chromatium D. III. Heterogeneity of the photosynthetic units (396) 93

Takashima, S., Yantorno, R. and Pal, N.C.
Electrical properties of squid axon membrane. II. Effect of partial degradation by phospholipase A and pronase on electrical characteristics (401) 15

Takatska, H., see Hirayama, O. (384) 127

Takayama, K., see Schultz, J.C. (381) 175

Takebe, Y., see Ohba, Y. (405) 155

Takeda, H., see Hirayama, O. (384) 127

Takeda, Y.
Effect of chloramphenicol on early mRNA synthesis in bacteriophage λ (407) 73

Takeda, Y. and Kuwano, M.
Synthesis and degradation of early mRNA in lambda phage (407) 83

Taketa, F., Huang, Y.P., Libnoch, J.A. and Dessel, B.H.
Hemoglobin Wood β 97 (FG4) His→Leu: a new high-oxygen-affinity hemoglobin associated with familial erythrocytosis (400) 348

Takeuchi, T., Matsushima, T. and Sugimura, T.
Electrophoretic and immunological properties of liver α-amylase of well-fed and fasted rats (403) 122

Takeuchi, T., Mura, M., Sasaki, R., Matsushima, T. and Sugimura, T.
Comparative studies on electrophoretic mobility and immunogenicity of pancreatic and parotid amylases of rat (403) 456

Takeuchi, Y.
Respiration-dependent uncoupler-stimulated ATPase activity in castor bean endosperm mitochondria and submitochondrial particles (376) 505

Talekar, S.V.
The nature of metal—ligand bonding in the primary hydration shell and in ionophores with alkali metal ions (375) 157

Täljedal, I.-B., see Hellman, B. (392) 101

Tamai, Y., Ryuzaki, M. and Kojima, H.
Study on amphibian lipids. I. Characterization of monoglycosylceramides from the skin of Rana nigromaculata (Japanese pond frog) (398) 294

Tamaye, R., see Shieh, J.J. (377) 229

Tamayo, R.P., see Pardo, A. (392) 121

Tan, A.W.H. and Nuttall, F.Q.
Characteristics of the dephosphorylated form of phosphorylase purified from rat liver and measurement of

its activity in crude liver preparations (410) 45
Tanabe, O., see Yokoyama, S. (397) 443
Tanaka, A., see Hirai, M. (391) 282
Tanaka, H., Meisler, M. and Suzuki, K.
Activity of human hepatic β-galactosidase toward natural glycosphingolipid substrates (398) 452
Tanaka, J. and Sekiguchi, M.
Action of exonuclease V (the recBC enzyme) on ultraviolet-irradiated DNA (383) 178
Tanaka, K. and Ichihara, A.
Control of ketogenesis from amino acids. III. In vitro and in vivo studies on ketone body formation, lipogenesis and oxidation of tyrosine by rats (399) 302
Tanaka, K., see Shibata, N. (400) 222
Tanaka, S., see Koike, K. (402) 351
Tandecarz, J., Lavintman, N. and Cardini, C.E.
Biosynthesis of starch. Formation of a glucoproteic acceptor by a potato non-sedimentable preparation (399) 345
Tanenbaum, S.W., see Tannenbaum, J. (413) 322
Tanifuji, S., see Sakamaki, T. (395) 314
Taniguchi, M. and Taniguchi, T.
Thermally induced conformational changes on tobacco mosaic virus and their protein assemblies (386) 1
Taniguchi, N., Saito, K. and Takakuwa, E.
γ-Glutamyltransferase from azo dye induced hepatoma and fetal rat liver. Similarities in their kinetic and immunological properties (391) 265
Taniguchi, T., see Taniguchi, M. (386) 1
Tannenbaum, J., Tanenbaum, S.W. and Goodman, G.C.
Subcellular localization of binding sites for cytochalasin D. Evidence from activation energies (413) 322
Tannenbaum, S.R., see Imada, A. (395) 490
Tanner, W., see Lehle, L. (399) 364
Tao, M., see Kumar, R. (410) 87
Tao, R.V.P. and Cotlier, E.
Ceramides of human and normal cataractous lens (409) 329
Tashiro, Y., see Negishi, M. (381) 215
Tatsumi, N., see Shibata, N. (400) 222
Taubman, S.B.
Interaction of Cls and C4. A binding phenomenon (393) 542
Tawada, K., see Hozumi, T. (376) 1
Taylor, A., see Hess, J.J. (394) 416
Taylor, C.B., see Rider, C.C. (405) 175
Taylor, K., see Konopa, G. (399) 460
Taylor, M.R., see McCall, M.J. (390) 137
Taylor, N.S. and Beacham, I.R.
Synthesis and localisation of Escherichia coli UDPglucose hydrolase (5′-nucleotidase) and demonstration of a cytoplasmic inhibitor of this enzyme in Salmonella typhimurium (411) 216
Taylor, T.K.F., see Stephens, R.W. (399) 101
Tchistiakova, A.M., see Klimov, A.N. (380) 76
Tedesco, F., see Patriarca, P. (385) 380
Tedesco, F., see Patriarca, P. (385) 387
Tedesco, F.J., see Alpers, D.H. (401) 28
Teggins, J.E., see Friedman, M.E. (391) 1
Teissere, M., Penon, P., Van Huystee, R.B., Azou, Y. and Ricard, J.
Hormonal control of transcription in higher plants (402) 391
Tejima, S., see Ishihara, H. (388) 413
Telfer, A., Barber, J. and Nicolson, J.
Availability of monovalent and divalent cations within intact chloroplasts for the action of ionophores Nigericin and A23187 (396) 301
Tellez-Nagel, I., see Fischer, S. (375) 422
Tencer, R., see Tondeur-Six, N. (395) 41
Teng-Leary, E. and Kohlhaw, G.B.
Binding of α-ketoisovalerate to α-isopropylmalate synthase. Half-of-the sites and all-of-the sites availability (410) 210
Terada, H.
Some biochemical and physicochemical properties of the potent uncoupler SF 6847 (387) 519
Terada, H., see Bakker, E.P. (387) 491
Terada, H. and van Dam, K.
On the stoichiometry between uncouplers of oxidative phosphorylation and respiratory chains. The catalytic action of SF 6847 (387) 507
Terao, K. and Ogata, K.
Studies on structural proteins of the rat liver ribosomes. I. Molecular weights of the proteins of large and small subunits (402) 214

Terao, K., Takahashi, Y. and Ogata, K.
Differences between the protein moieties of active subunits and EDTA-treated subunits of rat liver ribosomes with specific references to 5-S rRNA-protein complex (402) 230
Ter-Minassian-Saraga, L., see Khaïta, A. (401) 1
Terranova, T., see Dionisi, O. (403) 292
Terui, T., see Miyazaki, T. (385) 345
Terwilliger, N.R., see Terwilliger, R.C. (400) 302
Terwilliger, R.C.
Oxygen equilibrium and subunit aggregation of a Holothurian hemoglobin (386) 62-68
Terwilliger, R.C., Garlick, R.L., Terwilliger, N.R. and Blair, D.P.
Molecular weight of Eudistylia vancouveri chlorocruorin and its subunits (400) 302
Tesoriere, G., Vento, R. and Calvaruso, G.
Inhibitory effect of D-glucosamine on glycolysis in bovine retina (385) 58
Tessler, R., see Wallach, D. (382) 552
Tettamanti, G., see Venerando, B. (403) 461
Tewari, K.K., see Kolodner, R. (402) 372
Theophanides, T., see Millard, M.M. (402) 166
Thiem, N.V., Lacombe, G. and Van Thoai, N.
Comparative study of two ATP: L-arginine phosphotransferases of 84 000 molecular weight (377) 95
Thillet, J., see Beuzard, Y. (382) 182
Thipayathasana, P.
Isolation and properties of Escherichia coli ATPase mutants with altered divalent metal specificity for ATP hydrolysis (408) 47
Thomas, L.L., see Shiverick, K.T. (393) 124
Thomas, S.M., see Rees, T.Ap. (385) 145
Thompson, G.R., see David, J.S.K. (398) 72
Thompson, J.A. and Reitz, R.C.
Studies of the mechanism of the NADPH-catalyzed peroxidation of endogenous microsomal lipid (398) 159
Thompson, L.R. and Mueller, G.C.
DNA replication in nuclei isolated from bovine lymphocytes (378) 344
Thompson, L.R. and Mueller, G.C.
Dissociation of the DNA replicase system of bovine lymphocyte nuclei (414) 231
Thompson, T.E., see Baron, C. (382) 276
Thompson, W., see Butler, M.M. (388) 52
Thompson, W., see MacDonald, G. (398) 424
Thompson, W.J., see Pledger, W.J. (391) 334
Thomson, J.A., Chiu, J.F. and Hnilica, L.S.
Nuclear phosphoprotein kinase activities in normal and neoplastic tissues (407) 114
Thorell, B., see Kohen, E. (396) 149
Thornbury, D.W., see Pring, D.R. (383) 140
Thorne, K.J.I., Thornley, M.J., Naisbitt, P. and Glauert, A.M.
The nature of the attachment of a regularly arranged surface protein to the outer membrane of an Acinetobacter sp. (389) 97
Thorneley, R.N.F., Eady, R.R. and Yates, M.G.
Nitrogenase of Klebsiella pneumoniae and Azotobacter chroococcum: Complex formation between the component proteins (403) 269
Thornley, M.J., see Thorne, K.J.I. (389) 97
Thorpe, C. and Gillard, R.D.
Stereoselective reduction of cobalt (III) complexes by bacteria (392) 175
Thorsen, S.
Differences in the binding to fibrin of native plasminogen and plasminogen modified by proteolytic degradation. Influence of ω-aminocarboxylic acids (393) 55
Tichá, M., see Fialová, D. (393) 170
Tiedemann, H., see Knöchel, W. (378) 383
Tietz, A., Weintraub, H. and Peled, Y.
Utilization of 2-acyl-sn-glycerol by locust fat body microsomes. Specificity of the acyltransferase system (388) 165
Tillack, T.W., see Triche, T.J. (394) 540
Tillmann, W., Cordua, A. and Schroter, W.
Organization of enzymes of glycolysis and of glutathione metabolism in human red cell membranes (382) 157

Timofeev, K.N., see Paschenko, V.Z. (408) 143
Ting, P. and Solomon, A.K. Temperature dependence of N-phenyl-1-napthylamine binding in egg lecithin vesicles (406) 447
Tisdale, M.J. Characterization of cyclic adenosine 3′,5′-monophosphate phosphodiesterase from Walker carcinoma sensitive and resistant to bifunctional alkylating agents (397) 134
Tobias, R.S., see Mansy, S. (378) 319
Tobin, T. and Akera, T. Showdomycin, a nucleotide site directed inhibitor of ($Na^+ + K^+$)-ATPase (389) 126
Tobin, T., Akera, T. and Brody, T.M. Gel electrophoretic identity of the ($Na^+ + Mg^{2+}$)- and ($Na^+ + Ca^{2+}$)-stimulated phosphorylations of rat brain ATPase (389) 117
Tochikura, T., see Tachiki, T. (397) 342
Toda, G., Oka, H., Oda, T. and Ikeda, Y. Subfractionation of rat liver plasma membrane, uneven distribution of plasma membrane-bound enzymes on the liver cell surface (413) 52
Tokarskaya, V.I., see Umansky, S.R. (383) 242
Tökés, Z.A. and Chambers, S.M. Proteolytic activity associated with human erythrocyte membranes. Self-digestion of isolated human erythrocyte membranes (389) 325
Tokunaga, F., see Matsumoto, H. (404) 300
Tokushige, M., see Mizuta, K. (403) 221
Toliver, A.P., see Cabradilla, C.D. (402) 188
Toliver, A.P., see Dye, D.M. (414) 173
Tomasulo, P.A., March, S.C. and Levin, J. Tritiation of endotoxin (400) 399
Tomasz, J., see Simoncsits, A. (395) 74
Tomilin, N.V., see Zherebtsov, S.V. (383) 16
Tominaga, H., see Endo, Y. (383) 305
Tominaga, K., see Kawasaki, H. (385) 334
Tominaga, Y. and Tsujisaka, Y. Purification and some enzymatic properties of the chitosanase from Bacillus R-4 which lyses Rhizopus cell walls (410) 145
Tomkiewicz, M. and Corker, G.A. Rotational correlation times and partition coefficients of a spin label solute in lecithin vesicles (406) 197
Tomlin, G., see Brimhall, B. (379) 28
Tomlin, G., see Schneider, R.G. (400) 365
Tomura, T. and Van Lancker, J.L. The effect of mammalian repair endonuclease on X-irradiated DNA (402) 343
Tondeur-Six, N., Tencer, R. and Brachet, J. Ribonucleotide reductase activity during amphibian development (395) 41
Tong, W., see Sherwin, J.R. (404) 30
Tonk, W.J.M., see Vredenberg, W.J. (387) 580
Torelli, G., see Monticelli, G. (401) 41
Tormay, A., see Siegel, G.J. (389) 557
Torre-Blanco, A., see Steven, F.S. (405) 188
Torrence, P.F. and Witkop, B. Polynucleotide deplexes based on poly(7-deazaadenylic acid) (395) 56
Torres, J.V. and Garcia-Olmedo, F. Genetic control of sterol esterification in developing wheat endosperm (409) 367
Tosi, L., see Herve, M. (405) 318
Totsuka, A., see Muller, W.E.G. (383) 147
Totsuka, T., see Kobayasi, S. (376) 375
Tou, J.-S. and Stjernholm, R.L. Cytochalasin B: Effect on phospholipid metabolism and lysosomal enzyme release by leukocytes (392) 1
Touimi-Benjelloun, A. and Bonaly, R. Etude des parois de levures rhodotorula. V. Influence des conditions de culture sur les phosphatases de Rh. odotorula rubra (Study of the cell walls of yeast Rhodotorula. V. Influence of the conditions of culture on the phosphatases of Rhodotorula rubra) (392) 39
Touimi-Benjelloun, A. and Bonaly, R. Etude des parois de levures rhodotorula. VI. Influence du 2-hydroxybiphényle sur les activités phosphatasiques de Rhodotorula rubra (Study

of the cell walls of yeasts Rhodotorula. VI. Influence of 2-hydroxybiphenyl on phosphatase activities of Rhodotorula rubra) (392) 51
Tove, S.B., see Stokes, G.B. (380) 245
Toverud, S.U., see Mechanic, G.L. (393) 421
Towne, D.W., see Hendler, R.W. (376) 42
Tran-Dinh, S., see Fermandjian, S. (399) 313
Tranqui-Pouit, L., Marder, V.J., Suscillon, M., Budzynski, A.Z. and Hudry-Clergeon, G.
Electron microscopic studies of plasmic degradation products of fibrinogen. Implications for the disulfide structure of fibrinogen (400) 189
Trapman, J. and Planta, R.J.
Detailed analysis of the ribosomal RNA synthesis in yeast (414) 115
Traynor, J.R. and Kunze, H.
Inhibition of rat liver cholesterol esterase by local anaesthetics (409) 68
Treanor, L.L., see Wilson, F.A. (406) 280
Trentalance, A., see Leoni, S. (394) 317
Tribout, M. and Léonis, J.
Hydrogen ion titration of lysozyme in alcohol-water solutions (405) 82
Triche, T.J., Tillack, T.W. and Kornfeld, S.
Localization of the binding sites for the Ricinus communis, Agaricus bisporus and wheat germ lectins on human erythrocyte membranes (394) 540
Trinchant, J.C., see Kennedy, I.R. (397) 24
Triplett, R.B., see Carraway, K.L. (379) 571
Triplett, R.B., see Carraway, K.L. (382) 181
Tritsch, G.L., see Rosenfeld, J.L. (410) 164
Trivić, S., see Leskovac, V. (405) 482
Troitsky, G.V., see Zav'yalov, V.P. (386) 155
Troitsky, G.V., Zav'Yalov, V.P., Kirjukhin, I.F., Abramov, V.M. and Agitsky, G.Ju.
Isoelectric focusing of proteins using pH gradient created by concentration gradients of nonelectrolytes in solution (400) 24
Tropp, B.E., see Tyhach, R.J. (388) 29
Trotta, E.E. and de Meis, L.
ATP-dependent calcium accumulation in brain microsomes. Enhancement by phosphate and oxalate (394) 239
Troxler, R.F., see Grant, M.M. (404) 180
Trucco, R.E., see Farías, R.N. (415) 231
Trudel, J., see Lalumière, G. (394) 120
Tsai, C.M., Chen, K.Y. and Canellakis, E.S.
Isolation and characterization of the plasma membrane of L-1210 cells. Iodination as a marker for the plasma membrane (401) 196
Tsang, C.P., Boyle, A.J.F. and Morgan, E.H.
Mossbauer spectra of bicarbonate-free ferric·transferrin complex (386) 32
Tsay, G.C., Dawson, G. and Li, Y.-T.
Structure of the glycopeptide storage material in G_{M1}-gangliosidosis: sequence determination with specific endo- and exoglycosidases (385) 305
Tshitenge, G., Luyindula, N., Lurquin, P.F. and Ledoux, L.
Plasmid DNA in Rhizobium vigna and Rhizobium trifolii (414) 357
Tsuchida, E., Honda, K., Hasegawa, E.
Complexes between synthetic polymer ligands and ferri- and ferro-protoporphyrin IX (393) 483
Tsugo, T., see Kobayashi, H. (380) 282
Tsujisaka, Y., see Tominaga, Y. (410) 145
Tsukada, K., see Nakaya, N. (410) 273
Tsung, P.-K., Futai, M., Ohkuma, S. and Mizuno, D.I.
Formation of phagolysosomes containing dextran and Triton WR 1339 in mouse liver (392) 216
Tsung, P.K., Kegeles, S.W., Showell, H.J. and Becker, E.L.
Isolation of an N-acetyl-DL-phenylalanine-β-naphthyl esterase from rabbit peritoneal polymorphonuclear leukocytes (403) 98
Tsurgi, K., see Nabeshima, Y.-I. (414) 30
Tsurufuji, S., see Nakagawa, H. (411) 316
Tsuruo, T., Hirayama, K. and Ukita, T.
Three DNA polymerases of rat ascites hepatoma cells. Properties of the enzymes and effect of RNA synthesis on the reactions (383) 274

Tsurushiin, S., Hiramatsu, A., Inamasu, M. and Yasunobu, K.T.
The essential histidine residues of bovine plasma amine oxidase (400) 451
Tsushima, K., see Murakami, K. (384) 390
Tsushima, K., see Nishino, T. (403) 17
Tsuzuki, J. and Kiger, Jr., J.A.
Cyclic AMP binding proteins in early embryos of Drosophila melanogaster (393) 225
Tu, A.T., see Bieber, A.L. (400) 178
Tu, T., see Bieber, A.L. (400) 178
Tu, Y. and McCalla, D.R.
Effect of activated nitofurans on DNA (402) 142
Tudor, F., see Dragomir, C.T. (389) 530
Tufts, M., see Moore, L.E. (382) 286
Tunitskaya, V.L., see Severin, E.S. (384) 413
Tupper, J.T.
Cation flux in the Ehrlich ascites tumor cell. Evidence for Na^+-for-Na^+ and K^+-for-K^+ exchange diffusion (394) 586
Turek, R., see Balgavý, P. (390) 24
Turkenkopf, I., see Gounaris, A.D. (405) 492
Turková, J., see Valentová, O. (403) 192
Turková, J., see Vavreinová, S. (403) 506
Turková, J., Vavreinová, S., Křiváková, M. and Čoupek, J.
Affinity chromatography on hydroxyalkyl methacrylate gels. II. Isolation of thio-containing protein and peptide using mercurial derivatives of gels (386) 503
Turner, G.L., see Appleby, C.A. (387) 461
Turnšek, T., Kregar, I. and Lebez, D.
Acid sulphydryl protease from calf lymph nodes (403) 514
Tustanoff, E.R., see Janki, R.M. (375) 446
Tutwiler, G.F.
In vitro lypolytic effect of bovine diabetogenic protein (404) 18
Tyhach, R.J., Rosenthal, A.F. and Tropp, B.E.
Substrate activity of phosphonic acid analogues of CDP-diglyceride in the synthesis of phosphoglycerides in Escherichia coli (388) 29
Tyler, D.D.
Protective function of superoxide dismutase during respiratory chain activity (396) 335

U

Ucer, U., Mönkemeyer, H. and Bermek, E.
Characterization of N-ethylmaleimide-reactive proteins for human tonsillar ribosomes by two-dimensional polyacrylamide gel electrophoresis (402) 206
Uchida, T., see Sato, S. (383) 168
Uchiyama, T.
Action of Arthrobacter ureafaciens inulase II on several oligofructans and bacterial levans (397) 153
Ucko, D.A., see Jennette, K.W. (402) 403
Ueberschär, K.-H., Blachnitzky, E.-O., Lehmann, J. and Kurz, G.
Stereospecificity of hydrogen transfer catalyzed by D-galactose dehydrogenase from Pseudomonas saccharophila and Pseudomonas fluorescens (391) 15
Ueda, I., see Yamaguchi, K. (381) 1
Uemura, J. and Mizushima, S.
Isolation of outer membrane proteins of Escherichia coli and their characterization on polyacrylamide gel (413) 163
Uhr, J.W., see Vitetta, E.S. (415) 253
Ui, M., see Saitoh, Y. (404) 7
Ukita, T., see Kaneko, I. (392) 131
Ukita, T., see Kaneko, I. (411) 334
Ukita, T., see Onozaki, K. (407) 99
Ukita, T., see Tsuruo, T. (383) 274
Ulitzur, S. and Yashphe, J.
An adenosine 3′,5′-monophosphate-requiring mutant of the luminous bacteria Beneckea harveyi (404) 321
Ullman, B. and Perlman, R.L.
Purification and characterization of a phosphoprotein phosphatase from bovine adrenal cortex (403) 393
Umansky, S.R., Kovalev, Yu.I. and Tokarskaya, V.I.
Specific interaction of chromatin non-histone proteins with DNA (383) 242
Umezawa, H., see Ogawara, H. (391) 435
Umezurike, G.M.
Kinetic analysis of the mechanism of action of β-glucosidase from Botryodiplodia theobromae pat (397) 164
Underwood, B.A., see El-Gorab, M.I. (401) 265
Ungureanu, D., see Dragomir, C.T. (389) 530
Urakabe, S., see Yuasa, S. (413) 277
Urbanek, H. and Zalewska-Sobczak, J.
Polygalacturonase from Botrytis cinerea E-200 Pers (377) 402
Urbani, C., see Felicetti, L. (414) 146
Uriel, J., see Pineiro, A. (379) 201
Urry, D.W., Mitchell, L.W. and Ohnishi, T.
Studies on the conformation and interactions of elastin: Secondary structure of synthetic repeat hexapeptides (393) 296
Ushiwata, A., Nakaya, K. and Nakamura, Y.
Interaction between proteins and detergents which contain a hydrocarbon chain longer than 16 carbon atoms. II. Difference spectra of various proteins in cetyldimethylbenzylammonium chloride (393) 215
Usobiaga, P., see Albert, A. (386) 382
Utech, N.M., see Holden, J.T. (394) 55
Uyemura, K., see Kitamura, K. (379) 582

V

Vagelos, P.R., see Fall, R.R. (379) 496
Vaheri, A., see Kuusela, P. (379) 295
Vaidyanathan, C.S., see Chenna Reddy, C. (384) 46
Vail, W.J., see Papahadjopoulos, D. (394) 483
Vail, W.J., see Poste, G. (394) 520
Vale, M.G.P. and Carvalho, A.P. Utilization of X-537A to distinguish between intravesicular and membrane-bound calcium ions in sarcoplasmic reticulum (413) 202
Valentine, R.C., see Mével-Ninio, M.T. (376) 485
Valentová, O., Turková, J., Lapka, R., Zima, J. and Čoupek, J. Pepsin immobilized by covalent fixation to hydroxyalkyl methacrylate gels: Preparation and characterization (403) 192
Valfré, F., see Silano, V. (391) 170
Vallette, G., see Benassayag, C. (412) 295
Vambutas, V. and Bertsch, W. Delayed light studies on photosynthetic energy conversion. VIII. Evidence from millisecond emission of chloroplasts for two adenylate binding sites on membrane-bound coupling factor CF_1 (376) 169
Van Assche, J.A. and Carlier, A.R. Some properties of trehalase from Phycomyces blakesleeanus (391) 154
van Best, J.A. and Duysens, L.N.M. Reactions between primary and secondary acceptors of Photosystem II in Chlorella pyrenoidosa under anaerobic conditions as studied by chlorophyll a fluorescence (408) 154
Van Bruggen, E.F.J., see Arnberg, A.C. (383) 359
van Bruggen, E.F.J., see van Heerikhuizen, H. (413) 177
van Buuren, K.J.H., see Wilting, J. (376) 285
van Dam, K., see de Ridder, J.J.M. (408) 112
Van Dam, K., see Fiolet, J.W.T. (387) 320
van Dam, K., see Terada, H. (387) 507
van Deenen, L.L.M., see Blok, M.C. (406) 187
Van Deenen, L.L.M., see Demel, R.A. (406) 97
Van Deenen, L.L.M., see Kamp, H.H. (398) 401
Van Deenen, L.L.M., see Kamp, H.H. (398) 415
Van Deenen, L.L.M., see Mandersloot, J.G. (382) 22
Van Deenen, L.L.M., see Op den Kamp, J.A.F. (406) 169
Van Deenen, L.L.M., see van Dijck, P.W.M. (406) 465
Van Deenen, L.L.M., see Van Zoelen, E.J.J. (394) 463
Van Deenen, L.L.M., see Zwaal, R.F.A. (406) 83
Van den Bosch, H. and De Jong, J.G.N. Studies on lysophospholipases. IV. The subcellular distribution of two lysolecithin-hydrolysing enzymes in beef liver (398) 244
Van den Bosch, H., see Hostetler, K.Y. (380) 382
Van der Drift, C., see Van der Drift, L. (391) 240
Van der Drift, L., Vogels, G.D. and Van der Drift, C. Allantoin racemase: A novel enzyme from Pseudomonas species (391) 240
Van der Erf-ter Haar, L., see Fiolet, J.W.T. (387) 320
Van der Molen, H.J., see Van der Vusse, G.J. (380) 473
Van der Molen, H.J., see Van der Vusse, G.J. (398) 28
Van der Molen, see Van Gorkum, M. (392) 141
Van der Neut-Kok, E.C.M., see Blok, M.C. (406) 187
Van der Neut-Kok, E.C.M., see Van Zoelen, E.J.J. (394) 463
Van der Vorst, H.A., see Van Venrooij, G.E.P.M. (394) 620

Van der Vusse, G.J., Kalkman, M.L. and Van der Molen, H.J.
Endogenous steroid production in cellular and subcellular fractions of rat testis after prolonged treatment with gonadotrophins (380) 473
Van der Vusse, G.J., Kalkman, M.L., Van Winsen, M.P.I. and Van der Molen, H.J.
On the regulation of rat testicular steroidogenesis. Short term effect of luteinizing hormone and cycloheximide in vivo and Ca^{2+} in vitro on steroid production in cell-free systems (398) 28
Van der Walt, S.J., see Joubert, F.J. (379) 317
Van de Sande, H., see Imada, A. (395) 490
Van de Ven, W.J.M., see Vermorken, A.J.M. (414) 167
Van de Woude, G.F., see Ascione, R. (395) 509
Van Dijck, P.W.M., see Bruni, A. (406) 315
Van Dijck, P.W.M., Ververgaert, P.H.J.Th., Verkleij, A.J., Van Deenen, L.L.M. and de Gier, J.
The influence of Ca^{2+} and Mg^{2+} on the thermotropic behaviour and permeability properties of liposomes prepared from dimyristoyl phosphatidylglycerol and mixtures of dimyristoyl phosphatidylglycerol and dimyristoyl phosphatidylcholine (406) 465
Van Dorp, B., Benne, R. and Palitti, F.
The ATP-dependent DNAase from Escherichia coli rorA. A nuclease with changed enzymatic properties (395) 446
Van Duivendijk-Matteoli, M.A. and Desmet, G.M.
On the inhibitory action of cadmium on the donor side of Photosystem II in isolated chloroplasts (408) 164
Vane, J.R., see Blackwell, G.J. (398) 178
Van Ee, J.H., see van 't Riet, J. (405) 306
Van Gelder, B.F., see De Groot, J.J.M.C. (377) 71
Van Gelder, B.F., see Wever, R. (387) 189
Van Gelder, B.F., see Wilting, J. (376) 285
Van Gelder, B.F., see Van Leeuwen, F.X.R. (403) 285
Van Gelder, R., see Van 't Riet, J. (405) 306
Van Golde, L.M.G., see Oldenborg, V. (398) 101
Van Gorkom, H.J., Pulles, M.P.J. and Wessels, J.S.C.
Light-induced changes of absorbance and electron spin resonance in small Photosystem II particles (408) 331
Van Gorkum, M., van der Molen, M.H. and Korver, O.
ESR study of aqueous dispersions of β-lactoglobulin and spin-labelled glyceryl monostearate (392) 141
Van Heerikhuizen, H., Kwak, E., van Bruggen, E.F.J. and Witholt, B.
Characterization of a low density cytoplasmic membrane subfraction isolated from Escherichia coli (413) 177
Van Heijenoort, Y., see Sacquet, E. (380) 52
Van Hemmen, J.J. and Meuling, W.J.A.
Inactivation of biologically active DNA by γ-ray-induced superoxide radicals and their dismutation products singlet molecular oxygen and hydrogen peroxide (402) 133
Van Hoeven, R.P., Emmelot, P., Krol, J.H. and Oomen-Meulemans, E.P.M.
Studies on plasma membranes. XXII. Fatty acid profiles of lipid classes in plasma membranes of rat and mouse livers and hepatomas (380) 1
Van Hummel, H.C., Hulsebos, Th.J.M. and Wintermans, J.F.G.M.
Biosynthesis of galactosyl diglycerides by non-green fractions from chloroplasts (380) 219
Van Hustee, R.B., see Teissere, M. (402) 391
Vanin, A.F., see Blumenfeld, L.A. (379) 512
Van Kammen, A., see Reijnders, L. (390) 69
Van Kammen, A., see Reijnders, L. (414) 206
Van Keulen, H., Planta, R.J. and Retèl, J.
Structure and transcription specificity of yeast RNA polymerase A (395) 179
Van Lancker, J.L., see Tomura, T. (402) 343

Van Leeuwen, F.X.R., Wever, R., van Gelder, B.F., Avigliano, L. and Mondovi, B.
The interaction of nitric oxide with ascorbate oxidase (403) 285
Vänngard, T., see Aasa, R. (391) 259
Vannier, C., see Louvard, D. (375) 236
Van Ooyen, A.J.J., De Boer, H.A., Ab, G. and Gruber, M.
Ribosomal and non-ribosomal RNA synthesis in vitro (395) 128
Van Rijn, H.J.M., see Boer, P. (377) 331
Van Rossum, G.D.V., Galeotti, T., Palombini, G. and Morris, H.P.
The control of anaerobic glycolysis by glucose transport and ouabain in slices of hepatoma 3924A (394) 267
Van Schaik, F.W. and Veerkamp, J.H.
Biochemical changes in Bifidobacterium bifidum var. pennsylvanicus after cell wall inhibition. VIII. Composition and metabolism of phospholipids at different stages and conditions of growth (388) 213
Vanson, A., see Bruchovsky, N. (394) 248
Van Steveninck, J., see Jaspers, H.T.A. (406) 370
Van Thoai, N., see Thiem, N.V. (377) 95
Van 't Riet, J. and Planta, R.J.
Purification, structure, and properties of the respiratory nitrate reductase of Klebsiella aerogenes (379) 81
Van 't Riet, J.H., van Ee, J.H., Wever, R., van Gelder, B.F. and Planta, R.J.
Characterization of the respiratory nitrate reductase of Klebsiella aerogenes as a molybdenum-containing iron-sulfur enzyme (405) 306
Van Venrooij, G.E.P.M., Hax, W.M.A., Schouten, V.J.A., Denier van der Gon, J.J. and Van der Vorst, H.A.
Absence of cell communication for fluorescein and dansylated amino acids in an electrotonic coupled cell system (394) 620
Van Vugt, F., see Oldenborg, V. (398) 101
Van Wauwe, J.P., Loontiens, F.G. and De Bruyne, C.K.
Carbohydrate binding specificity of the lectin from the pea (Pisum sativum) (379) 456
Van Wezel, F.M. and De Haas, G.H.
Phospholipase A_2 isoenzyme from porcine pancreas. Purification and some properties (410) 299
Van Winsen, M.P.I., see Van der Vusse, G.J. (398) 28
Vanyushin, B.F. and Dobritsa, A.P.
On the nature of the cytosine-methylated sequence in DNA of Bacillus brevis var. G.-B. (407) 61
Vanyushin, B.F., see Guseinov, V.A. (395) 229
Van Zoelen, E.J.J., Van der Neut-Kok, E.C.M., De Gier, J. and Van Deenen, L.L.M.
Osmotic behaviour of Acholeplasma laidlawii B cells with membrane lipids in liquid-crystalline and gel state (394) 463
Varanasi, U. and Malins, D.C.
Brain lipids from the porpoise (Delphinus Delphis). Phosphoglycerides rich in isovaleric acid and long chain iso-acids (409) 304
Varandani, P.T., see Chandler, M.L. (397) 307
Varghese, A.J., see Stein, M.T. (407) 377
Varma, R., Varma, R.S., Allen, W.S. and Wardi, A.H.
Human umbilical cord hyaluronate. Neutral sugar content and carbohydrate-protein linkage studies (399) 139
Varma, R.S., see Varma, R. (399) 139
Vartapetian, B.B., Meslov, A.I. and Andreeva, I.N.
Biochemical and cytological studies of mitochondrial development in chloramphenicol-induced rice coleoptiles (411) 357
Vasiliev, V.Yu., see Nesterova, M.V. (377) 271
Vass, M.A., see O'Grady, J.E. (407) 125
Vater, J., see Ristow, H. (414) 1
Vaughan, L., see Hayashi, H. (382) 218
Vaughan, M., see Kornhauser, D.M. (380) 97
Vavreinová, S., see Turková, J. (386) 503
Vavreinová, S. and Turková, J.
SH-Proteinase from bean phasesolus vulgaris Perlicka (403) 506
Vazquez, D., see Barbacid, M. (395) 347
Vazquez, D., see Jimenez, A. (383) 427

Veerkamp, J.H., see Van Schaik, F.W. (388) 213
Vega, J.M., Greenbaum, P. and Garrett, R.H.
Studies on the in vitro inactivation of the Neurospora crassa assimilatory nitrite reductase in the presence of reduced pyridine nucleotides plus flavin (377) 251
Veissiere, D., see Kern, P. (389) 281
Veldink, G.A., see De Groot, J.J.M.C. (377) 71
Veldink, G.A., see Egmond, M.R. (397) 43
Veldink, G.A., see Egmond, M.R. (409) 399
Vella, F., see Lorkin, P.A. (379) 22
Vella, F., see Wrightstone, R.N. (412) 283
Velthuys, B.R.
Binding of the inhibitor NH_3 to the oxygen-evolving apparatus of the spinach chloroplasts (396) 392
Velthuys, B.R. and Amesz, J.
Temperature and preillumination dependence of delayed fluorescence of spinach chloroplasts (376) 162
Venerando, B., Tettamanti, G., Cestaro, B. and Zambotti, V.
Studies of brain cytosol neuraminidase. I. Isolation and partial characterization of two forms of the enzyme from pig brain (403) 461
Venkitasubramanian, T.A., see Prasada Reddy, T.L. (376) 210
Vento, R., see Tesoriere, G. (385) 58
Venugopal, V., Harikumar, P., Doke, S.N. and Kumta, U.S.
Regulatory responses of arginine deiminase in whole cells of Clostridium sporogenes (403) 521
Verderber, E.L., see Munro, G.F. (411) 263
Verdier, G.
Synthesis and translation site of light-induced mRNAs in etiolated Euglena gracilis (407) 91
Verkleij, A.J., see van Dijck, P.W.M. (406) 465
Verly, W.G. and Lacroix, M.
DNA and nitrous acid (414) 185
Verma, R., see Leoni, S. (394) 317
Verma, S.P., see Sharma, R.K. (391) 19
Verma, S.P. and Wallach, D.F.H.
Evidence for constrained lipid mobility in the erythrocyte ghost. A spin label study (382) 73
Verma, S.P. and Wallach, D.F.H.
Carotenoids as Raman-active probes of erythrocyte membrane structure (401) 168
Verma, S.P., see Wallach, D.F.H. (382) 542
Verma, S.P., Wallach, D.F.H. and Schmidt-Ullrich, R.
The structure and termotropism of thymocyte plasma membranes as revealed by laser-Raman spectroscopy (394) 633
Vermeglio, P., see Mathis, P. (396) 371
Vermorken, A.J.M., Hilderink, J.M.H.C., van de Ven, W.J.M. and Bloemendal, H.
Further studies on the lens cell-free system. In vitro synthesis of the non-crystallin lens proteins (414) 167
Vernie, L.N., Bont, W.S., Ginjaar, H.B. and Emmelot, P.
Elongation factor 2 as the target of the reaction product between sodium selenite and glutathione (GSSeSG) in the inhibiting of aminoacid incorporation in vitro (414) 283
Vernon, L.P., see Jaynes, J.M. (408) 240
Veronese, F.M., Boccu, E. and Conventi, L.
Glutamate dehydrogenase from Escherichia coli: Induction, purification and properties of the enzyme (377) 217
Ververgaert, P.H.J.Th., see van Dijck, P.W.M. (406) 465
Vessey, D.A., see Zakim, D. (410) 61
Vessey, D.A., see Zatta, P. (392) 361
Vianna, A.L.
Interaction of calcium and magnesium in activating and inhibiting the nucleoside triphosphatase of sarcoplasmic reticulum vesicles (410) 389
Vickery, L., Salmon, A. and Sauer, K.
Magnetic circular dichroism studies on microsomal aryl hydrocarbon hydroxylase. Comparison with cytochrome b_5 and cytochrome $P.450_{cam}$ (386) 87
Vidal, A.J. and Stokstad, E.L.R.
The effect of methionine on the metabolism of serine and glycine in vitamin B-12-deficient rats (399) 228

Vidaver, W., see Schreiber, U. (387) 37
Vignais, P.M., see Vignais, P.V. (376) 219
Vignais, P.V., see Satre, M. (387) 241
Vignais, P.V., Vignais, P.M. and Doussiere, J.
Functional relationship between the ADP/ATP-carrier and the F_1-ATPase in mitochondria (376) 219
Villee, C.A., see Wilson, M.J. (394) 1
Vilu, R.O., see Blumenfeld, L.A. (379) 512
Vincent, M., see Gallay, J. (397) 489
Vincent, M., see Gallay, J. (397) 501
Vinogradov, S.N., see Andonian, M.R. (412) 202
Vinogradov, S.N., see Andonian, M.R. (400) 244
Virmaux, N., see Coquil, J.F. (403) 425
Visentin, L.P., see Strøm, A.R.
Visser, J. and Strating, M.
Separation of lipoamide dehydrogenase isoenzymes by affinity chromatography (384) 69
Visser, L., see Reijnders, L. (414) 206
Viswanatha, T., Bayer, E. and Wilchek, M.
Reversibility of the affinity-labelled biotin transport system in yeast cells (401) 152
Vitetta, E.S. and Uhr, J.W.
Immunoglobulins and alloantigens on the surface of lymphoid cells (415) 253
Vitéz, M., see Sasvári-Székely, M. (395) 221
Vliegenthart, J.F.G., see De Groot, J.J.M.C. (377) 71
Vliegenthart, J.F.G., see Egmond, M.R. (397) 43
Vliegenthart, J.F.G., see Egmond, M.R. (409) 399
Vogels, G.D., see Van der Drift, L. (391) 240
Vogt, C.A., see Cohen, M.P. (393) 78
Volcani, B.E., see Anderson, R. (409) 259
Volger, H.G. and Heber, U.
Cryoprotective leaf proteins (412) 335
Volpe, B.T. and Binder, H.J.
Bile salt alteration of ion transport across jejunal mucosa (394) 597
Volpe, J.J. and Masara, J.C.
Hormonal regulation of fatty acid synthetase, acetyl-CoA carboxylase and fatty acid synthesis in mammalian adipose tissue and liver (380) 454
Volpe, J.J. and Marasa, J.C.
Regulation of hepatic fatty acid synthetase in the obese-hyperglycemic mutant mouse (409) 235
Von Jagow, G. and Bohrer, C.
Inhibition of electron transfer from ferrocytochrome b to ubiquinone, cytochrome c_1 and duroquinone by antimycin (387) 409
Voordouw, J.K., see Stevenson, K.J. (386) 324
Votavova, H., Stokrova, J. and Sponar, J.
Cyclization of three satellite components of calf thymus DNA (383) 370
Vredenberg, W.J. and Tonk, W.J.M.
On the steady state electrical potential difference across the thylakoid membranes of chloroplasts in illuminated plant cells (387) 580
Vreeswijk, J.H.A., de Pont, J.J.H.H.M. and Bonting, S.L.
Absence of (Na^+, K^+)-ATPase involvement in lactose production by lactating guinea pig mammary gland (392) 12
Vreugdenhil, A.P. and Roukema, P.A.
Comparison of the secretory processes in the parotid and sublingual glands of the mouse. I. Regulation of the secretory processes (413) 79
Vulimiri, L., Catsimpoolas, N., Griffith, A.L., Linder, M.C. and Munro, H.N.
Size and charge heterogeneity of rat tissue ferritins (412) 148

W

Wada, A., see Yabuki, S. (395) 258
Wada, F., Numata, N., Eguchi, Y. and Sakamoto, Y.
Crystallization and properties of rat liver malate dehydrogenase (decarboxylating) ($NADP^+$) (410) 237
Wada, G.H., see Fellman, J.H. (381) 9
Wagner, G.C. and Kassner, R.J.
Spectroscopic properties of ferrous heme complexes of sterically hindered ligands (392) 319
Wagner, G.C. and Kassner, R.J.
The effect of temperature on the spectroscopic properties of the heme c octapeptide from cytochrome c (405) 205
Wagner, T. and Rafael, J.
ATPase complex and oxidative phosphorylation in chloramphenicol-induced megamitochondria from mouse liver (408) 284
Waheed, A. and Salahuddin, A.
Hydrogen-ion titration curve of ovomucoid (379) 147
Wählby, S., see Dahlqvist, U. (391) 410
Waite, B.M., see East, J.M. (388) 106
Waitkus, R.F., see Lee, L.D. (412) 82
Wajcman, H., Kilmartin, J.V., Najman, A. and Labie, D.
Hemoglobin Cochin-Port-Royal: Consequences of the replacement of the β-chain C-terminal by an arginine (400) 354
Wakabayashi, Y., see Iwashima, A. (413) 243
Wakelin, L.P.G., see Waring, M.J. (407) 200
Wako, K., see Kainuma, K. (410) 333
Walerych, W., see Fabisz-Kijowska, A. (390) 105
Walkenbach, R.J., see Forte, L.R. (389) 84
Walker, I.G., see Chan, A.C. (395) 422
Walker, J.A. and Wheeler, K.P.
Polar head-group and acyl side-chain requirements for phospholipid-dependent ($Na^+ + K^+$)-ATPase (394) 135
Wallace, W.
Effects of a nitrate reductase inactivating enzyme NAD(P)H of the nitrate reductase from higher plants and Neurospora (377) 239
Wallach, D., Kirshner, N. and Schramm, M.
Non-parallel transport of membrane proteins and content proteins during assembly of the secretory granule in rat parotid gland (375) 87
Wallach, D., Tessler, R. and Schramm, M.
The proteins of the content of the secretory granules of the rat parotid gland (382) 552
Wallach, D.F.H., see Bhakdi, S. (394) 550
Wallach, D.F.H., see Bhakdi, S. (406) 21
Wallach, D.F.H., see Bieri, V.G. (389) 413
Wallach, D.F.H., see Bieri, V.G. (406) 415
Wallach, D.F.H., see Bjerrum, O.J. (406) 489
Wallach, D.F.H., see Knüfermann, H. (389) 464
Wallach, D.F.H., see Lin, P.S. (401) 73
Wallach, D.F.H., see Philippot, J.R. (406) 161
Wallach, D.F.H., see Schmidt-Ullrich, R. (382) 295
Wallach, D.F.H., see Sharma, R.K. (391) 19
Wallach, D.F.H., see Verma, S.P. (382) 73
Wallach, D.F.H. and Verma, S.P.
Raman and resonance-Raman scattering by erythrocyte ghosts (382) 542
Wallach, D.F.H., see Verma, S.P. (394) 633
Wallach, D.F.H., see Verma, S.P. (401) 168
Walling, M.W. and Kimberg, D.V.
Active secretion of calcium, sodium and chloride by adult rat duodenum in vitro (382) 213
Walters, R.A. and Hildebrand, C.E.
Procedure for the rapid lysis of mammalian cells prior to alkaline sucrose density gradient centrifugation (407) 120

Walters, R.A. and Ratliff, R.L.
Lack of specific correlation of the deoxycytidine triphosphate pool level with rate of DNA synthesis (414) 221
Walton, G.M. and Gill, G.N.
Nucleotide regulation of a eukaryotic protein synthesis initiation complex (390) 231
Wan, H. and Horvath, C.
Behavior of soluble and immobilized acid phosphatase in hydro-organic media (410) 135
Wang, C.C.
Studies of the mitochondria from Eimeria tenella and inhibition of the electron transport by quinolone coccidiostats (396) 210
Wang, C.S., see Carey, C. (401) 6
Wang, D.
A crystalline protein-proteinase inhibitor from Pinto bean seeds (393) 583
Wang, J.C., see Liu, L.F. (395) 405
Waqar, M.A. and Huberman, J.A.
Covalent linkage between RNA and nascent DNA in the slime mold, Physarum polycephalum (383) 410
Ward, C.W.
Properties and specificity of the major metal-chelator-sensitive proteinase in the keratinolytic larvae of the webbing clothes moth (384) 215
Ward, C.W.
Properties and specificity of the major anionic trypsin-like enzyme in the keratinolytic larvae of the webbing clothes moth (391) 201
Ward, C.W.
Aminopeptidases in webbing clothes moth larvae. Properties and specificities of the enzymes of intermediate electrophoretic mobility (410) 361
Ward, D.N., see Liu, W.K. (405) 522
Wardi, A.H., see Varma, R. (399) 139
Wardman, P., see Bisby, R.H. (389) 137
Waring, M.J., Wakelin, L.P.G. and Lee, J.S.
A solvent-partition method for measuring the binding of drugs to DNA: Application to the quinoxaline antibiotics echinomycin and triostin A (407) 200
Warner, A.H.
A simple and inexpensive method for the preparation of [β,γ-^{32}P]guanosine 5′-triphosphate (383) 229
Warner, R.C., see Escarmis, C. (402) 261
Warren, G.B., see Birdsall, N.J.M. (380) 344
Waser, P., see Pfister, M. (410) 193
Wasseil, D.A., see Fung, B.M. (399) 191
Wasserman, A.R., see Stuart, A.L. (376) 561
Wasserman, R.H., see Fullmer, C.S. (393) 134
Wasserman, R.H., see Fullmer, C.S. (412) 256
Wassil, D.A., see Fung, B.M. (385) 180
Wasvary, J.M., see Ku, E.C. (384) 360
Watanabe, K., see Nakamura, N. (397) 188
Watanabe, T., see Ogasawara, N. (403) 530
Watenane, H.
Effect of 17α-ethinylestradiol on biliary excretion of bile acids (399) 79
Waterlow, J.C., see Garlick, P.J. (414) 71
Watlington, C.O. and Jessee, Jr., F.
Net Cl^- flux in short-circuited skin of Rana pipiens. Ouabain sensitivity and $Na^+ + K^+$ dependence (382) 204
Watterson, J., see Pfister, M. (410) 193
Watts, D.C., see Chegwidden, W.R. (410) 99
Weber, A., see Bremel, R.D. (376) 366
Weber, H., see Endou, H. (389) 516
Wegelius, O., see Juvani, M. (411) 1
Wegman, P., see Kosower, N.S. (401) 000
Weidekamm, E. and Brdiczka, D.
Extraction and localization of a ($Ca^{2+} + Mg^{2+}$)-stimulated ATPase in human erythrocyte spectrin (401) 51
Weijers, P.J., see Arnberg, A.C. (383) 359
Weijers, P.J., see Kleisen, C.M. (390) 155
Weil, J.H., see Guillemaut, P. (378) 64
Weil, J.H., see Guillemaut, P. (407) 240
Weinbach, E.C., see Muenzer, J. (376) 237
Weinbach, E.C., see Muenzer, J. (376) 243
Weinbaum, G., see Kidroni, G. (399) 428
Weinbaum, G., see Kidroni, G. (399) 447
Weiner, L.M., Backer, J.M. and Rezvukhin, A.I.
Participation of Mn^{2+} complexed with tRNA in the interaction with amino acids and dipeptides (383) 316
Weiner, M.W., see Cunarro, J. (387) 234

Weiner, R.E. and Szuchet, S.
The molecular weight of bovine lactoferrin (393) 143
Weintraub, H., see Tietz, A. (388) 165
Weir, D.G., see Davidson, G.E. (392) 207
Weis, H.J. and Dietschy, J.M.
Interaction of various control mechanisms in determining the rate of hepatic cholesterogenesis in the rat (398) 315
Weismann, C., see Gilvarg, C. (414) 341
Weller, M. and Rodnight, R.
Observations on the binding of adenosine 3′:5′-monophosphate to cell membrane fragments from ox cerebral cortex (389) 573
Wellhöner, H.H., see Schummer, U. (394) 93
Welling, G.W., see Bricteux-Grégoire, S. (386) 244
Wellman, A.M., see Pendyala, L. (385) 194
Wells, J.N., Baird, C.E., Wu, Y.J. and Hardman, J.G.
Cyclic nucleotide phosphodiesterase activities of pig coronary arteries (384) 430
Wells, M.A.
A simple and high-yield purification of Crotalus adamanteus phospholipases A_2 (380) 501
Weltner, Jr., W., see Brown, E.B. (399) 124
Welton, R.L. and Woods, D.R.
Collagenase production by Achromobacter iophagus (384) 228
Wendel, A., Pilz, W., Ledenstein, R., Sawatzki, G. and Weser, U.
Substrate-induced redox change of selenium in gluthatione peroxidase studied by X-ray photoelectron spectroscopy (377) 211
Wengenmayer, F. and Kurz, G.
Subunit structure of D-galactose dehydrogenase from Pseudomonas saccharophila (386) 590
Wenger, D.A., Sattler, M. and Clark, C.
Effect of bile salts on lactosylceramide β-galactosidase activities in human brain, liver and cultured skin fibroblasts (409) 297
Wennerstrom, H., see Nilsson, J. (389) 197
Werbin, H., see Madden, J.J. (383) 160
Werdan, K., Heldt, H.W. and Milovancev, M.
Role of pH in the regulation of carbon fixation in the chloroplast stroma. Studies on CO_2 fixation in the light and dark (396) 276
Weser, U., see Wendel, A. (377) 211
Wessel, I., see Hüttermann, A. (384) 493
Wessels, J.S.C., see van Gorkom, H.J. (408) 331
Westenberg, H., see Scherphof, G. (398) 442
Westergaard, O., see Donelly, Jr., T.E. (402) 150
Wettenhall, R.E.H. and London, D.R.
Incorporation of amino acids into protein from an intracellular pool of lymphocytes (390) 363
Westerman, J., see Kamp, H.H. (398) 415
Wever, R., see De Groot, J.J.M.C. (377) 71
Wever, R., Van Gelder, B.F. and Dervartanian, D.V.
Biochemical and biophysical studies on cytochrome c oxidase. XX. Reaction with sulphide (387) 189
Wever, R., see van Leeuwen, F.X.R. (403) 285
Wever, R., see van 't Riet, J. (405) 306
Wheeler, G.E., see Epand, R.M. (393) 236
Wheeler, K.P., see Walker, J.A. (394) 135
Whillans, D.W.
Studies of electron migration in DNA in aqueous solution using intercalating dyes (414) 193
White, B.N.
Studies on lysine, glutamine and glutamic acid tRNAs from Drosophila (395) 322
White, G.F., see Ramponi, G. (391) 486
White, Jr., H.B., see Lyles, D.S. (388) 331
White, I.G., see Poulos, A. (388) 12
White, J.S. and Rees, K.R.
Electrophoretic characterisation of low molecular weight nuclear RNA from normal and SV40-transformed 3T3 cells (378) 378
White, R.C. and Nelson, T.E.
Analytical gel chromatography of rabbit muscle amylo-1,6-glucosidase/4-α-glucanotransferase under denaturing and non-denaturing conditions (400) 154
Whitfield, A.E., see Guiraldes, E. (389) 495

Whittam, R. and Chipperfield, A.R.
The reaction mechanism of the sodium pump (415) 149
Whittembury, G., see Proverbio, F. (394) 281
Whitton, P.D., see Hems, D.A. (411) 155
Wide, L., see Roos, P. (379) 247
Wide, L., see Roos, P. (405) 363
Wiebauer, K., see Ogilvie, A. (395) 136
Wiebauer, K., see Ogilvie, A. (407) 357
Wieczorkowska, E., see Dardenne, G.A. (381) 416
Wieczorkowska, E., see Larsen, P.O. (381) 409
Wieland, Th., see Dancker, P. (400) 407
Wierzchowski, K.L., see Kulakowska, K.L. (407) 420
Wiesenfeld, M., Schimpfessel, L. and Crokaert, R.
Multiple forms of mitochondrial alcohol dehydrogenase in Saccharomyces cerevisiae (405) 500
Wiesner, R., see Koritz, S.B. (383) 86
Wikström, M. and Saari, H.
A spectral shift in cytochrome a induced by calcium ions (408) 170
Wiktorowicz, J., see Srivastava, S.K. (397) 428
Wilson, F.A. and Treanor, L.L.
Characterization of the passive and active transport mechanisms for bile acid uptake into rat isolated intestinal epithelial cells (406) 280
Wilchek, M., see Viswanatha, T. (401) 152
Wilcox, H.G., Dunn, G.D. and Heimberg, M.
Effects of several common long chain fatty acids on the properties and lipid composition of the very low density lipoprotein secreted by the perfused rat liver (398) 39
Wildman, S.G., see Kwanyuen, P. (405) 167
Wildnauer, R.H., see Papir, Y.S. (399) 170
Wiley, J.S. and Cooper, R.A.
Inhibition of cation cotransport by cholesterol enrichment of human red cell membranes (413) 425
Wilgus, H., see Stellwagen, E. (405) 115
Wilkening, J., Nowack, J. and Decker, K.
The dependence of glucose formation from lactate on the adenosine triphosphate content in the isolated perfused rat liver (392) 299
Wilkie, D., see Stone, A.B. (390) 133
Wilkinson, T., Chua, C.G., Carrell, R.W., Exner, R.H.T., Lee, K.M. and Kronenberg, H.
Haemoglobin camperdown β 104(G6) arginine→serine (393) 195
Wille, Jr., J.J. and Kauffman, S.A.
Premature replication of late S period DNA regions in early S nuclei transferred to late S cytoplasm by fusion in Physarum polycephalum (407) 158
Williams, C.N., see Macdonald, I.A. (384) 12
Williams, L., see Sharma, R.S. (393) 379
Williams, M., see Sugita, M. (398) 125
Williams, R.J.P.
Phases and phase structure in biological systems (416) 237
Williams, R.J.P., Wright, P.E., Mazza, G. and Ricard, J.R.
Proton magnetic resonance studies of peroxidases from turnip and horseradish (412) 127
Williams, II, S.K., see Semler, B.L. (399) 71
Williams-Smith, D.L. and Morrison, P.J.
Electron paramagnetic resonance spectra of catalase in mammalian tissues (405) 253
Williams-Smith, D.L. and Patel, K.
Induced changes in the electron paramagnetic resonance spectra of mammalian catalases (405) 243
Williams-Smith, D.L., see Simpson, E.R. (404) 309
Willshaw, G.A., see Humpreys, G.O. (383) 457
Wilson, I.B., see Maglothin, J.A. (403) 370
Wilson, J.B., see Hubbard, M. (386) 538
Wilson, J.B., see Kleckner, H.B. (400) 343
Wilson, J.B., see Sharma, R.S. (393) 379
Wilson, J.B., see Wrightstone, R.N. (412) 283
Wilson, M.J., see Ahmed, K. (377) 80
Wilson, M.J. and Villee, C.A.
Preparation of prostatic plasma membrane. Distribution of (Na^+, K^+)-ATPase and Mg^{2+}-ATPase in the rat ventral prostate (394) 1
Wilson, M.M., see Letham, D.S. (399) 61
Wilson, R.G., Bodner, R.H. and MacWhorter, G.W.

Inhibition of macromolecular synthesis in L1210 mouse leukemia ascites cells by hycanthone (378) 260
Wilson, S.H., see Matsukage, A. (383) 338
Wilting, J., van Buuren, K.J.H., Braams, R. and van Gelder, B.F.
The mechanism of reduction of cytochrome c as studied by pulse radiolysis (376) 285
Winicov, I.
Stereospecificity of hydrogen transfer by phosphoglycerate dehydrogenase (397) 288
Winicov, I.
The role of 5-S RNA in temperature-sensitive ribosomal RNA maturation (402) 62
Wins, P., see Maglothin, J.A. (403) 370
Wintermans, J.F.G.M., see Van Hummel, H.C. (380) 219
Wintermeyer, W., see Lim Wong, K. (395) 1
Winton, E., see Hubbard, M. (386) 538
Winzler, R.J., see Reznick, A.Z. (404) 268
Wirtz, G.H., see Alving, C.R. (394) 157
Wirtz, K.W.A., see Kamp, H.H. (398) 401
Wirtz, K.W.A., see Kamp, H.H. (398) 415
Witholt, B., see van Heerikhuizen, H. (413) 177
Witkop, B., see Torrence, P.F. (395) 56
Witnauer, L.P., see Kahn, L.D. (393) 247
Witt, H.T., see Jackson, J.B. (408) 83
Witt, H.T., see Saphon, S. (408) 58
Witt, H.T., see Saphon, S. (408) 67
Wobschall, D. and McKeon, C.
Step conductance increases in bilayer membranes induced by antibody-antigen-complement action (413) 317
Wojciechowski, Z.A. and Zimowski, J.
Acyl composition and biosynthesis of acylated steryl glucosides in Calendula officinalis (398) 111
Wojcik, J.D., Grand, R.J. and Kimberg, D.V.
Amylase secretion by rabbit parotid gland. Role of cyclic AMP and cyclic GMP (411) 250
Wojnarowska, F. and Gray, G.M.
Intestinal surface peptide hydrolases: Identification and characterization of three enzymes from rat brush border (403) 147
Wolfe, S.M., see Muenzer, J. (376) 237
Wolfe, S.M., see Muenzer, J. (376) 243
Wolfenstein-Todel, C., Frangione, B. and Franklin, E.C.
Partial amino acid sequence of an IgA_2 human immunoglobulin heavy chain (379) 627
Wolff, D.A., see Rice, J.M. (381) 17
Wolff, J. and Hope Cook, G.
Choleragen stimulates steroidogenesis and adenylate cyclase in cells lacking functional hormone receptors (413) 283
Wolff, J. and Hope Cook, G.
Endotoxic lipopolysaccharides stimulate steroidogenesis and adenylate cyclase in adrenal tumor cells (413) 291
Wolosin, J.M. and Ginsburg, H.
The permeation of organic acids through lecithin bilayers. Resemblance to diffusion in polymers (389) 20
Woo, Y.-T. and Manery, J.F.
5'-Nucleotidase: An ecto-enzyme of frog skeletal muscle (397) 144
Wood, G.C., see Pryce-Jones, R.H. (397) 449
Wood, P.J., see Barran, L.R. (392) 148
Wood, P.M. and Bendall, D.S.
Kinetics and specificity of electron transfer from cytochromes and copper proteins to P700 (387) 115
Wood, T.G., see Naso, R.B. (383) 195
Woodcock, C.L.F., see Apel, K. (387) 568
Woodcock, E., see Beattie, J.K. (405) 109
Woods, D.R., see Welton, R.L. (384) 228
Woodward, C.K., see Ellis, L.M. (379) 385
Workman, Jr., E.F., Graham, G. and Bates, G.W.
The effect of serum and experimental variables on the transferrin and reticulocyte interaction (399) 254
Wouters, A., see Kohen, E. (396)
Wozny, M.E., Carnevale, H.N. and Jones, E.E.
Alteration of regulation of arginine biosynthesis in Escherichia coli W by mutation of rifampin resistance (383) 106
Wraight, C.A., Cogdell, R.J. and Clayton, R.K.
Some experiments on the primary electron acceptor in reaction centres from Rhodopseudomonas sphaeroides (396) 242
Wright, J.E., see Lloyd, E.A. (402) 113

Wright, Jr., L.A. and Murphy, T.M.
Photoreactivation of nitrate reductase production in Nicotiana tabacum var. xanthi (407) 338
Wright, P.E., see Williams, R.J.P. (412) 127
Wrightstone, R.N., see Hubbard, M. (386) 538
Wrightstone, R.N., Smith, L.L., Wilson, J.B., Vella, F. and Huisman, T.H.J.
Some physicochemical properties of Hemoglobin-Manitoba (α_2 102Ser→Arg(G9) β_2) (412) 283
Wu, Y.J., see Wells, J.N. (384) 430
Wuthier, R.E.
Lipid composition of isolated epiphyseal cartilage cells, membranes and matrix vesticles (409) 128
Wuthier, R.E., see Majeska, R.J. (391) 51
Wyatt, G.R., see Fallon, A.M. (411) 173
Wydrzynski, T. and Govindjee
New site of bicarbonate effect in Photosystem II of photosynthesis. Evidence from chlorophyll fluorescence transients in spinach chloroplasts (387) 403
Wydrzynski, T., Gross, E.L. and Govindjee
Effects of sodium and magnesium cations on the "dark-" and light-induced chlorophyll a fluorescence yields in sucrose-washed spinach choroplasts (376) 151
Wydrzynski, T., Zumbulyadis, N., Schmidt, P.G. and Govindjee
Water proton relaxation as a monitor of membrane bound mangeanese in spinach chloroplasts (408) 349
Wyke, J.A.
Temperature sensitive mutants of avian sarcoma viruses (417) 91
Wykle, R.L. and Schremmer Lockmiller, J.M.
The biosynthesis of plasmalogens by rat brain.
Involvement of the microsomal electron transport system (380) 291

Y

Yabuki, S., Gotoh, O. and Wada, A.
Fine structures in denaturation curves of bacteriophage lamda DNA. Their relation to the intramolecular heterogeneity in base composition (395) 258
Yadomae, T., see Miyazaki, T. (385) 345
Yakovleva, L.I., see Kogan, Z.S. (403) 208
Yamada, H., see Miyazaki, T. (385) 345
Yamada, H., see Mizushima, S. (375) 44
Yamada, H., see Suzuki, H. (403) 23
Yamada, H., see Yoshida, H. (391) 494
Yamada, T., see Matsutake, Y. (405) 347
Yamada, Y. and Ishikura, H.
Identification of a modified nucleoside in Escherichia coli $tRNA_1^{Ser}$ as 2'-O-methylcytidine (402) 285
Yamaguchi, K., Shigehisa, S., Sakakibara, S., Hosokawa, Y. and Ueda, I.
Cysteine metabolism in vivo of vitamin B_6-deficient rats (381) 1
Yamaguchi, M., see Nakamura, T. (412) 229
Yamaguchi, T., see Inoko, Y. (413) 24
Yamamoto, H.Y., see Siefermann, D. (387) 149
Yamamura, H., see Nakashima, M. (397) 117
Yamanaka, T., see Kitamura, K. (379) 582
Yamane, K. and Maruo, B.
Hybrid α-amylases produced by the transformants of Bacillus subtilis. III. A possible mechanism of formation of hybrid α-amylases (393) 571
Yamano, T., see Hiwatashi, A. (388) 397
Yamasaki, M., see Inoue, N. (400) 322
Yamasaki, M., see Moroi, M. (379) 217
Yamashina, I., see Sato, M. (397) 179
Yamauchi, K., see Kobayashi, H. (380) 282
Yanagawa, H. and Egami, F.
Asparagusate dehydrogenases and lipoyl dehydrogenase from asparagus mitochondria (384) 342
Yanagisawa, T., see Nakamura, T. (412) 229
Yandrasitz, J., see Salganicoff, L. (385) 394
Yang, C.H. and Srivastava, P.N.
Purification of bull sperm hyaluronidase by concanavalin-A affinity chromatography (391) 382
Yang, F.Y., see Ouyang, C. (386) 479
Yang, N.-S. and Scandalios, J.G.
De novo synthesis and developmental control of the multiple gene controlled malate dehydrogenase isoenzymes in maize scutella (384) 293
Yang, Y.-Z., see LeStourgeon, W.M. (379) 529
Yannarell, A., see Aronson, Jr., N.N. (413) 135
Yantorno, R., see Takashima, S. (401) 15
Yarger, J. and Soll, D.R.
Transcription and division inhibitors in the medium of stationary phase cultures of the slime mold Dictyostelium discoideum (390) 46
Yashphe, J., see Ulitzur, S. (404) 321
Yasunobu, K.T., see Tsurushiin, S. (400) 451
Yasunobu, T., see Shieh, J.J. (377) 229
Yates, M.G., see Thorneley, R.N.F. (403) 269
Yayanos, A.A.
Stimulatory effect of hydrostatic pressure on cell division in cultures of Escherichia coli (392) 271
Yen, S.P.S., see Lim, R.W. (394) 377
Yeoh, G.C.T. and Morgan, E.H.
Factors affecting incorporation of [^{14}C]leucine into albumin and transferrin by the liver in the postnatal rat (378) 133
Yip, M.C.M., see Stoffyn, A. (409) 97
Yokoyama, M., see Ohba, Y. (405) 155
Yokoyama, S., Oobayashi, A., Tanabe, O. and Ichishima, E.
Action of crystalline acid carboxypeptidase from Penicillium janthinelium (397) 443
Yonetani, T., see Erman, J.E. (393) 343
Yonetani, T., see Erman, J.E. (393) 350

Yooktatat, J., see Schachtschabel, D.O. (381) 242
York, C., see Marangos, P. (392) 75
York, J.W., Penney, D.G. and Oscai, L.B.
Effects of physical training on several glycolytic enzymes in rat heart (381) 22
Yoshida, H., Kumagai, H., Yamada, H. and Matsubara, H.
The tryptophanase from Proteus rettgeri. Improved purification and properties of crystalline holotryptophanase (391) 494
Yoshida, S., Iizuka, T., Nozawa, T. and Hatano, M.
Studies on the charge transfer band in high spin state of ferric myoglobin and hemoglobin by low temperature optical and MCD spectroscopy (405) 122
Yoshimoto, A., see Oki, T. (410) 262
Yoshimura, F. and Suzuki, T.
Calcium-stimulated adenosine triphosphatase in the microsomal fraction of tooth germ from porcine fetus (410) 167
Yoshizawa, T., see Matsumoto, H. (404) 300
Yosizawa, Z., see Endo, M. (404) 274
You, K.-S., Benitez, V., McConachie, W.A. and Allison, W.S.
The conversion of glycerladehyde-3-phosphate dehydrogenase to an acyl phosphatase by trinitroglycerin and activation of this activity by azide and ascorbate (384) 317
Young, D.A.B., Clausen, T. and Balant, L.
Insulin and insulin inhibitor on amino acid transport in rat diaphragm in vivo (389) 194
Young, D.M., see Greenwald, R.A. (385) 435
Young, J.D. and Nimmo, I.A.
The relationship between GSH, GSSG and non-GSH thiol in GSH-deficient erythrocytes from Finnish Landrace and Tasmanian Merino sheep (404) 124
Young, J.D. and Nimmo, I.A.
GSH biosynthesis in glutathione-deficient erythrocytes from Finnish Landrace and Tasmanian Merino sheep (404) 132
Young, L.G., see Kenimer, J.G. (384) 87
Young, V.R., see Haverberg, L.N. (405) 67
Yu, C.-an, see Yu, L. (379) 33
Yu, F.-L.
An improved method for the quantitative isolation of rat liver nuclear RNA polymerases (395) 329
Yu, L., Chiang, Y.-L., Yu, C.-an and King, T.E.
A trypsin resistant heme peptide from cardiac cytochrome c_1 (379) 33
Yu, W., Ho, P.P., Alfano, R.R. and Seibert, M.
Fluorescent kinetics of chlorophyll in Photosystems I and II enriched fractions of spinach (387) 159
Yuasa, S., Urakabe, S., Kimura, G., Shirai, D., Takamitsu, Y., Orita, Y. and Abe, H.
Effect of colchicine on the osmotic water flow across the toad urinary bladder (413) 277
Yue, R., see Meighen, E.A. (412) 262
Yuen, P., see Gusseck, D.J. (401) 278
Yukioka, M., Hatayama, T. and Morisawa, S.
Affinity labelling of the ribonucleic acid component adjacent to the peptidyl recognition center of peptidyl transferase in Escherichia coli ribosomes (390) 192
Yuthavong, Y., Feldman, N. and Boyer, P.D.
Some chemical characteristics of dimethylsuberimidate and its effect on sarcoplasmic reticulum vesicles (382) 116

Z

Zablocki, W., see Atassi, M.Z. (386) 233
Zaborsky, O.R., see May, S.W. (403) 245
Zabrosky, O.R., Hou, C.T. and Ogletree, J.
Circular dichroism of protocatechuate 3,4-dioxygenase from Pseudomonas aeruginosa (386) 18
Zachau, H.G., see Lim Wong, K. (395) 1
Zachau, H.G., see Petrova, M. (395) 455
Zadunaisky, J.A., see Buck, M.G. (389) 251
Zaheer, A., Noronha, S.H., Hospattankar, A.V. and Braganca, B.M.
Inactivation of $(Na^+ + K^+)$-stimulated ATPase by a cytoxic protein from cobra venom in relation to its lytic effects on cells (394) 293
Zahler, W.L. and Doak, G.A.
Isolation of the outer acrosomal membrane from bull sperm (406) 479
Zahn, R.K., see Muller, W.E.G. (383) 147
Zakim, D. and Vessey, D.A.
Regulation of microsomal enzymes by phospholipids. IX. Production of uniquely modified forms of microsomal UDP-glucuronyltransferase by treatment with phospholipase A and detergents (410) 61
Zakim, D., see Zatta, P. (392) 361
Zalewska-Sobczak, J., see Urbanek, H. (377) 402
Zama, M. and Ichimura, S.
Different effects of polylysine and polyarginine on the transition to a condensed state of DNA in polyethyleneglycol/salt solution (414) 256
Zamazova, L.M., see Paschenko, V.Z. (408) 143
Zambotti, V., see Venerando, B. (403) 461
Zambrano, F., Fleischer, S. and Fleischer, B.
Lipid composition of the Golgi apparatus of rat kidney and liver in comparison with other subcellular organelles (380) 357
Zana, R., see Sturm, J. (407) 43
Zand, R., see Liebes, L.F. (405) 27
Zand, R., see Matthews, R.H. (394) 182
Zatta, P., Zakim, D. and Vessey, D.A.
The transfer of galactose from UDP-galactose to endogenous lipid acceptors in liver microsomes (392) 361
Zav'Yalov, V.P., see Troitsky, G.V. (400) 24
Zav'yalov, V.P., Troitsky, G.V., Demchenko, A.P. and Generalov, I.V.
Temperature and pH dependent changes of immunoglobulin G structure (386) 155
Zawacki, J.K., see Scamman, J.P. (404) 281
Zeitoun, Y., see Brevet, A. (393) 1
Zelinka, J., see Simúth, J. (379) 397
Zendowski, S., see Gorin, E. (388) 268
Zenser, T.V.
Formation of adenosine 3′,5′-monophosphate from adenosine in mouse thymocytes (404) 202
Zeppezauer, M., see Bull, T.E. (377) 1
Zerner, B., see Hamilton, S.E. (377) 282
Zherebtsov, S.V. and Tomilin, N.V.
Postreplication DNA repair in ultraviolet-irradiated Micrococcus luteus (383) 16
Zilinskas, B.A. and Govindjee
Silicomolybdate and silicotungstate mediated dichlorophenyl-dimethylurea-insensitive Photosystem II reaction. Electron flow, chlorophyll a fluorescence and delayed light emission changes (387) 306
Zilversmit, D.B., Hughes, L.B. and Balmer, J.
Stimulation of cholesterol ester exchange by lipoprotein-free rabbit plasma (409) 393
Zilversmit, D.B., see Johnson, L.W. (375) 165
Zilversmit, D.B., see Johnson, L.W. (375) 176
Zima, J., see Valentová, O. (403) 192

Zimmer, G., Schirmer, H. and Bastian, P.
Lipid-protein interactions at the erythrocyte membrane. Different influence of glucose and sorbose on membrane lipid transition (401) 244
Zimmermann, U., see Coster, H.G.L. (382) 410
Zimmermann, U., see Pilwat, G. (406) 424
Zimmermann, U., Pilwat, G. and Riemann, F.
Preparation of erythrocyte ghosts by dielectric breakdown of the cell membrane (375) 209
Zimmermann, U., see Riemann, F. (394) 449
Zimowski, J., see Wojciechowski, Z.A. (398) 111
Zocchi, G., see Lanzani, G.A. (407) 449
Zomzely-Neurath, C., see Marangos, P. (392) 75
Zucker, P., see Jain, K. (399) 384
Zull, J.E., see Sogor, B.V. (375) 363
Zumbulyadis, N., see Wydrzynski, T. (408) 349
Zumft, W.G. and Mortenson, L.E.
Nitrogen-fixing complex of bacteria (416) 153
Zurawski, G. and Brown, K.D.
Chorismate mutase of Chlamydomonas reinhardi: Partial purification and some properties (377) 473
zur Hausen, H.
Oncogenic Herpes viruses (417) 25
Zwaal, R.F.A., Roelofsen, B., Comfurius, P. and Van Deenen, L.L.M.
Organization of phospholipids in human red cell membranes as detected by the action of various purified phospholipases (406) 83
Zwaal, R.F.A., see Demel, R.A. (406) 97

SUBJECT INDEX

VOLUMES 375—417

1975

A

Abrus precatorius
Studies on the structure and properties of lectins from — — — and Ricinus cummunis (Olsnes et al.) (405) 1

Absorption, affinity
Agglutinin from Limulus polyphemus. Purification with formalinized horse erythrocytes as the affinity adsorbent (Nowak, Barondes) (393) 115

Acanthamoeba castellanii genome
Characterization of the genome of the small free-living amoeba Acanthamoeba castellanii (Marzzoco, Colli) (395) 525

2-Acetylaminofluorene
Altered hormone control of cyclic AMP formation in isolated parenchymal liver cells from rats treated with — — — (Christoffersen, Berg) (381) 72

Acetylcholine binding
— — — substance extracted by using organic solvent and acetylcholine receptor of electric organ Narke japonica (Kometani et al.) (413) 415

Acetylcholine receptor
Interaction of myasthenic serum globulin with the — — — (Almon, Appel) (393) 66

Acetylcholinesterase
Differential effects of denaturing agents on — — —. Insensitivity of the reaction of methanesulfonyl fluoride compared to diisopropylphosphorofluoridate and p-nitrophenyl acetate (Krupka) (410) 115

Acetylcholinesterase
Immobilized electric eel — — —. I. Kinetics of acetylcholinesterase trapped in polyacrylamide membranes (Ngo, Laidler) (377) 303

Acetylcholinesterase
Immobilized electric eel — — —. II. Flow kinetics of acetylcholinesterase chemically attached to nylon tubing (Ngo, Laidler) (377) 317

Acetylcholinesterase
Indophenyl acetate and — — —. Binding of a non-specific substrate on the margin of the active center (Krupka) (410) 120

Acetylcholinesterase
Reactivation and aging of diphenyl phosphoryl — — — (Maglothin et al.) (403) 370

Acetylcholinesterase
Studies on — — — and cholinesterase covalently bound to polymaleinic anhydride (Alsen et al.) (377) 297

Acetyl-CoA carboxylase
Hormonal regulation of fatty acid synthetase, — — — and fatty acid synthesis in mammalian adipose tissue and liver (Volpe, Marasa) (380) 454

Acetylene reduction assay
Nitrogenase. VI. — — —: dependence of nitrogen fixation estimates on component ratio and acetylene concentration (Shah et al.) (384) 353

β-N-Acetylhexosaminidase
Studies on — — —. Various isozymes in tissues of normal subjects and Sandhoff's disease patients (Srivastava et al.) (397) 428

N-Acetylimidazole
Effects of — — — on human erythrocyte ATPase activity. Evidence for a tyrosyl residue at the ATP binding site of the $(Na^+ + K^+)$-dependent ATPase (Masiak, D'Angelo) (382) 83

N-Acetyl-D,L-phenylalanine-β-naphthyl esterase
Isolation of an — — — from rabbit peritoneal polymorphonuclear leukocytes (Tsung et al.) (403) 98

N-Acetyltransferase
Hepatic and extrahepatic — — —. Perinatal development using a new radioassay (Sonawane, Lucier) (411) 97

Acheta domesticus
Cyclic guanosine 3′,5′-monophosphate. High levels in the male accessory gland of — — — and related crickets (Fallon, Wyatt) (411) 173

Acid phosphatase
— — — and adenosine triphosphatase activities in the cell wall of baker's yeast (Mildner et al.) (391) 67

Acid phosphatase
Behavior of soluble and immobilized — — — in hydro-organic media (Wan, Horvath) (410) 135
Acid phosphatase
Biosynthesis of — — — of baker's yeast. Characterization of a protoplast-bound fraction containing precursors of the exo-enzyme (Boer et al.) (377) 331
Acid phosphatase
Correlation between erythromycin and — — — in mouse liver (Carevic et al.) (381) 269
Acid phosphatase
Steady-state kinetics and effect of SH inhibitors on — — — from bovine brain (Baldijao et al.) (391) 316
Acid proteinase
Studies on the interaction between Streptomyces pepsin inhibitor and several — — —s by means of a zinc(II)-dye complex as a probe (Nakatani et al.) (391) 415
Acid transport
Characterization of the passive and active transport mechanisms for bile acid uptake into rat isolated intestinal epithial cells (Wilson, Treanor) (406) 280
Acid transport
Inhibition by cyclic AMP and dibutyryl cyclic AMP of transport of organic acids in kidney cortex (Podevin, Boumendil, Podevin) (375) 106
Acid transport
Some characteristics of monocarboxylic acid transfer across the cell membrane of epithelial cells from rat small intestine (Lamers) (413) 265
Acridine probe
— — — into the physiological state of the cell (Ito, Kobayashi) (378) 125
Actin
Interaction of — — — with phalloidin; polymerization and stabilization of F-actin (Dancker et al.) (400) 407
Actin
Kinetic analysis of the polymerization process of — — — (Arisaka et al.) (400) 263
F-actin
Interaction of troponin components with — — — and F-actin-tropomyosin complex (Dabrowska et al.) (400) 54
F-actin-tropomyosin complex
Interaction of troponin components with F-actin and — — — (Dabrowska et al.) (400) 54
Action potential
Modification of optical responses associated with the — — — of lobster giant axons (Kaplan, Klein) (382) 106
Active transport
Maintenance of the energized membrane state and its relation to — — — in Escherichia coli (Rosen, Adler) (387) 23
Active transport
Structure and — — — in the plasma membrane of the tubules of frog kidney (Bresler et al.) (406) 526
Active transport
Studies on the active transfer of reducing equivalents into mitochondria via the malate-aspartate shuttle (Bremer, Davis) (376) 387
Active transport
Xenon accumulation in the red blood cell. A process altered by suppressors of the membrane — — — function (Dragomir et al.) (389) 530
Activity coefficient
Use of computed — — —s in Raoult's reference system, for n-alcohol/water mixtures, and their application to the study of proteins (Schlusselberg, Paredes) (405) 89
Actomyosin
Dinitrophenylation of rabbit skeletal — — — (Bailin) (400) 167
Actomyosin
On the active streaming experiment of — — — solutions in glass microcapillaries (Matsutake et al.) (405) 347
Actomyosin
Synchronous reversible alterations in enzymatic activity (conformational fluctuation(s) in — — — and creatine kinase preparations (Shnoll, Chetverikova) (403) 89
Acylation
Comparison of the — — — of sn-glycerol 3-phosphate and membrane-bound lipid in the microsomal fraction from rabbit brain throughout maturation (Carey) (398) 231
Acyl carnitines
Effect of vitamin B12 deficiency on the hepatic concentration of — — — (Burton, Frenkel) (398) 217

Acyl-CoA synthetase
Intracellular localization of long-chain — — — in brown adipose tissue (Pedersen et al.) (398) 191
Acyl-CoA synthetase
Organ and intracellular localization of short-chain — — —s in rat and guinea-pig (Scholte, Groot) (409) 283
Acyldihydroxyacetone phosphate pathway
Relative utilization of the — — — and glycerol phosphate pathway for synthesis of glycerolipids in various tumours and normal tissues (Pollock et al.) (380) 421
Acyl-sn-glycerol
Utilization of 2— — — by locust fat body microsomes. Specificity of the acyltransferase system (Tietz et al.) (388) 165
Acylglycerol synthesis
Membrane-bounded lipid particles from beef heart — — — (Christiansen) (380) 390
Acylphosphatase
Conversion of glyceraldehyde-3-phosphate dehydrogenase to an — — — by trinitroglycerin and inactivation of this activity by azide and ascorbate (You et al.) (384) 317
Acylphosphatase
Inhibition of horse muscle — — — by pyridoxal 5′-phosphate (Ramponi et al.) (391) 486
Acyltransferase
— — — activities in rat lung microsomes (Hasegawa-Sasaki, Ohno) (380) 486
Acyltransferase
Short-chain acyl-CoA:1-alkyl-2-sn-glycerol — — — from a microsomal fraction of the rabbit harderian gland (Rock, Snyder) (388) 226
Acyltransferase
Utilization of 2-acyl-sn-glycerol by locust fat body microsomes. Specificity of the — — — system (Tietz et al.) (388) 165
Adenine nucleotide
Incorporation of hypoxanthine into — — —s and guanine nucleotides by human platelets (Rivard et al.) (381) 144
Adenine nucleotide metabolism
— — — in relation to purine enzyme in liver, erythrocytes and cultured fibroblasts (Sheoy, Clifford) (411) 133
Adenine phosphoribosyltransferase
Purification and properties of rat liver — — — (Kenimer et al.) (384) 87
Adenine starvation
Endogenous purine metabolism in the conidia of wild type and certain adenine mutants of Neurospora crassa. I. The nature of the reserve pools, and pool utilization during — — — (Pendyala, Wellman) (385) 194
S-Adenosyl-L-methionine
Purification and properties of — — —. caffeic acid O-methyltransferase from leaves of spinach beet (Beta vulgaris L.) (Poulton, Butt) (403) 301
S-Adenosylmethionine analogue
S-n-propyl analogue of S-adenosylmethionine (Schlenk, Dainko) (385) 312
Adenylate
Respiratory control in isolated perfused rat heart. Role of the equilibrium relations between the mitochondrial electron carriers and the — — — system (Hassinen, Hiltunen) (408) 319
Adenylate cyclase
Activation of — — — in renal medulla by bovine growth hormone. An artifact attributable vasopressin (Leichter, Chase) (399) 291
Adenylate cyclase
Assay for — — — and cyclic nucleotide phosphodiesterases and the preparation of high specific activity ^{32}P-labelled substrates (Nakai, Brooker) (391) 222
Adenylate cyclase
Choleragen stimulates steroidogenesis and — — — in cells lacking in functional hormone receptors (Wolff, Hope Cook) (413) 283
Adenylate cyclase
Differentiation of fluoride-stimulated and non-fluoride-stimulated components of beef brain cortex — — — by calcium ions, EGTA and Triton X-100 (MacDonald) (397) 244
Adenylate cyclase
Dispersion of epinephrine-sensitive and insensitive — — — from the ciliate Tetrahymena pyriformis (Kassis, Kindler) (391) 513
Adenylate cyclase
Endotoxic lipopolysaccharides stimulate steroidogenesis and — — — in

adrenal tumour cells (Wolff, Hope Cook) (413) 291
Adenylate cyclase
Excitation-secretion coupling in exocrine glands. Properties of cyclic AMP phosphodiesterase and — — — from the submaxillary gland and pancreas (Lemon, Bhoola) (385) 101
Adenylate cyclase
Purification and characterization of plasma membranes and the subcellular distribution of — — — in mouse parotid gland (Durham et al.) (394) 388
Adenylate cyclase
Rat pancreas — — —. III. Its role in pancreatic secretion assessed by means of choleratoxin (Kempen et al.) (392) 276
Adenylate cyclase
Rat testis mitochondrial — — —. Partial purification and characterisation (Sulimovici et al.) (377) 454
Adenylate cyclase
Regulation of cyclic AMP level in bacteria. II. In vitro regulation of — — — activity. Solubilisation and reconstitution of a functional membrane-bound adenylate cyclase system, responsive to regulation by glucose (Abou-Sabé, Mento) (385) 294
Adenylate cyclase
Stimulation of brain — — — activity by the undecapeptide substance P and its modulation by the calcium ion (Duffy, Powell) (385) 275
Adenylate cyclase
Subcellular localization and partial characterization of bovine corpus luteum — — — (Sidhu et al.) (397) 254
Adenylate kinase
Reactive arginine in — — — (Berghäuser) (397) 370
Adenylyltransferase
Kinetic and structural characterization of adenosine-5′-triphosphate. Ribonucleic acid — — — from Pseudomonas putida (Blakesley) (414) 133
Adipocyte
Comparison of plasma membranes and enoplasmic reticulum fractions obtained from whole white adipose tissue and isolated — — —s (Giacobino, Chmelar) (406) 68
Adipose tissue metabolism
Effect of methoxyindole 2-carboxylic acid and 4-pentenoic acid on — — — (Gorin, Zendowski) (388) 268
ADP/ATP-carrier
Functional relationship between the — — — and the F_1-ATPase in mitochondria (Vignais et al.) (376) 219
Adrenalin
Metabolic actions of vasopressin, glucagon and — — — in the intact rat (Hems et al.) (411) 155
α-Adrenergic agonist
Metabolic responses of perfused rat livers to alpha- and beta-adrenergic agonists, glucagon and cyclic AMP (Jacob, Diem) (404) 57
β-Adrenergic agonist
Metabolic responses of perfused rat livers to alpha- and beta-adrenergic agonists, glucagon and cyclic AMP (Jakob, Diem) (404) 57
Aequorin
Comparative aspects of the calcium-sensitive photoproteins — — — and obelin (Moisescu et al.) (396) 133
Affinity chromatography: see Chromatography, affinity
Affinity labelling
— — — of Escherichia coli ribosomes by a derivative of phenylalanyl-tRNA. A critical test for the specificity (Bauer et al.) (395) 146
Affinity labelling
— — — of the ribonucleic acid component adjacent to the peptidyl recognition centre of peptidyl transferase in Escherichia coli ribosomes (Yukioka et al.) (390) 192
Agglutination assay
Quantitative assay for concanavalin A- and Ricinus communis agglutinin-mediated agglutination of rat ascites hepatoma cells. Relationship between concanavalin A binding and cell agglutination (Kaneko et al.) (392) 131
Agglutinin
— — — from Limulus polyphemus. Purification with formalinized horse erythrocytes as the affinity adsorbent (Nowak, Barondes) (393) 115
Agglutinin
Precipitation and carbohydrate-binding specificity studies on wheat germ — — — (Goldstein et al.) (405) 53

Air-water interface
Monolayer characteristics of some glycolipids at the — — — (Oldani et al.) (382) 1
Alamethicin pore
Oscillation phenomena in black lipid membranes induced by a single — — — (Boheim, Hall) (389) 436
Alanine dehydrogenase
Stereochemistry of the hydrogen transfer to NAD catalyzed by (S)— — — from Bacillus subtilis (Alizade et al.) (397) 5
Albumin
Factors affecting incorporation of [^{14}C]leucine into — — — and transferrin by the liver in the postnatal rat (Yeoh, Morgan) (378) 133
Albumin
Interpretation of the electron spin resonance of nitroxide-maleimide-labelled proteins and the use of this technique in the study of — — — and biomembranes (Benga, Strach) (400) 69
Albumin
Structural requirements for the action of steroids as quenchers of — — — fluorescence (Romeu et al.) (409) 376
Albumin catabolism
Albumin synthesis and catabolism following partial hepatectomy in the rat. The effects of amino acids and adrenocortical steroids on albumin synthesis after partial hepatectomy (Lloyd et al.) (402) 113
Albumin synthesis
— — — and catabolism following partial hepatectomy in the rat. The effects of amino acids and adrenocortical steroids on albumin synthesis after partial hepatectomy (Lloyd et al.) (402) 113
Albumin synthesis
Effect of colchicine on collagen, albumin and transferrin synthesis by cirrhotic rat liver slices (Rojkind, Kershenobich) (378) 415
Alcohol dehydrogenase
Binding of $Au(CN)_2^-$ and $Pt(CN)_4^{2-}$ to horse liver — — —. A ^{35}Cl NMR relaxation study (Bull et al.) (377) 1
Alcohol dehydrogenase
Examination of octanol and octanal metabolism to octanoic acid by horse liver — — — (Hinson, Neal) (384) 1
Alcohol dehydrogenase
Multiple forms of mitochondrial — — — in Saccharomyces cerevisiae (Wiesenfeld et al.) (405) 500
Alcohol metabolism
Metabolism of long-chain isoprenoid alcohols. Incorporation of phytol and dihydrophytol into the lipids of rat brain (Su, Schmid) (380) 119
Aldehyde dehydrogenase
Different forms of rat liver — — — and their subcellular distribution (Koivula, Koivusalo) (397) 9
Aldehyde dehydrogenase
Partial purification and properties of a phenobarbital-induced — — — of rat liver (Koivula, Koivusalo) (410) 1
Aldosterone
Action of — — — on frog skin in the presence and absence of in vitro molting effects (Lang et al.) (401) 481
Aldosterone
Further studies of the effect of — — — on electrical resistance of toad bladder (Spooner, Edelmen) (406) 304
Alkaline phosphatase
^{19}F NMR studies of the binding of a fluorine-labelled phosphonate ion to E. coli — — — (Lilja et al.) (384) 277
Alkaline phosphatase
Hybrids of chemical derivatives of Escherichia coli — — — (Meighen, Yue) (412) 262
Alkaline phosphatase
Nicotinamide-adenine dinucleotide inhibition of pig kidney — — — (Ramasamy, Butterworth) (384) 146
Alkaline phosphatase
Reaction of tris(hydroxymethyl) aminomethane with calf intestinal — — — (Neumann et al.) (391) 292
Alkaline phosphatase
Stimulation by ATP of — — — in placental plasma membranes (Messer et al.) (391) 61
Alkaline phosphatase
Studies on matrix vesicles isolated from chick epiphyseal cartilage. Association of pyrophosphatase and ATPase activities with — — — (Majeska, Wuthier) (391) 51
Alkaloid
X-ray structure of the curare — — — (+)-tubocurarine dibromide (Reynolds et al.) (404) 341

Allantoin racemase
———. A novel enzyme from Pseudomonas species (van der Drift et al.) (391) 240
Alloantigen
Immunoglobulins and ———s on the surface of lymphoid cells (Vitetta, Uhr) (415) 253 (Review)
Allophanate lyase
Induction of ——— during the vegetative cell cycle in light-synchronized cultures of Chlamydomonas reinhardi (Semler et al.) (399) 71
Allosteric enzyme
Active site-directed effectors of ———s (Smith et al.) (377) 197
Allosteric enzyme
Regulation of allosteric membrane-bound enzymes through changes in membrane lipid composition (Farias et al.) (415) 231 (Review)
Amine oxidase
Essential histidine residues of bovine plasma ——— (Tsurushiin et al.) (400) 451
Amine oxidase
Purification procedure for the isolation of homogeneous preparations of bovine aorta ——— and a study of its lysyl oxidase activity (Shieh et al.) (377) 229
Amine oxidase
Studies on sulfhydryl groups of Aspergillus niger ——— (Suzuki et al.) (403) 23
Amine oxidase (pyridoxal-containing)
Purification of histaminase (diamine oxidase) from human pregnancy plasma by affinity chromatography (Baylin, Margolis) (397) 294
Amino acid
^{13}C Nuclear magnetic resonance studies of 85% ^{13}C-enriched ———s and small peptides. pH effects on the chemical shifts, coupling constants, kinetics of cis-trans isomerisation and conformation aspects (Fermandjian et al.) (399) 313
Amino acid
Intermediates in the metabolism of m-carboxy-substituted aromatic amino acids in plants. Phenylpyruvic acids, mandelic acids and phenylglyoxylic acids (Larsen, Wieczorkowska) (381) 409
Amino acid incorporation
——— into protein by ribosomes bound to chloroplast thylakoid membranes. Formation of discrete products (Michaels, Margulies) (390) 352
Amino acid incorporation
——— into protein from an intracellular pool of lymphocytes (Wettenhall, London) (390) 363
Amino acid kinetics
Multi-exponential analysis of plasma free ——— in the rat (Reilly, Green) (381) 424
Amino-acid oxidase
Coupled optical rate determinations of ——— activity (Holme, Goldberg) (377) 61
Amino acid-silver ion interaction
Interaction of amino acids with silver (I) ions (Gruen) (386) 270
Amino acid transport
——— in placental slices. Mechanism of increased accumulation by prolonged incubation (Gusseck et al.) (401) 278
Amino acid transport
Adaptive regulation of ——— across the cell membrane in avian and mammalian tissues (Guidotti et al.) (406) 264
Amino acid transport
Amino acid accumulation in frog muscle. II. Are cycloleucine fluxes consistent with an adsorption model for concentrative uptake of amino acid? (Neville) (382) 393
Amino acid transport
Biphasic kinetic plots and specific analogs distinguishing and describing ——— sites in S37 ascites tumor cells (Matthews et al.) (394) 182
Amino acid transport
Characteristics of rat jejunal transport of tryptophan (Munck, Rasmussen) (389) 261
Amino acid transport
Characterization of transport systems for the transfer of 3,4-dihydroxyphenylalanine into slices of rat cerebral cortex (Garcia-Sancho, Herreros) (406) 538
Amino acid transport
Energy requirements for the uptake of L-leucine by Saccharomyces cerevisiae (Ramos et al.) (394) 470

Amino acid transport
Heterogeneous elevation of — — — rates in pantothenate- and lipid-deficient Lactobacillus plantarum (Holden et al.) (382) 657
Amino acid transport
Insulin and insulin inhibitor on — — — in rat diaphragm in vivo (Young et al.) (389) 194
Amino acid transport
Kinetic analysis of blood-brain barrier transport of amino acids (Pardridge, Oldendorf) (401) 128
Amino acid transport
α-Methyl-L-glutamic acid uptake by high-affinity dicarboxylic — — — system in Streptococcus faecalis (Holden et al.) (394) 55
Amino acid transport
Reversed transport of amino acids in Ehrlich cells (Johnstone) (413) 252
Amino acid transport
Roles of sodium and potassium ions on p-aminohippurate transport in rabbit kidney slices (Gerencser, Hong) (406) 108
Amino acid transport
Stimulation of cartilage amino acid uptake by growth hormone-dependent factors in serum. Mediation by adenosine 3′,5′-monophosphate (Drezner et al.) (381) 384
Aminoacyl-L-proline hydrolase: see Proline dipeptidase
Aminoacyl-tRNA synthetase
I. A study of the stages in the quantitative isolation of — — — activities from mouse liver (Berg) (395) 164
Aminoacyl-tRNA synthetase
II. The influence of 17-β-oestradiol on — — —s from mouse uterus and mouse liver (Berg) (395) 173
Aminoacyl-tRNA synthetase
III. RNA component of — — — complexes isolated from mouse liver. Absence of amino acid accepting activity (Berg) (414) 93
Aminoacyl-tRNA synthetase
Developmental biochemistry of cotton seed embryogenesis and germination. VI. Levels of cytosol and chloroplast — — —s during cotyledon development (Brantner, Dure) (414) 99
Aminoacyl-tRNA synthetase
Fractionation of plant — — —s on tRNA Sepharose columns (Jakubowski, Pawelkiewicz) (407) 213
α-Aminoadipate uptake
Physiological basis for preferential uptake of D-α-aminoadipate over the L-isomer by Alcaligenes denitrificans (Pekala et al.) (394) 65
Aminopeptidase
— — —s in webbing clothes moth larvae. Properties and specificities of the enzymes of intermediate electrophoretic mobility (Ward) (410) 361
Aminopeptidase
Topological studies on the hydrolases bound to the intestinal brush border membrane. II. Interactions of free and bound — — — with a specific antibody (Louvard et al.) (389) 389
p-Aminophenylalanine
Biosynthesis of — — —. Part of a general scheme for the biosynthesis of chorismic acid derivatives (Dardenne et al.) (381) 416
AMP
Site of metal ion binding in a nickel derivative of adenosine 5′-monophosphate. An X-ray study (Collins et al.) (402) 1
AMP
Stimulation of cartilage amino acid uptake by growth hormone-dependent factors in serum. Mediation by adenosine 3′:5′-monophosphate (Drezner et al.) (381) 384
Cyclic AMP
Adenosine 3′,5′-monophosphate-requiring mutant of the luminous bacteria Beneckea harveyi (Ulitzur, Yashphe) (404) 321
Cyclic AMP
Altered hormone control of — — — formation in isolated parenchymal liver cells from rats treated with 2-acetylaminofluorene (Christoffersen, Berg) (381) 72
Cyclic AMP
Amylase secretion by rabbit parotid gland. Role of — — — and cyclic GMP (Wojcik et al.) (411) 250
Cyclic AMP
Chemotaxis and binding of — — — in cellular slime molds (Mato, Konijn) (385) 173

Cyclic AMP
Effects of choleratoxin on — — — concentration and secretory processes in the exocrine pancreas (Smith, Case) (399) 277
Cyclic AMP
Extended Scatchard analysis for competitively bound ligands and its application to — — — and cyclic 5′-amido-5′-deoxyadenosine-3′,5′-monophosphate binding to beef skeletal muscle protein (Simonson et al.) (379) 114
Cyclic AMP
Inhibition by — — — and dibutyryl cyclic AMP of transport of organic acids in kidney cortex (Poderin, Boumendil-Podevin) (375) 106
Cyclic AMP
Inhibition by — — — of lactose production in lactating guinea pig mammary gland slices (Loizzi et al.) (392) 20
Cyclic AMP
Metabolic responses of perfused rat livers to alpha- and beta-adrenergic agonists, glucagon and — — — (Jakob, Diem) (404) 57
Cyclic AMP
Prostaglandin E_1 induced changes in — — — levels in W1-38 human fibroblasts. Two different effects of cell density (O'Neill, Hsie) (404) 243
Cyclic AMP
Regulation of — — — level in bacteria. II. In vitro regulation of adenylate cyclase activity. Solubilization and reconstitution of a functional membrane-bound adenylate cyclase system, responsive to regulation by glucose (Abou-Sabé, Mento) (385) 294
Cyclic AMP
Stimulation of — — — and corticosterone formation in isolated rat adrenal cells by cholera enterotoxin. Comparison with the effects of ACTH (Haksar et al.) (381) 308
Cyclic AMP, dibutyryl
Inhibition by cyclic AMP and dibutyryl cyclic AMP of transport of organic acids in kidney cortex (Podevin, Boumendil-Podevin) (375) 106
Cyclic AMP accumulation
Effect of adrenergic agents on α-amylase release and — — — in rat parotid tissue slices (Butcher et al.) (392) 82
Cyclic AMP analogues
Intracellular formation of analogs of cyclic AMP. studies with brain slices with radioactive derivatives of adenine and adenosine (Mah, Daly) (404) 49
Cyclic AMP binding
— — — proteins in early embryos of Drosophila melanogaster (Tsuzuki, Kiger, Jr.) (393) 225
Cyclic AMP binding
Observations on the binding of adenosine 3′,5′-monophosphate to cell membrane fragments from ox cerebral cortex (Weller, Rodnight) (389) 573
Cyclic AMP binding site
Investigations of the — — — of pig brain histone kinase with the aid of some analogues of adenosine 3′,5′-cyclic phosphate (Severin et al.) (384) 413
AMP deaminase
Isozymes of rat — — — (Ogasawara et al.) (403) 530
Cyclic AMP formation
Formation of adenosine 3′,5-monophosphate from adenosine in mouse thymocytes (Zenser) (404) 202
Ampholines
Isoelectric focusing of human serum high density lipoprotein in the presence of radioactive — — — (Sundaram et al.) (388) 349
Cyclic AMP hydrolysis
Hydrolysis of guanosine and adenine 3′,5′-monophosphates by rat blood (Patterson et al.) (384) 159
Cyclic AMP production
Effect of ascorbic acid on ACTH-induced cyclic AMP formation and steroidogenesis in isolated adrenal cells of vitamin E-deficient rats (Nathans, Kitabchi) (399) 244
Cyclic AMP production
Thyroidal autoregulation. Iodine-induced suppression of thyrotropin-stimulated — — — and iodinating activity in thyroid cells (Sherwin, Tong) (404) 30
Cyclic AMP receptor
— — —. Effect of cyclic AMP analogues on DNA binding and proteolytic inactivation (Krakow) (383) 345
Cyclic AMP synthesis
Regulation of — — — in bacteria. I. Effect of carbon source variation on

cyclic AMP synthesis in Escherichia coli B/r (Abou-Sabé et al.) (385) 281

Cyclic AMP synthesis
Stimulatory effect of gonadotropins on the synthesis of adenosine 3′:5′-cyclic monophosphate and progesterone by suspensions of rat ovarian interstitial cells (Kawano et al.) (385) 88

Amylase
Comparative studies on electrophoretic mobility and immunogeneicity of pancreatic and parotid ———s of rat (Takeuchi et al.) (403) 456

Amylase
Purification and some properties of a novel maltohexaose exo ——— from Aerobacter aerogenes (Kainuma et al.) (410) 333

α-Amylase
Electrophoretic and immunological properties of liver ——— of well-fed and fasted rats (Takeuchi et al.) (403) 122

α-Amylase
Hybrid ———s produced by the transformants of Bacillus subtilis. III. A possible mechanism of formation of hybrid α-amylases (Yamane, Maruo) (393) 571

α-Amylase
Inhibition of ———s from different origins by albumins from the wheat kernel (Silano et al.) (391) 170

α-Amylase
Pseudomonas intracellular ——— with high activity on maltodextrins and cyclodextrins (Kato et al.) (391) 96

Amylase release
Amylase secretion by rabbit parotid gland. Role of cyclic AMP and cyclic GMP (Wojcik et al.) (411) 250

α-Amylase release
Effect of adrenergic agents on ——— and adenosine 3′,5′-monophosphate accumulation in rat parotid tissue slices (Butcher et al.) (392) 82

Amylo-1,6-glucosidase
Analytical gel chromatography of rabbit muscle ———/4-α-glucanotransferase under denaturing and non-denaturing conditions (White, Nelson) (400) 154

Anaesthetic
Effects of local ——— on membrane properties. I. Changes in the fluidity of phospholipid bilayers (Papahadjopoulos et al.) (394) 504

Anaesthetic
Effects of local ——— on membrane properties. II. Enhancement of the susceptibility of mammalian cells to agglutination by plant lectins (Poste et al.) (394) 520

Anaesthetic
Fluidity of natural membranes and phosphatisylserine and ganglioside dispersions. Effect of local ———s, cholesterol and protein (Feinstein et al.) (413) 354

Anaesthetic
Inhibition of rat liver cholesterol esterase by local ———s (Traynor, Kunze) (409) 68

Anaesthetic
Stimulation and inhibition of pancreatic phospholipase A_2 by local ———s as a result of their interaction with the substrate (Scherphof, Westenberg) (398) 442

Androgen
Studies on the regulation of the concentration of androgens and ——— receptors in nuclei of prostatic cells (Bruchovsky et al.) (394) 248

Androgen receptors
———. Relationship to growth response and to intracellular androgen transport in nine variant lines of the Shionogi mouse mammary carcinoma (Bruchovsky et al.) (331) 61

Angiotensin II
Synthesis of prostaglandins by the rat renal papilla in vitro. Mechanism of stimulation by ——— (Danon et al.) (388) 71

1-Anilino-8-naphthalene sulphonate
Asymmetric membrane expansion and modification of active and passive cation permeability of human red cells by the fluorescent probe ——— (Fotres, Ellory) (413) 65

1-Anilino-8-naphthalene sulphonate
Studies on the binding of ——— to very low density and high density human serum lipoproteins (Basu et al.) (398) 385

Anion-binding protein
Studies on the relationship of hepatic ———s and sulphobromophthalein-glutathione conjugation in normal and phenobarbital-treated rats (Kawasaki et al.) (385) 334
Anion transport: see Ion transport
Anisomycin
Simultaneous ribosomal resistance to trichodermin and ——— in Saccharomyces cerevisiae mutants (Jimenez et al.) (383) 427
Anthranilate phosphoribosyltransferase
Anthranilate synthase ——— from Salmonella typhimurium. Inactivation of glutamine-dependent anthranilate synthetase by agarose-bound anthranilate (Grove, Levy) (397) 80
Anthranilate synthase
——— anthranilate phosphoribosyltransferase from Salmonella typhimurium. Inactivation of glutamine-dependent anthranilate synthetase by agarose-bound anthranilate (Grove, Levy) (397) 80
Anthranilate synthase
Anthranilate synthetase-anthranilate 5-phosphoribosylpyrophosphate phosphoribosyltransferase from Salmonella typhimurium. Inactivation of glutamine-dependent ——— by agarose-bound anthranilate (Grove, Levy) (397) 80
Antibody-antigen-complement action
Step conductance increase in bilayer membranes induced by ——— (Wobschall, McKeon) (413) 317
Anticodon loop
NMR investigation of the effect of selective modifications in the ——— on the conformation of yeast $tRNA^{Phe}$ (Lim Wong et al.) (395) 1
Antidiuretic hormone-inactivating enzyme
Partial purification and characterization of the ——— from renal plasma membranes (Nardacci et al.) (377) 146
Antigen-antibody reaction
——— and cation transport in biomembranes. Immunophysiological aspects (Lauf) (415) 173 (Review)
Antigen (SF)
Polypeptides of a glycoprotein ——— present in serum and surface of normal but not of transformed, chicken fibroblasts (Kuusela et al.) (379) 295
Antiheparin
Platelet ——— activity. The isolation and characterisation of platelet factor 4 released from thrombin-aggregated washed human platelets and its dissociation into subunits and the isolation of membrane-bound antiheparin activity (Moore et al.) (379) 370
Antimycin
Inhibition of electron transfer from ferrocytochrome b to ubiquinone, cytochrome c_1 and duroquinone by ——— (Jagow, Bohrer) (387) 409
Antimycin
Studies on the mechanisms of electron transport in the bc_1-segment of the respiratory chain in yeast. II. The binding of ——— to mitochondrial particles and the function of two different binding sites (Burger et al.) (396) 187
Antiplasmin
Isolation and characterisation of a platelet-specific β-globulin (β-thromboglobulin) and the detection of anti-urokinase and ——— released from thrombin-aggregated washed human platelets (Moore et al.) (379) 360
Antithrombin III
Action of ——— on plasmin and activators of plasminogen (Crawford, Ogston) (391) 189
α-1-Antitrypsin
Interaction of ——— with chymotrypsin, trypsin and elastase (Cohen) (391) 193
Anti-urokinase
Isolation and characterisation of a platelet-specific β-globulin (β-thromboglobulin) and the detection of ——— and antiplasmin released from thrombin-aggregated washed human platelets (Moore et al.) (379) 360
Apoferritin synthesis
In vitro stimulation of ——— by iron (Drysdale, Shafritz) (383) 97
Apolipoprotein
Critical evaluation of the proposal that serum ———s are the major constituents of the human erythrocyte membrane (Carey et al.) (401) 6
Apolipoprotein
Interaction of human ———s and phospholipids. Semi-quantitative studies using polyacrylamide gel electrophoresis (David et al.) (398) 72

Apolipoprotein
Isolation and partial characterization of the major — — — component of bovine serum high density lipoprotein (Jonas) (393) 460
Apoprotein
Comparison of the interfacial interactions of the — — — from high density lipoprotein and β-casein with phospholipids (Phillips et al.) (406) 402
Arachidonate lipoxygenase
— — — in blood platelets (Nugteren) (380) 299
Arachidonic acid
Distribution of arachidonic and eicosapentaenoic acids in the lipids of mosses (Gellerman et al.) (388) 277
Arbovirus
Paramagnetic spin label interactions with the envelope of a group A — — —. Lipid organization (Hughes, Pedersen) (394) 102
Arginase
Purine and pyrimidine inhibitors of — — — (Rosenfeld et al.) (410) 164
Arginine biosynthesis
Alteration of regulation of — — — in Escherichia coli W by mutation to rifampin resistance (Wozny et al.) (383) 106
Arginine deiminase
Regulatory responses of — — — in whole whole cells of Clostridium sporogenes (Venugopal et al.) (403) 521
Arginine kinase
Comparative study of two ATP:L-arginine phosphotransferases of molecular weight 84 000 (Thiem et al.) (377) 95
Argininosuccinate lyase
Physicochemical and kinetic properties of beef liver argininosuccinase. Studies in the presence and absence of arginase (Kuchel et al.) (397) 478
Arthritis
Characterization and function of the polysaccharidases of human synovial fluid in rheumatoid arthritis and osteo- — — — (Stephen et al.) (399) 101
Arthrobacter crystallopoietes
Peptidoglycan compositions of a new strain of — — — during sphere-rod morphogenesis (Previc, Lowell) (411) 377
Aryl hydrocarbon hydroxylase
Magnetic circular dichroism studies on microsomal — — —. Comparison with cytochrome b_5 and cytochrome P-450$_{cam}$ (Vickery et al.) (386) 87
Arylsulphatase: see also Sulphatase A
Arylsulphatase
L-Ascorbic acid 2-sulphate. A substrate for mammalian — — —s (Roy) (377) 356
Arylsulphatase
Comparison of the cerebroside sulphatase and the — — — activity of human sulphatase A in the absence of activators (Stinshoff, Jatzkewitz) (377) 126
Arylsulphatase
Purification of a derepressible — — — from Chlamydomonas reinhardti. Properties of the enzyme in intact cells and in purified state (Lien, Schreiner) (384) 168
Arylsulphatase
Purification, properties and glycoprotein nature of — — — A from sheep brain (Balasubramanian, Bachhawat) (403) 113
Arylsulphatase synthesis
Capacity for — — — in synchronous and synchronized cultures of Chlamydomonas reinhardti (Schreiner et al.) (384) 180
Ascorbate
— — — increases the synthesis of procollagen hydroxyproline by cultured fibroblasts from chick embryo tendons without hydroxylase (Kao et al.) (411) 202
Ascorbate oxidase
Interaction of nitric oxide with — — — (Van Leeuwen et al.) (403) 285
L-Ascorbic acid 2-sulphate
— — —. A substrate for mammalian arylsulphatases (Roy) (377) 356
Asparaginase
Comparative study on conformational stability and subunit interactions of two bacterial — — —s (Marlborough et al.) (386) 576
Asparaginase
Guinea pig liver L- — — — separation, purification and intracellular localisation of two distinct enzymatic activities (Rogez et al.) (410) 370

Asparaginyl-tRNA synthetase
Enhancement of the activity of — — — by an activator from rabbit liver (Davies, Marshall) (390) 94
Asparagusate dehydrogenase
— — —s and lipoyl dehydrogenase from asparagus mitochondria (Yanagawa, Egami) (384) 342
Aspartase: see Aspartate ammonia-lyase
Aspartate aminotransferase
Effect of aggregation on the kinetic properties of — — — (Melander) (410) 74
Aspartate aminotransferase
Immobilized glutamate:oxaloacetate transaminase. Steady state kinetic analysis and stability studies (Campbell, Hornby) (403) 79
Aspartate aminotransferase
Surface-bound — — — on collagen films. Compared properties with native enzyme (Coulet et al.) (391) 272
Aspartate ammonia-lyase
Studies on aspartase. II. Role of sulfhydryl groups in aspartase from Escherichia coli (Mizuta, Tokushige) (403) 221
Aspartate kinase
— — — isoenzymes of the fruiting myxobacterium Myxococcus xanthus (Shabtai et al.) (403) 345
Aspartyl-tRNA
Regulation of an — — — species in BHK cells in culture and in solid tumour form (Briscoe et al.) (383) 441
Atebrin
Interaction of — — — with phospholipid vesicles (Massari) (375) 22
Atherosclerosis
Lipoprotein-acid mucopolysaccharide complexes of human atherosclerotic lesions (Srinivasan et al.) (388) 58
ATP
Determination of UTP and — — — pool sizes in human tonsillar lymphocytes by using Escherichia coli RNA polymerase (Sasvari-Szekely et al.) (395) 221
ATP:L-arginine phosphotransferase: see Arginine kinase
ATPase
— — — and GTPase activities associated with the 5-S RNA-protein complex of Escherichia coli ribosomes (Gaunt-Kl¨ opfer, Erdmann) (390) 226
ATPase
— — — complex and oxidative phosphorylation in chloramphenicol-induced megamitochondria from mouse liver (Wagner, Rafael) (408) 284
ATPase
Acid phosphatase and — — — activities in the cell wall of baker's yeast (Mildner et al.) (391) 67
ATPase
Actin-activated — — — from human erythrocytes (Avissar et al.) (375) 35
ATPase
Association of basal — — — activity and cholesterol with a distinct group of rabbit skeletal muscle microsomal particles (Flaherty et al.) (401) 177
ATPase
Ca^{2+}-stimulated membrane phosphorylation and — — — activity of the human erythrocyte (Katz, Blostein) (389) 314
ATPase
Comparative study on the effects of different bile salts on mucosal — — — and transport in the rat jejunum in vivo (Guiraldes et al.) (389) 495
ATPase
Conformational and molecular responses to pH variation of the purified membrane adenosine triphosphatase of Micrococcus lysodeikticus (Nieto et al.) (413) 394
ATPase
Control of proton translocation induced by — — — activity in chloroplasts (Carmeli et al.) (376) 249
ATPase
Effects of phosphate and electron transport on the carbonyl cyanide m-chlorophenylhydrazone-induced ATPase of rat liver mitochondria (Bertina, Slater) (376) 492
ATPase
Energy requirement for biosynthesis of DNA in Eschrichia coli. Role of membrane-bound energy-transducing — — — (coupling factor) (Mevel-Ninio, Valentine) (376) 485
ATPase
Energy transduction in photosynthetic bacteria. VII. Inhibition of the coupling — — — by N-ethyl-maleimide related to the energised state of the membrane (Baccarini et al.) (376) 72

ATPase
Energy transduction in photosynthetic bacteria. VIII. Activation of the energy-transducing ---- by inorganic phosphate (Baccarini et al.) (376) 82
ATPase
Human cardiac myosin ---- and light subunits. A comparative study (Klotz et al.) (386) 461
ATPase
Immunological and fluorescence studies with the coupling factor ---- from Rhodospirillum rubrum (Berzborn et al.) (396) 360
ATPase
Membrane ---- of Proteus L-forms. Solubilization and molecular properties (Monteil et al.) (382) 465
ATPase
Membrane reconstitution in chl-r mutants of Escherichia coli K 12. VII. Purification of the soluble ---- of supernatant extracts and kinetics of incorporation into reconstituted particles (Giordano et al.) (389) 203
ATPase
Micrococcus lysodeikticus ----. Purification by preparative gel electrophoresis and subunit structure studies by urea and sodium dodecysulphate gel electrophoresis (Andreu, Muñoz) (387) 228
ATPase
Nucleotide-binding properties of native and cold-treated mitochondrial ---- (Rosing et al.) (376) 13
ATPase
Respiration-dependent uncoupler-stimulated ---- activity in castor bean endosperm mitochondria and submitochondrial particles (Takeuchi) (376) 505
ATPase
Role of phospholipid acyl chains in the activation of mitochondrial ---- complex (Bruni et al.) (406) 315
ATPase
Studies on matrix vesicles isolated from chick epiphyseal cartilage. Association of pyrophosphatase and ---- activities with alkaline phosphatase (Majeska, Wuthier) (391) 51
ATPase
Tightly bound nucleotides of the energy-transducing ---- of chloroplasts and their role in photophosphorylation (Harris, Slater) (387) 335
ATPase, bicarbonate ion
Bicarbonate ion-ATPase in rat liver cell fractions (Izutsu, Siegel) (382) 193
ATPase, Ca^{2+}-dependent
Calcium ion-dependent ATP pyrophosphohydrolase in Physarum polycephalum (Kawamura, Nagano) (397) 207
ATPase, Ca^{2+}-stimulated
Calcium-stimulated adenosine triphosphate in the microsomal fraction of tooth germ from porcine fetus (Yoshimura, Suzuki) (410) 167
ATPase, Ca^{2+}-stimulated
Effect of carbonylcyanide m-chlorophenylhydrazone on the calcium-stimulated ATPase activity of erythrocyte ghosts (Hayashi et al.) (394) 145
ATPase, $(Ca^{2+}+Mg^{2+})$-
$(Ca^{2+}+Mg^{2+})$-activated ATPase in the plasma membrane of mouse liver cells (Garnett, Kemp) (382) 526
ATPase, $(Ca^{2+}+Mg^{2+})$-
Hydrolysis of erythrocyte membrane phospholipids by a preparation of phospholipase C from Clostridium welchii. Deactivation of $(Ca^{2+}+Mg^{2+})$-ATPase and its reactivation by added lipids (Coleman, Bramley) (382) 565
ATPase, $(Ca^{2+} + Mg^{2+})$-stimulated
Extraction and localization of a $(Ca^{2+} + Mg^{2+})$-stimulated ATPase in human erythrocyte spectrin (Weidekamm, Brdiczka) (401) 51
ATPase, F_1-
Functional relationship between the ADP/ATP-carrier and the F_1-ATPase in mitochondria (Vignais et al.) (376) 219
ATPase, membrane-bound
Action of cytochalasin A, a sulphydryl-reactive agent, on sugar metabolism and membrane-bound ATPase of yeast (Kuo, Lampen) (389) 145
ATPase, Mg^{2+}-
Preparation of prostatic plasma membranes. Distribution of (Na^+, K^+)-ATPase and Mg^{2+}-ATPase in the rat ventral prostate (Wilson, Villee) (394) 1
ATPase, Mg^{2+}-dependent
Ouabain-insensitive Na^+ stimulation,of an Mg^{2+}-dependent ATPase in kidney tissue (Proverbio et al.) (394) 281

ATPase, ($Na^+ + Ca^{2+}$)-
Gel electrophoretic identity of the ($Na^+ + Mg^{2+}$)- and ($Na^+ + Ca^{2+}$)-stimulated phosphorylations of rat brain ATPase (Tobin et al.) (389) 117
ATPase, ($Na^+ + K^+$)-
Absence of ($Na^+ + K^+$)-ATPase involvement in lactose production by lactating guinea pig mammary gland (Vreeswijk et al.) (392) 12
ATPase, ($Na^+ + K^+$)-
Alterations in phospholipid-dependent ($Na^+ + K^+$)- ATPase activity due to lipid fluidity. Effects of cholesterol and Mg^{2+} (Kimelberg) (413) 143
ATPase, ($Na^+ + K^+$)-
Disulfide of thioinosine triphosphate, an ATP-analog inactivating ($Na^+ + K^+$)-ATPase (Patzelt-Wenczler, Schoner) (403) 538
ATPase, ($Na^+ + K^+$)-
Further studies on the activation of microsomal ($Na^+ + K^+$)-ATPase by a leukocytic product (Riley, Rafter) (410) 382
ATPase, ($Na^+ + K^+$)-
Improved purification and partial characterization of (Na^+, K^+)-ATPase from cardiac muscle (Pitts, Schwartz) (401) 184
ATPase, ($Na^+ + K^+$)-
Interactions of lectins with ($Na^+ + K^+$)-ATPase of eel electric organ (Swann et al.) (401) 299
ATPase, ($Na^+ + K^+$)-
Mechanism by which Li^+ stimulates the ($Na^+ + K^+$)-ATPase (Robinson) (413) 459
ATPase, ($Na^+ + K^+$)-
Polar head-group and acyl side-chain requirements for phospholipid-dependent ($Na^+ + K^+$)-ATPase (Walker, Wheeler) (394) 135
ATPase, ($Na^+ + K^+$)-
Preparation of prostatic plasma membranes. Distribution of (Na^+,K^+)-ATPase and Mg^{2+}-ATPase in the rat ventral prostate (Wilson, Villee) (394) 1
ATPase, ($Na^+ + K^+$)-
Purification and characterization of ($Na^+ + K^+$)-ATPase. V. Conformational changes in the enzyme. Transitions between the Na-form and the K-form studied with tryptic digestion as a tool (Jørgensen) (401) 399
ATPase, ($Na^+ + K^+$)-
Showdomycin, a nucleotide-site-directed inhibitor of ($Na^+ + K^+$)-ATPase (Tobin, Akera) (389) 126
ATPase, ($Na^+ + K^+$)-
Thallium inhibition of ouabain-sensitive sodium transport and of the ($Na^+ + K^+$)-ATPase in human erythrocytes (Skulskii et al.) (394) 569
ATPase, ($Na^+ + K^+$)-activated
Effect of Mg^{2+} and chelating agents on intermediary steps of the reaction of ($Na^+ + K^+$)-activated ATPase (Klodos, Skou) (391) 474
ATPase, ($Na^+ + K^+$)-activated
Microsomal ($Na^+ + K^+$)-activated ATPase from frog skin epithelium. Cation activations and some effects of inhibitors (Siegel et al.) (389) 557
ATPase, ($Na^+ + K^+$)-activated
($Na^+ + K^+$)-activated ATPase of mammalian brain. Regulation of phosphatase activity (Swann, Albers) (382) 437
ATPase, ($Na^+ + K^+$)-activated
Properties of ($Na^+ + K^+$)-activated ATPase in rat liver plasma membranes enriched with bile canaliuli (Boyer, Reno) (401) 59
ATPase, ($Na^+ + K^+$)-dependent
Activation of rabbit brain microsomal ($Na^+ + K^+$)-dependent ATPase by a leukocytic product (Riley, Rafter) (381) 120
ATPase, ($Na^+ + K^+$)-dependent
Effects of N-acetylimidazole on human erythrocyte ATPase activity. Evidence for a tyrosyl residue at the ATP binding site of the ($Na^+ + K^+$)-dependent ATPase (Masiak, D'Angelo) (382) 83
ATPase, ($Na^+ + K^+$)-dependent
Functionally distinct classes of K^+ sites on the ($Na^+ + K^+$)-dependent ATPase (Robinson) (384) 250
ATPase, ($Na^+ + K^+$)-dependent
Interaction between K^+- and ATP-binding to the ($Na^+ + K^+$)-dependent ATPase (Robinson)(397) 194
ATPase, ($Na^+ + K^+$)-stimulated
Bovine brain ($Na^+ + K^+$)-stimulated ATP phosphohydrolase studied by a rapid-mixing technique. Detection of transient [^{32}P] phosphoenzyme formed in the presence of potassium ions (Mardh) (391) 464

ATPase, ($Na^+ + K^+$)-stimulated
Bovine brain ($Na^+ + K^+$)-stimulated ATP phosphohydrolase studied by a rapid-mixing technique. K^+-stimulated liberation of [^{32}P] orthophosphate from [^{32}P] phosphoenzyme and resolution of the dephosphorylation into two phases (Mårdh) (391) 448
ATPase, ($Na^+ + K^+$)-stimulated
Inactivation of ($Na^+ + K^+$)-stimulated ATPase by a cytotoxic protein from cobra venom in relation to its lytic effects on cells (Zaheer et al.) (394) 293
ATPase, ($Na^+ + Mg^{2+}$)-
Gel electrophoretic identity of the ($Na^+ + Mg^{2+}$)- and ($Na^+ + Ca^{2+}$)-stimulated phosphorylations of rat brain ATPase (Tobin et al.) (389) 117
ATPase inhibitor
— — — from yeast mitochondria. Purification and properties (Satre et al.) (387) 241
ATPase inhibitor
Physiological and genetic modifications of the expression of the yeast mitochondrial — — — (Landry, Goffeau) (376) 470
ATP:guanidine phosphotransferase
Comparative structural studies of the active site of — — —s. The essential tryptic peptide of taurocyamine kinase from Arenicola marina (Brevet et al.) (393) 1
ATP hydrolysis
Hydrolysis of exogenous ATP by isolated mucosa (Durbin, Kircher) (413) 298
ATP hydrolysis
Temperature-dependent transitions of the myosin-product intermediate at 10 °C in the Mn(II) — — — — (Hozumi, Tawada) (376) 1
ATP:nicotinamide mononucleotide adenyltransferase Adenosine triphosphate:nicotinamide mononucleotide adenyltransferase of pig liver, purification and properties (Ferro, Kuehl) (410) 285
ATP production
Failure of dietary erucic acid to impair oxidative capacity of — — — of rat heart mitochondria isolated under controlled conditions (Dow-Walsh et al.) (396) 125
ATP production
Flexibility of coupling and stoichiometry of ATP formation in intact chloroplasts (Heber, Kirk) (376) 136
ATP pyrophosphatase: see ATPase
ATP pyrophosphohydrolase: see ATPase
Autoantigenic sites
Characterization of — — — — on isolated dog heart mitochondria (Kelley et al.) (401) 370
Autoregulation
Thyroidal — — —. Iodine-induced suppression of thyrotropin-stimulated cyclic AMP production and iodinating activity in thyroid cells (Sherwin, Tong) (404) 30
Azotobacter chroococcum
Nitrogenases of Klebsiella pneumoniae and — — —. Complex formation between the component proteins (Thorneley et al.) (403) 269

B

Bacillus brevis var. G.-B.
On the nature of the cytosine-methylated sequence in DNA of — — — (Vanyushin, Dobritsa) (407) 61

Bacillus megaterium
ω-1, ω-2 and ω-3 hydroxylation of long-chain fatty acids, amides and alcohols by a soluble enzyme system from — — — (Miura, Fulco) (388) 305

Bacillus thuringiensis exotoxin
Effect of — — — on the biosynthesis and maturation of mouse liver nuclear RNA (Mackedonski) (390) 319

Bacteriochlorophyll: see chlorophyll

bc_1-segment
Studies on the mechanisms of electron transport in the — — — of the respiratory chain in yeast. II. The binding of antimycin to mitochondrial particles and the function of two different binding sites (Burger et al.) (396) 187

Beneckea harveyi
Adenosine 3′,5-monophosphate-requiring mutant of the luminous bacteria — — — (Ulitzur, Yashpe) (404) 321

Benzoate 1,2-dioxygenase: see also Benzoate-4-hydroxylase

Benzoate-4-hydroxylase
Purification, properties and induction of a specific — — — from Aspergillus niger (Chenna Reddy, Vaidyanathan) (384) 46

Benzoquinone
Covalent attachment of proteins to polysaccharide carriers by means of — — — (Brandt et al.) (386) 196

Benzoyl-arginine-2-naphthylamide-hydrolysing enzyme
Fractionation of the rat liver enzymes that hydrolyse benzoyl-arginine-2-naphthylamide (Davidson, Poole) (397) 437

Bicarbonate ions
Extracellular — — — and insulin secretion (Henquin, Lambert) (381) 437

Bifidobacterium bifidum var. pennsylvanicus
Biochemical changes in — — — after cell wall inhibition. VIII. Composition and metabolism of phospholipids at different stages and conditions of growth (van Schaik, Veerkamp) (388) 213

Bilayer: see Lipid bilayer

Bile
Diffusion in — — — and its implications on detergency (Sehlin et al.) (388) 385

Bile
Enzyme profiles of mammalian bile (Holdsworth, Coleman) (389) 47

Bile
Intermicellar bile salt concentration in equilibrium with the mixed micelles of human — — — (Duane) (398) 275

Bile acids
— — —. XLIV. Quantitation of bile acids from bile fistula rat given [4-^{14}C] cholesterol (Siegfried et al.) (380) 66

Bile acids
— — —. XLV. Metabolism of 3β, 7α-dihydroxy-5α-cholestanoic acid in the rat with a bile fistula (Mui, Elliott) (388) 126

Bile acids
— — —. XLVII. 12 α-Hydroxylation of precursors of allo bile acids by rabbit liver microsomes (Ali, Elliott) (409) 249

Bile acids
Action of microbial flora of the digestive tract on the metabolism of — — — in the rat (Sacquet et al.) (380) 52

Bile acids
Effect of ethinyloestradiol-17α on biliary excretion of — — — (Watanabe) (399) 79

Bile salts
Bile salt alteration of ion transport across jejunal mucosa (Volpe, Binder) (394) 597

Bile salts
Comparative study on the effects of different — — — on mucosal ATPase and transport in the rat jejunum in vivo (Guiraldes et al.) (389) 495

Bile salts
Effect of — — — on lactosylceramide β-galactosidase activities in human brain, liver and cultured skin fibroblasts (Wenger et al.) (409) 297
Bile salts
Intermicellar — — — concentration in equilibrium with the mixed micelles of human bile (Duane) (398) 275
Bile salts
Roles of — — — in the uptake of β-carotene and retinol by rat everted gut sacs (El-Gorab et al.) (401) 265
Bilirubin conjugate
Polypeptide conjugate of bilirubin from human bile (Etter-Kjelsaas, Kuenzle) (400) 83
Biopolymer
Affinity chromatography of galactose-containing — — —s using covalently coupled Ricinus communis lectin to Sepharose (Surolia et al.) (404) 83
Biopolymer
Aggregation of linear — — —s induced by co-operative binding of ligands (Schwarz, Seelig-Löffler) (379) 125
Biotin
Effect of — — — on ribonucleic acid synthesis (Boeckx, Dakshinamurti) (383) 282
Biotin-proteins
Analysis of bacterial — — — (Fall et al.) (379) 496
Biotin transport
Reversibility of the affinity-labelled — — — system in yeast cells (Viswanatha et al.) (401) 152
2,3-Biphosphoglyceric acid
^{32}P distribution into — — — from human erythrocytes following molybdate-catalyzed hydrolysis (Snyder et al.) (381) 157
Bis(p-nitrophenyl)methyl phosphate
Organophosphate inhibitors. The reactions of — — — with liver carboxylesterases and α-chymotrypsin (Hamilton et al.) (377) 282
Black lipid film: see Membrane, black lipid
Blastocladiella emersonii
Polyamines and ornithine decarboxylase activity during growth and differentiation in — — — (Mennucci et al.) (404) 249
Bleomycin
Effects of extracts of rat tissue on the action of — — — (Onishi et al.) (378) 439
Blood-brain barrier
Independent — — — transport systems for nucleic acid precursors (Cornford, Oldendorf) (394) 211
Blood-brain barrier
Kinetic analysis of — — — transport of amino acids (Pardridge, Oldendorf) (401) 128
Bothrops atrox venom
Properties of nerve growth factor from the venom of Bothrops atrox (Glass, Banthorpe) (405) 23
Bovine serum albumin
Adsorption of small molecules to — — — studied by the spin probe method (Kuznetsor et al.) (379) 139
Bovine serum albumin
Thiol group of — — —. High reactivity at acidic pH as measured by the reaction with 2,2′-dipyridyl disulphide (Svenson, Carlsson) (400) 433
Brush border
Biguanide inhibition of D-glucose transport in membrane vesicles from small intestinal — — —s (Kessler et al.) (413) 444
Brush border
Effect of changes in feeding schedule on the diurnal rhythms and daily activity levels of intestinal — — —enzymes and transport systems (Stevenson et al.) (406) 131
Brush border
Intestinal surface peptide hydrolases. Identification and characterization of three enzymes from rat — — — (Wojnarowska, Gray) (403) 147
Brush border
Solubilization of — — — of hamster small intestine and fractionation of some of the components (Critchley et al.) (394) 361
Burkitt's lymphoma
— — —. A human tumour model system for immunological studies (Gunven) (417) 185 (Review)

C

$C1\bar{s}$
Interaction of — — — and C4. A binding phenomenon (Taubman) (393) 542

C4
Interaction of $C1\bar{s}$ and — — —. A binding phenomenon (Taubman) (393) 542

Calcium binding
— — — to intestinal goblet cell mucin (Forstner, Forstner) (386) 283

Calcium binding
— — — to rabbit skeletal myosin under physiological conditions (Bremel, Weber) (376) 366

Calcium binding
Effect of 1-ethyl-3(3-dimethylaminopropyl) carbodiimide on — — — and associated changes in chloroplast structure and chlorophyll a fluorescence in spinach chloroplasts (Prochaska, Gross) (376) 126

Calcium-carbohydrate bridge
— — —s composed of uncharged sugars. Structure of a hydrated calcium bromide complex of α-fucose (Cook, Bugg) (389) 428

Calcium ions
Utilization of X-537A to distinguish between intravesicular and membrane-bound — — — in sarcoplasmic reticulum (Vale, Carvalho) (413) 202

Calcium secretion
Active secretion of calcium, sodium and chloride by adult rat duodenum in vitro (Walling, Kimberg) (382) 213

Calcium transport: see Ion transport

Calendula officinalis
Acyl composition and biosynthesis of acylated steryl glucosides in — — — (Wojciechowski, Zimowski) (398) 111

Candicidin biosynthesis
Specific inhibition of — — — by the lipogenic inhibitor cerulenin (Martin, McDaniel) (411) 186

Carbamylphosphate:glucose phosphotransferase Mammalian — — — and glucose-6-phosphate phosphohydrolase. Extended tissue distribution (Colilla et al.) (377) 117

N-Carbobenzoxyl-L-tryptophan metabolism
Metabolism of N-carbobenzoxyl-L-tryptophan by Chromobacterium violaceum (Davis et al.) (385) 133

Carbonate dehydratase: see also Carbonic anhydrase

Carbon dioxide fixation: see Carbon fixation

Carbon fixation
Reduction of oxygen by the electron transport chain of chloroplasts during assimilation of carbon dioxide (Egneus et al.) (408) 252

Carbon fixation
Role of pH in the regulation of — — — in the chloroplast stroma. Studies on CO_2 fixation in the light and dark (Werdan et al.) (396) 276

Carbonic anhydrase
Characterisation of — — —s from tissues of the cat (Carter, Auton) (410) 220

Carbonic anhydrase
Isoenzymes of — — — of an euryhaline fish. Variations related to the osmoregulation (Girard, Istin) (381) 221

Carbon substrates, non-fermentable
Mutants of Escherichia coli K12 unable to grow on — — — (Daniel et al.) (376) 195

3-(3-Carboxy-4-hydroxyphenyl)alanine
Biosynthesis of phenylalanine, tyrosine, 3-(3-carboxyphenyl)-alanine and — — — in higher plants. Examples of the transformation possibilities for chorismic acid (Larsen et al.) (381) 397

Carboxylesterase
Organophosphate inhibitors. The reactions of bis(p-nitrophenyl)methyl phosphate with liver — — —s and α-chymotrypsin (Hamilton et al.) (377) 282

Carboxypeptidase
Action of crystalline acid — — — from Penicillium janthinellum (Yokoyama et al.) (397) 443

Carboxypeptidase B
Human pancreatic — — —. I. Isolation,

purification and characterization of fraction II (Geokas et al.) (391) 396
Carboxypeptidase B-like enzyme
Purification of a — — — from the starfish Dermasterias imbricata (Ferrell et al.) (386) 260
3-(3-Carboxyphenyl)-alanine
Biosynthesis of phenylalanine, tyrosine, — — — and 3-(3-carboxy-4-hydroxyphenyl) alanine in higher plants. Examples of the transformation possibilities for chorismic acid (Larsen et al.) (381) 397
Carcinoembryonic antigen
— — — (CEA). Molecular biology and clinical significance (Fuks et al.) (417) 123 (Review)
Cardiolipin formation
Further studies on the formation of cardiolipin and phosphatidylglycerol in rat liver mitochondria. Effect of divalent cations and the fatty acid composition of CDP diglyceride (Hostetler et al.) (380) 382
Cardiotoxin
Studies of an acidic — — —.isolated from the venom of a Mojave rattlesnake (Crotalus scutulatus) (Bieber et al.) (400) 178
Carnitine cycle
Metabolic fate of fatty acids in the — — — of brown adipose tissue mitochondria (Dryer, Harris) (380) 370
Carotene
Fluorescence lifetimes of α- and β- — — —s (Campillo et al.) (387) 533
Carotene
Roles of bile salts in the uptake of β- — — — and retinol by rat everted gut sacs (El-Gorab et al.) (401) 265
Carotenoid
— — —s as Raman-active probes of erythrocyte membrane structure (Verma, Wallach) (401) 168
Carotenoid
— — — triplet states in reaction centers from Rhodopseudomonas sphaeroides and Rhodospirillum rubrum (Cogdell et al.) (408) 189
Carotenoid
Isolation and characterization of C_{50} — — — pigments and other polar isoprenoids from Halobacterium cutirubrum (Kushwaha et al.) (398) 303
Carrier theory
— — — and thermodynamics of irreversible processes (Delaage) (394) 493
Cartilage
Proteoglycans of mineralizing rib and epiphyseal — — — (Lohmander, Hjerpe) (404) 93
Cartilage cell
Lipid composition of isolated epiphyseal — — —s, membranes and matrix vesicles (Wuthier) (409) 128
Cartilage cell collagen
Characterization of the collagen synthesised by cultured cartilage cells (Handley et al.) (386) 444
Cartilage composition
Composition of cartilage from lysozyme-deficient rabbits (Greenwald et al.) (385) 435
Casein
— — — micelle size from elastic and quasi-elastic light scattering measurements (Holt) (400) 293
Casein
Comparative micelle structure. IV. The similarity between caprine α_S- — — — and bovine α_{S3}-casein (Richardson, Creamer) (393) 37
Casein
Comparison of the interfacial interactions of the apoprotein from high density and lipoprotein and β- — — — with phospholipids (Phillips et al.) (406) 402
Casein
Infrared spectroscopy of the water vapour sorption process of — — —s (Rüegg, Häni) (400) 17
Casein
Thermochemistry of reactions between α_{S1} - and calcium chloride (Holt et al.) (379) 638
Casein kinase
Multiple forms of — — — from rabbit erythrocytes (Kumar, Tao) (410) 87
Catalase
Electron paramagnetic resonance spectra of — — — in mammalian tissues (Williams-Smith, Morrison) (405) 253
Catalase
Induced changes in the electron paramagnetic resonance spectra of mammalian — — —s (Williams-Smith, Patel) (405) 243

Catechol
Metabolism of monofluorobenzoates by Acinetobacter calcoaceticus N.C.I.B. 8250. Formation of monofluorocatechols (Clarke et al.) (404) 169
Catecholamines
Effect of — — — and prostaglandins upon human and rat erythrocytes (Rasmussen et al.) (411) 63
Cathepsin
Improved purification of — — — B1 and cathepsin B2 (Olto, Riesenkönig) (379) 462
Cation carrier
Magnetic resonance studies of the mitochondrial divalent — — — (Case) (375) 69
Cation transport: see Ion transport
CDPdiglyceride analogues
Substrate activity of phosphonic acid analogues of CDPdiglyceride in the synthesis of phosphoglycerides in Escherichia coli (Tyhach et al.) (388) 29
CEA
Carcinoembryonic antigen (— — —). Molecular biology and clinical significance (Fuks et al.) (417) 123 (Review)
Cell agglutination
Cellular energy dependent agglutination of rat ascites tumour cells mediated by concanavalin A and Ricinus communis agglutinin (Kaneko et al.) (411) 334
Cell communication
Absence of — — — for fluorescein and dansylated amino acids in an electrotonic coupled cell system (Van Venrooij et al.) (394) 620
Cell division
— — — in Agmenellum quadruplicatum. Evidence for the negative control by a protein (Olson, Ingram) (383) 215
Cell division
Regulators of — — — in plant tissues. XXIII. The identity of an unusual metabolite of 6-benzylaminopurine (Letham et al.) (399) 61
Cell division
Stimulatory effects of hydrostatic pressure on — — — in cultures of Escherichia coli (Yayanos) (392) 271
Cell fusion
Membrane mobility agents. II. Active promoters of — — — (Kosower et al.) (401) 530
Cell morphology
Changes in lipid metabolism and — — — following attack by phospholipase C (Clostridium perfringens) on red cells or lymphocytes (Allan et al.) (413) 309
Cell surface
— — — and fibroblast proliferation. Some current trends (Pardee) (417) 153 (Review)
Cell surface
— — — glycosyltransferases (Shur, Roth) (415) 473 (Review)
Cell surface
Cell cycle dependent exposure of a high molecular weight protein on the surface of mouse L cells (Hunt et al.) (413) 453
Cell surface
Glycosphingolipid synthesis and tumorigenesis. A role for the Golgi apparatus in the origin of specific receptor molecules of the mammalian — — — (Richardson et al.) (417) 173 (Review)
Cell surface alteration
Avian RNA tumour viruses. A model for studying tumour-associated — — —s (Kurth, Bauer) (417) 1 (Review)
Cell surface carbohydrate
— — —s and their interactions. I. NMR of N-acetylneuraminic acid (Brown et al.) (399) 124
Cell surface glycoprotein
Altered — — —s in phytohaemagglutinin-resistant cells (Juliano, Stanley) (389) 401
Cell surface receptor function
Inositol phospholipids and — — — (Michell) (415) 81 (Review)
Cellular inhibition
Mitochondrial and — — — by the folate analogue pyrimethamine in Saccharomyces cerevisiae. Reversal of cellular effects by TMP (Stone, Wilkie) (390) 133
Cellulose synthesis
— — — by Acetobacter xylinum. I. Low molecular weight compounds present in the region of synthesis (Cooper, Manley) (381) 78
Cellulose synthesis
— — — by Acetobacter xylinum. II. Investigation into the relation between cellulose synthesis and cell envelope components (Cooper, Manley) (381) 97

Cellulose synthesis
— — — by Acetobacter xylinum. III. Matrix, primer and lipid requirements and heat stability of the cellulose-forming enzymes (Cooper, Manley) (381) 109
Cell wall
Alterations in the composition and bacteriophage-binding properties of walls of Staphylococcus aureas H grown in continuous culture in simplified defined media (Archibald, Heckels) (406) 60
Cell wall
Isolation, ultrastructure and chemical composition of the outermost layer ('exo-layer') of the Epidermophyton floccosum — — — (Kitayama, Nozawa) (394) 558
Cell wall
Novel electrophoretic fractionation of Escherichia coli envelopes (Joseleau-Petit, Kepes) (406) 36
Cell wall
Wall mannan of Saccharomyces cerevisiae. metabolic stability and release into growth medium (Krátzký et al.) (404) 1
Cell wall inhibition
Biochemical changes in Bifidobacterium bifidum var. pennsylvanicus after — — —. VIII. Composition and metabolism of phospholipids at different stages and conditions of growth (Schaik, Veerkamp) (388) 213
Ceramidase
— — — and ceramide synthesis in human kidney and cerebellum. Description of a new alkaline ceramidase (Sugita et al.) (398) 125
Ceramide
— — —s of human normal and cataractous lens (Tao, Cotlier) (409) 329
Ceramide
Main structures of the Forssman glycolipid hapten and Le^b-like glycolipid of dog small intestine, as revealed by mass spectrometry. Difference in — — — structure related to tissue localization (Smith et al.) (388) 171
Ceramide aminoethylphosphonates
Structure and distribution of — — — the Oyster (Ostrea gigas) (Matsubara) (388) 353
Ceramide synthesis
Ceramidase and — — — in human kidney and cerebellum. Description of a new alkaline ceramidase (Sugita et al.) (398) 125
Cerebroside-sulphatase
Comparison of the — — — and the aryl-sulphatase activity of human sulphatase A in the absence of activators (Stinshoff, Jatzkewitz) (377) 126
Cerulenin
Fat metabolism in higher plants. Production of short- and medium-chain acyl-acyl carrier protein by spinach stroma preparations treated with — — — (Packter, Strumpf) (409) 274
Cerulenin
Specific inhibition of candicidin biosynthesis by the lipogenic inhibitor — — — (Martin, McDaniel) (411) 186
Cerulenin
Substitution of cellular fatty acids in yeast cells by the antibiotic — — — and exogenous fatty acids (Awaya et al.) (409) 267
Ceruloplasmin
Effects of neutral salts on the conformational transition of — — — (Herve et al.) (405) 318
Chitosanase
Purification and some enzymatic properties of the — — — from Bacillus R-4 which lyses Rhizopus cell walls (Tominaga, Tsujisaka) (410) 145
Chloramphenicol
ATPase complex and oxidative phosphorylation in — — — induced mega-mitochondria from mouse liver (Wagner, Rafael) (408) 284
Chloramphenicol
Effect of — — — on early mRNA synthesis in the bacteriophage λ (Takeda) (407) 73
Chlorella pyrenoidosa ploidy
Physicochemical determination of the ploidy of the unicellular alga Chlorella pyrenoidosa (strain 211/8b) (Bayen, Dalmon) (395) 213
Chloride transport: see Ion transport
Chlorocruorin
Molecular weight of Eudistylia vancouveri — — — and its subunits (Terwilliger et al.) (400) 302

Chlorophyll
— — — radical cation in Photosystem II of chloroplasts. Millisecond decay at low temperature (Mathis, Vermeglio) (396) 371
Chlorophyll
Enrichment of Photosystem I reaction centre — — — from spinach chloroplasts (Ikegami, Katoh) (376) 588
Chlorophyll
Fluorescence properties of — — — a and b monomolecular films at the air-water interface (Aoshima et al.) (406) 362
Chlorophyll
Fluorescent kinetics of — — — in Photosystems I and II enriched fractions of spinach (Yu et al.) (387) 159
Chlorophyll a
Energy transfer by — — — in detergent micelles (Csatorday et al.) (376) 268
Chlorophyll a
Evidence for 5- and 6-coordinated magnesium in bacteriochlorophyll a from visible absorption spectroscopy (Evans, Katz) (396) 414
Chlorophyll a
Fluorescence studies of — — — incorporated into lipid mixtures, and the interpretation of phase diagrams (Lee) (413) 11
Chlorophyll a
Independence of spectral forms of — — — and chlorophyll holochromes (Acker, Duranton) (387) 279
Chlorophyll a_{II}
Further results on the photoactive — — — in photosynthesis (Döring) (376) 274
Chlorophyll b
Energy transfer by — — — in detergent micelles (Lehoczki, Csatorday) (396) 86
Chlorophyll b
New — — — forms in a chlorophyll-detergent photosynthetic model system (Lehoczki) (408) 223
Chlorophyll fluorescence
Circular polarizon of fluorescence of chlorophyll in solution and in native structures (Gafni et al.) (387) 256
Chlorophyll fluorescence
Effect of 1-ethyl-3(3-dimethylaminopropyl) carbodiimide on calcium binding and associated changes in chloroplast structure and chlorophyll a fluorescence in spinach chloroplasts (Prochaska, Gross) (376) 126
Chlorophyll fluorescence
Effects of sodium and magnesium cation on the "dark-" and light-induced chlorophyll a fluorescence yields in sucrose-washed spinach chloroplasts (Wydrzynski et al.) (376) 151
Chlorophyll fluorescence
Quenching of — — — and primary photochemistry in chloroplasts by dibromothymoquinone (Kitajina, Butler) (376) 105
Chlorophyll fluorescence
Reactions between primary and secondary acceptors of Photosystem II in Chlorella pyrenoidosa under anaerobic conditions, as studied by chlorophyll a fluorescence (van Best, Duysens) (408) 154
Chlorophyll fluorescence
Salts and chloroplast fluorescence (Li) (376) 180
Chlorophyll fluorescence
Silicomolybdate and silicotungstate mediated dichlorophenyldimethylurea-insensitive Photosystem II reaction. Electron flow, chlorophyll a fluorescence and delayed light emission changes (Zilinskas, Govindiee) (387) 306
Chlorophyll fluorescence
Study of the — — — in chloroplasts and algae with the plastoquinone antagonist dibromothymoquinone (de Kouchkovsky) (376) 259
Chlorophyll fluorescence
Temperature and preillumination dependence of delayed fluorescence of spinach chloroplasts (Velthuys, Amesz) (376) 162
Chlorophyll holochromes
Independence of spectral forms of chlorophyll a and — — — (Acker, Duranton) (387) 279
Chloroplast
Availability of monovalent and divalent cations within intact — — —s for the action of ionophores nigericin and A23187 (Telfer et al.) (396) 301
Chloroplast
Characteristics of thermoluminescence

bands of intact leaves and isolated ———s in relation to water-splitting activity in photosynthesis (Ichikawa et al.) (408) 228
Chloroplast
Control of proton translocation induced by ATPase activity in ———s (Carmeli et al.) (376) 249
Chloroplast
Excitation spectra for Photosystem I and Photosystem II in ———s and the spectral characteristics of the distribution of quanta between the two photosystems (Kitajima, Butler) (408) 297
Chloroplast
Flexibility of coupling and stoichiometry of ATP formation in intact ———s (Heber, Kirk) (376) 136
Chloroplast
Fluorescence induction in intact spinach ———s (Jennings, Forti) (396) 63
Chloroplast
Further purification of "Triton subchloroplast fraction I" (TSF-I particles). Isolation of a cytochrome-free high-P-700 particle and a complex containing cytochromes f and b_6, plastocyanin and iron-sulphur protein(s) (Ke et al.) (408) 12
Chloroplast
Kinetic study of oxygen evolution parameters in Tris-washed, reactivated ———s (Blankenship et al.) (387) 165
Chloroplast
Laser-flash electron paramagnetic resonance studies of the primary photochemical reactions in ———s (Malkin, Bearden) (396) 250
Chloroplast
Light-induced de-epoxidation of violaxanthin in lettuce ———s. IV. Effects of electron transport conditions on violaxanthin availability (Siefermann, Yamamoto) (387) 149
Chloroplast
Oxidation of tiron by superoxide anion. Kinetics of the reaction in aqueous solution and in ———s (Greenstock, Miller) (396) 11
Chloroplast
Protein-protein interactions of light-harvesting pigment protein from spinach ———s. I. Ca^{2+} binding and its relation to protein association (Davis, Gross) (387) 557
Chloroplast
Protein synthesis in ———. IV. Polypeptides of the chloroplast envelope (Joy, Ellis) (378) 143
Chloroplast
Reduction of artificial electron acceptors at sub-zero temperatures by ———s suspended in fluid media (Cox) (387) 588
Chloroplast
Reduction of oxygen by the electron transport chain of ———s during assimilation of carbon dioxide (Egneus et al.) (408) 252
Chloroplast
Regulation of glucose-6-phosphate dehydrogenase in spinach ———s by ribolose 1,5-diphosphate and NADPH/$NADP^+$ ratios (Lendzian, Bassham) (396) 260
Chloroplast
Role of ferredoxin in the activation of sedoheptulose diphosphatase in isolated ——— (Schürmann, Buchanan) (376) 189
Chloroplast
Role of pH in the regulation of carbon fixation in the ——— stroma. Studies on CO_2 fixation in the light and dark (Werdan et al.) (396) 276
Chloroplast
Stimulation of the light-induced proton uptake by uncoupling aminoacridine derivatives in spinach ———s (Fiolet et al.) (387) 320
Chloroplast
Tightly bound nucleotides of the energy-transducing ATPase of ———s and their role in photophosphorylation (Harris, Slater) (387) 335
Chloroplast
Water proton relaxation as a monitor of membrane bound manganese in spinach ———s (Wydrzynski et al.) (408) 349
Chloroplast fluorescence
Identification of the 120 phase in the decay of delayed fluorescence in spinach chloroplasts and subchloroplast particles as the intrinsic back reaction. The dependence of the level of this phase

on the thylakoids internal pH (Haveman, Lavorel) (408) 269
Chloroplast fluorescence
Probing the kinetics of Photosystem I and Photosystem II and fluorescence in pea chloroplasts on a picosecond pulse fluorimeter (Rubin) (408) 143
Chloroplast lamellae
Comparative studies on the polypeptide composition of — — — and lamellar fractions (Nolan, Park) (375) 406
Chloroplast photoautoxidation
Tiron free radical as a sensitive indicator of — — — (Miller, MacDowall) (387) 176
Choleragen
— — — stimulates steroidogenesis and adenylate cyclase in cells lacking in functional hormone receptors (Wolff, Hope cook) (413) 283
Choleratoxin
Effects of — — — on cyclic adenosine 3′,5′-monophosphate concentration and secretory processes in the exocrine pancreas (Smith, Case) (399) 277
Choleratoxin
Mechanism of action of — — — on isolated rat adrenocortical cells. Comparison with the effects of adrenocorticotropin on steroidogenesis and cyclic AMP output (Palfreyman, Schulster) (404) 221
Choleratoxin
Rat pancreas adenylate cyclase. III. Its role in pancreatic secretion assessed by means of — — — (Kempen et al.) (392) 276
Choleratoxin
Response of the small intestine villous and crypt epithelium to — — — in rat and guinea pig. Evidence against a specific role of the crypt cells in choleragen-induced secretion (De Jonge) (381) 128
Choleratoxin
Stimulation of cyclic adenosine 3′,5′-monophosphate and corticosterone formation in isolated rat adrenal cells by cholera enterotoxin. Comparison with the effects of ACTH (Haksar et al.) (381) 308
Cholesterogenesis
Interaction of various control mechanisms in determining the rate of hepatic — — — in the rat (Weis, Dietschy) (398) 315
Cholesterol
Association of basal ATPase activity and — — — with a distinct group of rabbit skeletal microsomal particles (Flaherty et al.) (401) 177
Cholesterol
Differential solubilization of proteins, phospholipids, free and esterified — — — of rat liver cellular membranes by sodium deoxycholate (Ehrhart, Chauveau) (375) 434
Cholesterol
Effect of — — — content on some physical and functional properties of mitochondria isolated from adult rat liver, foetal liver, cholesterol-enriched liver and hepatomas AH-130, 392A and 5123 (Feo et al.) (413) 116
Cholesterol
Effect of cations on dipalmitoyl phosphatidylcholine/— — —/ water systems (Inoko et al.) (413) 24
Cholesterol
Fluidity of natural membranes and phosphatidylserine and ganglioside dispersions. Effect of local anaesthetics, — — — and protein (Feinstein et al.) (413) 354
Cholesterol
Lateral diffusion of — — — in monolayers (Stroeve, Miller) (401) 157
Cholesterol
Occurrence of fatty methyl esters and — — — in a molecular complex with riboflavin. A correction (Lewis) (398) 353
Cholesterol
Proton NMR bandshape studies of lamellar liquid crystals and gel phases containing lecithins and — — — (Ulmius et al.) (389) 197
Cholesterol
Removal of — — — from aortic smooth muscle cells in culture and landschütz ascites cells by fractions of human high-density apolipoprotein (Stein et al.) (380) 106
Cholesterol
Sterol balance studies in the rat. Effects of dietary — — — and β-sitosterol on sterol balance and rate-limiting enzymes of sterol metabolism (Raicht et al.) (388) 374

Cholesterol absorption
Effect of phosphatidycholine on fatty acid and — — — from mixed micellar solutions (Rodgers, O'Connor) (409) 192
Cholesterol biosynthesis
Correlation of rat liver chromatin-bound free and esterified cholesterol with the circadian rhythm of — — — in the rat (Erickson et al.) (409) 59
Cholesterol biosynthesis
Effect of trans-1,4-bis(2-chlorobenzyl-aminomethyl)-cyclohexane dihydro-chloride and carbon monoxide on hepatic — — — from 4,4-dimethyl sterols in vitro (Gibbons, Mitropoulos) (380) 270
Cholesterol biosynthesis
Nitroxide-sterol derivative potentyl modifies — — — by normal and neo-plastic guinea pig lymphocytes (Philippot et al.) (406) 161
Cholesterol esterase
— — — in human red blood cells (Poon, Simon) (384) 138
Cholesterol esterase
Inhibition of rat liver — — — by local anaesthetics (Traynor, Kunze) (409) 68
Cholesterol ester exchange
Stimulation of — — — by lipoprotein-free rabbit plasma (Zilversmit et al.) (409) 393
Cholesterol ester hydrolysis
Cholesterol ester hydrolytic activity of rat liver plasma membrane (Riddle et al.) (388) 331
Cholesterol esterification
Inhibition of — — — by polyene anti-biotics in blood plasma (Klimov et al.) (380) 76
Cholesterol 7α-hydroxylase
Substrate for — — — (Balasubramaniam et al.) (398) 172
Cholesterol sulphate
— — —. II. Studies on its metabolism and possible function in canine blood (Lalumière et al.) (394) 120
Cholesterol transport
Cholesterol exchange between micro-somal, mitochondrial and erythrocyte membranes and its enhancement by cyto-sol (Bell) (398) 18
Cholesterol transport
Cholesterol, 7-ketocholesterol and 25-hydroxycholesterol uptake studies and effect on 3-hydroxy-3-methylglutaryl-coenzyme A reductase activity in human fibroblasts (Breslow et al.) (398) 10
Cholesterol transport
Transfer of the esterified cholesterol from serum lipoproteins to the liver (Goodman, Lequire) (398) 325
Cholesteryl ester accumulation
— — — in Ehrlich cells induced by saturated fats (Brenneman et al.) (388) 301
Choline oxidation
Control of — — — by rat-liver mito-chondria (de Ridder, van Dam) (408) 112
Choline phosphoglycerides
Biosynthesis and turnover of different molecular species of rat testicular — — — and triacylglycerols following intra-testicular injection with [1(3)-^{14}C] glycerol (Sprecher, Duffy) (380) 21
Cholinesterase
— — —s from plant tissues. VI. Pre-liminary characterization of enzymes from Solanum melongena L. and Zea mays L. (Fluck, Jaffe) (410) 130
Cholinesterase
Studies on acetylcholinesterase and — — — covalently bound to polymaleinic anhydride (Alsen et al.) (377) 297
Choline transport
Drug-induced suppression of phospho-lipid synthesis in HeLa cells by inhi-bition of choline uptake (Shigeura et al.) (388) 180
Chondroitin sulphate
— — — of calf knee-joint cartilage (Jones, Lemperg) (392) 310
Chondroitin sulphate
Isolation and characterization of under-sulphated chondroitin-4-sulphate from normal human plasma (Juvani et al.) (411) 1
Chondroitin sulphate peptidoglycan
β-Elimination and sulfite addition re-action of — — — and the peptide struc-ture of the linkage region (Isemura, Ikenaka) (411) 11
Chorismate mutase
— — — of Chlamydomonas reinhardi.

Partial purification and some properties (Zurawski, Brown) (377) 473
Chromatin
Analysis of the binding of the chick oviduct progesterone receptor to — — — (Jaffe et al.) (399) 403
Chromatin
Effect of anti-oestrogens on egg yolk protein synthesis and oestrogen binding to — — — in the rooster liver (Jaffe et al.) (399) 395
Chromatin
Enzymatic unpacking of bull sperm — — — (Marushige, Marushige) (403) 180
Chromatin
High molecular weight RNA fraction in — — — (Monahan, Hall) (383) 40
Chromatin
Improved large-scale fractionation of high mobility group non-histone — — — proteins (Goodwin et al.) (405) 280
Chromatin
Interaction of lysine-rich histone and DNA in — — — structure (Suzuki, Iwanami) (395) 355
Chromatin
Physicochemical properties of — — — digested with trypsin (Sugano, Okada) (383) 78
Chromatin
Studies on liver — — — from rats treated with dimethylnitrosamine (Cooper, Itzhaki) (407) 263
Chromatin
Uterine — — — template activity during the early stages of pregnancy in the rat (O'Grady et al.) (407) 125
Chromatium vinosum
Large photoreactive particle from — — — chromatophores (Halsey, Byers) (387) 349
Chromatography
Hydrophobic interaction — — — on non-charged Sepharose® derivatives. Binding of a model protein, related to ionic strength, hydrophobicity of the substituent, and degree of substitution (determined by NMR) (Rosengren et al.) (412) 51
Chromatography, affinity
Affinity chromatography of enzyme cofactors. The separation of NAD on immobilized dehydrogenase columns (Das et al.) (397) 277
Chromatography, affinity
Affinity chromatography of galactose-containing biopolymers using covalently coupled Ricinus communis lectin to Sepharose (Surolia et al.) (404) 83
Chromatography, affinity
Affinity chromatography on hydroxyalkyl methacrylate gels. II. Isolation of thiol-containing protein and peptide using mercurial derivatives of gels (Turková et al.) (386) 503
Chromatography, affinity
Application of affinity chromatography to the purification of collagenase for the isolation of insoluble elastin (Serafini-Fracassini et al.) (386) 80
Chromatography, affinity
Dynamic affinity chromatography of heavy meromyosin subfragment-1 (Oplatka et al.) (385) 20
Chromatography, affinity
New principle in biospecific affinity chromatography used for purification of cobalamin-binding proteins (Nexø) (379) 189
Chromatography, affinity
On the application of affinity chromatography to turnover studies on the lactate dehydrogenase isoenzymes (Don, Masters) (384) 25
Chromatography, affinity
Purification of histaminase (diamine oxidase) from human pregnancy plasma by affinity chromatography (Baylin, Margolis) (397) 294
Chromatography, affinity
Purification of hog renin by affinity chromatography using the synthetic competitive inhibitor [D-Leu^6] octapeptide (Poulsen et al.) (400) 258
Chromatography, affinity
Separation of lipoamide dehydrogenase isoenzymes by affinity chromatography (Visser, Stratting) (384) 69
Chromatography, difference
Evaluation of the precision of difference chromatography (Gilbert et al.) (379) 488
Chromatophore
Electrical potential changes, H^+ translocation and phosphorylation induced by

short flash excitation in Rhodopseudomonas sphaeroides ———s (Saphon et al.) (408) 67
Chromatophore
Extent of the stimulated electrical potential decay under phosphorylating conditions and the H^+/ATP ratio in Rhodopseudomonas sphaeroides ———s following short flash excitation (Jackson et al.) (408) 83
Chromatophore
Functional unit of electrical events and phosphorylation in ———s from Rhodopseudomonas sphaeroides (Saphon et al.) (408) 58
Chromatophore
Large photoreactive particle from chromatium vinosum ———s (Halsey, Byers) (387) 349
Chromatophore
Localization of photosynthetic reaction centres by antibody binding to ——— membranes from Rhodopseudomonas sphaeroides strain R 26 (Reed et al.) (387) 368
Chromatophore
Nature of photochemical reactions in ———s of Chromatium D. III. Heterogeneity of the photosynthetic units (Takamija, Nishimura) (396) 93
Chromatophore
Study on the membrane potential and pH gradient in ———s and intact cells of photosynthetic bacteria (Barksy et al.) (387) 388
Chromatrope
Properties of a haemoglobin from the ——— of the nematode Mermis nigrescens (Burr et al.) (405) 404
Chromogranin A
Bovine adrenal medullary ———. Studies on the structure and further evidence for identity with dopamine β-hydroxylase subunit (Aunis et al.) (393) 284
Chromomycin A_3
Mode of action of antitumour antibiotics. Spectrophotometric studies on the interaction of ——— with DNA and chromatin of normal and neoplastic tissue (Nayak et al.) (378) 195
Chromophore
Accessibility of the iodopsin ——— (Matsumoto et al.) (404) 300
Chromosomes
Retardation time measurements on replicating Bacillus subtilis ———. Effect of EDTA concentration (Muller, Klotz) (378) 171
Chymotrypsin
Interaction of α-1-antitrypsin with ———, trypsin and elastase (Cohen) (391) 193
α-Chymotrypsin
Formation of a covalent intermediate between ——— and the B-chain of insulin during enzyme-catalyzed hydrolysis (Dahlqvist, Wählby) (391) 410
α-Chymotrypsin
Organophosphate inhibitors. The reactions of bis(p-nitrophenyl)methyl phosphate with liver carboxylesterases and ——— (Hamilton et al.) (377) 282
Chymotrypsin-like enzyme
Rapid method for purification of human granulocyte cationic neutral proteases. Purification and characterization of human granulocyte ——— (Feinstein, Janoff) (403) 477
Chymotrypsinogen
N-Terminal amino acid sequence of trypsinogen from the Lesser Rorqual Balaenoptera acutorostrata (Cetacea). Simultaneous isolation of trypsinogen, ——— and ribonuclease from pancreas (Bricteux-Grégoire et al.) (386) 244
Chymotrypsinogen
Two human ———s. Purification and characterisation (De Caro et al.) (379) 431
Citrate formation
——— by rat lung mitochondrial preparations (Evans, Scholz) (381) 278
Cloacin DF13
Effects of temperature on the activity of ——— and cloacin DF13-immunity protein (Oudega et al.) (399) 213
Cloacin DF13-immunity protein
Mode of action of the ——— (Oudega et al.) (392) 184
Clofibrate
Effect of halofenate and ——— on lipid synthesis in rat adipocytes (Greenspan et al.) (380) 190
Clofibrate
Rapid modulation of lipogenesis by ——— in rat and monkey hepatocytes (Capuzzi et al.) (409) 144

Clostridium perfringens type D
Studies on ϵ-prototoxin of — — —. Physicochemical and chemical properties of ϵ-prototoxin (Habeeb) (412) 62
Cobalamin-binding proteins
New principle in biospecific affinity chromatography used for purification of — — — (Nexϕ) (379) 189
Cobalt(III) complex
Stereoselective reduction of — — —es by bacteria (Thorpe, Gillard) (392) 175
Cobra venom
Inactivation of $(Na^+ + K^+)$-stimulated ATPase by a cytotoxic protein from — — — in relation to its lytic effects on cells (Zaheer et al.) (394) 293
Cobra venom
Snake venom toxins. The primary structure of proteins S_4C_{11} ; a neurotoxin homologue from the venom of forest cobra (Carlsson) (400) 310
Coccidiostat
Studies of the mitochondria from Eimeria tenella and inhibition of the electron transport by quinolone — — —s (Wang) (396) 210
Coenzyme B_{12}
Physical explanation of the EPR spectrum observed during catalysis by enzymes utilizing — — — (Schepler et al.) (397) 510
Coenzyme recycling
Enzymatic recycling of coenzymes by a multienzyme system immobilized within semipermeable collodion microcapsules (Campbell, Chang) (397) 101
Colchicine
Effect of — — — on collagen, albumin and transferrin synthesis by cirrhotic rat liver slices (Rojkind, Kershenobich) (378) 415
Colchicine
Effect of — — — on the osmotic water flow across the toad urinary bladder (Yuasa et al.) (413) 277
Colchicine
Effects of — — — and cycloheximide on the functional and non-functional lipoproteins lipase fractions of rat heart (Borensztajn et al.) (498) 394
Colchicine
Interference with the transport of heparin-releasable lipoprotein lipase in the perfused rat heart — — — and vinblastine (Chajek et al.) (388) 260
Colchicine receptor protein
Characterization of a — — — in rat epididymal adipose tissue (Schimmel) (399) 181
Coleoptile
Biochemical and cytological studies of mitochondrial development in chloramphenicol-induced rice — — —s (Vartapetian et al.) (411) 357
Colicin
Energy requirement for the initiation of colicin action in Escherichia coli (Jetten, Jetten) (387) 12
Colicin K
Phospholipase activity plays no role in the action of — — — (Lusk, Park) (394) 129
Colicin K
Requirement of heat and metabolic energy for the expression of inhibitory action of — — — (Okamoto) (389) 370
Collagen
— — — cross-linking in corneal scar formation (Cannon, Cintron) (412) 18
Collagen
Age-related variations in glycosylation of hydroxylysine in human and rat skin — — —s (Murai et al.) (404) 345
Collagen
Characterization of the — — — of human hypertrophic and normal scars (Bailey et al.) (405) 412
Collagen
Characterization of the — — — synthesized by cultured cartilage cells (Handley et al.) (386) 444
Collagen
Comparison of the cyanogen bromide peptides of insoluble guinea-pig skin and scar — — — (Shuttleworth et al.) (379) 207
Collagen
Effect of vitamin D on the structural crosslinks and maturation of chick bone — — — (Mechanic et al.) (393) 419
Collagen
Effects of an electric field on soluble — — — (Kahn, Witnauer) (393) 247
Collagen
In vivo and in vitro aging of — — —

examined using an isometric melting technique (Mitchell, Rigby) (393) 531
Collagen
Neutral protease in the rheumatoid synovial fluid capable of attacking the telopeptide regions of polymeric — — — fibrils (Steven et al.) (405) 188
Collagen
Oblique banding pattern in — — — fibrils reconstituted in vitro after trypsin treatment (Ghosh, Mitra) (405) 340
Collagen
Structural deterioration of tendon — — — in genetic muscular dystrophy (Stinson) (400) 255
Collagen
Type III procollagen and — — — in skin (Lenaers, Lapiere) (400) 121
Collagenase
— — — production by Achromobacter iophagus (Welton, Woods) (384) 228
Collagenase
Application of — — —, purified by affinity chromatography, to the isolation of insoluble elastin from bovine aorta (Spina et al.) (400) 162
Collagenase
Application of affinity chromatography to the purification of — — — for the isolation of insoluble elastin (Serafini-Fracassini et al.) (386) 80
Collagenase
Presence of — — — in collagen preparations (Pardo, Tamayo) (392) 121
Collagenase
Purification and characterization of — — — from guinea pig skin (Huang, Abramson) (384) 484
Collagenase
Studies on the interaction between heparin and mouse bone — — — (Sakamoto et al.) (385) 41
Collagen metabolism
Proline recycling during — — — as determined by concurrent $^{18}O_2$- and ^{3}H-labelling (Jackson, Heininger) (381) 359
Collagenolysis
Collagenolytic activity of carrageenin granuloma in rats (Nakagawa, Tsurufuji) (411) 316
Collagenolytic enzyme
Purification and partial characterization of a — — — from Pseudomonas aeruginosa (Carrick, Berk) (391) 422
Collagen synthesis
— — — and secretion by isolated rat renal glomeruli (Cohen, Vogt) (393) 78
Collagen synthesis
Effect of colchicine on collagen, albumin and transferrin synthesis by cirrhotic rat liver slices (Rojkind, Kershenobich) (378) 415
Colostrum
Isolation and characterization of several glycoproteins from human — — — whey (Nichols et al.) (412) 99
Complement
Immunochemical analyses of membrane-bound — — —. Detection of the terminal complement complex and its similarity of "intrinsic" erythrocyte membrane proteins (Bhakdi et al.) (406) 21
Complement binding
Vitamin A in liposomes. Inhibition of — — — and alteration of membrane structure (Alving et al.) (394) 157
Complement-mediated cell lysis
Serum-induced inhibition of isotonic fluid absorption by the kidney proximal tubule. III. Further evidence that — — — is involved (Sato) (411) 144
Computerized microacidimetric method
Kinetic studies of a β-lactamase by a — — — (Labia et al.) (384) 242
Concanavalin A
Dynamic state of — — — binding. Receptor interactions on fibroblast surfaces (Huet, Bernadac) (394) 605
Concanavalin A
Luminescence properties of — — — (Miller, Nwokedi) (393) 426
Concanavalin A binding
Quantitative assay for concanavalin A- and Ricinus communis agglutinin-mediated agglutination of rat ascites hepatoma cells. Relationship between — — — and cell agglutination (Kaneko et al.) (392) 131
Conductance changes
Voltage-dependent — — — induced by haemocyanin in black lipid films (Alvarez et al.) (389) 444
Copper protein
Kinetics and specificity of electron transfer from cytochromes and — — —s to P700 (Wood, Bendall) (387) 115

Coproporphyrin
Interaction of rabbit haemopexin with copro- and uroporphyrins (Morgan et al.) (400) 415
Cornea
Diffusion resistance of endothelium and stroma of bullfrog — — — determined by potential response to K^+ (Graves et al.) (389) 550
Corticosterone
Stimulation of cyclic adenosine 3′:5′-monophosphate and — — — formation in isolated rat adrenal cells by cholera enterotoxin. Comparison with the effects of ACTH (Haksar et al.) (381) 308
Coupling factor
Energy requirement for biosynthesis of DNA in Escherichia coli. Role of membrane-bound energy-transducing ATPase (— — —) (Mével-Ninio, Valentine) (376) 485
Coupling factor, CF_1
Delayed light studies on photosynthetic energy conversion. VIII. Evidence from millisecond emission of chloroplasts for two adenylate binding sites on membrane-bound — — — (Vambutas, Bertsch) (376) 169
Coupling mechanism
Mitochondria from human term placenta. II. Characterization of respiratory pathways and — — —s (Olivera, Meigs) (376) 436
Creatine kinase
Synchronous reversible alterations in enzymatic activity (conformational fluctuations) in actomyosin and — — — preparations (Shnoll, Chetverikova) (403) 89
Creatine kinase
Tyrosyl residues in — — —. Modification by iodine (Fattoum et al.) (405) 324
Creatine phosphokinase
Kinetic studies and effects of anions on — — — from skeletal muscle of rhesus monkey (Macaca mulatta) (Chegwidden, Watts) (410) 99
Crithidia oncopelti
Purification and properties of nucleic acids from an unusual cytoplasmic organelle in the flagellate protozoan — — — (Spencer, Cross) (390) 141
Crotalus scutulatus venom
Studies of an acidic cardiotoxin isolated from the venom of Mojave rattlesnake (Crotalus scutulatus) (Bieber et al.) (400) 178
Crotoxin
Isolation and characterization of three phospholipases A from the — — — complex (Breithaupt et al.) (403) 335
Cryoprotection
Cryoprotective leaf proteins (Volger, Heber) (412) 335
Curare
X-ray structure of the — — — alkaloid (+)-tubocurarine dibromide (Reynolds et al.) (404) 341
Cyanocobalamin
Incorporation and metabolic conversion of — — — by Ehrlich ascites carcinoma cells in vitro and in vivo (Pierce et al.) (381) 348
Cyclic 5′-amido-5′-deoxyadrenosine-3′,5′-monophosphate Extended Scatchard analysis for competitively bound ligands and its application to cyclic adenosine-3′,5′-monophosphate and — — — binding to beef skeletal muscle protein (Simonson et al.) (379) 114
Cyclic AMP: see under AMP
Cyclic-AMP phosphodiesterase
— — — of rabbit aorta (Hidaka et al.) (377) 103
Cyclic-AMP phosphodiesterase
Characterization of — — — from Walker carcinoma sensitive and resistant to bifunctional alkylating agents (Tisdale) (397) 134
Cyclic-AMP phosphodiesterase
Cyclic nucleotide phosphodiesterase in silkworm. Developmental change of cyclic-AMP and cyclic-GMP phosphodiesterases (Morishima) (403) 106
Cyclic-AMP phosphodiesterase
Excitation-secretion coupling in exocrine glands. Properties of — — — and adenylate cyclase from the submaxillary gland and pancreas (Lemon, Bhoola) (385) 101
Cyclic-AMP phosphodiesterase
Plausible role for a membrane-bound — — — in cellular slime mold chemotaxis
Cyclic-AMP phosphodiesterase
Stimulation of ion transport by ascorbic

acid through inhibition of — — — in the corneal epithelium and other tissues (Buck, Zadunaisky) (389) 251
Cyclic-GMP phosphodiesterase
Cyclic nucleotide phosphodiesterase in silkworm. Characterization of — — — (Morishima) (410) 310
Cyclic-GMP phosphodiesterase
Cyclic nucleotide phosphodiesterase in silkworm. Developmental change of cyclic AMP and — — —s (Morishima) (403) 106
Cyclic nucleotide phosphodiesterase
— — — activities of pig coronary arteries (Wells et al.) (384) 430
Cyclic nucleotide phosphodiesterase
— — — associated with bovine retinal outer segment fragments (Manthorpe et al.) (403) 438
Cyclic nucleotide phosphodiesterase
— — — in silkworm. Characterization of cyclic GMP phosphodiesterase (Morishima) (410) 310
Cyclic nucleotide phosphodiesterase
— — — in silkworm. Developmental change of cyclic-AMP and cyclic-GMP phosphodiesterases (Morishima) (403) 106
Cyclic nucleotide phosphodiesterase
— — — in silkworm. Separation and characterization of multiple forms of the enzyme (Morishima) (391) 75
Cyclic nucleotide phosphodiesterase
— — — of retinal photoreceptors. Partial purification and some properties of the enzyme (Coquil et al.) (403) 425
Cyclic nucleotide phosphodiesterase
— — —s of mammalian sera (Asano, Hidaka) (397) 124
Cyclic nucleotide phosphodiesterase
Assay for adenylate cyclase and — — —s and the preparation of high specific activity ^{32}P-labelled substrates (Nakai, Brooker) (391) 222
Cyclic nucleotide phosphodiesterase
Isolation of an activator of multiple forms of — — — of rat cerebrum by isoelectric focusing (Pledger et al.) (391) 334
Cycloheximide
Effects of colchicine and — — — on the functional and non-functional lipoprotein lipase fractions of rat heart (Borensztajn et al.) (398) 394
Cystathionase: see Cystathionine lyase
Cystathionine γ-lyase
Induction of cystathionase in foetal rat liver explants. Effect of dexamethasone, N^6, $O^{2'}$-dibutyryladenosine 3′,5′-monophosphate and glucagon in vitro (Heinonen) (399) 113
Cystathionine γ-lyase
New insights into the active centre of rat liver cystathionase (de Billy et al.) (397) 231
Cysteamine-S-phosphate
Photoreactions of phosphorothioate and — — —. Photo-substitution and photophosphoryl transfer (Neumann, Sokolovsky) (381) 292
Cysteine metabolism
— — — in vivo of vitamin B-6-deficient rats (Yamaguchi et al.) (381) 1
Cysteinsulphinate decarboxylase
Rat liver — — —. Purification, new appraisal of the molecular weight determination of catalytic properties (Guion-Rain et al.) (384) 265
Cytochalasin D
Subcellular localization of binding sites for — — —. Evidence from activation energies (Tannenbaum et al.) (413) 322
Cytochrome
Further purification of "Triton subchloroplast I" (TSF-I particles). Isolation of a cytochrome-free high-P-700 particle and a complex containing — — —s f and b_6, plastocyanin and iron-sulphur protein(s) (Ke et al.) (408) 12
Cytochrome
Properties of Ascaris muscle mitochondria. I. — — —s (Cheah) (387) 107
Cytochrome
Redox properties of b-type — — —s in Escherichia coli and rat liver mitochondria and techniques for their analysis (Hendler et al.) (376) 42
Cytochrome a
Spectral shift in — — — induced by calcium ions (Wikström, Saari) (408) 170
Cytochrome aa_3
Effect of sulphide on — — —. Isosteric and allosteric shifts of the reduced α-peak (Nicholls) (396) 24

Cytochrome b
— — — and photosynthetic sulphur bacteria (Knaff, Buchanan) (376) 549
Cytochrome b
Alkali-induced reduction of the b-cytochromes in purified complex III from beef heart mitochondria (Nelson, Gellerfors) (396) 202
Cytochrome b
Antimycin-insensitive mutants of Candida utilis. II. The effects of antimycin on — — — (Grimmelikhuijzen et al.) (376) 533
Cytochrome b
Detection of two further b-type cytochromes in Rhodopseudomonas sphaeroides (Saunders, Jones) (396) 220
Cytochrome b
Stepwise reduction of cytochromes b-562, b-566 and b-558 in rat liver mitochondria (Higuti et al.) (396) 36
Cytochrome b_5
Binding of homogeneous — — — to rat liver microsomes. Effect on N-demethylation reactions (Cinti, Ozols) (410) 32
Cytochrome b_5
Magnetic circular dichroism studies on microsomal aryl hydrocarbon hydroxylase. Comparison with — — — and cytochrome P-450_{cam} (Vickery et al.) (386) 87
Cytochrome b-559
— — — Photooxidation in the presence of carbonyl cyanide p-trifluoromethoxyphenylhydrazone and 2,5-dibromo-3-methyl-6-isopropyl-p-benzoquinone or p-benzoquinone in three non-photosynthetic mutants of Chlamydomonas reinhardti (Maroc, Garnier) (387) 52
Cytochrome b-559
Light-induced turnover of chloroplast — — — in the presence of N-methylphenazonium methosulfate (Horton, Cramer) (396) 310
Cytochrome b_6
Chloroplast cytochrome b_6. Molecular composition as a lipoprotein (Stuart, Wasserman) (376) 561
Cytochrome b_6
Further purification of "Triton subchloroplast fraction I" (TSF-I particles). Isolation of a cytochrome-free high-P-700 particle and a complex containing cytochromes f and b_6, plastocyanin and iron-sulphur protein(s) (Ke et al.) (408) 12
Cytochrome-b-cytochrome c_2 oxidation-reduction
Kinetic completion of the cyclic photosynthetic electron pathway of Rhodopseudomonas sphaeroides. — — — (Prince, Dutton) (387) 609
Cytochrome c
Effect of temperature on the spectroscopic properties of the haem c octapeptide from — — — (Wagner, Kassner) (405) 205
Cytochrome c
Mechanism of reduction of — — — as studied by pulse radiolysis (Wilting et al.) (376) 285
Cytochrome c
Primary structure of — — — from the insect Ceratitis capitara (Fernandez-Sousa et al.) (393) 358
Cytochrome c
Reaction between the superoxide anion radical and — — — (Butler et al.) (408) 215
Cytochrome c_1
Inhibition of electron transfer from ferrocytochrome b to ubiquinone, — — — and duroquinone by antimycin (Jagow, Bohrer) (387) 409
Cytochrome c_1
Trypsin-resistant haem peptide from cardiac — — — (Yu et al.) (379) 33
Cytochrome c_2
— — — and reaction centre of Rhodopseudomonas spheroides Ga. membranes. Extinction coefficients, content, half-reduction potentials, kinetics and electric field alterations (Dutton, et al.) (387) 536
Cytochrome c_2
Asymmetry of an energy transducing membrane. The location of — — — in Rhodopseudomonas spheroides and Rhodopseudomonas capsulata (Prince et al.) (387) 212
Cytochrome c oxidase
Biochemical and biophysical studies on — — —. XX. Reaction with sulphide (Wever et al.) (387) 189
Cytochrome c oxidase
Symmetry, orientation and rotational

mobility of the a3 heme of — — — in the inner membrane of mitochondria (Junge, DeVault) (408) 200
Cytochrome oxidase
Subunit structure of Pseudomonas — — — (Kuronen et al.) (393) 48
Cytochrome P-450
Effect of calcium (ion) uptake by rat adrenal mitochondria on pregnenolone formation and spectral properties of — — — (Simpson, Williams-Smith) (404) 309
Cytochrome P-450
Involvement of oxyleghaemoglobin and — — — in an efficient oxidative phosphorylation pathway which supports nitrogen fixation in Rhizobium (Appleby et al.) (387) 461
Cytochrome P-450$_{cam}$
Magnetic circular dichroism studies on microsomal aryl hydrocarbon hydroxylase. Comparison with cytochrome b_5 and — — — (Vickery et al.) (386) 87
Cytochrome P-450$_{cam}$
Magnetic susceptibility of reduced — — — (Champion et al.) (376) 579
Cytochrome P-450 mixed function oxidase
Distribution of NAD(P)H-dependent — — — system in the brush border membrane of rabbit kidney cortex (Ichikawa) (394) 406
Cytochrome P700
Kinetics and specificity of electron transfer from cytochromes and copper proteins to P700 (Wood, Bendall) (387) 115
Cytochrome peroxidase
Oxidation of dicyano-bis (1,10-phenanthroline) iron(II) by compounds I and II of — — — (Erman) (397) 36
Cytochrome peroxidase
Oxidation of the cytochrome c peroxidase by hydrogen peroxide (Erman, Yonetani) (393) 343
Cytochrome peroxidase-hydrogen peroxide compound
Kinetic study of the enogenous reduction of the oxidized sites in the primary — — — (Erman, Yonetani) (393) 350
Cytosine
Barrier to rotation and conformation of the -NR_2 group in — — — and its derivatives. Part I. Theoretical study of cytosine (Geller, Lesyng) (407) 407
Cytosine
Barrier to rotation and conformation of the -NR_2 group in — — — and its derivatives. Part II. Experimental and theoretical dipole moments of methylated cytosines (Kulakowska et al.) (407) 420
Cytotoxin
— — —s of cobra venom. Isolation and partial characterization (DiMari et al.) (393) 320

D

Demethylation
Binding of homogeneous cytochrome b_5 to rat liver microsomes. Effect on N- — — — reactions (Cinti, Ozols) (410) 32
Deoxycytidine triphosphate pool
Lack of specific correlation of the — — — level with rate of DNA synthesis (Walters, Ratliff) (414) 221
2-Deoxy-D-glucose
Interactions of — — — and glucose. Effects on the short-circuit current of frog skin (Owen et al.) (389) 406
2′-Deoxyguanosine 3′,5′-monophosphate
Enzymatic formation of inosine 3′,5′-monophosphate and of — — —. Inosinate and deoxyguanylate activity (Garbers et al.) (377) 174
Deoxyguanylate cyclase
Enzymatic formation of inosine 3′,5′-monophosphate and of 2′-deoxyguanosine 3′,5′-monophosphate. Inosinate and — — — activity (Garbers et al.) (377) 174
Deoxyribonuclease: see also DNAase
Deoxiribonuclease A
Some effects of calcium and magnesium ions on the activity of bovine pancreatic — — — (Douvas, Price) (395) 201
Deoxyribonucleotide metabolism
— — — in herpes simplex virus-infected HeLa cells (Cheng et al.) (390) 253
8-Desaturase
Absence of an — — — in rat liver. A re-evaluation of optional pathways for the metabolism of linoleic and linolenic acids (Sprecher, Lee) (388) 113
Desulphoviridin
Effect of enzymic assay conditions on sulphite reduction catalyzed by — — — from Desulphovibrio gigas (Jones, Skyring) (377) 52
Detergency
Diffusion in bile and its implications on — — — (Sehlin et al.) (388) 385
Detergent micelles
Energy transfer by chlorophyll a in — — — (Csatorday et al.) (376) 268
Detergent micelles
Energy transfer by chlorophyll b in — — — (Lehoczki, Csatorday) (396) 72
Dextranssucrase
Purification and characterization of two activities of the intracellular — — — from Leuconostoc mesenteroides NRRL B-1299 (Kobayashi, Matsuda) (397) 69
Diabetes
On hepatic and extrahepatic postheparin serum lipase activities and the influence of experimental hypercortisolism and — — — on these activities (Jansen, Hülsmann) (398) 337
Diabetogenic protein
In vitro lipolytic effect of bovine pituitary — — — (Tutwiler) (404) 18
Diacetoxyscirpenol
Mechanism of inhibition of protein synthesis initiation by — — — and fusarenon X in the reticulocyte lysate system (Mizuno) (383) 207
1,2-Diacylglycerol:CDPcholine(ethanolamine) choline (ethanolamine) phosphotransferase
Substrate-selectivity of rat liver microsomal — — — in utilizing endogenous substrates (Kanoh, Ohno) (380) 199
Diacylglycerol lipase: see also Lipoprotein lipase
Diatom
Novel sulphonolipid in — — —s (Anderson et al.) (409) 259
Diborane
Conformational studies on modified proteins and peptides. IX. Conformation and immunochemistry of haemoglobin reduced at some carboxyl groups by — — — (Atassi, Nakhleh) (379) 1
Dibromothymoquinone
Quenching of chlorophyll fluorescence and primary photochemistry in chloroplasts by (Kitajima, Butler) (376) 105
Dibromothymoquinone
Study of the chlorophyll fluorescence

in chloroplasts and algae with the plastoquinone antagonist — — — (de Kouchkovsky) (376) 259
Dibutyryl cyclic AMP: see under AMP
Dichlorodiamine platinum (II)
Physical studies on the binding of cis- — — — to DNA and homopolynucleotides (Munchausen, Rahn) (414) 242
Dictyostelium discoidium
Discovery of a 3′,5′-guanosine monophosphate simulating factor in amoebae of — — — (Putnam, Jr., Pederson) (411) 168
Dicyano-bis(1,10-phenanthroline) iron(II) oxidation — — — by compounds I and II of cytochrome c peroxidase (Erman) (397) 36
Didelphis marsupialis
Primary structure of the myoglobin of — — — (Virginia opossum) (Romera-Herrera, Lehmann) (400) 387
Dielectric breakdown
— — — in the membranes of Valonia utricularis. The role of energy dissipation (Coster, Zimmermann) (382) 410
Dielectric breakdown
— — — measurements of human and bovine erythrocyte membranes using benzyl alcohol as a probe molecule (Pilwat et al.) (406) 424
Diffusion resistance
— — — of endothelium and stroma of bullfrog cornea determined by potential response to K^+ (Graves et al.) (389) 550
Dihydrofolate reductase
Circular dichroism studies of — — — from a methotrexate-resistant strain of Escherichia coli B, MB 1428. Ternary complexes (Greenfield) (403) 32
Dihydroneopterin triphosphate
Enzymatic epimerization of D-erythro- — — — to L-threo-dihydroneopterin triphosphate (Heine, Brown) (411) 236
Dihydrothiamine-like substances
— — — as experimental artifacts (Lowe et al.) (385) 343
3β, 7α-Dihydroxy-5α-cholestanoic acid metabolism Bile acids. XLV. — — — in the rat with a bile fistula (Mui, Elliott) (388) 126
Dimethylsuberimidate
Some chemical characteristics of — — — and its effect on sarcoplasmic reticulum (Yutharong et al.) (382) 116
Dina dubia
Physical properties and subunits of — — — erythrocruorin (Andonian, Vinogradov) (400) 244
5,8-Dioxo-6-amino-7-chloroquinoline
Quinone-induced stringent control. Accumulation of ppGpp and inhibition of RNA synthesis in stringent Escherichia coli by — — — (Ogilvie et al.) (395) 136
2,3-Dioxo-5-indolinesulphonic acid
— — —, a new highly specific reagent for modification of tryptophan in peptides and proteins (Atassi, Zablocki) (386) 233
Dipeptide transport
— — — in isolated intestinal brush border membrane (Sigrist-Nelson) (394) 220
Dissociation factor
— — — from embryos of Xenopus laevis (Decroly, Goldfinger) (390) 82
3,5-Di-tert-butyl-4-hydroxybenzylidene-malononitrile: see SF 6847
Diurnal rhythm
Effect of changes in feeding schedule on the — — —s and daily activity levels of intestinal brush border enzymes and transport systems (Stevenson et al.) (406) 131
Division inhibitor
Transcription and division inhibitors in the medium of stationary phase cultures of the slime mould Dictyostelium discoideum (Yarger, Soll) (390) 46
DNA
— — — and nitrous acid (Verley, Lacroix) (414) 185
DNA
Absence of long pyrimidine tracts in cytosine-rich repeating units present in Escherichia coli — — — (Lin)(414) 217
DNA
Action of exonuclease V (the recBC enzyme) on ultraviolet-irradiated — — — (Tanaka, Sekiguchi) (383) 178
DNA
Alkaline lysis of mammalian cells for sedimentation analysis of — — —. Conformation of released DNA as monitored by physical, electron microscopic and enzymological techniques (Parodi et al.) (407) 174

DNA
Attempts to detect Agrobacterium tumefaciens and bacteriophage PS8 DNA in crown gall tumours by DNA·DNA-filter hybridization (Farrand et al.) (390) 264
DNA
Characterization of Euglena gracilis — — — by its reassociation kinetics (Rawson) (402) 171
DNA
Comparison between histones F_V and F_2a_2 of chicken erythrocyte. II. Interaction with homologous — — — (Garel et al.) (395) 16
DNA
Comparison of — — — from free-living and endosymbiotic Rhizobium leguminosarum (strain PRE) (Reijnders et al.) (414) 206
DNA
Concentration of — — — solutions by extraction with 2-butanol (Stafford, Bieber) (378) 18
DNA
Content and localisation of 5-methylcytosine in — — — of healthy and wilt-infected cotton plants (Guseinov, Vanyushin) (395) 229
DNA
Conversion of closed circular — — — molecules to single-nicked molecules by digestion with DNAase I in the presence of ethidium bromide (Greenfield et al.) (407) 365
DNA
Denaturation mapping of the circular mitochondrial genome of Neurospora crassa (Bernard et al.) (402) 270
DNA
Different effects of polysyline and polyarginine on the transition to a condensed state of — — — in polyethyleneglycol/salt solution (Zama,Ichimura) (414) 256
DNA
Effect of activated nitrofurans on — — — (Tu, McCalla) (402) 142
DNA
Endogenous reverse transcriptase activity of gibbon ape lymphoma virus. Characterization of the — — — product (Harewood et al.) (407) 14
DNA
Evidence for the existence of a stable association between nascent — — — and the nuclear membrane of HeLa cells (Dye, Toliver) (414) 173
DNA
Fine structures in denaturation curves of bacteriophage lambda DNA. Their relation to the intramolecular heterogeneity in base composition (Yabuki et al.) (395) 258
DNA
Interaction of 4,5-dibromo-2,7-di-(acetatomercuri)-fluorescein with — — —s of different base composition (Dattagupta et al.) (378) 44
DNA
Interaction of furazolidone with — — — (Chatterjee et al.) (402) 161
DNA
Interaction of lysine-rich histone and — — — in chromatin structure (Suzuki, Iwanami) (395) 355
DNA
Isolation of a — — — fraction highly enriched in transfer RNA genes from Xenopus laevis (Andronico, Beccari) (395) 120
DNA
On the nature of the cytosine-methylated sequence in — — — of Bacillus brevis var. G.-B. Vanyushin, Dobritsa) (407) 61
DNA
Partial purification of endonuclease activity from human lymphoblasts. Separation of activities for depurinated DNA and — — — irradiated with ultraviolet light (Brent) (407) 191
DNA
Physical studies on the binding of cis-dichlorodiamine platinum (II) to — — — and homopolynucleotides (Munchausen, Rahn) (414) 242
DNA
Relationships between non-extractable — — — and the bacterial growth cycle (Salzer, Balis) (378) 22
DNA
RNA·DNA hybridisation on membrane filters with fragmented mammalian DNA (Ivanov, Markov) (383) 123

DNA
Selective excision of gamma ray damaged thymine from the — — — of cultured mammalian cells (Mattern et al.) (395) 48
DNA
Sequence homology of nuclear and mitochondrial — — —s of different yeasts (Groot et al.) (378) 186
DNA
Size, conformation and purity of chloroplast — — — of some higher plants (Herrmann et al. (378) 305
DNA
Solvent-partition method for measuring the binding of drugs to DNA. Application to the quinoxaline antibiotics echinomycin and triostin A (Waring et al.) (407) 200
DNA
Specific interaction of chromatin non-histone proteins with — — — (Umansky et al.) (383) 242
DNA
Studies of electron migration in — — — in aqueous solution using intercalating dyes (Whillans) (414) 193
DNA
Studies of the interaction of the fluorophores harmine and harmaline with calf thymus — — — (Duportail, Lamis) (402) 20
rDNA
Study of a haploid yeast strain with an unusually high — — — content. II. Fractionation of the DNA in preparative Ag^{+}-Cs_2SO_4 density gradients (Karijord, Øyen) (383) 255
DNA
Temperature and salt effects on the formation of preinitiation complexes between RNA polymerase and phage — — — (Escarmis et al.) (402) 261
DNA
Unusual properties of the — — — from Xanthomonas phage XP-12 in which 5-methylcytosine completely replaces cytosine (Ehrlich et al.) (395) 109
DNA
Very rapidly migrating f 1 histone associated with gene-sized pieces of — — — in the macronucleus of Oxytricha sp. (Caplan) (407) 109
DNA, chloroplast
Molecular size and conformation of the chloroplast DNA from higher plants (Kolodner, Tewari) (402) 372
DNA, kinetoplast
Sequence heterogeneity of the mini-circles of kinetoplast DNA of Crithidia luciliae and evidence for the presence of a component more complex than mini-circle DNA in the kinetoplast network (Kleisen, Borst) (407) 473
DNA, kinetoplast
Structure of kinetoplast DNA. I. Properties of the intact multi-circular complex from Crithidia luciliae (Kleisen et al.) (390) 155
DNA, mitochondrial
Circular mitochondrial DNA from the avian malarial parasite Plasmodium lophurae (Kilejian) (390) 276
DNA, mitochondrial
Mitochondrial DNA of Tetrahymena pyriformis strain ST contains a long terminal duplication-inversion (Arnberg et al.) (383) 359
DNA, mitochondrial
Replication of mitochondrial DNA. Selective inhibition of the H-strand synthesis in isolated mitochondria by sibiromycin (Gause, Dolgilevich) (383) 9
DNA, plasmid
Plasmid deoxyribonucleic acid in Rhizobium vigna and Rhizobium trifolii (Tshitenge et al.) (414) 357
DNA, plasmid
Simple method for the preparation of large quantities of pure plasmid DNA (Humpreys et al.) (383) 457
DNA, satellite
A+T-rich satellite DNA in a monocotyledonous plant, Cymbidium (Capesius et al.) (395) 67
DNA, satellite
Cyclization of three satellite components of calf thymus DNA (Votavová et al.) (383) 370
DNA, satellite
DNA nuclear satellites of the genus Brassica. Variation between species (Beridze) (395) 274
DNAase: see also Deoxyribonuclease

DNAase
ATP-dependent — — — from Escherichia coli rorA: A nuclease with changed enzymatic propeties (Van Dorp et al.) (395) 446
DNAase
Inhibition of haemoglobin synthesis by pancreatic deoxyribonuclease in rabbit reticulocyte lysates (Felicetti, Urbani) (414) 146
DNAase
Studies on — — —s from Haemophilus influenzae on DNA·agarose affinity chromatography. Two-step purification of ATP-dependent deoxyribonucleases (Greth, Chevallier) (390) 168
DNAase I
Conversion of closed circular DNA molecules to single-nicked molecules by digestion with — — — in the presence of ethidium bromide (Greenfield et al.) (407) 365
DNA binding
Cyclic AMP receptor. Effect of cyclic AMP analogues on — — — and proteolytic inactivation (Krakow) (383) 345
DNA binding
Isolation and characterization of a DNA-binding non-histone protein from Tetrahymena pyriformis (Donnelly, Jr. et al.) (402) 150
DNA chelation
X-ray photoelectron spectroscopy of DNA·Pt complex. Evidence of O^6 (Gua) ·N_7 (Gua) chelation of DNA with cis-dichlorodiamine platinum (II) (Millard et al.) (402) 166
DNA degradation
Analysis of the breaking sites in the physical degradation of DNA (Bertazzoni) (395) 239
DNA degradation
Thymine dimer excision and — — — after thymine starvation and ultraviolet irradiation in Escherichia coli B/r Hcr$^+$ (Balgavý et al.) (390) 24
DNA denaturation
Salt effects on the denaturation of DNA. IV. A calorimetric study of the helix-coil conversion of the alternating copolymer poly [d(A-T)](Gruenwedel) (395) 246
DNA·DNA-filter hybridization
Attempts to detect Agrobacterium tumefaciens and bacteriophage PS8 DNA in crown gall tumours by — — — (Farrand et al.) (390) 264
DNA fragmentation
Site-specific fragmentation of bacteriophage T5 DNA by single strand-specific S1 endonuclease (Shisido, Ando) (390) 125
DNA helix unwinding
On the degree of unwinding of the DNA helix by ethidium. II. Studies by electron microscopy (Liu, Wang) (395) 405
DNA-hydroxystilbamidine interaction
Interaction between hydroxystilbamidine and DNA. I. Binding isotherms and thermodynamics of the association (Festy et al.) (407) 24
DNA-hydroxystilbamidine interaction
Interaction between hydroxystilbamidine and DNA. II. Temperature jump relaxation study. Dynamics of nucleic acids and polynucleotides (Sturm et al.) (407) 43
DNA inactivation
Inactivation of biologically active DNA by γ-ray-induced superoxide radicals and their dismutation products singlet molecular oxygen peroxide (van Hemmen, Meuling) (402) 133
DNA·membrane complex
Progress in the resolution of the cytoplasmic membrane·DNA initiation complex of Escherichia coli (Gomez-Eichelmann, Bastarrachea) (407) 273
DNA·membrane complex
S-Phase dependent forms of DNA·nuclear membrane complexes in HeLa cells (Cabradilla, Toliver) (402) 188
DNA nucleotidyltransferase: see also DNA polymerase
DNA-photoactivating enzyme
Studies on a — — — from Streptomyces griseus. II. Purification of the enzyme (Eker, Lichtinger-Schepman) (378) 54
DNA photolyase inhibitor
Purification of an inhibitor of DNA photolyase with fluorescent spectra similar to those of the enzyme (Madden, Werbin) (383) 160

DNA polymerase
Differential sensitivity of low molecular weight — — — to sulphydryl blocking reagents (Matsukage et al.) (383) 338
DNA polymerase
Differentiation and characterization of the cytoplasmic and nuclear deoxyribonucleic acid polymerases from baby hamster kidney cells (Lazarus, Kitron) (402) 309
DNA polymerase
DNA-dependent — — — activities from Paramecia macronuclei (Tait, Cummings) (378) 282
DNA polymerase
DNA-directed — — — from murine liver mitochondria (Hecht) (414) 59
DNA polymerase
High molecular weight deoxyribonucleic acid polymerase of LF hepatoma. Purification and properties (Cazillis et al.) (407) 133
DNA polymerase
Modified nucleotide polymers as inhibitors of — — —s (Strivastava) (414) 126
DNA polymerase
Partial purification and characterization of — — —s from a Rous sarcoma virus-transformed rat cell line (Bandyopadhyay) (407) 1
DNA polymerase
Relationship between two murine DNA-dependent — — —s from the cytosol and the low molecular weight DNA polymerase (Hecht) (383) 388
DNA polymerase
Studies of DNA repair in Bacillus subtilis. I. A cellular factor acting on γ-irradiated DNA and promoting its priming activity for — — — (Noguti, Kada) (395) 284
DNA polymerase
Subcellular location and growth stage dependence of the — — —s of Euglena gracilis (McLennan, Keir) (407) 253
DNA polymerase
Three — — —s of rat ascites hepatoma cells. Properties of the enzymes and effect of RNA synthesis on the reactions (Tsuruo et al.) (383) 274
DNA polymerase III
Effects of organic solvents of Escherichia coli — — — (Heinz, Carl) (402) 35
DNA·protein complex
Nuclease digestion of the — — — from simian virus 40 virions (McCann, Martin) (395) 280
DNA·Pt complex
X-ray photoelectron spectroscopy of — — —. Evidence of $\bar{O}^6$(Gua)·N_7(Gua) chelation of DNA with cis-dichlorodiamine platinum(II) (Millard et al.) (402) 166
DNA repair
Effect of a mammalian repair endonuclease on X-irradiated DNA (Tomura, Lancker) (402) 343
DNA repair
Postreplication — — — in ultraviolet-irradiated Micrococcus luteus (Zherebtsor, Tomilin) (383) 16
DNA repair
Postreplication repair of DNA in chick cells. Studies using photoreactivation (Lehmann, Stevens) (402) 179
DNA repair
Studies of — — — in Bacillus subtilis. I. A cellular factor acting on γ-irradiated DNA and promoting its priming activity for DNA polymerase (Noguti, Kada) (395) 284
DNA repair
Studies on — — — in Bacillus subtilis. II. Partial purification and mode of action of an enzyme enhancing the primary activity of γ-irradiated DNA (Noguti, Kada) (395) 294
DNA replicase
Dissociation of the — — — system of bovine lymphocyte nuclei (Thompson, Mueller) (414) 231
DNA replicase
Requirement for RNA, protein and DNA synthesis in the establishment of — — — activity in synchronized HeLa cells (Seki, Mueller) (378) 354
DNA replication
— — — by a possible continuous-discontinuous mechanism in homogenates of Physarum polycephalum containing dextran (Brewer) (402) 363
DNA replication
— — — in nuclei isolated from bovine lymphocytes (Thompson. Mueller) (378) 344
DNA replication
Permeable cell system for studying

— — — in synchronized HeLa cells (Seki et al.) (378) 333
DNA replication
Physiological transition of a coliphage λ — — — (Takahashi) (395) 306
DNA replication
Premature replication of late S period DNA regions in early S nuclei transferred to late S cytoplasm by fusion in Physarum polycephalum (Wille, Jr., Kauffman) (407) 158
DNA replication
Rapidly labeled intermediates in — — — in higher plants (Sakamaki et al.) (395) 314
DNA·RNA hybrid
Degradation of — — —s by aggregates of pancreatic ribonuclease (Libonati et al.) (407) 292
DNA-RNA linkage
Covalent linkage between RNA and nascent DNA in the slime mold Physarum polysephalum (Waqar, Huberman) (383) 410
DNA synthesis
— — — induced with ultraviolet light in Brij 58-treated Bacillus subtilis spores germinated in the presence of chloramphenicol (Fujita, Komano) (378) 35
DNA synthesis
— — — in HeLa cell nuclei isolated in a non-aqueous medium (Spaeren et al.) (395) 413
DNA synthesis
— — — in L-cells in the presence of 5-fluorodeoxyuridine (Chan, Walker) (395) 422
DNA synthesis
— — — in vitro in lysates of Escherichia coli (Ramareddy et al.) (402) 323
DNA synthesis
Abnormal synthesis of mitochondrial DNA in the presence of N-methyl-N-nitro-N-nitrosoguanidine (Koike et al.) (402) 351
DNA synthesis
Bacteriophage φX174 — — — in Escherichia coli HF4704S ($dnaH^{ts}$) cells (Sakai, Komano) (395) 433
DNA synthesis
Depression by NAD of X-ray-induced repair-type — — — in toluene-treated Bacillus subtilis (Billen, Hellermann) (383) 379
DNA synthesis
Energy requirement for biosynthesis of DNA in Escherichia coli. Role of membrane-bound energy-transducing ATPase (coupling factor) (Mével-Ninio, Valentine) (376) 485
DNA synthesis
Lack of specific correlation of the deoxycytidine triphosphate pool level with rate of — — — (Walters, Ratliff) (414) 221
DNA synthesis
Ornithine decarboxylase activity in relation to — — — in mouse interfollicular epidermis and hair follicles (Probst, Krebs) (407) 147
DNA synthesis
Requirement for RNA, protein and — — — in the establishment of DNA replicase activity in synchronized HeLa cells (Seki, Mueller) (378) 354
DNA synthesis
Survival and ability to synthesise intact DNA molecules after ultraviolet irradiation in Escherichia coli cells (Slezáriková et al.) (390) 28
DNA synthesis
Uptake of [^{3}H]thymidine and cell — — — during the early multiplication phase of Herpesvirus hominis in BHK cells (Bittlingmaier et al.) (407) 384
DNA template activity
Difference in the action of ethyl and methyl methane sulphonates on — — — for RNA synthesis in vitro (Guertin, Mamet-Bratley) (390) 312
DNA transcript
Unique sequence — — —s present in mature oocytes of Urechis caupo (Davis) (390) 33
DNA transcription: see also Transcription
DNA transcription
Evidence for the presence in the calf thymus of a peptidic factor controlling — — — (Gianfranceschi et al.) (414) 9
DNA·tyrocidine complex
Some characteristics of the — — — and a possible mechanism of the gramicidin action (Ristow et al.) (414) 1
DNA uptake
Optimal conditions for uptake of exogenous DNA by Chinese hamster lung cells deficient in hypoxanthine-guanine phosphoribosyltransferase (Farber et al.) (390) 298

Donnan equilibrium
pH gradient across the lysosomal membrane generated by selective cation permeability and — — — (Henning) (401) 307
Dopamine β-monooxygenase
Bovine adrenal medullary chromogranin A. Studies on the structure and further evidence for identity with dopamine β-hydroxylase (Aunis et al.) (393) 284
Drug binding
Solvent-partition method for measuring the binding of drugs to DNA. Application to the quinoxaline antibiotics echinomycin and triostin A (Waring et al.) (407) 200
Drug interaction
Application of pulse radiolysis to the study of — — —s with biological macromolecules (Greenstock, Ruddock) (383) 464
Duroquinone
Inhibition of electron transfer from ferrocytochrome b to ubiquinone, cytochrome c_1 and — — — by antimycin (Jagow, Bohrer) (387) 409
Dynein
Dissociation of tetrahymena 30-S — — — into 14-S subunit by sonication (Hoshino) (403) 544

E

Edeine metabolism
Biosynthesis of edeine. II. Localization of edeine synthetase within Bacillus brevis Vm4 (Kurylo-Borowska) (399) 31

Edeine synthetase
Biosynthesis of edeine. II. Localization of — — — within Bacillus brevis Vm4 (Kurylo-Borowska) (399) 31

Ehrlich ascites tumour cell
Changes in enzyme pattern of — — —s following serial cultivation in media with increased (hypertonic) NaCl content (Schachtschabel et al.) (381) 242

Ehrlich ascites tumour cell
Incorporation and metabolic conversion of cyanocobalamin by — — —s in vitro and in vivo (Pierce et al.) (381) 348

Eicosapentaenoic acid
Distribution of arachidonic and — — —s in the lipids of mosses (Gellerman et al.) (388) 277

Eimeria tenella
Studies of the mitochondria from — — — and inhibition of the electron transport by quinolone coccidiostats (Wang) (396) 210

Elastase
Characterization of trypsin and — — — from the moose (Alces alces). I. Amino acid composition and specificity towards polypeptides (Stevenson, Voordouw) (386) 324

Elastase
Interaction of α-1-antitrypsin with chymotrypsin, trypsin and — — — (Cohen) (391) 193

Elastase
Rapid method of purification of human granulocyte cationic neutral proteases. Purification and further characterization of human granulocyte — — — (Feinstein, Janoff) (403) 493

Elastase
Specificity of porcine — — — (Gold, Shaltin) (410) 421

Elastase II
Physical parameters and chemical composition of porcine pancreatic — — — (Ardelt) (393) 267

Elastin
Application of affinity chromatography to the purification of collagenase for the isolation of insoluble - — — (Serafini-Fracassini et al.) (386) 80

Elastin
Application of collagenase, purified by affinity chromatography, to the isolation of insoluble — — — from bovine aorta (Spina et al.) (400) 162

Elastin
Some lysine-containing peptides from the elastase digest of — — — and their relation to lysinonorleucine cross-link (Juricová et al.) (386) 239

Elastin
Studies on conformation and interactions of — — —. Secondary structure of synthetic repeat hexapeptides (Urry et al.) (393) 296

Electrical activity
Electrical potential changes, H^+ translocation and phosphorylation induced by short flash excitation in Rhodopseudomonas sphaeroides chromatophores (Saphon et al.) (408) 67

Electrical activity
Extent of the stimulated electrical potential decay phosphorylating conditions and the H^+/ATP ratio in Rhodopseudomonas sphaeroides chromatophores following short flash excitation (Jackson et al.) (408) 83

Electrical activity
Functional unit of electrical events and phosphorylation in chromatophores from Rhodopseudomonas sphaeroides (Saphon et al.) (408) 58

Electrical parameters
Response of transmural — — — across in vitro everted scans of hamster jejunum to variations in oxygenation rate (Dugas, Crane) (401) 486

Electric birefringence
— — — of myosin subfragments (Kobayashi, Totsuka) (376) 375

Electrogenic component
— — — of the potential difference in the rabbit lens (Paterson et al.) (375) 309
Electron acceptor
Some experiments of the primary — — — in reaction centres from Rhodopseudomonas sphaeroides (Wraight et al.) (396) 242
Electron carriers
Respiratory control in isolated perfused rat heart. Role of the equilibrium relations between the mitochondrial — — — and the adenylate system (Hassinen, Hiltunen) (408) 319
Electron migration
Studies of — — — in DNA in aqueous solution using intercalating dyes (Whillans) (414) 193
Electron pathway
Kinetic completion of the cyclic photosynthetic — — — of Rhodopseudomonas sphaeroides. Cytochrome b-cytochrome c_2 oxidation-reduction (Prince, Dutton) (387) 609
Electron transfer
Inhibition of — — — from ferrocytochrome b to ubiquinone, cytochrome c_1 and duroquinone by antimycin (Jagow, Bohrer) (387) 409
Electron transfer
Kinetics and specificity of — — — from cytochromes and copper proteins to P700 (Wood, Bendall) (387) 115
Electron transfer
NMR investigation of — — — in the copper-protein, plastocyanin (Beattie et al.) (405) 109
Electron transfer
Studies on — — — between mercury electrode and haemprotein (Scheller et al.) (412) 157
Electron transport
— — — in an in vitro-reconstituted bacterial photophosphorylating system (Garcia et al.) (387) 129
Electron transport
— — — in Photosystem I in spinach chloroplasts (Bouges-Bocquet) (396) 382
Electron transport
— — — in the membrane of lutoids from the latex of Hevea brasiliensis (Moreau et al.) (396) 116
Electron transport
Biosynthesis of plasmalogens by rat brain. Involvement of the microsomal — — — system (Wykle, Schremmer Lockmiller) (380) 291
Electron transport
Effects of phosphate and — — — on the carbonyl cyanide m-chlorophenylhydrazone-induced ATPase of rat liver mitochondria (Bertina, Slater) (376) 492
Electron transport
Intermediate — — — in the absence of added water-soluble carriers (Archakov et al.) (408) 93
Electron transport
Studies of the mitochondria from Eimeria tenella and inhibition of the — — — by quinolone coccidiostats (Wang) (396) 210
Electron transport
Studies on the mechanism of — — — in the bc_1-segment of the respiratory chain in yeast. II. The binding of antimycin to mitochondrial particles and the function of two different binding sites (Burger et al.) (396) 187
Electron transport chain
Reduction of oxygen by the — — — of chloroplasts during assimilation of carbon dioxide (Egneus et al.) (408) 252
Electrostatic environment
4,4′-Dinitrodiphenyldisulfides of different charge type as probes for the — — — of sulphydryl groups (Lagler) (405) 136
Electrotonic coupled cell system
Absence of cell communication for fluorescein and dansylated amino acids in an — — — (Van Venrooij et al.) (394) 620
Elongation factor 2
— — — as the target of the reaction product between sodium selenite and glutathione (GSSeSG) in the inhibiting of amino acid incorporation in vitro (Vernie et al.) (414) 283
Elongation factor EF1
Subcellular distribution and functional properties of different forms of — — — from wheat embryos (Lanzani et al.) (407) 449

Elongation factor Tu
Activities of guanosine triphosphate analogues in reactions catalysed by — — — and initiation factor 2 of Escherichia coli (Hamel) (414) 326
Embryogenesis
Developmental biochemistry of cotton seed — — — and germination. VI. Levels of cytosol and chloroplast aminoacyl-tRNA synthetases during cotyledon development (Brantner, Dure) (414) 99
Endo-arabinanase
— — — from Bacillus subtilis F-11 (Kaji, Saheki) (410) 354
Endocytosis
Energy-dependent — — — in erythrocyte ghosts. IV. Effects of Ca^{2+}, $Na^{+}+K^{+}$ and 5′-adenylylimidodiphosphate (Hayashi et al.) (382) 218
Endonuclease
Effect of a mammalian repair — — — on X-irradiated DNA (Tomura, Lancker) (402) 343
Endonuclease
Partial purification of — — — activity from human lymphoblasts. Separation of activities for depurinated DNA and DNA irradiated with ultraviolet light (Brent) (407) 191
Endonuclease
Purification and characterization of an — — — from calf thymus acting on irradiated DNA (Bacchetti, Benne) (390) 285
Endonuclease
Rapid purification method of restriction — — — from Haemophilus strains (Kopecka) (391) 109
Endonuclease
Site-specific fragmentation of bacteriophage T5 DNA by single strand-specific S1 — — — (Shisido, Ando) (390) 125
Endoplasmic reticulum
Comparison of plasma membranes and — — — fractions obtained from whole white adipose tissue and isolated adipocytes (Giacobino, Chmelar) (406) 68
ENDOR
Iron electron-nuclear double resonance (— — —) of 4-Fe clusters in iron-sulphur proteins from Chromatium and Clostridium pasteurianum (Anderson et al.) (376) 63
Endotoxin
Tritiation of — — — (Tomasulo et al.) (400) 399
Energy conversion
Delayed light studies on photosynthetic — — —. VIII. Evidence from millisecond emission of chloroplasts for two adenylate binding sites on membrane-bound coupling factor, CF_1 (Vambutas, Bertsch) (376) 169
Energy metabolism
Effect of hydrogen ion concentration on — — — in pig platelets (Nishimura, Minakami) (396) 1
Energy migration
Evidence for — — — from Photosystem I to Photosystem II and the effect of magnesium (Jennings, Forti) (376) 89
Energy transduction
— — — in photosynthetic bacteria. VII. Inhibition of the coupling ATPase by N-ethylmaleimide related to the energised state of the membrane (Baccarini et al.) (376) 72
Energy transduction
— — — in photosynthetic bacteria. VIII. Activation of the energy-transducing ATPase by inorganic phosphate (Baccarini et all.) (376) 82
Energy transfer
— — — between Photosystem II and Photosystem I in chloroplasts (Butler, Kitajima) (396) 72
Energy transfer
— — — by chlorophyll a in detergent micelles (Csatorday et al.) (376) 268
Energy transfer
— — — by chlorophyll b in detergent micelles (Lehoczki, Csatorday) (396) 86
Enolase
— — — isoenzymes. II. Hybridization studies, developmental and phylogenetic aspects (Rider, Taylor) (405) 175
Enterotoxin A
Application of QAE-Sephadex for the purification of two staphylococcal enterotoxins. II. Purification of — — — (Robern et al.) (393) 159
Enterotoxin C_2
Application of QAE-Sephadex for the purification of two staphylococcal enterotoxins. I. Purification of — — — (Robern et al.) (393) 148

Enzyme inhibitor
Stable multisubstrate adducts as — — —s. Potent inhibition of ornithine decarboxylase by N-(5′-phosphopyridoxyl)-ornithine (Heller et al.) (403) 197
Enzyme release
Cytochalasin B. Effect on phospholipid metabolism and lysosomal enzyme release by leukocytes (Tou, Stjernholm) (392) 1
Enzyme thermistor
Determination of heat changes in the proximity of immobilized enzymes with an — — — and its use for the assay of metabolites (Mosbach et al.) (403) 256
Epididymal fat cell
Hormone action at the membrane level. IV. Epinephrine binding to rat liver plasma membranes and rat — — —s (Lesko, Marinetti) (382) 419
Epinephrine binding
Hormone action at the membrane level. IV. — — — to rat liver plasma membranes and rat epididymal fat cells (Lesko, Marinetti) (382) 419
Epoxidation
Structural effects on the reactivity substrates and inhibitors in the — — — system of Pseudomonas oleovorans (May et al.) (403) 245
EPR
Physical explanation of the — — — spectrum observed during catalysis by enzymes utilizing coenzyme B_{12} (Schepler et al.) (397) 510
Erucic acid
Gailure of dietary — — — to impair oxidative capacity or ATP production of rat heart mitochondria isolated under controlled conditions (Dow-Walsh et al.) (396) 125
Erucylcarnitine
Studies on the mechanism of the inhibitory effects of — — — in rat heart mitochondria (Christophersen, Christiansen) (388) 402
Erythrocruorin
Physical properties and subunits of Dina dubia — — — (Andonian, Vinogradov) (400) 244
Erythrocruorin
Physical properties and subunits of Haemopis grandis — — — (Andonian et al.) (412) 202
Erythrocyte
Actin-activated ATPase from human — — —s (Avissar et al.) (375) 35
Erythrocyte
Action of halothane on human — — —s. Mechanisms of cell lysis and production of sealed ghosts (Lin et al.) (401) 73
Erythrocyte
Asymmetric membrane expansion and modification of active and passive cation permeability of human red cells by the fluorescent probe 1-anilino-8-naphthalene sulphonate (Fortes, Ellory) (413) 65
Erythrocyte
Binding of haemoglobin to membranes of normal and sickle — — — (Fischer et al.) (375) 422
Erythrocyte
Ca^{2+}-stimulated membrane phosphorylation and ATPase activity of the human — — — (Katz, Blostein) (389) 314
Erythrocyte
Comparison between histones Fv and F_{2a_2} of chicken — — —. I. Structure, stability and conformation of the free proteins (Garel et al.) (395) 5
Erythrocyte
Comparison between histones Fv and F_{2a_2} of chicken — — —. II. Interaction with homologous DNA (Garel et al.) (395) 16
Erythrocyte
Comparison of intact human red blood cells and resealed and leaky ghosts with respect to their interactions with surface labelling agents and proteolytic enzymes (Cabantchik et al.) (382) 621
Erythrocyte
Effect of catecholamines and prostaglandins upon human and rat — — —s (Rasmussen et al.) (411) 63
Erythrocyte
Effect of metabolic state on phytohaemagglutinin-P agglutination of normal and human — — —s (Singer, Morrison) (406) 553
Erythrocyte
Effects of Tris and histidine on human — — —s and conditions influencing their mode of action (Luthra et al.) 382) 634

Erythrocyte
Extraction and localization of a Ca^{2+} + Mg^{2+})-stimulated ATPase in human — — — spectrin (Weidekamm, Brdiczka) (401) 51
Erythrocyte
γ-Glutamyltransferase activity in the human — — — membrane (Azzopardi, Jayle) (389) 339
Erythrocyte
Glycolysis in human — — —s containing elevated concentrations of 2,3-diphosphoglycerate (Duhm) (385) 68
Erythrocyte
GSH biosynthesis in glutathione-deficient — — —s from Finnish Landrace and Tasmanian Merino sheep (Young, Nimmo) (404) 132
Erythrocyte
NMR study of ^{17}O from $H_2{}^{17}O$ in human — — —s (Shporer, Civan) (385) 81
Erythrocyte
Non-histone chromosomal proteins easily extractible from chick — — —s (Burckard et al.) (405) 434
Erythrocyte
Novel method for the follow-up of shape changes in — — —s and other particles (Porath-Furedi) (392) 197
Erythrocyte
^{32}P distribution into 2,3-biphosphoglyceric acid from human — — —s following molybdate-catalyzed hydrolysis (Snyder et al.) (381) 157
Erythrocyte
Relationship between GSH, GSSG and non-GSH thiol in GSH-deficient — — —s from Finnish Landrace and Tasmanian Merino sheep (Young et al.) (404) 124
Erythrocyte
Release and uptake of haemoglobin and ions in red blood cells induced by dielectric breakdown (Riemann et al.) (394) 449
Erythrocyte
Studies on the reconstitution of bovine — — — superoxide dismutase. V. Preparation and properties of derivatives in which both zinc and copper sites contain copper (Fee, Briggs) (400) 439
Erythrocyte
Thallium inhibition of ouabain-sensitive sodium transport and of the (Na^++ K^+)-ATPase in human — — — (Skulskii et al.) (394) 569
Erythrocyte
Two-carrier models for mediated transport. II. Glucose and galactose equilibrium exchange experiments in human — — —s as a test for several two-carrier models (Eilam) (401) 364
Erythrocyte
Zero-trans and equilibrium-exchange efflux and infinite-trans uptake of galactose by human — — —s (Ginsburg, Ram) (382) 369
Erythrocyte
Zero-trans and infinite-cis uptake of glactose in human — — —s (Ginsburg, Stein) (382) 353
Erythrocyte ghost: see also Membrane, erythrocyte
Erythrocyte ghost
Action of halothane on human erythrocytes. Mechanisms of cell lysis and production of sealed ghosts (Lin et al.) (401) 73
Erythrocyte ghost
Comparison of intact human red blood cells and resealed and leaky ghosts with respect to their interactions with surface labelling agents and proteolytic enzymes (Cabantchik et al.) (382) 621
Erythrocyte ghost
Energy-dependent endocytosis in — — —s. IV. Effects of Ca^{2+}, Na^+ + K^+ and 5′-adenylimidodiphosphate (Hayashi et al.) (382) 218
Erythrocyte ghost
Evidence for constrained lipid mobility in the — — —. A spin label study (Verma, Wallach) (382) 73
Erythrocyte ghost
Interaction between sodium dodecyl sulphate solubilized human — — —s and antisera to human serum lipoproteins. A non-immune precipitation effect of sodium dodecyl sulphate (Green et al.) (382) 457
Erythrocyte ghost
Interaction of Clostridium perfringens θ-haemolysin, a contaminant of commercial phospholipase C, with — — — membranes and lipid dispersions. A morphological study (Smyth et al.) (382) 479
Erythrocyte ghost
Laser Raman spectroscopic investigation of phospolipid and protein configurations

in haemoglobin-free ———s (Lippert et al.) (382) 51
Erythrocyte ghost
Preparation of ———s by dielectric breakdown of the cell membrane (Zimmermann et al) (375) 209
Erythrocyte ghost
Raman and resonance-Raman scattering by ———s (Wallach, Verma) (382) 542
Erythrocyte ghost
Variations of lipid-protein interactions in ———s as a function of temperature and pH in physiological and non-physiological ranges. A study using paramagnetic quenching of protein fluorescence by nitroxide lipid analogues (Bieri, Wallach) (406) 415
Erythrocyte surface protein
Species variability in the modification of ———s by enzymatic probes (Carraway et al.) (382) 181
Erythrocyte surface structure
———. Stabilization by cholesterol sulphate as evidenced by scanning electron microscopy (Bleau et al.) (375) 220
Erythrocytosis
Haemoglobin Wood β97(FG4) His→Leu: A new high-oxygen-affinity hemoglobin associated with familial ——— (Taketa et al.) (400) 348
D-Erythro-dihydroneopterin in triphosphate synthetase
Nature of the multiple forms of ——— (Jackson, Shiota) (403) 232
Erythromycin
Correlation between ——— and acid phosphatase in mouse liver (Carević et al.) (381) 269
Erythropoietin
——— effects on iron metabolism in rat bone marrow cells (Storring, Fatih) (392) 26
Escherichia coli
Characterization of energised and partially de-energised (respiration-independent) β-galactoside transport into ——— (Lancaster et al.) (401) 285
Escherichia coli
Isolation and properties of ——— ATPase mutants with altered divalent metal specificity for ATP hydrolysis (Thipayathasana) (408) 47
Escherichia coli K-12
Differentiation between mutants of ——— defective in oxidation phosphorylation (Kanner et al.) (396) 347
Escherichia coli K-12
Effect of salt on phospholipid fatty acid composition of ——— (McGarrity, Armtrong) (398) 258
Escherichia coli K-12
Isolation and initial characterization of the glutathione-deficient mutants of ——— (Apontoweil, Berends) (399) 10
Escherichia coli K-12
Purification and properties of glutamate-binding protein from the periplasmic space of ——— (Barash, Halpern) (386) 168
Escherichia coli K-12
Reduced nicotinamide adenine dinucleotide-dependent reduction of fumarate coupled to membrane energization in a cytochrome-deficient mutant of ——— (Singh, Bragg) (396) 229
ESR
Interpretation of the electron spin resonance of nitroxide-maleimide-labelled proteins and the use of this technique in the study of albumin and biomembranes (Benga, Strach) (400) 69
Esterase
Effects of buffer diffusion on the activity of an immobilized ———
(Konecny, Slanicka) (403) 573
Esterase
Macrophage ———. Identification, purification and properties of a chymotrypsin-like esterase from lung that hydrolyses and transfers nonpolar amino acid esters (Rojas-Espinosa et al.) (403) 161
Esters
Occurrence of fatty methyl ——— and cholesterol in a molecular complex with riboflavin. A correction (Lewis) (398) 353
Ethanol
Acute and chronic effects of ethanol on intestinal lipid metabolism (Baraona et al.) (388) 19

Ethanol
Biosynthesis of acyl groups in molecular species of biliary phosphatidylcholines during metabolism of [2,2,2-$^2H_3$] — — — (Curstedt) (398) 265
Ethanol
Possible mechanism for the peroxidation of lipids due to chronic — — — ingestion (Reitz) (380) 145
Ethidium
On the degree of unwinding of the DNA helix by — — —. II. Studies by electron microscopy (Liu, Wang) (395) 405
Ethidium bromide
Binding of — — — to ribosomal RNA. Absorption, fluorescence, circular and electric dichroism study (Gatty et al.) (407) 308
Ethidium bromide
Conversion of closed circular DNA molecules to single-nicked molecules by digestion with DNAase I in the presence of — — — (Greenfield et al.) (407) 365
Ethinyloestradiol-17α
Effect of — — — on biliary excretion of bile acids (Watanabe) (399) 79
1-Ethyl-3(3-dimethylaminopropyl) carbodiimide
Effect of — — — on calcium binding and associated changes in chloroplast structure and chlorophyll a fluorescence in spinach chloroplasts (Prochaska, Gross) (376) 126
Eudisylia vancouveri
Molecular weight of — — — chlorocruorin and its subunits (Terwilliger et al.) (400) 302
Euglena
Ribosomal RNA genes in the nucleus and chloroplast of — — — (Gruol et al.) (414) 20
Evonymus europae L.
Studies on phytohaemagglutinins. XXV. Isolation and characterization of haemagglutinins of the spindle tree seeds — — — (Pacék, Kocourek) (400) 374
Exchange diffusion
Accelerative — — — kinetics of glucose between blood and brain and its relation to transport during anoxia (Betz et al.) (401) 416
Exchange diffusion
Cation flux in the Ehrlich ascites tumor cell. Evidence for Na^+-for-Na^+ and K^+-for-K^+ — — — (Tupper) (394) 586
Excitation-contraction coupling
— — —. Effects of "zero"-Ca^{2+} medium (Sandow et al.) (404) 157
Excitation-secretion coupling
— — — in exocrine glands. Properties of cyclic AMP phosphodiesterase and adenylate cyclase from the submaxillary gland and pancreas (Lemon, Bhoola) (385) 101
Exo-β-glucanase
Glucanases in Schizosaccharomyces. Isolation and properties of — — — from the cell extracts and culture fluid of Schizosaccharomyces japonicus var. versatilis (Fleet, Phaff) (410) 318
Exo-1,3-glucosidase
Attack mechanism of an — — — from Basidiomycete sp. QM 806 (Nelson) (377) 139
Exo-1,4-glucosidase
Purification and characterization of Aspergillus niger — — — (Freedberg et al.) (391) 361
Exonuclease
Partial degradation of transfer RNAs by different preparations of snake venom — — — (Petrova et al.) (395) 455
Exonuclease V
Action of — — — (the recBC enzyme) on ultraviolet-irradiated DNA (Tanaka, Sekiguchi) (383) 178
Exo-1, 4-β-xylosidase: see β-Xylosidase
Extracellular space determination
— — — in gall bladder mucosa (Cremaschi, Hénin) (411) 291

F

Factor V
Dissociation of bovine — — — and isolation of the activated form (Day) (386) 352

Factor X
Partial purification and characterization of the enzyme which converts precursor liver protein to — — — (Chung et al.) (386) 556

F_A factor
Membrane reconstitution in chl-r mutants of Escherichia coli K-12. VIII. Purification and properties of the — — —, the product of the chl-B gene (Riviere et al.) (389) 219

Fasciola hepatica
Composition and metabolism of phospholipids of — — —, the common liver fluke (Oldenborg et al.) (398) 101

Fat metabolism
— — — in higher plants. Production of short- and medium-chain acyl-acyl carrier protein by spinach stroma preparations treated with cerulenin (Packter, Stumpf) (409) 274

Fatty acid
Activation of short-chain — — —s by the soluble fraction of guinea-pig heart and liver mitochondria. The search for a distinct propionyl-CoA synthetase (Groot) (380) 12

Fatty acid
Distribution of — — —s incorporated into triacylglycerols by microsome/cytosolpreparations from adipose tissue (Stokes et al.) (380) 245

Fatty acid
Effect of salt on phospholipid — — — composition in Escherichia coli K-12 (McGarrity, Armstrong) (398) 258

Fatty acid
Studies on plasma membranes. XXII. — — — profiles of lipid classes in plasma membranes of rat and mouse livers and hepatomas (van Hoeven et al.) (380) 1

Fatty acid
Substitution of cellular fatty acids in yeast cells by the antibiotic cerulenin and exogenous — — —s (Awaya et al.) (409) 267

Fatty acid absorption
Effect of phosphatidylcholine on fatty acid and cholesterol absorption from mixed micellar solutions (Rodgers, O'Connor) (409) 192

Fatty acid chain elongation
Studies to determine the role of chain elongation and desaturation play in regulating the unsaturated fatty acid composition of rat liver lipids (Bernert, Jr., Sprecher) (398) 354

Fatty acid deficiency
Effect of essential — — — upon fatty acid uptake by the brain (Lyles et al.) (388) 331

Fatty acid desaturation
Studies to determine the role of chain elongation and desaturation play in regulating the unsaturated fatty acid composition of rat liver lipids (Bernert, Jr., Sprecher) (398) 354

Fatty acid hydroperoxidase
Enzymic reactions of — — —s in extracts of potato tuber. I. Comparison of 9-D- and 13-L-hydroperoxy-octadecadienoic acids as substrates for the formation of a divinyl ether derivative (Galliard, Matthew) (398) 1

Fatty acid hydroperoxide
Enzymic reactions of — — —s in extracts of potato tuber. II. Conversion of 9- and 13-hydroxy-octadecadienoic acids to monohydroxydienoic acid, epoxyhydroxy- and trihydroxymonoenoic acid derivatives (409) 157

Fatty acid hydroxylation
ω-1, ω-2 and ω-3 hydroxylation of long-chain fatty acids, amides and alcohols by a soluble enzyme system from Bacillus megaterium (Miura, Fulco) (388) 305

Fatty acid metabolism
— — — in the microsomal fraction of developing rabbit brain (Carey, Parkin) (380) 176

Fatty acid synthesis
Changes in the activities of de novo — — — and palmitoyl-CoA synthetase in relation to myelination in rabbit brain (Cantrill, Carey) (380) 165
Fatty acid synthesis
Hormonal regulation of fatty acid synthetase, acetyl-CoA carboxylase and — — — in mammalian adipose tissue and liver (Volpe, Marasa) (380) 454
Fatty acid synthetase
Hormonal regulation of — — —, acetyl-CoA carboxylase and fatty acid synthesis in mammalian adipose tissue and liver (Volpe, Marasa) (380) 454
Fatty acid synthetase
Regulation of hepatic — — — in the obese-hyperglycaemic mutant mouse (Volpe, Marasa) (409) 235
Fatty acid synthetase
Separation of active enzyme components from the — — — of chicken liver (Bratcher, Hsu) (410) 229
Fatty acid uptake
Effect of essential fatty acid deficiency upon — — — by the brain (Lyles et al.) (388) 331
fd gene-5 protein
Binding of the — — — to single-stranded nucleic acid (Dunker, Anderson) (402) 31
Ferredoxin
Immunological quantitation of chloroplast — — — (Matson, Kimura) (396) 293
Ferredoxin
Nuclear DNA codes for Nicotiana — — — (Kwanyuen, Wildman) (405) 167
Ferredoxin
On the nature of the iron-sulphur cluster in a deuterated alga — — — (Anderson et al.) (408) 306
Ferredoxin
Role of — — — in the activation of sedoheptulose diphosphatase in isolated chloroplasts (Schürmann, Buchanan) (376) 189
Ferredoxin
Studies on the conformational changes of metalloproteins induced by electrons in water/ethylene glycol solutions at low temperatures. III. Adrenal ferredoxin (Blumenfeld et al.) (379) 512
Ferric-transferrin complex
Mossbauer spectra of bicarbonate-free — — — (Tsang et al.) (386) 32
Ferricytochrome c
Alkaline isomerization of lysine-modified — — — (Stellwagen et al.) (405) 115
Ferricytochrome c
Studies on the heme environment of horse heart ferric cytochrome c. Azide and imidazole complexes of ferric cytochrome c (Ikeda-Saito, Ilzuka) (393) 335
Ferricytochrome c′
EPR studies of protein state transitions in Chromatium — — — (Maltempo) (379) 95
Ferritin
Carbohydrate composition of horse spleen — — — (Shinjyo et al.) (411) 165
Ferritin
Size and charge heterogeneity of rat tissue — — —s (Vulimiri et al.) (412) 148
Ferritin
Structural differences in — — —s from normal and malignant rat tissues (Linder et al.) (386) 409
Ferrocyanide
Vanadium compounds and — — — as ionic redox agents in photosynthesis (Rose et al.) (408) 35
Ferrocytochrome b
Inhibition of electron transfer from — — — to ubiquinone, cytochrome c_1 and duroquinone by antimycin (Jagow, Bohrer) (387) 409
Ferrous haem complex
Spectroscopic properties of — — —es of sterically hindered ligands (Wagner, Kassner) (392) 319
Fibrin binding
Differences in the binding to fibrin of native plasminogen and plasminogen modified by proteolytic degradation. Influence of ω-aminocarboxylic acids (Thorsen) (393) 55
Fibrinogen
Amino acid sequence of the carbocy-terminal cyanogen bromide peptide of the human — — — β-chain. Homology with the corresponding γ-chain peptide and presence in fragment D (Takagi, Doolittle) (386) 617

Fibrinogen
Characterization of the terminal degradation products of canine — — — by plasmin (Chen) (386) 69
Fibrinogen
Electron microscopic studies of plasmic degradation products of fibrinogen. Implications for the disulphide structure of — — — (Tranqui-Pouit et al.) (400) 189
Fibrinogen
Physicochemical studies on tryptic digestion of bovine fibrinogen (Albert et al.) (386) 382
Fibrinogen
Plasmic degradation of bovine — — — and non-cross-linked fibrins in solution and in gel form (Inoue et al.) (400) 322
Fibrinogen
Plasmic degradation of human — — —. III. Molecular model of the plasmin-resistant disulfide knot in monomeric fragment D (Furlan et al.) (400) 95
Fibrinogen
Plasmic degradation of human — — —. IV. Identification of subunit chanin remnants in fragment Y (Furlan et al.) (400) 112
Fibrinogen
Platelet — — —. Identity and initial observations on the mode of its degradation by plasmin (James et al.) (386) 209
Fibrinogen
Separation of S-carboxymethylated human — — — chains with a single carboxymethylcellulose chromatography (Shinada, Hampton) (412) 357
Fibrinogen
Structure-activity relationships of the vasopressor activity of canine peptide A from fibrinogen (Osbahr) (386) 373
Fibrinopeptide
Covalent structure of — — —s from buffalo breeding in Italy (Balestrieri et al.) (405) 517
Fibrinopeptide
Inhibition of human thrombin assessed with different substrates and inhibitors. Characterization of — — — binding interaction (Gorman) (412) 273
Fibrin-polymerizing reaction
Analysis of the — — — using soidum dodecyl sulphate/agarose gel electrophoresis (Moroi et al.) (379) 217
Fibroblast
Cholesterol, 7-ketocholesterol and 25-hydroxycholesterol uptake studies and effect on 3-hydroxy-3-methylglutaryl-coenzyme A reductase activity in human — — —s (Breslow et al.) (398) 10
Fibroblast
Interaction between Dolichos biflorus lectin and chick embryonic — — —s at different stages of development (Roguet, Bourrillon) (389) 380
Fibroblast
Polypeptide composition of cell membranes from chick embryo — — —s transformed by Rous sarcoma virus (Marciani, Bader) (401) 386
Fibrobast
Stimulated phosphorylation of non-histone phosphoproteins in SV-40 transformed WI-38 human diploid — — —s (Pumo et al.) (402) 125
Fibroblast proliferation
Cell surface and — — —. Some current research trends (Pardee) (417) 153 (Review)
Fibroblast surface
Dynamic state of concanavalin A binding. Receptor interactions on — — — (Huet, Bernadac) (394) 605
Filter hybridization
Attempts to detect Agrobacterium tumefaciens and bacteriophage PS8 DNA in crown gall tumours by DNA·DNA — — — (Farrand et al.) (390) 264
Flagella
Involvement of tyrosine residues in the protomer-protomer interaction of Proteus mirabilis — — — as studied by spectroscopic methods, chemical modification and aggregation experiments (Schalch, Bode) (405) 292
Flagella
Role of flagellar structures in motility (Summers) (416) 153 (Review)
Flavin
Studies on the in vitro inactivation of the Neurospora crassa assimilatory nitrite reductase in the presence of reduced pyridine nucleotides plus — — — (Vega et al.) (377) 251
Flavin derivative
Synthesis of immobilized — — —s and their use in purification of chicken egg-white ovoflavoprotein (Blankenhorn et al.) (386) 470

Flavinogenesis
8-Azaguanine and — — — in Eremothecium ashbyii (Madia et al.) (385) 51
Flavodoxin
Physicochemical properties of — — — from Desulfovibrio vulgaris (Dubourdieu et al.) (376) 519
Flavoprotein
Role of tryptophan residues and hydrophobic interaction in the binding of riboflavin in egg-yolk — — — (Sbeczko, Ostrowski) (393) 253
Fluid absorption
Serum-induced inhibition of isotonic — — — by the kidney proximal tubule. III. Further evidence that complement-mediated cell lysis is involved (Sato) (411) 144
Fluorescein derivative
Interaction of 4,5-dibromo-2,7-di-(acetatomercuri)-fluorescein with DNAs of different base composition (Dattagupta et al.) (378) 44
Fluorescence
Delayed — — — from Rhodopseudomonas viridis following single flashes (Carithers, Parson) (387) 194
Fluorescence
Structural requirements for the action of steroids as quenchers of albumin — — — (Romeu et al.) (409) 376
Fluorescence decay
Analysis of anaerobic — — — in Scenedesmus obliquus (Schreiber, Vidaver) (387) 37
Fluorescence energy transfer
Increase in — — — across lipid bilayers induced by valinomycin (Bessette, Seufert) (375) 10
Fluorescence induction
— — — in intact spinach chloroplasts (Jennings, Forti) (396) 63
Fluorescent kinetics
— — — of chlorophyll in Photosystems I and II enriched fractions of spinach (Yu et al.) (387) 159
Fluorescence quenching
— — — in lecithin and lecithin/cholesterol liposomes by paramagnetic lipid analogues. Introduction of a new probe approach (Bieri, Wallach) (389) 413
Fluorescence quenching
Location of protein in serum lipoproteins. A — — — study (Badley) (379) 517
Fluorescent cell membrane probe
Comparison of a spin-label and a — — — using pure and mixed monomolecular films (Cadenhead et al.) (382) 253
α-Foetoprotein
Isolation of two forms of rat — — — and comparison of their binding parameters with oestradiol-17β (Benassayag et al.) (412) 295
Formamidase
Characterization of multiple forms of kynurenine — — — in Drosophila melanogaster (Moore, Sullivan) (397) 468
Formiminotransferase
Kinetic mechanism of — — — from porcine liver (Beaudet, MacKenzie) (410) 252
Forssman glycolipid hapten
Main structures of the — — — and Le^b-like glycolipid of dog small intestine, as revealed by mass spectrometry. Difference in ceramide structure related to tissue localization (Smith et al.) (388) 171
β-Fructofuranosidase: see also Invertase
β-Fructofuranosidase
External yeast β-fructosidase. The role of tryptophanyl residues in catalysis (Leskovac et al.) (405) 482
Fructokinase
Kinetic properties and related changes of molecular weight in a — — — from Streptomyces violaceoruber (Sabater, Dela Fuente) (377) 258
Fructose-1,6-biphosphate 1-phosphohydrolase: see Hexosediphosphatase
Fructose-bisphosphate aldolase
Classification of fructose-1,6-bisphosphate aldolases based on ^{18}O retention in the cleavage reaction (Heron, Caprioli) (403) 563
Fructose-1,6-diphosphatase: see Hexosediphosphatase
β-Fructosidase: see β-Fructofuranosidase
α-Fucose
Calcium-carbohydrate bridges composed of uncharged sugars. Structure of a hydrated calcium bromide complex of — — — (Cook, Bugg) (389) 428
α-L-Fucosidase
Occurrence of low — — — activities in normal human serum (Ramage, Cunningham) (403) 473

Fumarate reduction
Reduced nicotinamide adenine dinucleotide-dependent reduction of fumarate coupled to membrane energization in a cytochrome-deficient mutant of Escherichia coli K 12 (Singh, Bragg) (396) 229
Furazolidone
Interaction of — — — with DNA (Chatterjee et al.) (402) 161
Fusarenon X
Mechanism of inhibition of protein synthesis initiation by diacetoxyscirpenol and — — — in the reticulocyte lysate system (Mizuno) (383) 207
Fusarium sulphureum cell wall
Cell wall of Fusarium sulphureum. I. Chemical composition of the hyphal wall (Barran et al.) (392) 148

G

Galactose accumulation
D-Galactose accumulation in rabbit ileum. Effects on theophylline on serosal permeability (Holman, Naftalin) (406) 386

D-Galactose dehydrogenase
Stereochemistry of the hydrogen transfer to NAD catalyzed by — — — from Pseudomonas fluorescens (Brendel et al.) (397) 1

D-Galactose dehydrogenase
Stereospecificity of hydrogen transfer catalysed by — — — from Pseudomonas saccharophila and Pseudomonas fluorescens (Ueberschär et al.) (391) 15

D-Galactose dehydrogenase
Subunit structure of — — — from Pseudomonas saccharophila (Wengenmayer, Kurz) (386) 590

Galactose efflux
Zero-trans and equilibrium-exchange efflux and infinite-trans uptake of galactose by human erythrocytes (Ginsburg, Ram) (382) 369

Galactose transfer
Transfer of galactose from UDP-galactose to endogenous lipid acceptors in liver microsomes (Zatta et al.) (392) 361

Galactose transport
— — — across the serosal border of rabbit ileum and its role in intracellular accumulation (Holman, Naftalin) (382) 230

Galactose transport
Two-carrier models for mediated transport. II. Glucose and galactose equilibrium exchange experiments in human erythrocytes as a test for several two-carrier models (Eilam) (401) 364

Galactose uptake
Zero-trans and equilibrium-exchange efflux and infinite-trans uptake of galactose by human erythrocytes (Ginsburg, Ram) (382) 369

Galactose uptake
Zero-trans and infinite-cis uptake of galactose in human erythrocytes (Ginsburg, Stein) (382) 353

α-Galactosidase
Characterization of human — — — A and B before and after neuraminidase treatment (Romeo et al.) (391) 349

β-Galactosidase
Activity of human hepatic — — — toward natural glycosphingolipid substrates (Tanaka et al.) (398) 452

β-Galactosidase
Effect of bile salts on lactosylceramide — — — activities in human brain, liver and cultured skin fibroblasts (Wenger et al.) (409) 297

β-Galactosidase
Inhibition of human liver — — —s and β-glucosidase by N-bromoacetyl-D-galactosylamine (Meisler) (410) 347

β-Galactosidase
Intracellular distribution of — — —s in mucosal cells from hog small intestine (Sato, Yamashina) (397) 179

β-Galactosidase
Lactase-phlorizin hydrolase complex from monkey small intestine. Purification, properties and evidence for two catalytic sites (Ramaswamy, Radhakrishnan) (403) 446

β-Galactosidase
Purification of G_{M_1}-ganglioside and ceramide lactoside from rabbit brain (Callahan, Gerrie) (391) 141

Galactoside transport
Characterization of energized and partially de-energized (respiration-independent) β- — — — into Escherichia coli (Lancaster et al.) (401) 285

Galactosyl diglycerides
Biosynthesis of — — — by non-green fractions from chloroplasts (van Hummel et al.) (380) 219

Ganglioside
— — —s of chemically and virally transformed rat embryo cells (Langenbach) (388) 231

Ganglioside
— — —s of the human gastrointestinal mucosa (Keranen) (409) 320
Ganglioside
Fluidity of natural membranes and phosphatidylserine and — — — dispersions. Effect of local anaesthetics, cholesterol and protein (Feinstein et al.) (413) 354
G_{M_1} gangliosidosis
Structure of the glycopeptide storage material in — — —. Sequence determination with specific endo- and exo-glycosidases (Tsay et al.) (385) 305
Gastric acid secretion
— — — in the lizard. Ionic requirements and effects of inhibitors (Hansen et al.) (382) 590
Gel, granulated
Isoelectric focusing in layers of granulated gels. II. Preparative isoelectric focusing (Radola) (386) 181
Gel, methacrylate
Affinity chromatography on hydroxyalkyl methacrylate gels. II. Isolation of thiol-containing protein and peptide using mercurial derivatives of gels (Turková et al.) (386) 503
Gel phase
Proton NMR bandshape studies of lamellar liquid crystals and — — —s containing lecithins and cholesterol (Ulmius et al.) (389) 197
Gene activation
— — — in human diploid cells. Age-dependent modifications in the stability of messenger RNAs for nonhistone chromosomal proteins (Stein, Burtner) (390) 56
Genetic functions
Characteristics of developing mitochondrial genetic and respiratory functions in germinating fungal spores (Brambl) (396) 175
Germination
Characteristics of developing mitochondrial genetic and respiratory functions in germinating fungal spores (Brambl) (396) 175
Germination
Developmental biochemistry of cotton seed embryogenesis and — — —. VI. Levels of cytosol and chloroplast aminoacyl-tRNA synthetases during cotyledon development (Brantner, Dure) (414) 99
Globin
Synthesis of α- — — — and β-globin directed by messenger ribonucleoprotein from rabbit reticulocytes (Ernst, Arnstein) (378) 251
Globin synthesis
Evidence supporting a physiological role for the haemin-controlled translational repressor of — — — in reticulocytes (Schulman) (414) 161
Globulin
Cold-insoluble — — — of human plasma. Studies of its essential structural features (Mosesson et al.) (386) 509
Globulin
Interaction of myasthenic serum — — — with the acetylcholine receptor (Almon, Appel) (393) 66
Globulin
Isolation and characterisation of a platelet-specific β- — — — (β-thromboglobulin) and the detection of anti-urokinase and antiplasmin released from thrombin-aggregated washed human platelets (Moore et al.) (379) 360
Glucagon
Effects of trinitrophenylation of the amino groups of — — — on its conformational properties and on its ability to activate rat liver adenylyl cyclase (Epand, Wheeler) (393) 236
Glucagon
Metabolic actions of vasopressin, — — — and adrenalin in the intact rat (Hems et al.) (411) 155
Glucagon
Metabolic responses of perfused rat livers to alpha- and beta-adrenergic agonists, — — — and cyclic AMP (Jakob, Diem) (404) 57
Glucagon
Proteolytic degradation of insulin and — — — (Duckworth et al.) (377) 421
Glucagon
Stimulation of — — — of the incorporation of U-^{14}C-labelled substrates into glucose by isolated hepatocytes from fed rats (Claus et al.) (404) 110

Glucanase
———s in Schizosaccharomyces. Isolation and properties of an exo-β-glucanase from the cell extracts and culture fluid of Schizosaccharomyces japonicus var. versatilis (Fleet, Phaff) (410) 318
1,3-β-Glucanase
Production of ——— by Bacillus No. 221. An alkalophilic microorganism (Horikoshi, Atsukawa) (384) 477
4-α-Glucanotransferase
Analytical gel chromatography of rabbit muscle amylo-1,6-glucosidase/——— under denaturing and non-denaturing conditions (White, Nelson) (400) 154
α-Glucan phosphorylase
——— from the sweet potato. Isolation and properties of the partially degraded enzyme (Ariki, Fukui) (386) 301
Glucocerebrosidase
———. Stoichiometry of association between effector and catalytic proteins (Ho, Rigby) (397) 267
Glucocorticoid
Influence of ———s on some morphological and biochemical aspects of rat small intestinal mucosa (Lafont, Pilon) (392) 288
Gluconate permease
Inducible ——— in a glyconate kinase-deficient mutant of Escherichia coli (Robin, Kepes) (406) 50
Gluconeogenesis
Location of ——— from phosphoenolpyruvate in cotyledons of Cucurbita pepo (Rees et al.) (385) 145
Gluconeogenesis
On the stimulation of ——— by L-lysine in isolated rat kidney cortex tubules (Friedrichs) (392) 255
Glucose, automated analysis
Preparation of several new nylon tube-glucose oxidase derivatives and their incorporation into the 'reagentless' automated analysis of glucose (Campbell et al.) (384) 307
D-Glucose diastereomers
Studies of insulin release and rat pancreatic islet metabolism with ——— (MacDonald et al.) (385) 188
Glucose formation
Dependence of ——— from lactate on the adenosine triphosphate content in the isolated perfused rat liver (Wilkening et al.) (392) 299
D-Glucose influx kinetics
Analysis of ——— of in vitro hamster jejunum, based on considerations of the mass-transfer coefficient (Dugas et al.) (382) 576
D-Glucose-insulin binding
Binding of D-glucose to insulin (Anzenbacher, Kalous) (386) 603
Glucose metabolism
Effects of pregnancy and lactation on the activities in rat liver of some enzymes associated with ——— (Smith) (411) 22
Glucose oxidase
Preparation of several new nylon tube ——— derivatives and their incorporation into the 'reagentless' automated analysis of glucose (Campbell et al.) (384) 307
Glucose oxidation
Effect of D- and L-glyceraldehyde on ———, insulin secretion and insulin biosynthesis by pancreatic islets of the rat (Jain et al.) (399) 384
Glucose-6-phosphatase
Mammalian carbamyl phosphate:glucose phosphotransferase and ———. Extended tissue distribution (Colilla et al.) (377) 117
Glucose-6-phosphatase
Multiple thermal discontinuities in ——— activity (Grinna) (403) 388
Glucose-6-phosphate dehydrogenase
Effect of oestrogen on synthesis of ——— in R3230AC mammary tumours and uteri (Ringler, Hilf) (411) 50
Glucose-6-phosphate dehydrogenase
Regulation of ——— in spinach chloroplasts by ribolose 1,5-diphosphate and NADPH/$NADP^+$ ratios (Lendzian, Bassham) (396) 260
Glucose-6-phosphate phosphohydrolase: see Glucose-6-phosphatase
Glucose transport
Biguanide inhibition of D-glucose transport in membrane vesicles from small intestinal brush borders (Kessler et al.) (413) 444

Glucose transport
Carrier-mediated transfer of D-glucose in brush border vesicles derived from rabbit renal tubules. Na^+-dependent versus Na^+-independent transfer (Busse et al.) (401) 231
Glucose transport
Effects of digitonin on the stimulation by insulin of glucose uptake by isolated fat cells (Akhtar, Perry) (411) 30
Glucose transport
High-affinity phlorizin receptor sites and their relation to the — — — mechanism in the proximal tubule of dog kidney (Silverman, Black) (394) 10
Glucose transport
Inhibition of — — — into brain by phlorizin, phloretin and glucose analogues (Betz et al.) (406) 505
Glucose transport
Relationship between the transport of glucose and cations across cell membranes in isolated tissues. IX. The role of cellular calcium in the activation of the glucose transport system in rat soleus muscle (Clausen et al.) (375) 292
Glucose transport
Two-carrier models for mediated transport. II. Glucose and galactose equilibrium exchange experiment in human erythrocytes as a test for several two-carrier models (Eilam) (401) 364
α-Glucosidase
Specificity of the synthetic reaction of two yeast — — —s (Lai, Axelrod) (391) 121
β-Glucosidase
Inhibition of human liver β-galactosidase and — — — by N-bromoacetyl-D-galactosylamine (Meisler) (410) 347
β-Glucosidase
Hydrolytic and transglucosylation activities of a purified calf spleen — — — (Kanfer et al.) (391) 129
β-Glucosidase
Kinetic analysis of the mechanism of action of — — — from Botryodiploda theobromae (Umezurike) (397) 164
β-Glucosidase
Purification and properties of a — — — from Flavobacterium (Sano et al.) (377) 410
Glucoside
Acyl composition and biosynthesis of acylated steryl — — —s in Calendula officinalis (Wojciechowski, Zimowski) (398) 111
Glucuronan
Studies on fungal polysaccharide. XVII. A new — — — 'protuberic acid' produced by a fungus Kobayashia nipponica (Miyazaki et al.) (385) 345
β-Glucuronidase
Immunochemical study of — — — inhibitor from porcine sublingual gland. Interaction of β-glucuronidase inhibitor with α_2-macroglobulin (Sakamoto) (411) 195
Glutamate carboxypeptidase
Localization of — — — in rat liver lysosomes (Silink, Rowe) (381) 28
Glutamate dehydrogenase
— — — from Escherichia coli. Induction purification and properties of the enzyme (Veronese et al.) (377) 217
Glutamate efflux
Possible mechanisms of the efflux of glutamate from kidney mitochondria generated by the activity of mitochondria glutaminase (Kovačevic) (396) 325
Glutamate:oxaloacetate transaminase: see Aspartate aminotransferase
Glutaminase
Possible mechanisms of the efflux of glutamate from kidney mitochondria generated by the activity of mitochondrial — — — (Kovačevic) (396) 325
γ-Glutamyltransferase
— — — activity in the human red blood cell membrane (Azzopardi, Jayle) (389) 339
γ-Glutamyltransferase
— — — from azo dye-induced hepatoma and foetal rat liver. Similarities in their kinetic and immunological properties (Taniguchi et al.) (391) 265
Glutathione
Conjugation of protaglandin A_1 and — — — catalyzed by homogeneous glutathione S-transferases from human and rat liver (Cagen et al.) (398) 205
Glutathione
Relationship between GSH, GSSG and non-GSH thiol in GSH-deficient erythrocytes from Finnish Landrace and Tas-

manian Merino sheep (Young et al.) (404) 124
Glutathione
Some properties of mitochondrial ——— (Jocelyn) (396) 427
Glutathione-insulin transhydrogenase
Insulin degradation. XV. Use of different assay methods for the study of mechanism of action of ——— (Chandler, Varandani) *397) 307
Glutathione metabolism
——— biosynthesis in Escherichia coli K-12. Properties of the enzyme and regulation (Apontoweil, Berends) (399) 1
Glutathione metabolism
GSH biosynthesis in glutathione-deficient erythrocytes from Finnish Landrace and Tasmanian Merino sheep (Young, Nimmo) (404) 132
Glutathione metabolism
Organisation of enzymes of glycolysis and of ——— in human red cell membranes (Tillmann et al.) (382) 157
Glutathione peroxidase
Substrate-induced redox change of selenium in ——— studied by X-ray photoelectron spectroscopy (Wendel et al.) (377) 211
Glutathione reductase
Yeast ———. Studies of the kinetics and stability of the enzyme as a function of pH and salt concentration (Moroff, Brandt) (410) 21
Glutathione S-transferase
Conjugation of prostaglandin A_1 and glutathione catalyzed by homogeneous ———s from human and rat liver (Cagen et al.) (398) 205
Glyceraldehyde-phosphate dehydrogenase
Cold inactivation of ——— from rat skeletal muscle (Nagradova et al.) (377) 15
Glyceraldehyde-phosphate dehydrogenase
Conformational changes of glyceraldehyde-3-phosphate dehydrogenase induced by the binding of NAD^+. A unified model for positive and negative cooperativity (Bell, Dalziel) (410) 243
Glyceraldehyde-phosphate dehydrogenase
Conversion of ——— to an acyl phosphatase by trinitroglycerin and inactivation of this activity by azide and ascorbate (You et al.) (384) 317
Glyceraldehyde-phosphate dehydrogenase
Essential arginine residues in ——— (Nagradova, Asryants) (386) 365
Glyceraldehyde-phosphate dehydrogenase
Role of tryptophan residues in the mechanism of action of ——— as tested by specific modification (Heilmann, Pfleiderer) (384) 331
Glyceraldehyde-phosphate dehydrogenase
Spin label and lanthanide binding sites on ——— (Dwek et al.) (377) 26
Glyceraldehyde-phosphate dehydrogenase
Studies of coenzyme binding to rabbit muscle ——— (Bell, Dalziel) (391) 249
Glycerolipid
Method for the quantitative determination of ———s containing O-alkyl and O-alk-1-enyl moieties (Blank et al.) (380) 208
Glycerolipid synthesis
Relative utilization of the acyl dihydroxyacetone phosphate and glycerol phosphate pathways for synthesis of glycerolipids in various tumours and normal tissues (Pollock et al.) (380) 421
Glycerol kinase
Activation of bovine liver ——— by ethanol (Schneider) (397) 110
Glycerol phosphate pathway
Relative utilization of the acyl dihydroxyacetone phosphate and the ——— for synthesis of glycerolipids in various tumours and normal cells (Pollock et al.) (380) 421
Glycerolphosphate phosphatidyltransferase
Stimulation of ——— activity in fetal rabbit lung by cortisol administration (Rooney et al.) (398) 433
Glycerol uptake
Kinetics of ——— by the prefused rat liver. Membrane transport, phosphorylation and effect on NAD redox level (Sestoft, Fleron) (375) 462
Glycerophosphoryl phosphatidyl kojibiosyl diacylglycerol ———, a novel phosphoglucolipid from Streptococcus faecalis (Fischer, Landgraf) (380) 227
Glyceryl monostearate
ESR study of aqueous dispersions of β-lactoglobulin and spin-labelled ——— (Gorkum et al.) (392) 141

Glycine metabolism
Effect of methionine on the metabolism of serine and glycine in vitamin B-12-deficient rats (Vidal, Stokstad) (399) 228
Glycinin
Structure, physical and chemical properties of the soy bean protein — — — (Badley et al.) (412) 214
Glycogen metabolism
Effect of hydrocortisone and glucagon on — — — in the fetal rat liver (Pines et al) (411) 369
Glycogen metabolism
Regulation of — — — in liver by the autonomic nervous system. VI. Possible mechanism of phosphorylase activation by the splanchnic nerve (Shimazu, Amakawa) (385) 242
Glycogenolysis
Control of platelet — — —. Activation of phosphorylase kinase by calcium (Gear, Schneider) (392) 111
Glycogen synthase
Activation and inactivation of phosphorylase and glycogen synthetase during perfusion of rat liver as influenced by epinephrine, glucagon and hydrocortisone (Saitoh, Ui) (404) 7
Glycolipid
Blood group A active difucosyl glycolipid from hog gastric mucosa (Slomiany, Slomiany) (388) 135
Glycolipid
Main structures of the Forssman glycolipid hapten and Le^b-like — — — of dog small intestine, as revealed by mass spectrometry. Difference in ceramide structure related to tissue localization (Smith et al.) (388) 171
Glycolipid
Monolayer characteristics of some — — —s at the air-water interface (Oldani et al.) (382) 1
Glycolipid
Structure and organisation of cell surface — — —s. Dependency on cell growth and malignant transformation (Hakomori) (417) 55 (Review)
Glycolysis
— — — in human erythrocytes containing elevated concentrations of 2,3-diphosphoglycerate (Duhm) (385) 68
Glycolysis
Control of anaerobic — — — by glucose transport and ouabain in slices of hepatoma 3924A (van Rossum et al.) (394) 267
Glycolysis
Inhibitory effect of D-glucosamine on — — — in bovine retina (Tesoriere et al.) (385) 58
Glycolysis
Organisation of enzymes of — — — and of glutathione metabolism in human red cell membranes (Tillmann et al.) (382) 157
Glycolytic enzymes
Effects of physical training on several — — — in rat heart (York et al.) (381) 22
Glycolytic enzymes
On the association of — — — with structural proteins of skeletal muscle (Clarke, Masters) (381) 37
Glycopeptide
— — —s from the egg jelly coat of the toad Bufo vulgaris (Kawai, Anno) (381) 195
Glycopeptide
Preparation and properties of concanavalin A-binding — — —s derived from rat brain glycoproteins (Javaid et al.) (404) 74
Glycopeptide storage material
Structure of the — — — in G_{M_1} gangliosidosis. Sequence determination with specific endo- and exoglycosidases (Tsay et al.) (385) 305
Glycoprotein
— — —s from ascitic fluid of Ehrlich ascites tumor. Isolation and chemical characterization (Reznick, Winzier) (404) 268
Glycoprotein
Altered cell surface — — —s in phytohaemagglutinin-resistant chinese hamster ovary cells (Juliano, Stanley) (389) 401
Glycoprotein
Biogenesis of plasmalemmal — — —s. Intracellular site of synthesis of mouse liver plasmalemmal 5′-nucleotidase as determined by the sub-cellular location of messenger RNA coding for 5′-nucleotidase (Beregern et al.((407) 325
Glycoprotein
Circular dichroism of erythrocyte mem-

brane ———s (Decker, Carraway) (386) 52
Glycoprotein
Effects of the membrane-penetrating polypeptide segment of the human erythrocyte MN-glycoprotein on the permeability of model lipid membranes (Lea et al.) (382) 41
Glycoprotein
Glycosaminoglycans and acidic ———s in rabbit uterus under oestrogenic conditions (Endo, Yosizawa) (404) 274
Glycoprotein
Insoluble non-collagenous cartilage ——— with aggregating sub-units (Shipp, Bowness) (379) 282
Glycoprotein
Isolation and characterization of several ———s from human colostrum whey (Nichols et al.) (412) 99
Glycoprotein
Isolation and partial characterization of the major ———s of horse and swine erythrocyte membranes (Fujita, Cleve) (496) 206
Glycoprotein
Isolation and partial characterization of two minor ———s from human erythrocyte membranes (Fujita, Cleve) (382) 172
Glycoprotein
Isolation of a ——— and proteodermatan sulphate from bovine achilles tendon by affinity chromatography on concanavalin A-Sepharose (Anderson) (379) 444
Glycoprotein
Polypeptides of a ——— antigen (SF) present in serum and surface of normal, but not of transformed, chicken fibroblasts (Kuusela et al.) (379) 295
Glycoprotein
Preparation and properties of concanavalin A-binding glycopeptides derived from rat brain ———s (Javaid et al.) (404) 74
Glycoprotein
Purification of human gastric ——— and studies of its carbohydrate components (Andre, Descos) (386) 129
Glycoprotein
Structure of the O-glycosidically linked carbohydrate units of rat brain ———s (Finne) (412) 317
Glycoprotein
Subcellular and anatomical distribution in rat brain of ———s that contain mannose-rich heteropolysaccharide chains (Brunngraber, Javaid) (404) 67
Glycoprotein degradation
Relative rates of degradation of the plasma membrane glycoproteins from normal rat liver (Landry, Marceau) (389) 154
Glycoprotein synthesis
Role of mannosylphosphorylpolyisoprenol in ——— in Mycobacterium smegmatis (Schultz, Takayama) (381) 175
Glycosaminoglycan
———s and acidic glycoproteins in rabbit uterus under oestrogenic conditions (Endo, Yosizawa) (404) 274
Glycosaminoglycan
Comparative structural studies of urinary ———s in the Hurler and Hunter syndromes (Ramage, Cunningham) (411) 325
Glycosaminoglycan sulphation
Apparent sulphation of glycosaminoglycans by ascorbic acid 2-[^{35}S] sulphate. An explanation (Shapiro, Poon) (385) 221
Glycosidase
———s of rat Kupffer cells, hepatocytes and peritoneal macrophages (Scamman et al.) (404) 281
Glycosidase
Studies on the kinetics of ———s from chemically induced rat colonic tumours and normal rat colon (Mian et al.) (391) 179
Glycosphingolipid
Influence of sialic acid groups on the retention of ———s in blood plasma (Barkai, Di Cesare) (398) 287
Glycosphingolipid β-galactosidase
———s of cultured mammalian cells. Characterization of the enzymes from mouse cell line LMTK$^-$ and human Lesch-Nyhan fibroblasts (Rushton, Dawson) (388) 92
Glycosphingolipid synthesis
——— and tumorigenesis. A role for the Golgi apparatus in the origin of specific receptor molecules of the mammalian cell surface (Richardson et al.) (417) 173 (Review)

Glycosylation
Age-related variations in — — — of hydroxylysine in human and rat skin collagens (Murai et al.) (404) 345
Glycosyltransferase
Cell surface — — —s (Shur, Roth) (415) 473 (Review)
Glycosyltransferase
Regional and cellular localization of — — —s in rat small intestine. Changes in enzymes with differentiation of intestinal epithelial cells (Kim et al.) (391) 39
Glyoxalase I
Isolation and characterization of mouse liver — — — (Kester, Norton) (391) 212
Cyclic GMP
Amylase secretion by rabbit parotid gland. Role of cyclic AMP and — — — (Wojcik et al.) (411) 250
Cyclic GMP
Cyclic guanosine 3′,5′-monophosphate. High levels in the male accessory gland of Acheta domesticus and related crickets (Fallon, Wyatt) (411) 173
GMP reductase
Regulation of — — — in Salmonella typhimurium (Benson, Gots) (403) 47
GMP-simulating factor
Discovery of a 3′,5′-guanosine monophosphate simulating factor in amoebae of Dictyostelium discoidium (Putnam, Jr., Pederson) (411) 168
Golgi apparatus
Lipid composition of the — — — of rat kidney and liver in comparison with other subcellular organelles (Zambrano et al.) (380) 357
Gonadotropin
Effect of chorionic — — —, triamcinolone, progesterone and oestrogen on enzymes of placenta and liver in rats (Diamant et al.) (385) 257
Gramicidin
Ionic specificity of — — — channel and the thallous ion (Neher) (401) 540
Gramicidin
Some characteristics of the DNA·tyrocidine complex and a possible mechanism of the — — — action (Ristow et al.) (414) 1
Gramicidin
Tyrocidine and linear — — —. Do these peptide antibiotics play an antagonistic regulative role in sporulation? (Ristow et al.) (390) 246
Griseoviridin
Mode of action of — — — at the ribosome level (Barbacid et al.) (395) 347
Growth
Effect of L-azetidine-2-carboxylic acid on — — — and proline metabolism in Escherichia coli (Grant et al.) (404) 180
Growth
Effect of valinomycin on ion transport in bacterial cells and on bacterial — — — (Ryabova et al.) (401) 109
Growth
Influence of geometry on control of cell — — — (Folkman, Greenspan) (417) 211 (Review)
Growth cycle
Relationships between non-extractable DNA and the bacterial — — — (Salser, Balis) (378) 22
Growth factor
Interaction of nerve — — — with tubulin, Studies on binding and induced polymerization (Levi et al.) (399) 50
Growth factor
Molecular weight of the γ-subunit of mouse 7-S nerve growth factor (Baker) (379) 592
Growth factor
Properties of nerve — — — from the venom of Bothrops atrox (Glass, Banthorpe) (405) 23
Growth hormone
Evidence for structural dissociation of two biological actions of — — — (Holladay et al.) (381) 47
GTP analogues
Activities of guanosine triphosphate analogues in reactions catalysed by elongation factor Tu and initiation factor 2 of Escherichia coli (Hamel) (414) 326
GTPase
ATPase and — — — activities associated with the 5-S RNA-protein complex of Escherichia coli ribosomes (Gaunt-Klöpfer, Erdmann) (390) 226
Guanine aminohydrolase
— — — in rat and mouse red cells. A potent inhibitor of guanylation of tRNA (Farkas, Singh) (377) 166

Guanine deaminase: see also Guanine aminohydrolase
Guanine nucleotides
Incorporation of hypoxanthine into adenine nucleotides and — — — by human platelets (Rivard et al.) (381) 144
Guanosine 5′-diphosphate 3′-diphosphate
Regulation of RNA synthesis in Escherichia coli. III. Degradation of — — — in cold-shocked cells (Raué, Cashel) (383) 290
Guanosine 3′,5′-monophosphate hydrolysis
Hydrolysis of guanosine and adenine 3′,5′-monophosphates by rat blood (Patterson et al.) (384) 159
[β,γ-^{32}P] Guanosine 5′-triphosphate
Simple and inexpensive method for the preparation of — — — (Warner) (383) 229
Guanylate cyclase
Myocardial — — —. Properties of the enzyme and effects of cholinergic agonists in vitro (Limbird, Lefkowitz) (377) 186
Guanylate cyclase
Renal cortex — — —. Preferential enrichment in glomerular membranes (Helwig et al.) (377) 463

H

Haemin c
Free radical reduction of — — — (Goff, Simic) (392) 201

Haemoglobin
— — — -A_2-Coburg or $\alpha_2\delta_2^{116\text{Arg}\rightarrow\text{His (G18)}}$ (Sharma et al.) (393) 379

Haemoglobin
— — — Arya: $\alpha_2$47(CD5), Aspartic acid→Asparagine (Rahbar et al.) (386) 525

Haemoglobin
— — — Atlanta or $\alpha_2\beta_2^{75\text{Leu}\rightarrow\text{Pro(E19)}}$; an unstable variant found in several members of a Caucasian family (Hubbard et al.) (386) 538

Haemoglobin
— — — camperdown β104(G6) arginine→serine (Wilkinson et al.) (393) 195

Haemoglobin
— — — Cochin-Port-Royal. Consequences of the replacement of the β-chain C-terminal by an arginine (Wajcman et al.) (400) 354

Haemoglobin
— — — Fort Gordon or $\alpha_2\beta_2^{145\text{Tyr}\rightarrow\text{Asp}}$, a new high-oxygen-affinity haemoglobin variant (Kleckner et al.) (400) 343

Haemoglobin
— — — F Victoria Jubilee ($\alpha 2^{A}\gamma 2$ 80 Asp→Tyr) (Ahern et al.) (393) 188

Haemoglobin
— — — G. Norfolk: α85(F6)Asp→Asn (Mandersloot et al.— (379) 22

Haemoglobin
— — — Hamadan: $\alpha_2A\beta_2$56(D7)Glycine→Arginine (Rahbar et al.) (379) 645

Haemoglobin
— — — Hirosaki (α43 [CE 1] Phe→Leu), a new unstable variant (Ohba et al.) (405) 155

Haemoglobin
— — — Saki $\alpha 2\beta 2^{14\text{Leu}\rightarrow\text{Pro}(A_{11})}$ structure and function (Beuzard et al.) (393) 182

Haemoglobin
— — — -Strumica or $\alpha_2^{112(\text{G19})\text{His}\rightarrow\text{Arg}}\beta_2$. (With an addendum: Haemoglobin-J-Paris-I, $\alpha_2^{12(\text{A10})\text{Ala}\rightarrow\text{Asp}}\beta_2$, in the same population) (Niazi et al.) (412) 181

Haemoglobin
— — — Titusville: α94 Asp→Asn. A new haemoglobin with a lowered affinity for oxygen (Schneider et al.) (400) 365

Haemoglobin
— — — Wood β97(FG4) His→Leu. A new high-oxygen-affinity haemoglobin associated with familial erythrocytosis (Taketa et al.) (400) 348

Haemoglobin
Amino acid substitution in — — — Olmsted: β_{141}(H19) leucine arginine (Lorkin et al.) (386) 256

Haemoglobin
Analytical isotachophores in capillary tubes. Analysis of — — —, hemiglobin cyanide and isoelectric fractions of hemiglobin cyanide (Arlinger) (393) 396

Haemoglobin
Binding of — — — to membranes of normal and sickle erythrocytes (Fischer et al.) (375) 422

Haemoglobin
Calculation of the energy difference between the quaternary structures of deoxy- and oxy- — — — (Arata, Otsuka) (405) 388

Haemoglobin
Conformational studies on modified proteins and peptides. IX. Conformation and immunochemistry of — — — reduced at some carboxyl groups by diborane (Atassi, Nakhlek) (379) 1

Haemoglobin
Degree of dissociation of apo — — — studied by nanosecond fluorescence polarization technique (Kinosita et al.) (393) 10

Haemoglobin
Interaction of different forms of — — — with artificial lipid membranes (Rossi et al.) (375) 477

Haemoglobin
Magnetic susceptibility measurements of deoxygenated — — —s and isolated chains (Alpert, Banerjee) (405) 144

Haemoglobin
Mechanical precipitation of — — — Köln (Asakura et al.) (412) 197
Haemoglobin
New — — — variant. Haemoglobin Anatharaj Alpha 11(A9) lysine→glutamic acid (Pootrakul et al.) (405) 161
Haemoglobin
Oxygen affinity of — — — Tak, a variant with an elongated β chain (Imai, Lehmann) (412) 288
Haemoglobin
Oxygenation properties of — — — variants with substitutions near the polyphosphate binding site (Benesch et al.) (393) 368
Haemoglobin
Oxygen equilibrium and subunit aggregation of a Holothurian — — — (Terwilliger) (386) 62
Haemoglobin
Properties of a — — — from the chromatrope of the nematode Mermis nigrescens (Burr et al.) (405) 404
Haemoglobin
Recombination of carbon monoxide with — — — after flash photolysis of the carboxy-derivative in mixed solvent at subzero temperature (Bernard et al.) (393) 389
Haemoglobin
Some physicochemical properties of — — — -Manitoba ($\alpha_2^{102Ser\rightarrow Arg(G9)}\beta_2$) (Wrightstone et al.) (412) 283
Haemoglobin
Studies on the charge transfer band in high spin state of ferric myoglobin and — — — by low temperature optical and magnetic circular dichroism spectroscropy (Yoshida et al.) (405) 122
Haemoglobin
N-terminal spin label studies of — — —. Ligand and pH dependence (Giangranda et al.) (412) 187
Haemoglobin
Two new — — —s. Haemoglobin Alabama [β39(C5)Gln→Lys] and haemoglobin Montgomery [α48(CD6)-Leu→Arg] (Brimhall et al.) (379) 28
Haemoglobin binding
— — — by isolated polymeric proteins from human haptoglobin types 2-1 and 2-2. Some suggested polymer subunit compositions (Pastewska et al.) (386) 530
Haemoglobin dissociation
Evaluation of the precision of difference chromatography (Gilbert et al.) (379) 488
Haemoglobin synthesis
Inhibition of — — — by pancreatic deoxyribonuclease in rabbit reticulocyte lysates (Felicetti, Urbani) (414) 146
Haemoglobin transport
Release and uptake of haemoglobin and ions in red blood cells induced by dielectric breakdown (Riemann et al.) (394) 449
θ-Haemolysin
Interaction of Clostridium perfringens — — —, a contaminant of commercial phospholipase C, with erythrocyte ghost membranes and lipid dispersions. A morphological study (Smyth et al.) (382) 479
Haemopexin
Interaction of rabbit — — — with copro- and uroporphyrins (Morgan et al.) (400) 415
Haemopis grandis
Physical properties and subunits of — — — erythrocruorin (Andonian et al.) (412) 202
Haemprotein
Interpretation of the three line EPR spectrum of nitric oxide — — —s and related model systems. Effect of the haem environment (Kon) (379) 103
Haemprotein
NMR studies of — — —s. IV. Hindered rotation of haem side methyl group as a probe for studying van der Waals contacts in the haem side environments of myoglobin derivatives (Morishima, Iizuka) (386) 542
Haemprotein
NMR studies of — — —s. VI. Acid-base transitions of ferric myoglobin and its imidazole complex (Iizuka, Morishima) (400) 143
Haemprotein
Resonance Raman spectroscopic studies of haemproteins (Spiro) (416) 169 (Review)
Haemprotein
Studies on electron transfer between

mercury electrode and — — — (Scheller et al.) (412) 157
Halobacterium cutirubrum
Isolation and characterization of C_{50}-carotenoid pigments and other polar isoprenoids from — — — (Kushwaha et al.) (398) 303
Halofenate
Effect of — — — and clofibrate on lipid synthesis in rat adipocytes (Greenspan et al.) (380) 190
Halothane
Action of — — — on human erythrocytes. Mechanisms of cell lysis and production of sealed ghosts (Lin et al.) (401) 73
Haploid yeast strain
Study of a — — — with an unusually high rDNA content. II. Fractionation of the DNA in preparative Ag^+-Cs_2SO_4 density gradients (Karijord, Øyen) (383) 255
Haptoglobin
Effect of modification on physicochemical and biological properties of — — —. VI. Reaction with azolactone of p-nitrobenzoyl-valine (Osada, Dobryszycka) (412) 306
Haptoglobin
Haemoglobin binding by isolated proteins from human — — — types 2-1 and 2-2. Some suggested polymer subunit compositions (Pastewska et al.) (386) 530
Harmaline
Studies of the interaction of the fluorophores harmine and — — — with calf thymus DNA (Duportail, Lamis) (402) 20
Harmine
Studies of the interaction of the fluorophores — — — and harmaline with calf thymus DNA (Duportail, Lami) (402) 20
Heinz body formation
Demonstration of ferrihemichrome intermediates in — — — following the reduction of oxyhaemoglobin A by acetylphenylhydrazine (Peisach et al.) (393) 404
Helix-coil transition
Calorimetric study of the — — — of poly(cytidylic acid) in acid solution (Klump) (383) 1
Helix-coil transition
Salt effects on the denaturation of DNA. IV. A calorimetric study of the helix-coil conversion of the alternating copolymer poly [d(A-T)] (Gruenwedel) (395) 246
Hemiglobin cyanide
Analytical isotachophores in capillary tubes. Analysis of haemoglobin, — — — and isoelectric fractions of hemiglobin cyanide (Arlinger) (393) 396
Heparin
Action of — — — on thrombin-anti-thrombin reaction (Machovich et al.) (379) 193
Heparin
Mechanism of action of — — — through thrombin on blood coagulation (Machovich) (412) 13
Heparin
Studies on the interaction between — — — and mouse bone collagenase (Sakamoto et al.) (385) 41
Heparin cofactor
Evidence for the formation of an ester between thrombin and — — — (Owen) (405) 380
Heparin-plasminogen interaction
Effect of heparin on the affinity chromatography of plasminogen. Demonstration of — — — (Hatton, Regoeczi) (386) 451
Heparitin sulphate
Structural studies of — — —s (Linker, Hovingh) (385) 324
Hepatocyte
Effect of plasma lipoproteins and lecithin-cholesterol dispersions on the activity of 3-hydroxy-3-methyl-glytaryl-coenzyme A reductase of isolated rat — — —s (Edwards) (409) 39
Hepatocyte
Glycosidases of rat Kupffer cells, — — —s and peritoneal macrophages (Scamman et al.) (404) 281
Hepatocyte
Rapid modulation of lipogenesis by clofibrate in rat and monkey — — —s (Capuzzi et al.) (409) 144
Hepatoma cell agglutination
Quantitative assay for concanavalin A- and Ricinus communis agglutinin-mediated agglutination of rat ascites

hepatoma cells. Relationship between concanavalin A binding and cell agglutination (Kaneko et al.) (392) 131
Heptaglycosylceramide
Identification of a novel — — — with two focuse residues and a terminal hexosamine (Smith et al.) (398) 84
Herpes
Oncogenic — — — viruses (zur Hausen) (417) 25 (Review)
Herpesvirus
Uptake of [^{3}H]thymidine and cell DNA synthesis during the early multiplication of hominis in BHK cells (Bittlingmaier et al.) (407) 384
Heteropolyribonucleotide synthesis
— — — by toluene-treated Escherichia coli cells (Rebrov) (387) 14
O-Hexadecyl ethanediol
Ether lipid metabolism. Incorporation of — — — into rat brain lipids (Schmid et al.) (409) 311
Hexapeptides
Studies on conformation and interactions of elastin. Secondary structure of synthetic repeat — — — (Urry et al.) (393) 296
Hexokinase
Complementarity in the regulation of phosphoglucomutase, phosphofructokinase and — — —. The role of glucose 1,6-bisphosphate (Beitner et al.) (397) 355
Hexosaminidase C
— — — in Tay-Sachs and Sandhoff disease (Penton et al.) (391) 162
Hexosediphosphatase
Properties and regulation of C-1-fructose-1,6-diphosphatase from spinach chloroplasts (Baier, Latzko) (396) 141
Hexose transport
Kinetics of blood-brain barrier transport of hexoses (Pardridge, Oldendorf) (382) 377
Hibernation
Spin label evidence for the role of lysoglycerophosphatides in cellular membranes of hibernating mammals (Keith et al.) (394) 204
High density lipoprotein: see Lipoprotein, high density
Histaminase: see Amine oxidase (pyridoxal-containing)
Histidine decarboxylase
Chromatographic purification of a mammalian — — — on charged and non-charged alkyl derivatives of agarose (Hammar et al.) (403) 554
Histidine magnetic resonance
Interaction of transition metal ions with ribonuclease A. II. The selective effects on Mn^{2+}, Zn^{2+}, Cd^{2+} and Hg^{2+} on the — — — (Fan, Bersohn) (397) 405
Histone
Comparison between — — — F_V and histone F_{2a_2} of chicken erythrocyte. I. Structure, stability and conformation of the free proteins (Garel et al.) (395) 5
Histone
Comparison between — — — F_V and histone F_{2a_2} of chicken erythrocyte. II. Interaction with homologous DNA (Garel et al.) (395) 16
Histone
Evolutionary comparison of plant — — —s (Spiker) (400) 461
Histone
Interaction of lysine-rich — — — and DNA in chromatin structure (Suzuki, Iwanami) (395) 355
Histone
Relationship between — — —s F 2a1 and F 2a2 and the ancestral histone A peptide. Further evidence for the common origin of histones F 2a1, F 2a2 and F 3 (Bauer) (400) 80
f1 histone
Very rapidly migrating — — — associated with gene-sized pieces of DNA in the macronucleus of Oxytricha sp. (Caplan) (407) 109
Histone kinase
Cyclic adenosine 3′,5′-monophosphate dependent — — — from pig brain. Purification and some properties of the enzyme (Nesterova et al.) (377) 271
Histone kinase
Investigation of the adenosine 3′,5′-cyclic phosphate binding site of pig brain — — — with the aid of some analogues of adenosine 3′,5′-cyclic phosphate (Severin et al.) (384) 413
Histone phosphorylation
Protein kinases in brown adipose tissue of developing rats. I. GTP as nucleotide

substrate for — — — (Skala, Knight) (385) 114
Holotryptophanase
Tryptophanase from Proteus rettgeri. Improved purification and properties of crystalline — — — (Yoshida et al.) (391) 494
Hormone action
— — — at the membrane level. IV. Epinephrine binding to rat liver plasma membranes and rat epididymal fat cells (Lesko, Marinetti) (382) 419
Hormone-receptor interaction
Quantitative aspects of — — —s of high affinity. Effect of receptor concentration and measurement of dissociation constants labeled and unlabeled hormones (Chang et al.) (406) 294
Hunter syndrome
Comparative structural studies of urinary glycosaminoglycans in the Hurler and Hunter syndromes (Ramage, Cunningham) (411) 325
Hurler syndrome
Comparative structural studies of urinary glycosaminoglycans in the Hurler and Hunter syndromes (Ramage, Cunningham) (411) 325
Hyaluronate
Diffusion of oxygen, nitrogen and water in — — — solutions (McCabe, Laurent) (399) 131
Hyaluronate
Human umbilical cord — — —. Neutral sugar content and carbohydrate-protein linkage studies (Varma et al.) (399) 139
Hyaluronate
Hyaluronic acid salt. A mechanoelectrical transducer (Barret) (385) 157
Hyaluronate
Studies on the generation of hydrogen peroxide during some non-enzymic reactions changing the hyaluronic acid molecule (Schmut, Hofmann) (411) 231
Hyaluronidase
Purification of bull sperm — — — by concanavalin-A affinity chromatography (Yang, Srivastava) (391) 382
Hycanthone
Inhibition of macromolecular synthesis in L 1210 mouse leukaemia ascites cells by — — — (Wilson et al.) (378) 260
Hydrogen ion/ATP ratio
Extent of the stimulated electrical potential decay phosphorylating conditions and the H^+/ATP ratio in Rhodopseudomonas sphaeroides chromatophores following short flash excitation (Jackson et al.) (408) 83
Hydrogen ion excretion
Excretion of hydrogen ion by the isolated amphibian skin. Effects of antidiuretic hormone and amiloride (Emilio, Menano) (382) 344
Hydrogen peroxide formation
Studies on the generation of hydrogen peroxide during some non-enzymic reactions changing the hyaluronic acid molecule (Schmut, Hofmann) (411) 231
Hydrogen peroxide formation
Superoxide radicals and — — — in mitochondria from normal and neoplastic tissues (Dionisi et al.) (403) 292
Hydrolase
Changes in electronegativity of lysosomal hydrolases during intracellular transport. Isoelectric-focusing study in subcellular fractions of rat kidney (Needleman et al.) (379) 57
Hydrolase
Purification and characterization from guinea-pig intestinal mucosa of two peptide — — —s which preferentially hydrolyse dipeptides (Piggott, Fottrell) (391) 403
Hydrolase
Topological studies on the — — —s bound to the intestinal brush border membrane. I. Solubilization by papain and Triton X-100 (Louvard et al.) (375) 236
Hydrolase
Topological studies on the — — —s bound to the intestinal brush border membrane. II. Interactions of free and bound aminopeotidase with a specific antibody (Louvard et al.) (389) 389
Hydrolase, acid
Isoelectric-focusing behaviour of acid hydrolases in rat kidney lysosomes. Effects of the pH gradient, autolysis and neuraminidase (Needleman, Koenig) (379) 43
Hydrostatic pressure
Stimulatory effect of — — — on cell division in cultures of Escherichia coli (Yayanos) (392) 271

Hydroxylamine
Mechanism of the mutagenic action of ———. VIII. Functional properties of the modified adenosine residues (Budowsky et al.) (387) 1
Hydroxylysine
Age-related variations in glycosylation of ——— in human and rat skin collagens (Murai et al.) (404) 345
Hydroxymethylglutaryl-CoA reductase
Cholesterol, 7-ketocholesterol and 25-hydroxycholesterol uptake studies and effect on 3-hydroxy-3-methylglutaryl-coenzyme A reductase activity in human fibroblasts (Breslow et al.) (398) 10
Hydroxymethylglutaryl-CoA reductase
Effect of plasma lipoproteins and lecithin-cholesterol dispersions on the activity of ——— on rat hepatocytes (Edwards) (409) 39
Hydroxymethylglutaryl-CoA reductase
Prevention of cold-inactivation of 3-hydroxy-3-methylglutaryl-CoA reductase by NADPH (Heller, Gould) (388) 254
Hydroxyproline synthesis
Ascorbate increases the synthesis of procollagen hydroxyproline by cultured fibroblasts from chick embryo tendons without hydroxylase (Kao et al.) (411) 202
9-Hydroxyprostaglandin dehydrogenase
——— activity in the adult rat kidney. Regional distribution and sub-fractionation (Pace-Asciak, Domazet) (380) 338
7α-Hydroxysteroid dehydrogenase
NAD- and NADP-dependent 7α-hydroxysteroid dehydrogenases from Bacteroides fragilis (Macdonald et al.) (384) 12
Hydroxystilbamidine-DNA interaction
Interaction between hydroxystilbamidine and DNA. I. Binding isotherms and thermodynamics of the association (Festy et al.) (407) 24
Hydroxystilbamidine-DNA interaction
Interaction between hydroxystilbamidine and DNA. II. Temperature jump relaxation study. Dynamics of nucleic acids and polynucleotides (Sturm et al.) (407) 43
Hypercortisolism
On hepatic and extrahepatic postheparin serum lipase activities and the influence of experimental ——— and diabetes on these activities (Jansen, Hülsmann) (398) 337
Hyperlipidaemia
Effects of ——— on lipoprotein metabolism in squirrel monkeys and rabbits (Portman et al.) (398) 55
Hypoxanthine-guanine phosphoribosyltransferase
Determination of the subunit molecular weight of ——— from human erythrocytes by recovery of enzyme activity from sodium dodecyl sulphate gels (Strauss) (410) 426
Hypoxanthine-guanine phosphoribosyltransferase
Optimal conditions for uptake of exogenous DNA by Chinese hamster lung cells deficient in ——— (Farber et al.) (390) 298

I

Immobilized enzyme: see also Membrane-bound enzyme
Immobilized enzyme
Affinity chromatography of enzyme cofactors. The separation of NAD on immobilised dehydrogenase columns (Das et al.) (397) 277
Immobilized enzyme
Determination of heat changes in the proximity of — — —s with an enzyme thermistor and its use for the assay of metabolites (Mosbach et al.) (403) 256
Immobilized enzyme
Enzymatic recycling of coenzymes by a multi-enzyme system immobilized within semipermeable collodion microcapsules (Campbell, Chang) (397) 101
Immobilized enzyme
Pepsin immobilized by covalent fixation to hydroxyalkyl methacrylate gels. Preparation and characterization (Valentová et al.) (403) 192
Immunoglobulin
— — —s and alloantigens on the surface of lymphoid cells (Vitetta, Uhr) (415) 253 (Review)
Immunoglobulin
Plasma proteins and — — —s in penguins (Pygoscelis adeliae) (Castrelos et al.) (400) 137
Immunoglobulin G
Temperature and pH dependent changes of — — — structure (Zav'yalov et al.) (386) 155
Immunoglobulin IgA_2
Partial amino acid sequence of an IgA_2 human immunoglobulin heavy chain (Wolfenstein-Todel et al.) (379) 627
Impedance
Frequency dependence of the frog skin — — — (Smith) (375) 124
Indolethylamine methylation
Tetrahydrofolic acid. An inhibitor of the methyltetrahydrofolic acid-mediated methylation of indolethylamines (Lin, Narasimhachari) (385) 268
Induction kinetics
— — — of delayed light emission in spinach chloroplasts (Mar et al.) (376) 345
Initiation
Inhibition of peptide chain — — — in lysates from ATP-depleted cells. I. Stages in the evolution of the lesion and its reversal by thiol compounds, cyclic AMP or purine derivatives and phosphorylated sugars (Giloh, Mager) (414) 293
Initiation
Inhibition of peptide chain — — — in lysates from ATP-depleted cells. II. Studies on the mechanism of the lesion and its relation to similar alterations caused by oxidized glutathione and haemin deprivation (Giloh et al.) (414) 309
Initiation complex
Progress in the resolution of the cytoplasmic membrane · DNA — — — of Escherichia coli (Gomez-Eichelmann, Bastarrachea) (407) 273
Initiation factor 2
Activities of guanosine triphosphate analogues in reactions catalysed by elongation factor Tu and — — — of Escherichia coli (Hamel) (414) 326
Inosinate
Enzymatic formation of inosine 3′,5′-monophosphate and of 2′-deoxyguanosine 3′,5′-monophosphate. — — — and deoxyguanylate activity (Garbers et al.) (377) 174
Inosine 3′,5′-monophosphate
Enzymatic formation of — — — and of 2′-deoxyguanosine 3′,5′-monophosphate. Inosinate and deoxyguanylate cyclase activity (Garbers et al.) (377) 174
Inosine 5′-monophosphate
Possible mode of action of anti-tumour platinum drugs. X-ray evidence for cis-binding by platinum of two — — — molecules via the N(7) positions (Goodgame et al.) (378) 153

Inositide
Preparation of ^{32}P-labelled ———s and their degradation by soluble kidney enzymes (Lapetina et al.) (398) 118
myo-Inositol-1-phosphate synthase
Regulation of ——— activity from Neurospora crassa by pyrophosphate and some cations (Piña et al.) (384) 501
Inositol phospholipide
——— and cell surface receptor function (Michell) (415) 81 (Review)
Insulin
——— and insulin inhibitor on amino acid transport in rat diaphragm in vivo (Young et al.) (389) 194
Insulin
Cellular binding sites for ——— in rat liver (Horvat et al.) (382) 609
Insulin
Comparison of the structure of hamster pancreatic ——— and the insulin extracted from a transplantable hamster islet-cell carcinoma (Neelon et al.) (412) 1
Insulin
Formation of a covalent intermediate between α-chymotrypsin and the B-chain of ——— during enzyme-catalyzed hydrolysis (Dahlqvist, Wählby) (391) 410
Insulin
Proteolytic degradation of ——— and glucagon (Duckworth et al.) (377) 421
Insulin binding
Binding of D-glucose to insulin (Anzenbacher, Kalous) (386) 603
Insulin binding
Decreased binding of insulin to liver plasma membrane receptors in hereditary diabetic mice (Kern et al.) (389) 281
Insulin binding
Specific binding of insulin to polythene and other materials (Cecil, Robinson) (404) 164
Insulin metabolism
Effect of D- and L-glyceraldehyde on glucose oxidation, insulin secretion and insulin biosynthesis by pancreatic islets of the rat (Jain et al.) (399) 384
Insulin metabolism
Insulin degradation. XV. Use of different assay methods for the study of mechanism of action of glutathione-insulin transhydrogenase (Chandler, Varandani) (397) 307
Insulin release
Modifying actions of calcium ionophores on ——— (Hellman) (399) 157
Insulin release
Stimulation of ——— by thiols (Hellman et al.) (392) 101
Insulin release
Studies of ——— and rat pancreatic islet metabolism with diastereomers of D-glucose (MacDoanld et al.) (385) 188
Insulin secretagogue
Effect of ———s on phospholipid metabolism in pancreatic β-cells (Fex, Lernmark) (388) 1
Insulin secretion
Effect of D- and L-glyceraldehyde on glucose oxidation, ——— and insulin biosynthesis by pancreatic islets of the rat (Jain et al.) (399) 384
Insulin secretion
Extracellular bicarbonate ions and ——— (Henquin, Lambert) (381) 437
Intestinal mucosa
Influence of glucocorticoids on some morphological and biochemical aspects of rat ——— (Lafont, Pilon) (392) 288
Insulinase II
Action of Arthrobacter ureafaciens ——— on several oligofructans and bacterial levans (Uchiyama) (397) 153
Invertase: see also β-Fructofuranosidase
Invertase
Microheterogeneity in yeast ——— (Colonna et al.) (386) 293
Invertase
Neurospora crassa ———. A study of amino acids at the active centre (Bigger, Braymer) (397) 418
Iodoprotein
9 S thyroid particulate ——— (Gavaret, Nunez) (405) 353
Iodoprotein
Structure and properties of 27-S and larger ———s in the thyroid gland (Berg, Björkman) (405) 11
Iodopsin
Accessibility of the ——— chromophore (Matsumoto et al.) (404) 300
Iodothyronine biosynthesis
In vitro biosynthesis of iodothyronines

from diiodo-3,5-L-tyrosyl-diiodo-3,5-L-tyrosine (Maurizis et al.) (404) 188
Ion channels
Shot noise in — — — (Läuger) (413) 1
Ionophores
Availability of monovalent and divalent cations within intact chloroplasts for the action of ionophores nigericin and A23187 (Telfer et al.) (396) 301
Ionophores
Current-voltage studies on the thylakoid membrane in the presence of — — — (Schmid, Junge) (394) 76
Ionophores
Modifying actions of calcium — — — on insulin release (Hellman) (399) 157
Ionophores
Movement of calcium through artificial lipid membranes and the effects of — — — (Hyono et al.) (389) 34
Ionophores
Nature of metal-ligand bonding in the primary hydration shell and in — — — with alkali metal ions (Talekar) (375) 157
Ionophores
Release of dopamine from synaptosomes from rat striatum by the — — — X 537A and A 23187 (Holz) (375) 138
Ion secretion
Some features of hydrogen (ion) secretion by the frog skin (Machen, Erlij) (406) 120
Ion transport
Active secretion of calcium, sodium and chloride by adult rat duodenum in vitro (Walling, Kimberg) (382) 213
Ion transport
Antigen-antibody reaction and cation transport in biomembranes. Immunophysiological aspects (Lauf) (415) 173 (Review)
Ion transport
ATP-dependent calcium accumulation in brain microsomes. Enhancement by phosphate and oxalate (Trotta, de Meis) (394) 239
Ion transport
Bile salt alteration of — — — across jejunal mucosa (Volpe, Binder) (394) 597
Ion transport
Ca^{2+}-dependent inhibitory effects of Na^+ and K^+ on Ca^{2+} transport in sarcoplasmic reticulum vesicles (Gattass, de Meis) (389) 506
Ion transport
Calcium uptake by placental plasma membrane vesicles (Shami et al.) (401) 256
Ion transport
Cation flux in the Ehrlich ascites tumour cell. Evidence for Na^+-for-Na^+ and K^+-for-K^+ exchange diffusion (394) 586
Ion transport
Effect of adenine nucleotides and pyrophosphate on the exchange of transferrin-bound carbonate (Egyed) (411) 349
Ion transport
Effect of p-aminosalicyclic acid on iron transport and assimilation in mycobacteria (Brown, Ratledge) (385) 207
Ion transport
Effect of strong illumination on the ion efflux from the isolated discs of frog photoreceptors (Sorbi, Cavaggioni) (394) 577
Ion transport
Effect of tetraphenylboron upon the uptake of the lipophilic cation dibenzyldimethylammonium by yeast cells (Hoeberichts, Borst-Pauwels) (413) 248
Ion transport
Effect of valinomycin on — — — in bacterial cells and on bacterial growth (Ryabova et al.) (401) 109
Ion transport
Electrical potential changes, H^+ translocation and phosphorylation induced by short flash excitation in Rhodopseudomonas sphaeroides chromatophores (Saphon et al.) (408) 67
Ion transport
Energy-dependent calcium activity of microsomes from the aorta of normal and hypersensitive rats (Moore et al.) (413) 432
Ion transport
Evidence for plasma membrane calcium pump in bovine adrenal medulla but not adrenal cortex (Leslie, Borowitz) (394) 227
Ion transport
Genetic regulation of phosphate transport system II in Neurospora (Lowendorf, Slayman) (413) 95

Ion transport
Inhibition by bromothymol blue of anion translocation across the mitochondrial membrane (Aleksandrowicz, Swierczyński) (382) 92
Ion transport
Inhibition of cation cotransport by cholesterol of human red cell membranes (Wiley, Cooper) (413) 425
Ion transport
Ionic specificity of gramicidin channel and the thallous ion (Neher) (401) 540
Ion transport
Kinetics of macrotetrolide-induced — — — across lipid bilayer membranes (Benz, Stark) (382) 27
Ion transport
Net chloride ion flux in short-circuited skin of Rana pipiens. Ouabain sensitivity and $Na^+ + K^+$ dependence (Watlington, Jessee) (382) 204
Ion transport
Non-pumped sodium fluxes in human red blood cells. Evidence for faciliated diffusion (Beaugé) (401) 95
Ion transport
On the effects of propionate and other short-chain fatty acids on sodium transport by the toad bladder (Hess et al.) (394) 416
Ion transport
pH gradient across the lysosomal membrane generated by selective cation permeability and Donnan equilibrium (Henning) (401) 307
Ion transport
Phosphate transport in Neurospora. Derepression of a high-affinity system during phosphorus starvation (Lowendorf et al.) (389) 541
Ion transport
Redox state of respiratory chain enzymes and potassium transport in silkworm mid-gut (Mandel et al.) (408) 123
Ion transport
Relationship between L-alanine and sodium ion transport in isolated renal tubules (Endou et al.) (389) 516
Ion transport
Relationship between intracellular K^+ concentrations and K^+ fluxes in growing and contact-inhibited cells (Ducouret-Prigent et al.) (401) 119
Ion transport
Relationship between the transport of glucose and cations across cell membranes in isolated tissues. IX. The role of cellular calcium in the activation of the glucose transport system in rat soleus muscle (Clausen et al.) (375) 292
Ion transport
Release and uptake of haemoglobin and ions in red blood cells induced by dielectric breakdown (Riemann et al.) (394) 449
Ion transport
Roles of sodium and potassium ions on p-aminohippurate transport in rabbit kidney slices (Gerencser, Hong) (406) 108
Ion transport
Sodium chloride reflection coefficient in rabbit gall bladder (Monticelli et al.) (401) 41
Ion transport
Steady-state — — — by nonactin and trinactin (Hladky) (375) 350
Ion transport
Stimulation of — — — by ascorbic acid through inhibition of 3′:5′-cyclic-AMP phosphodiesterase in the corneal epithelium and other tissues (Buck, Zadunaisky) (389) 251
Ion transport
Sulphate transport by rat ileum. Effect of molybdate and other anions (Cardin, Mason) (394) 46
Ion transport
Tests of the carrier model for — — — by nonactin and trinactin (Hladky) (375) 327
Ion transport
Thallium inhibition of ouabain-sensitive sodium transport and of the $(Na^+ + K^+)$-ATPase in human erythrocytes (Skulskii et al.) (394) 569
Iron accumulation
Energy-dependent accumulation of iron by isolated rat liver mitochondria. IV. Relationship to the energy state of the mitochrondria (Romslo) (387) 69
Iron accumulation
Energy-dependent accumulation of iron by isolated rat liver mitochrondria. V. Effect of factors controlling respiration and oxidative phosphorylation (Romslo, Flatmark) (387) 80

Iron assimilation
Effect of p-aminosalicylic acid on iron transport and — — — in mycobacteria (Brown, Ratledge) (385) 207
Iron metabolism
Erythropoietin effects on — — — in rat bone marrow cells (Storring, Fatih) (392) 26
Iron-sulphur centres
Thermodynamic and EPR characterization of — — — in the NADH-ubiquione segment of the mitochondrial respiratory chain in pigeon heart (Ohnishi) (387) 475
Iron-sulphur cluster
On the nature of the — — — in a deuterated algal ferredoxin (Anderson et al.) (408) 306
Iron-sulphur protein
Further purification of "Triton sub-chloroplast I" (TSF-I particles). Isolation of a cytochrome-free high-P-700 particle and a complex containing cytochromes f and b_6, plastocyanin and — — —(s) (Ke et al.) (408) 12
Iron transport: see Ion transport
Irreversible process
"Carrier" theory and thermodynamics of — — —es (Delaage) (394) 493
Islet metabolism
Studies of insulin release and rat pancreatic — — — with diastereomers of D-glucose (MacDonald et al.) (385) 188
Isocitrate dehydrogenase
Effect of adenine nucleotides on NAD-dependent — — —s in rhizobia and bacteroids of legume root nodules (Moustafa, Leong) (391) 9
Isoelectric focusing
— — — in layers of granulated gels. II. Preparative isoelectric focusing (Radola) (386) 181
Isoelectric focusing
— — — of proteins using a pH gradient by a concentration gradient of non-electrolytes in solution (Troitsky et al.) (400) 24
Isoprenoid
Isolation and characterization of C_{50}-carotenoid pigments and other polar — — —s from Halobacterium cutirubrum (Kushwaha et al.) (398) 303
N-Isopropylethanolamine
Incorporation and subcellular distribution of an unnatural phospholipid base-analogue, — — —, in rat liver (Lee et al.) (409) 218
Isopropylmalate synthase
Binding of α-ketoisovalerate to a α- — — —. Half-of-the sites and all-of-the sites availability (Teng-Leary, Kohlhaw) (410) 210
Isopycnic sedimentation
Interactions between the macromolecule and the gradient-forming solute in — — — (Skerrett) (385) 28
Isotachophoresis
Analytical — — — in capillary tubes. Analysis of haemoglobin, hemiglobin cyanide and isoelectric fractions of hemiglobin cyanide (Arlinger) (393) 396
Isothiocyanates
— — —. A new class of uncouplers (Miko, Chance) (396) 165
IUPAC-IUB
Nomenclature of peptide hormones — — — (Commission on Biochemical Nomenclature) (404) 152
IUPAC-IUB
Nomenclature of quinones with isoprenoid side-chains. Recommendations (1973) — — — Commission on Biochemical Nomenclature (CBN) (387) 397

J

Jejunum
Response of transmural electrical parameters across in vitro everted scans of hamster — — — to variations in oxygenation rate (Dugas, Crane) (401) 486

Jejunum
Sugar transport by intestine. Escape of galactose from preloaded mucosa of hamster — — — (Baker et al.) (401) 429

K

Kallikrein
Studies on rat renal cortical cell ———. I. Separation and measurement (Kaizu, Margolius) (411) 305
Keratin
Isolation and characterization of α-——— microfibrils (Jones) (412) 91
Ketogenesis
Control of ——— from amino acids. III. In vitro and in vivo studies on ketone body formation, lipogenesis and oxidation of tyrosine by rats (Tanaka, Ichihara) (399) 302
Ketone body formation
Control of ketogenesis from amino acids. III. In vitro and in vivo studies on ———, lipogenesis and oxidation of tyrosine by rats (Tanaka, Ichihara) (399) 302
3-Ketosphingolipid
———s. Application to the determination of sphingolipids which contain 4-sphingenine (Iwamori et al.) (380) 308
Kinase activity
Protein kinases in brown adipose tissue of developing rats. II. Two soluble kinase activities and their affinities for nucleotide and protein substrates (Knight, Skala) (385) 114
Klebsiella pneumoniae
Nitrogenases of ——— and Azotobacter chroococcum. Complex formation between the component proteins (Thorneley et al.) (403) 269
Klebsiella pneumoniae
Regulation of nitrogen fixation. Nitrogenase-depressed mutants of ——— (Shanmugam et al.) (408) 101
Kynurenine formamidase: see Formamidase

L

Labelling technique
Evaluation of techniques for labelling the surface proteins of cultured mammalian cells (Juliano, Behar-Bannelier) (375) 249

Laccase
Phenoloxidases of the ascomycete Podospora anserina. XI. The state of copper of — — —s I, II and III (Molitoris, Reinhammar) (386) 493

Laccase reduction
EPR studies on the anaerobic reduction of fungal laccase. Evidence for participation of type 2 copper in the reduction mechanism (Brändén, Reinhammar) (405) 236

α-Lactalbumin
Fluorimetric study of the interactions of insolubilized human — — — with galactosyltransferase (A protein) and with anti-α-lactalbumin antibodies (Prieels, Barel) (393) 496

α-Lactalbumin
Isolation, composition and functional properties of — — —s from several species (Quarfoth, Jenness) (379) 476

α-Lactalbumin
Low-temperature luminescence properties of bovine — — — (Miller, King) (393) 435

β-Lactamase
Bacillus cereus — — —. Reaction with N-bromosuccinimide and the properties of the product (Ogawara, Umezawa) (391) 435

β-Lactamase
Kinetic studies of a — — — by a computerized microacidimetric method (Labia et al.) (384) 242

β-Lactamase
Purification and properties of a constitutive — — — from Pseudomonas aeruginosa strain Dalgleish (Furth) (377) 431

Lactase: see β-Galactosidase

Lactate dehydrogenase isoenzymes
On the application of affinity chromatography to turnover studies on the — — — (Don, Masters) (384) 25

Lactate formation
— — — by rat small intestine in vitro (Leese, Bronk) (404) 40

Lactoferrin
Molecular weight of bovine — — — (Weiner, Szuchet) (393) 143

β-Lactoglobulin
Conformational change in bovine — — — at low pH (Mills, Creamer) (379) 618

β-Lactoglobulin
ESR study of aqueous dispersions of — — — and spin-labelled glyceryl monostearate (Gorkum et al.) (392) 141

β-Lactoglobulin
Hydration and thermal denaturation of — — —. A calorimetric study (Ruëgg et al.) (334)

Lactose production
Absence of $(Na^+ + K^+)$-ATPase involvement in — — — by lactating guinea pig mammary gland (Vreeswijk et al.) (392) 12

Lactose production
Inhibition by cyclic AMP of — — — in lactating guinea pig mammary gland slices (Loizzi et al.) (392) 20

Lactoyl-glutathione lyase: see also Glyoxalase I

Latex microspheres
Application of — — — in the isolation of plasma membranes. Affinity density perturbation of erythrocyte membranes (Lim et al.) (394) 377

Lecithin: see also Phosphatidylcholine

Lecithin
Lipid absorption in bile fistula rats. Lack of requirement for biliary lecithin (Rodgers) (398) 92

Lecithin
Proton NMR bandshape studies of lamellar liquid crystals and gel phases containing — — —s and cholesterol (Ulmius et al.) (389) 197

Lecithin
Rotational correlation times and parti-

tion coefficients of a spin label solute in — — — vesicles (Tomkiewicz, Corker) (406) 197
Lecithin
Temperature dependence of N-phenyl-1-naphthylamine binding of egg — — — vesicles (Ting, Solomon) (406) 447
Lecithin bilayer
Permeation of organic acids through — — —s. Resemblance to diffusion in polymers (Wolosin, Ginsburg) (389) 20
Lecithin cholesterol dispersion
Effect of plasma lipoproteins and — — —s on the activity of 3-hydroxy-3-methylglutaryl-coenzyme A reductase of isolated rat hepatocytes (Edwards) (409) 39
Lecithin dispersion
Interpretation of proton magnetic resonance linewidths for — — —s. Effects of particle size and chain packing (Lichtenberg et al.) (382) 10
Lecithin/lysolecithin mixtures
Barrier properties of — — — (Mandersloot et al.) (382) 22
Lectin
Carbohydrate binding specificity of the — — — from the pea (Pisum sativum) (Van Wauwe et al.) (379) 456
Lectin
Circular dichroism and conformational transition of Dolichos biflorus and Robinia pseudoacacia — — —s (Père et al.) (393) 31
Lectin
Distribution of ferritin-conjugated — — —s on sialidase-treated membranes of human erythrocytes (Irimura et al.) (413) 192
Lectin
Effects of local anaesthetics on membrane properties. II. Enhancement of the susceptibility of mammalian cells to agglutination by plant — — — (Poste et al.) (394) 520
Lectin
Interaction between Dolichos biflorus — — — and chick embryonic fibroblasts at different stages of development (Roguet, Bourrillon) (389) 380
Lectin
Interactions of — — —s with (Na^+ + K^+)-ATPase of eel electric organ (Swann et al.) (401) 299
Lectin
Localization of the binding sites for the Ricinus communis, Agaricus bisporus and wheat germ — — — on human erythrocyte membranes (Triche et al.) (394) 540
Lectin
Studies on the structure and properties of — — —s from Abrus precatorius and Ricinus communis (Olsnes et al.) (405) 1
Lectin-cell interaction
Membrane mobility agent alters the consequences of — — — in a malignant cell membrane (Lustig et al.) (401) 458
Lectin-receptor interaction
— — —s in liposomes (Redwood et al.) (406) 347
Leghaemoglobin
Circular dichroism of soybean — — — (Ellfolk, Sievers) (405) 213
Lens
Ceramides of human normal and cataractous — — — (Tao, Cotlier) (409) 329
Lens
Electrogenic component of the potential difference in the rabbit — — — (Paterson et al.) (375) 309
Lens
Further studies on the — — — cell-free system. In vitro synthesis of the non-crystallin lens proteins (Vermorken et al.) (414) 167
Leucine incorporation
Factors affecting incorporation of [^{14}C]leucine into albumin and transferrin by the liver in the postnatal rat (Yeoh, Morgan) (378) 133
L-Leucine-pyruvate transaminase
Further characterization of — — — from Acetobacter suboxydans (Tachiki, Tochikura) (397) 342
Leucocyte
— — — myosin and its location in the cell (Shibata et al.) (400) 222
Leucocyte
Reduced glucocorticoid responsiveness and receptor concentration in splenic — — —s of senescent rats (Roth) (399) 145
Ligand binding
Aggregation of linear biopolymers induced by cooperative binding of ligands (Schwarz, Seelig-Löffter) (379) 125

Light emission
Induction kinetics of delayed light emission in spinach chloroplasts (Mar et al.) (376) 345
Light scattering
Casein micelle size from elastic and quasi-elastic — — — measurements (Holt) (400) 293
Light scattering
Measurement of particle sizes by elastic and quasi-elastic — — — (Holt et al.) (400) 283
Linoleate hydroperoxide
Specificity of lipoxygenases. Thermal isomerisations of — — —s, a phenomenon affecting the determination of isomeric ratios (Chan et al.) (398) 347
Linoleic acid metabolism
Absence of an 8-desaturase in rat liver. A re-evaluation of optional pathways for the metabolism of linoleic and linolenic acids (Sprecher, Lee) (388) 113
Linolenic acid metabolism
Absence of an 8-desaturase in rat liver. A re-evaluation of optional pathways for the metabolism of linoleic and linolenic acids (Sprecher, Lee) (388) 113
Lipid
Brain — — —s from the porpoise Delphinus Delphis. Phosphoglycerides rich in isovaleric acid and long chain isoacids (Varanasi, Malins) (409) 304
Lipid
Neutral — — —s from the skin of the Rhino mutant mouse (Logani et al.) (380) 155.
Lipid absorption
— — — in bile fistula rats. Lack of requirement for biliary lecithin (Rodgers) (398) 92
Lipid acyl-hydrolase
Purification and properties of a — — — from potato tubers (Hirayama et al.) (384) 127
Lipid bilayer
Action of pancreatic phospholipase A_2 on phosphatidylcholine bilayers in different physical states (Op den Kamp et al.) (406) 169
Lipid bilayer
Bilayers of dipalmitoyl-3-sn-phosphatidylcholine. Conformational differences between the fatty acyl chains (Seelig, Seelig) (496) 1
Lipid bilayer
Chaotropic anions and the surface potential of bilayer membranes (McLaughlin et al.) (394) 304
Lipid bilayer
Effect of cations on dipalmitoyl phosphatidylcholine/cholesterol/water systems (Inoko et al.) (413) 24
Lipid bilayer
Effects of local anesthetics on membrane properties. I. Changes in the fluidity of phospho — — —s (Papàhadjopoulos et al.) (394) 504
Lipid bilayer
Electrical capacity of black lipid films and of — — — made from monolayers (Benz et al.) (394) 323
Lipid bilayer
Electron diffraction study of hydrated phospholipid single bilayers. Effects of temperature, hydration and surface pressure of the "precursor" monolayer (Hui et al.) (382) 265
Lipid bilayer
ESR spectral analysis of the molecular motion of spin labels in — — —s and membranes based on a model in terms of two angular motional parameters and rotational correlation times (Israelachvili et al.) (382) 125
Lipid bilayer
Increase in fluorescence energy transfer across — — —s induced by valinomycin (Bessette, Seufert) (375) 10
Lipid bilayer
Kinetics of macrotetrolide-induced ion transport across — — — membranes (Benz, Stark) (382) 27
Lipid bilayer
Model for the packing of lipids in bilayer membranes (Israelachvili, Mitchell) (389) 13
Lipid bilayer
NMR studies on phospholipid bilayers. Some factors affecting lipid distribution (Berden et al.) (375) 186
Lipid bilayer
Non-mediated zero voltage conductance of hydrophobic ions through bilayer lipid membranes (Gavach, Sandeaux) (413) 33

Lipid bilayer
Photo-voltages of bilayer lipid membranes in the presence of cyanine dyes (Huebner) (406) 178
Lipid bilayer
Step conductance increase by bilayer membranes induced by antibody-antigen-complement action (Wobschall, McKeon) (413) 317
Lipid cylinders
Cochleate ———. Formation by fusion of unilamellar lipid vesicles (Papahadjopoulos et al.) (394) 483
Lipid dispersion
Interaction of Clostridium perfringens θ-haemolysin, a contaminant of commercial phospholipase C, with erythrocyte ghost membranes and ———s. A morphological study (Smyth et al.) (382) 479
Lipid metabolism
Acute and chronic effects of ethanol on intestinal ——— (Baraona et al.) (388) 19
Lipid metabolism
Changes in ——— and cell morphology following attack by phospholipase C (Clostridium perfringens) on red cells or lymphocytes (Allan et al.) (413) 309
Lipid metabolism
Ether ———. Incorporation of O-hexadecyl ethanediol into rat brain lipids (Schmid et al.) (409) 311
Lipid mobility
Evidence for constrained ——— in the erythrocyte ghost. A spin label study (Verma, Wallach) (382) 73
Lipid monlayer: see also Monolayer
Lipid monolayer
Interaction of electrically charged ———s with malate dehydrogenase (Peters, Fromherz) (394) 111
Lipid particles, membrane-bounded
Membrane-bounded lipid particles from beef heart acylglycerol synthesis (Christiansen) (380) 390
Lipid peroxidation
Mechanism of liver microsomal ——— (Pederson, Aust) (385) 232
Lipid peroxidation
Possible mechanism for the peroxidation of lipids due to chronic ethanol ingestion (Reitz) (380) 145
Lipid peroxidation
Studies on the mechanism of the NADPH-catalyzed peroxidation of endogenous microsomal lipid (Thompson, Reiz) (398) 159
Lipid-protein interaction
———s at the erythrocyte membrane. Different influence of glucose and sorbose on membrane lipid transition (Zimmer et al.) (401) 244
Lipid-protein interaction
Variations of ———s in erythrocyte ghosts as a function of temperature and pH in physiological and non-physiological ranges. A study using paramagnetic quenching of protein fluorescence by nitroxide lipid analogues (Bieri, Wallach) (406) 415
Lipid synthesis
Effect of halofenate and clofibrate on ——— in rat adipocytes (Greenspan et al.) (380) 190
Lipoamide dehydrogenase: see also Lipoyl dehydrogenase
Lipoamide dehydrogenase isoenzymes
Separation of ——— by affinity chromatography (Visser, Strating) (384) 69
Lipogenesis
Control of ketogenesis from amino acids. III. In vitro and in vivo studies on ketone body formation, ——— and oxidation of tyrosine by rats (Tanaka, Ichihara) (399) 302
Lipogenesis
Rapid modulation of ——— by clofibrate in rat and monkey hepatocytes (Capuzzi et al.) (409) 144
Lipolysis
In vitro lipolytic effect of bovine pituitary diabetogenic protein (Tutwiler) (404) 18
Lipoprotein
Covalent ——— from the outer membrane of Escherichia coli (Braun) (415) 335 (Review)
Lipoprotein
Studies on the composition of pig serum ———s. Isolation and characterization of different apoproteins (Knipping et al.) (393) 88
Lipoprotein
Surface binding and interiorization of

homologous and heterologous serum
— — —s by rat arotic smooth muscle cells in culture (Stein, Stein) (398) 377
Lipoprotein, high density
Comparison of the interfacial interactions of the apoprotein from high density and lipoprotein and β-casein with phospholipids (Phillips et al.) (406) 402
Lipoprotein, high density
Isoelectric focusing of human serum high density lipoprotein in the presence of radioactive ampholines (Sundaram et al.) (388) 349
Lipoprotein, high density
Isolation and partial characterization of the major apolipoprotein component of bovine serum high density lipoprotein (Jonas) (393) 460
Lipoprotein, high density
NMR studies of pig low and high density serum lipoproteins. Molecular motions and morphology (Finer et al.) (380) 320
Lipoprotein, high density
Properties of rooster serum high density lipoproteins (Kruski, Scanu) (409) 26
Lipoprotein, high density
Removal of cholesterol from aortic smooth muscle cells in culture and landschütz ascites cells by fractions of human high density apolipoprotein (Stein et al.) (380) 106
Lipoprotein, high density
Self-association of the major protein component of bovine serum — — — (Jonas) (393) 471
Lipoprotein, high density
Studies on the binding of 1-anilino-8-naphthalene sulphonate to very low and high density human serum lipoproteins (Basu et al.) (398) 385
Lipoprotein, low density
NMR studies of pig low and high density serum lipoproteins. Molecular motions and morphology (Finer et al.) (380) 320
Lipoprotein, low density
Thermal transitions in the low density lipoprotein and lipids of the egg yolk of hens (Smith, Back) (388) 203
Lipoprotein, plasma
Effect of plasma lipoproteins and lecithin/cholesterol dispersions on the activity of 3-hydroxy-3-methylglutaryl-co-enzyme A reductase of isolated rat hepatocytes (Edwards) (409) 39
Lipoprotein, plasma
Plasma lipoproteins in rats with experimental biliary obstruction. I. A chemical study (Calandra et al.) (409) 1
Lipoprotein, plasma
Plasma lipoproteins in rats with experimental biliary obstruction. II. An ultrastructural study (Pasquali-Ronchetti et al.) (409) 13
Lipoprotein, serum
Interaction between sodium dodecyl sulphate solubilized human ghosts and antisera to human serum lipoproteins. A non-immune precipitation effect of sodium dodecyl sulphate (Green et al.) (382) 457
Lipoprotein, serum
Location of protein in serum lipoproteins. A fluorescence quenching study (Badley) (379) 517
Lipoprotein, serum
NMR studies of pig low and high density serum lipoproteins. Molecular motions and morphology (Finer et al.) (380) 320
Lipoprotein, serum
Properties of rooster serum high density lipoproteins (Kruski, Scanu) (409) 26
Lipoprotein, very low density
Effects on several common long chain fatty acids on the properties and lipid composition of the very low density lipoprotein secreted by the perfused rat liver (Wilcox et al.) (398) 39
Lipoprotein, very low density
Studies on the binding of 1-anilino-8-naphthalene sulphonate to very low and high density human serum lipoproteins (Basu et al.) (398) 385
Lipoprotein-acid mucopolysaccharide complex
— — —s of human atherosclerotic lesions (Srinivasan et al.) (388) 58
Lipoprotein apoprotein A-1
Radioimmunoassay of human high density lipoprotein apoprotein A-1 (Fainaru et al.) (386) 432
Lipoprotein lipase
— — — in rat lung. The effect of fasting (Hamosh, Hamosh) (380) 132

Lipoprotein lipase
Colchicine-induced inhibition of plasma ——— release in the intact rat (Chajek et al.) (380) 127
Lipoprotein lipase
Detection and partial characterization of ——— in bovine aorta (Henson, Schotz) (409) 360
Lipoprotein lipase
Effects of colchicine and cycloheximide on the functional and non-functional ——— fractions of rat heart (Borensztajn et al.) (398) 394
Lipoprotein lipase
Interference with the transport of heparin-releasable ——— in the perfused rat heart colchicine and vinblastine (Chajek et al.) (388) (260)
Lipoprotein lipase
Release of ——— from fat cells in vitro (Kornhauser, Vaughan) (380) 97
Lipoprotein lipase
Serum-stimulated lipases (———s). Immunological crossreaction between the bovine and the human enzymes (Hernell et al.) (381) 233
Lipoprotein metabolism
——— in nonhuman primates. Studies on the origin of low density lipoprotein apoprotein in the plasma of the squirrel monkey (Illingworth) (388) 38
Lipoprotein metabolism
Effects of hyperlipidaemia on ——— in squirrel monkeys and rabbits (Portman et al.) (398) 55
Lipoprotein transport
Lipoprotein uptake by cultured human arterial smooth muscle cells (Bierman, Albers) (388) 198
Liposome
Differential scanning calorimetry and ^{31}P NMR studies on sonicated and unsonicated phosphatidylcholine ———s (Kruijff et al.) (406) 6
Liposome
Effect of chain length and lipid phase transitions on the selectrive permeability properties of ———s (Blok et al.) (406) 187
Liposome
Effect of polymyxin B on liposomal membranes derived from Escherichia coli lipids (Inai et al.) (375) 130
Liposome
Effect of pressure and volume of activation on the monovalent cation and glucose permeabilities of ———s of varying composition (Johnson, Miller) (375) 286
Liposome
Fluorescence quenching in lecithin and lecithin/cholesterol ———s by paramagnetic lipid analogues. Introduction of a new probe approach (Bieri, Wallach) (389) 413
Liposome
Influence of Ca^{2+} and Mg^{2+} on the thermotropic behavior and permeability properties of ——— prepared from dimyristoyl phosphatidylglycerol and mixtures of dimyristoyl phosphatidylglycerol and dimyristoyl phosphatidylcholine (van Dijck et al.) (406) 465
Liposome
Lectin-receptor interactions in ———s (Redwood et al.) (406) 347
Liposome
Surface potential and the interaction of weakly acidic uncouplers of oxidative phosphorylation with ———s and mitochondria (Bakker et al.) (387) 491
Liposome
Tissue distribution of EDTA encapsulated within ———s of varying surface properties (Jonah et al.) (401) 336
Liposome
Vitamin A in ———s. Inhibition of complement binding and alteration of membrane structure (Alving et al.) (394) 157
Liposome-serum albumin complex
Studies of a serum albumin-liposome complex as a model lipoprotein membrane (Sogor, Zull) (375) 363
Lipoxygenase
Specificity of ———s. Separation of isomeric hydroperoxides by high-performance liquid chromatography (Chan, Prescott) (380) 141
Lipoxygenase
Specificity of ———s. Thermal isomerisations of linoleate hydroperoxides, a phenomenon affecting the determination of isomeric ratios (Chan et al.) (398) 347

Lipoxygenase-1
Changes in the fluorescence and absorbance of — — — induced by 13-L_S-hydroperoxylinoleic and linoleic acid (Egmond et al.) (397) 43
Lipoxygenase-1
Demonstration by EPR-spectroscopy of the functional role of iron in soybean — — — (de Groot et al.) (377) 71
Lipoxygenase-1
On the positional specificity of the oxygenation reaction catalysed by soybean — — — (Egmond et al.) (409) 399
Lipoyl dehydrogenase
Asparagusate dehydrogenases and — — — from asparagus mitochondria (Yanagawa, Egami) (384) 342
Liquid crystal
Proteon NMR bandshape studies of lamellar — — —s and gel phases containing lecithins and cholesterol (Ulmius et al.) (389) 197
Liver
Metabolic responses of perfused rat — — —s to alpha- and beta-adrenergic agonists, glucagon and cyclic AMP (Jakob, Diem) (404) 57
Low density lipoprotein: see Lipoprotein, low density
Luteinizing hormone
Bovine — — —. Circular dichroism and thermal difference spectra (Leach et al.) (386) 144
Luteinizing hromone
Human pituitary — — —. Isolation and characterization of four glycoproteins with luteinizing activity (Roos et al.) (405) 363
Lutoids
Electron transport of — — — from the latex of Hevea brasiliensis (Moreau et al.) (396) 116
Lutropin
Human pituitary — — —. Isolation, properties, and the complete amino acid sequence of the β-subunit (Sairam, Li) (412) 70
Lutropin
Prepration of — — — with acetyl or acetimidinyl substituents on the amino groups of the β-subunit (Liu, Ward) (405) 522
Lymphoblast
Partial purification of endonuclease activity from human — — —s. Separation of activities for depurinated DNA and DNA irradiated with ultraviolet light (Brent) (407) 191
Lymphocyte
— — — plasma membranes. III. Composition of lymphocyte plasma membranes from normal and immunized rats (Smith et al.) (382) 506
Lymphocyte
Determination of UTP and ATP pool sizes in human tonsillar — — —s by using Escherichia coli RNA polymerase (Sasvári-Szekely et al.) (395) 221
Lymphocyte
Effect of concanavalin A on membrane-bound enzymes from mouse — — —s (Pommier et al.) (389) 483
Lymphocyte
Incorporation of amino acids into protein from an intracellular pool of — — —s (Wettenhall, London) (390) 363
Lymphocyte
Mechanism for formation of RNA · DNA complexes from — — —s (Mendelsohn et al.) (407) 283
Lymphocyte
Phospholipid metabolism of stimulated — — —s. Composition of phospholipid fatty acids (Ferber et al.) (398) 364
Lymphoid cell
Immunoglobulins and alloantigens on the surface of — — —s (Vitetta, Uhr) (415) 253 (Review)
Lysine
Relevance of the structure of — — — bound to Sepharose for the affinity of rabbit plasminogen (Hatton, Regoeczi) (379) 504
Lysine-ketoglutarate reductase
— — — in human tissues (Hutzler, Dancis) (377) 42
Lysine-rich histone
Phosphorylation region of — — — in dividing cells (Sherod et al.) (381) 337
Lysinororleucine cross-link
Some lysine-containing peptides from the elastase digest of elastin and their relation to — — — (Juřicová et al.) (386) 239

Lysis
Procedure for the rapid — — — of mammalian cells prior to alkaline sucrose density gradient centrifugation (Walters, Hildebrand) (407) 120
Lysoglycerophosphatide
Spin label evidence for the role of — — —s in cellular membranes of hibernating mammals (Keith et al.) (394) 204
Lysophospholipase
Studies on — — —s. IV. The subcellular of two lysolecithin-hydrolyzing enzymes in beef liver (van den Bosch, de Jong) (398) 244
Lysosome
Metal ion effects on proteolysis and stability in secondary — — —s of mouse kidney (Davidson) (385) 163
Lysosome
Proteolytic activity within — — —s and turnover of pinocytic vesicles. A kinetic analysis (Davidson) (411) 282
Lysosome
Thermally induced alteration in — — — membranes. Salt permeability at 0 and 37°C (Davidson, Song) (375) 274
Lysozyme
Comparison of the predicted and observed secondary structure of T4 phage — — — (Matthews) (405) 442
Lysozyme
Enzymatic and immunochemical properties of — — —. IX. Conformation and immunochemistry of derivatives succinylated at certain lysine residues (Lee et al.) (400) 423
Lysozyme
Enzymatic and immunochemical properties of — — —. X. Conformation, enzymic activity and immunochemistry of lysozyme reduced at two carboxyl groups (Atassi et al.) (405) 452
Lysozyme
Enzymic and immunochemical properties of — — —. XI. Conformation and immunochemistry of the two-disulfide peptide and the role of the tryptophan and lysine residues in its antigenic reactivity (Lee, Atassi) (405) 464
Lysozyme
Hydrogen ion titration of — — — in alcohol/water solutions (Tribout, Léonis) (405) 82
Lysozyme
Phage T4 — — —. Physical properties and reversible unfolding (Elwell, Schellman) (386) 309
Lysozyme deficiency
Composition of cartilage from lysozyme-deficient rabbits (Greenwald et al.) (385) 435
Lysyl hydroxylase
Hydroxylation of lysyl residues in lysine-rich and arginine-rich histones by — — — in vitro (Ryhänen) (397) 50
Lysyl oxidase activity
Purification procedure for the isolation of homogeneous preparations of bovine aorta amine oxidase and a study of its — — — (Shieh et al.) (377) 229

M

α-Macroglobulin
Uptake of proteinase- — — — complexes by macrophages (Debanne et al.) (411) 295

α_2-Macroglobulin
Effect of — — — on some kinetic parameters of trypsin (Ridderknecht et al.) (377) 158

α_2-Macroglobulin
Immunochemical study of β-glucuronidase inhibitor from porcine sublingual gland. Interaction of β-glucuronidase inhibitor with — — — (Sakamoto) (411) 195

Macromolecular synthesis
Inhibition of — — — in L1210 mouse leukaemia ascites cells by hycanthone (Wilson et al.) (378) 260

Macrophage
Glycosidases of rat Kupffer cells, hepatocytes and peritoneal — — —s (Scamman et al.) (404) 281

Macrophage
Uptake of proteinase-α-macroglobulin complexes by — — — (Debanne et al.) (411) 295

Malate-aspartate shuttle
Studies on the active transfer of reducing equivalents into mitochondria via the — — — (Bremer, Davis) (376) 387

Malate dehydrogenase
Amino acid sequence of a peptide containing the active centre histidine residue of porcine — — —. A correction (Foster et al.) (393) 597

Malate dehydrogenase
Protection of the active site of mitochondrial — — — from inhibition by potassium tetrachloroplatinate (Friedman et al.) (391) 1

Malate dehydrogenase (decarboxylating)
Crystallization and properties of rat liver — — — ($NADP^+$) (Wada et al.) (410) 237

Malate dehydrogenase isoenzymes
De novo synthesis and developmental control of the multiple gene controlled — — — in Maiza scutella (Yang, Scandalios) (384) 293

Malate oxidation
Variations in the pathways of — — — and phosphorylation in different species of Mycobacteria (Prasada Reddy et al.) (376) 210

Malate phosphorylation
Variations in the pathways of malate oxidation and phosphorylation in different species of Mycobacteria (Prasada Reddy et al.) (376) 210

Malignant transformation
Structure and organisation of cell surface glycolipids. Dependency on cell growth and — — — (Hakomori) (417) 55 (Review)

Manganese
Water proton relaxation as a monitor of membrane bound — — — in spinach chloroplasts (Wydrzynski et al.) (408) 349

Manganese ion
Participation of — — —s complexed with tRNA in the interaction with amino acids and dipeptides (Weiner et al.) (383) 316

Mannan
Isolation and characterization of a — — — from mesosomal membrane vesicles of Micrococcus lysodeikticus (Owen, Salton) (406) 214

Mannan
Wall — — — of Saccharomyces cerevisiae. Metabolic stability and release into growth medium (Krátzký et al.) (404) 1

Mannan synthesis
Distribution of enzymes involved in — — — in plasma membranes and mesosomal vesicles of Micrococcus lysodeikticus (Owen, Salton) (406) 235

Mannolipid synthesis
Biosynthetic studies on mannolipids and mannoproteins of normal and vitamin A-depleted hamster livers (De Luca et al.) (409) 342

Mannoprotein synthesis
Biosynthetic studies on mannolipids and mannoproteins of normal and vitamin A depleted hamster livers (De Luca et al.) (409) 342
D-Mannosamine metabolism
Metabolism of D-mannosamine in bovine thyroid gland slices (Gan) (385) 412
α-Mannosidase
Relationship between different forms of human — — — (Chester et al.) (391) 341
α-Mannosidase
Specificity studies of — — —s using oligosaccharides from mannosidosis urine as substrates (Hultberg et al.) (410) 156
Mass-transfer coefficient
Analysis of D-glucose influx kinetics of in vitro hamster jejunum, based on considerations of the — — — (Dugas et al.) (382) 576
Membrane
Asymmetric — — — expansion and modification of active and passive cation permeability of human red cells by the fluorescent probe 1-anilino-8-naphthalene sulphonate (Fortes, Ellory) (413) 65
Membrane
Asymmetry of an energy transducing membrane. The location of cytochrome c_2 in Rhodopseudomonas sphaeroides and Rhodopseudomonas capsulata (Prince et al.) (387) 212
Membrane
Covalent labeling of — — —s (Carraway) (415) 379 (Review)
Membrane
Differences in the interaction of inorganic and organic (hydrophobic) cations with phosphatidylserine — — —s (Hauser et al.) (413) 341
Membrane
Differential solubilization of proteins, phospholipids, free and esterified cholesterol of rat liver cellular — — —s by sodium deoxycholate (Ehrhart, Chauveau) (375) 434
Membrane
Effects of protein thermotropic phase transitions of phospholipid — — —s (Papahadjopoulos et al.) (401) 317
Membrane
Fluid lipid fraction in rod outer segment — — — (Pontus, Delmelle) (401) 221
Membrane
Isolation and characterization of a mannan from mesosomal — — — vesicles of Micrococcus lysodeikticus (Owen, Salton) (406) 214
Membrane
Kinetics of a Ca^{2+}-triggered membrane aggregation reaction of phospholipid — — — (Lansman, Haynes) (394) 335
Membrane
Lipid composition of isolated epiphyseal cartilage cells, — — —s and matrix vesicles (Wuthier) (409) 128
Membrane
Maintenance of the energized membrane state and its relation to active transport in Escherichia coli (Rosen, Adler) (387) 23
Membrane
Milk fat globule — — — (Patton, Keenan) (415) 273 (Review)
Membrane
Osmotically induced electrical changes in isolated bullfrog small intestine (Armstrong et al.) (401) 137
Membrane
Polypeptide composition of cell — — —s from chick embryo fibroblasts transformed by Rous sarcoma virus (Marciani, Bader) (401) 386
Membrane
Some characteristics of monocarboxylic acid transfer across the cell — — — of epithelial cells from rat small intestine (Lamers) (413) 265
Membrane
Spin label evidence for the role of lysoglycerophosphatides in cellular — — —s of hibernating mammals (Keith et al.) (394) 204
Membrane, Acholeplasma laidlawii
Molecular order in Acholeplasma laidlawii membranes as determined by deuterium magnetic resonance of biosynthetically incorporated specifically labelled lipids (Stockton et al.) (401) 535
Membrane, Acinetobacter
Nature of the attachment of regularly arranged surface protein to the outer

membrane of an Acinetobacter sp. (Thorne et al.) (389) 97
Membrane, acrosomal
Isolation of the outer acrosomal membrane from bull sperm (Zahler, Doak) (406) 479
Membrane, artificial
Interaction of different forms of haemoglobin with artificial lipid membranes (Rossi et al.) (375) 477
Membrane, artificial
Movement of calcium through artificial lipid membranes and the effects of ionophores (Hyono et al.) (389) 34
Membrane, basement
Studies of normal and nephritic rat glomerular basement membrane (Lehotay) (394) 193
Membrane, bimolecular lipid
Current-voltage curves of bimolecular lipid membranes (Lüschow et al.) (389) 1
Membrane, black lipid
Chaotropic anions and the surface potential of bilayer membranes (McLaughlin et al.) (394) 304
Membrane, black lipid
Electrical capacity of black lipid films and of lipid bilayers made from monolayers (Benz et al.) (394) 323
Membrane, black lipid
Oscillation phenomena in black lipid membranes induced by a single alamethicin pore (Boheim, Hall) (389) 436
Membrane, black lipid
Voltage-dependent conductance induced by haemocyanin in black lipid films (Alvarez et al.) (389) 444
Membrane, brush border: see also Brush border
Membrane, brush border
Dipeptide transport in isolated intestinal brush border membrane (Sigrist-Nelson) (394) 220
Membrane, brush border
Distribution of NAD(P)H-dependent cytochrome P-450 mixed function oxidase system in the brush border membrane of rabbit kidney cortex (Ichikawa) (394) 406
Membrane, brush border
Enzymes of the human intestinal brush border membrane. Identification after gel electrophoretic separation (Maestracci et al.) (382) 147
Membrane, brush border
Solubilization of brush borders of hamster small intestine and fractionation of some of the components (Critchley et al.) (394) 361
Membrane, brush border
Topological studies on the hydrolases bound to the intestinal brush border membrane. I. Solubilization by papain and Triton X-100 (Louvard et al.) (375) 236
Membrane, brush border
Topological studies on the hydrolases bound to the intestinal brush border membrane. II. Interactions of free and bound aminopeptidase with a specific antibody (Louvard et al.) (389) 389
Membrane, chloroplast: see also Membrane, thylakoid
Membrane, chloroplast
Chloroplast membranes of the green alga Acetabularia mediterranae. I. Isolation of the Photosystem II (Apel et al.) (387) 568
Membrane, chloroplast
Chloroplast membrane structure. Intramembranous particles of different sizes make contact in stacked membrane regions (Staehlin) (408) 1
Membrane, disc
X-ray diffraction studies of retinal rods. I. Structure of the disc membrane, effect of illumination (Chabre) (382) 322
Membrane, endoplasmic reticulum
Structural aspects of the membrane of the endoplasmic reticulum (DePierre, Dallner) (415) 411 (Review)
Membrane, erythrocyte: see also Erythrocyte ghost
Membrane, erythrocyte
Analysis of polypeptide disposition in human erythrocyte membranes employing membrane inversion (Litman et al.) (394) 348
Membrane, erythrocyte
Application of latex microspheres in the isolation of plasma membranes. Affinity density perturbation of erythrocyte membranes (Lim et al.) (394) 377

Membrane, erythrocyte
Carotenoids as Raman-active probes of erythrocyte membrane structure (Verma, Wallach) (401) 168
Membrane, erythrocyte
Changes in phospholipid susceptibility toward phospholipases induced by ATP depletion in avian and amphibian erythrocyte membranes (Gazitt et al.) (382) 65
Membrane, erythrocyte
Cholesterol exchange between microsomal, mitochondrial and erythrocyte membranes and its enhancement by cytosol (Bell) (398) 18
Membrane, erythrocyte
Circular dichroism of erythrocyte membrane glycoproteins (Decker, Carraway) (386) 52
Membrane, erythrocyte
Critical evaluation of the proposal that serum apolipoproteins are the major constituents of the human erythrocyte membrane (Carey et al.) (401) 6
Membrane, erythrocyte
Dielectric breakdown measurements of human and bovine erythrocyte membranes using benzyl alcohol as a probe molecule (Pilwat et al.) (406) 424
Membrane, erythrocyte
Distribution of ferittin-conjugated lectins on sialidase-treated membranes of human erythrocytes (Irimura et al.) (413) 192
Membrane, erythrocyte
EPR study of structural perturbations induced by 3-methylindole in the protein and lipid regions of erythrocyte membranes (Bray et al.) (382) 534
Membrane, erythrocyte
Experimental alteration of phospholipid-protein interactions within the human erythrocyte membrane. Dependence on glycolytic metabolism (Haest, Deuticke) (401) 468
Membrane, erythrocyte
Hydrolysis of erythrocyte membrane phospholipids by a preparation of phospholipase C from Clostridium welchii. Deactivation of $(Ca^{2+} + Mg^{2+})$-ATPase and its reactivation by added lipids (Coleman, Bramley) (382) 565
Membrane, erythrocyte
Immunoabsorption of membrane-specific antibodies for determination of exposed and hidden proteins in human erythrocyte membranes (Bjerrum et al.) (394) 173
Membrane, erythrocyte
Inhibition of cation cotransport by cholesterol of human red cell membranes (Wiley, Cooper) (413) 425
Membrane, erythrocyte
Isolation and partial characterization of the major glycoproteins of horse and swine erythrocyte membranes (Fujita, Cleve) (406) 206
Membrane, erythrocyte
Isolation and partial characterization of two minor glycoproteins from human erythrocyte membranes (Fujita, Cleve) (382) 172
Membrane, erythrocyte
Lipid-protein interactions at the erythrocyte membrane. Different influence of glucose and sorbose on membrane lipid transition (Zimmer et al.) (401) 244
Membrane, erythrocyte
Localization of enzymes involved in polyphosphoinositide metabolism on the cytoplasmic surface of the human erythrocyte membrane (Garrett, Redman) (382) 58
Membrane, erythrocyte
Localization of the binding sites for the Ricinus communis, Agaricus bisporus and wheat germ lectins on human erythrocyte membranes (Triche et al.) (394) 540
Membrane, erythrocyte
Membrane-bound enzymes. III. Protease activity in leucocytes in relation to erythrocyte membranes (Heller et al.) (413) 472
Membrane, erythrocyte
Organisation of enzymes of glycolysis and of glutathione metabolism in human red cell membranes (Tillmann et al.) (382) 157
Membrane, erythrocyte
Organization of phospholipids in human red cell membranes as detected by the action of various purified phospholipases (Zwaal et al.) (406) 83

Membrane, erythrocyte
Proteins of the camel erythrocyte membrane (Ralston) (401) 83
Membrane, erythrocyte
Proteins selectively released from water-extracted human erythrocyte membranes upon citraconylation or maleylation. Electrophoretic analysis and chromatographic fractionation (Lundahl) (379) 304
Membrane, erythrocyte
Proteolytic activity associated with human erythrocyte membranes. Self-digestion of isolated human erythrocyte membranes (Tökés, Chambers) (389) 325
Membrane, erythrocyte
Pulse radiolysis study of some free radical reactions with erythrocyte membranes (Bisby et al.) (389) 137
Membrane, erythrocyte
Quantitative immunoelectrophoresis of proteins in human erythrocyte membranes. Analysis of protein bands obtained by sodium dodecyl sulfate-polyacrylamide gel electrophoresis (Bjerrum et al.) (406) 489
Membrane, erythrocyte
Rapid preparative isolation of major erythrocyte membrane proteins using polyacrylamide gel electrophoresis in sodium dodecyl sulphate (Knüfermann et al.) (389) 464
Membrane, erythrocyte
Relation between phospholipase actions on human red cell membranes and the interfacial phospholipid pressure in monolayers (Demel et al.) (406) 97
Membrane, erythrocyte
Sialic acid, electrophoretic mobility and transmembrane potentials of the Amphiuma red cell (Pape et al.) (406) 516
Membrane, Escherichia coli
Covalent lipoprotein from the outer membrane of Escherichia coli (Barun) (415) 335 (Review)
Membrane, Escherichia coli
Glucosamine-labelled envelope proteins of Escherichia coli K-12. II. Location of inner and outer membranes (Kidroni, Weinbaum) (399) 447
Membrane, Escherichia coli
In vitro reassembly of the membranous vesicle from Escherichia coli outer membrane components. Role of individual components and magnesium ions in reassembly (Nakamura, Mizushima) (413) 371
Membrane, Escherichia coli
Lipid phase transitions in cytoplasmic and outer membranes of Escherichia coli (Overath et al.) (389) 358
Membrane, fat globule
Sialoglycopeptides from bovine milk fat globule membrane (Harrison et al.) (389) 449
Membrane, fibroblast
^{1}H and ^{13}C NMR spectra of the lipids in normal and SV40 virus-transformed hamster embryo fibroblast membranes (Nicolau et al.) (382) 311
Membrane, liposome
Effect of polymyxin B on liposomal membranes derived from Escherichia coli lipids (Imai et al.) (375) 130
Membrane, lysosome
pH gradient across the lysosomal membrane generated by selective cation permeability and Donnan equilibrium (Henning) (401) 307
Membrane, lysosome
Thermally induced alteration in lysosome membranes. Salt permeability at 0 and 37°C (Davidson, Song) (375) 274
Membrane, microsomal
Cholesterol exchange between microsomal, mitochondrial and erythrocyte membranes and its enhancement by cytosol (Bell) (398) 18
Membrane, mitochondrial
Beef heart submitochondrial particles. A mixture of mitochondrial inner and outer membranes (Albracht, Heidrich) (376) 231
Membrane, mitochondrial
Biochemical characteristics of the outer membranes of plant mitochondria (Mannella, Bonner, Jr.) (413) 213
Membrane, mitochondrial
Biogenesis of mitochondrial membranes in the yeast Saccharomyces cerevisiae (Janki et al.) (375) 446
Membrane, mitochondrial
Cholesterol exchange between micro-

somal, mitochondrial and erythrocyte membranes and its enhancement by cytosol (Bell) (398) 18
Membrane, mitochondrial
Inhibition by bromothymol blue of anion translocation across the mitochondrial membrane (Aleksandrowicz, Swierczyński) (382) 92
Membrane, mitochondrial
Mechanism of respiration-driven proton translocation in the inner mitochondrial membrane. Analysis of proton translocation associated with oxidation of endogenous ubiquinol (Papa et al.) (387) 425
Membrane, mitochondrial
X-Ray diffraction from oriented outer mitochondrial membranes. Detection of in-plane subunit structure (Mannella, Bonner, Jr.) (413) 226
Membrane, model
Chemically induced lipid phase separation in model membranes containing charged lipids spin label study (Galla, Sackmann) (401) 509
Membrane, model
Effects of the membrane-penetrating polypeptide segment of the human erythrocyte MN-glycoprotein on the permeability of model lipid membranes (Lea et al.) (382) 41
Membrane, model
Structural studies of biological membranes and related model systems by Raman spectroscopy. Sphingomyelin and 1,2-dilauroyl phosphatidylethanolamine (Mendelsohn et al.) (413) 329
Membrane, model
Studies of a serum albumin-liposome complex as a model lipoprotein membrane (Sogor, Zull) (375) 363
Membrane, nuclear
Evidence for the existence of a stable association between nascent DNA and the nuclear membrane of HeLa cells (Dye, Toliver) (414) 173
Membrane, nuclear
S-Phase dependent forms of DNA · nuclear membrane complexes in HeLa cells (Cabradilla, Toliver) (402) 188
Membrane, photoreceptor
Lipid composition of Limulus photoreceptor membranes (Benolken et al.) (413) 234
Membrane, plasma
Application of latex microspheres in the isolation of plasma membranes. Affinity density perturbation of erythrocyte membranes (Lim et al.) (394) 377
Membrane, plasma
Calcium uptake by placental plasma membrane vesicles (Shami et al.) (401) 256
Membrane, plasma
(Ca^{2+} + Mg^{2+})-activated ATPases in the plasma membrane of mouse liver cells (Garnett, Kemp) (382) 526
Membrane, plasma
Cholesteryl ester hydrolytic activity of rat liver plasma membrane (Riddle et al.) (388) 339
Membrane, plasma
Comparison of plasma membranes and endoplasmic reticulum fractions obtained from whole white adipose tissue and isolated adipocytes (Giacobino, Chmelar) (406) 68
Membrane, plasma
Concanavalin A-reactive protein of rabbit thymocyte plasma membranes. Analysis by crossed immune electrophoresis and sodium dodecyl sulphate/polyacrylamide gel electrophoresis (Schmidt-Ullrich et al.) (382) 295
Membrane, plasma
Decreased binding of insulin to liver plasma membrane receptors in hereditary diabetic mice (Kern et al.) (389) 281
Membrane, plasma
Effects of membrane ribonuclease and 3′-nucleotidase on the digestion of polyuridylic acid by rat liver plasma membrane (Aronson, Jr., Yannarell) (413) 135
Membrane, plasma
Evidence for a plasma membrane calcium pump in bovine adrenal medulla but not adrenal cortex (Leslie, Borowitz) (394) 227
Membrane, plasma
Hormone action at the membrane level. IV. Epinephrine binding to rat liver plasma membranes and rat epididymal fat cells (Lesko, Marinetti) (382) 419
Membrane, plasma
Isolation and characterization of the

plasma membrane of L-1210 cells. Iodination as a marker for the plasma membrane (Tsai et al.) (401) 196
Membrane, plasma
Lymphocyte plasma membranes. III. Composition of lymphocyte plasma membranes from normal and immunized rats (Smith et al.) (382) 506
Membrane, plasma
Modulation of the distribution of plasma membranes intramembranous particles in contact-inhibited and transformed cells (Furcht, Scott) (401) 213
Membrane, plasma
Preparation of prostatic plasma membranes. Distribution of (Na^+,K^+)-ATPase and Mg^{2+}-ATPase in the rat ventral prostate (Wilson, Villee) (394) 1
Membrane, plasma
Properties of $(Na^+ + K^+)$-activated ATPase in rat liver plasma membranes enriched with bile canaliculi (Boyer, Reno) (401) 59
Membrane, plasma
Purification and characterization of plasma membranes and the subcellular distribution of adenylate cyclase in mouse parotid gland (Durham et al.) (394) 388
Membrane, plasma
Structure and active transport in the plasma membrane of the tubule of frog kidney (Bresler et al.) (406) 526
Membrane, plasma
Studies of kidney plasma membrane cyclic AMP-dependent protein kinase (Forte et al.) (389) 84
Membrane, plasma
Studies on plasma membranes. XXII. Fatty acid profiles of lipid classes in plasma membranes of rat and mouse livers and hepatomas (van Hoeven et al.) (380) 1
Membrane, plasma
Studies on the turnover of plasma membranes in cultured mammalian cells. I. Rates of synthesis and degradation of plasma membrane proteins and carbohydrates (Kaplan, Moskowitz) (389) 290
Membrane, plasma
Studies on the turnover of plasma membranes in cultured mammalian cells. II. Demonstration of heterogeneous rates of turnover for plasma membrane proteins and glycoproteins (Kaplan, Moskowitz) (389) 306
Membrane, plasma
Subfractionation of rat liver plasma membranes. Uneven distribution of plasma membrane-bound enzymes on the liver cell surface (Toda et al.) (413) 52
Membrane, Proteus mirabilis
Outer membrane of Proteus mirabilis. I. Isolation and characterization of the outer and cytoplasmic membrane fractions (Hasin et al.) (375) 381
Membrane, Proteus mirabilis
Outer membrane of Proteus mirabilis. II. The extractable lipid fraction and electron-paramagnetic resonance analysis of the outer and cytoplasmic membranes (Rottem et al.) (375) 395
Membrane, secretory granule
Demonstration of a class of proteins loosely associated with secretory granule membranes (Robinovich et al.) (382) 260
Membrane, squid axon
Electrical properties of squid axon membranes. II. Effect of partial degradation by phospholipase A and pronase on electrical characteristics (Takashima et al.) (401) 15
Membrane, squid axon
Light scattering spectroscopy of the squid axon membrane (Moore et al.) (382) 286
Membrane, Tetrahymena
Studies on Tetrahymena membranes. Modification of surface membrane lipids by replacement of tetrahymanol by exogenous ergosterol in Tetrahymena pyriformis (Nozawa et al.) (406) 248
Membrane, thylakoid
Amino acid incorporation into protein by ribosomes bound to chloroplast thylakoid membranes. Formation of discrete products (Michaels, Margulies) (390) 352
Membrane, thylakoid
Current-voltage studies on the thylakoid membrane in the presence of ionophores (Schmid, Junge) (394) 76

Membrane, thylakoid
On the molecular nature of chloroplast thylakoid membranes (Machold) (382) 494
Membrane, thylakoid
On the steady-state electric potential difference across the thylakoid membranes of chloroplasts in illuminated plant cells (Vredenberg, Tonk) (387) 580
Membrane, thymocyte
Structure and thermotropism of thymocyte plasma membranes as revealed by laser-Raman spectroscopy (Verma et al.) (394) 633
Membrane, Valonia utricularis
Dielectric breakdown in the membrane of Valonia utricularis. The role of energy dissipation (Coster, Zimmermann) (382) 410
Membrane aggregation
Kinetics of a Ca^{2+}-triggered — — — reaction of phospholipid membranes (Lansman, Haynes) (394) 335
Membrane-bound enzyme: see also Immobilized enzyme
Membrane-bound enzyme
— — —s. III. Protease activity in leucocytes in relation to erythrocyte membranes (Heller et al.) (413) 472
Membrane-bound enzyme
Effect of concanavalin A on — — —s from mouse lymphocytes (Pommier et al.) (389) 483
Membrane-bound enzyme
Hormone responsiveness of plasma — — —s in normal and regenerating rat liver (Leoni et al.) (394) 317
Membrane-bound enzyme
Mammalian 3-oxosteroid Δ4-Δ5-isomerase. A — — —. I. Fluorescence study of the relationship between the enzymatic binding site, phospholipids, water and ions (Gallay et al.) (397) 489
Membrane-bound enzyme
Mammalian 3-oxosteroid Δ4-Δ5-isomerase. A — — —. II. Activation by divalent cations (Gallay et al.) (397) 501
Membrane-bound enzyme
Regulation of allosteric — — —s through changes in membrane lipid composition (Farías et al.) (415) 231 (Review)
Membrane components
Structural studies of the associations between biological — — — (Gulik-Krzywicki) (415) 1 (Review)
Membrane conductance
— — — changes in single nodes of Ranvier measured by laser-induced temperature-jump experiments (Moore) (375) 115
Membrane fragments
Further characterization of gradient-fractionated mitochondrial — — — from beef heart mitochondria (Huang, Lee) (376) 398
Membrane fragments
Observations on the binding of adenosine 3′,5′-monophosphate to cell — — — from ox cerebral cortex (Weller, Rodnight) (389) 573
Membrane lipid
Osmotic behaviour of Acholeplasma laidlawii B cells with — — — in liquid-crystalline and gel state (Van Zoelen et al.) (394) 463
Membrane potential
— — — in mitochondrial preparations as measured by means of a cyanine dye (Laris et al.) (376) 415
Membrane potential
Effects of potassium ions and sodium ions on — — — of epithelial cells in rat duodenum (Okada et al.) (413) 104
Membrane potential
Independence of — — — and potassium activation of the sodium pump in muscle (Beaugé et al.) (389) 189
Membrane potential
Sialic acid, electrophoretic mobility and transmembrane potentials of the Amphiuma red cell (Pape et al.) (406) 516
Membrane potential
Study on the — — — and pH gradient in chromatophores and intact cells of photosynthetic bacteria (Barksy et al.) (387) 388
Membrane preparations
Isolation and characterisation of two outer — — — from Escherichia coli (Mizushima, Yamada) (375) 44
Membrane proteins
Biogenesis of erythrocyte — — —. In vitro studies with rabbit reticulocytes (Koch et al.) (389) 177

Membrane proteins
Biogenesis of erythrocyte — — —. In vivo studies in anaemic rabbits (Koch et al.) (389) 162
Membrane proteins
Calcium-promoted aggregation of erythrocyte — — — (Carraway et al.) (379) 571
Membrane proteins
Characterisation of the mycoplasma — — —. V. Release and localisation of membrane-bound enzymes in Acholeplasma laidlawii (Ne'eman, Razin) (375) 54
Membrane proteins
Demonstration of a class of proteins loosely associated with secretory granule membranes (Robinovitch et al.) (382) 260
Membrane proteins
Differential solubilization of proteins, phospholipids, free and esterified cholesterol of rat liver cellular membranes by sodium deoxycholate (Ehrhart, Chauveau) (375) 434
Membrane proteins
Glucosamine-labelled envelope proteins of Escherichia coli K-12. I. Electrophoretic studies and partial fractionation of the phenol-soluble proteins (Kidroni, Weinbaum) (399) 428
Membrane proteins
Glucosamine-labelled envelope proteins of Escherichia coli K-12. II. Location of inner and outer membranes (Kidroni, Weinbaum) (399) 447
Membrane proteins
Immunoabsorption of membrane-specific antibodies for determination of exposed and hidden proteins in human erythrocyte membranes (Bjerrum et al.) (394) 173
Membrane proteins
Isolation of outer — — — of Escherichia coli and their characterization on polyacrylamide gel (Uemura, Mizushima) (413) 163
Membrane proteins
Laser Raman spectroscopic investigation of phospholipid and protein configurations in haemoglobin-free erythrocyte ghosts (Lippert et al.) (382) 51
Membrane proteins
N-terminal heterogeneity of EDTA-extractable erythrocyte — — — (Dunn et al.) (386) 107
Membrane proteins
Possible role of pancreatic proteases in the turnover of intestinal brush border proteins (Alpers, Tedesco) (401) 28
Membrane proteins
Solubilization of bacterial — — — using alkyl glucosides and dioctanoyl phosphatidylcholine (Baron, Thompson) (382) 276
Membrane proteins
Species variability in the modification of erythrocyte surface proteins by enzymatic probes (Carraway et al.) (382) 181
Membrane proteins
Thyroid microsomal — — —. Effects of solubilisation on molecular size (Neary et al.) (379) 262
Membrane proteins
Two-dimensional separation of erythrocyte — — — (Bhakdi et al.) (394) 550
Membrane reconstitution
— — — in chl-r mutants of Escherichia coli K 12. VII. Purification of the soluble ATPase of supernatant extracts and kinetics of incorporation into reconstituted particles (Giordano et al.) (389) 203
Membrane reconstitution
— — — in chl-r mutants of Escherichia coli K 12. VIII. Purification and properties of the F_A factor, the product of the chl-B gene (Riviere et al.) (389) 219
Membrane reconstitution
— — — in chl-r mutants of Escherichia coli K 12. IX. Part played by phospholipids in the complementation process (Azoulay et al.) (389) 236
Membrane solubilization
Solubilization of membranes by detergents (Helenius, Simons) (415) 29 (Review)
Membrane structure
Electromechanical stresses and the effect of pH on — — — (Coster) (382) 142
Membrane structure
Interpretation of the electron spin resonance of nitroxide-maleimide-

labelled proteins and the use of this technique in the study of albumin and biomembranes (Benga, Strach) (400) 69
Membrane structure
Vitamin A in liposomes. Inhibition of complement binding and alteration of — — — (Alving et al.) (394) 157
Membrane subfraction
Characterization of a low density cytoplasmic — — — isolated from Escherichia coli (van Heerikhuizen et al.) (413) 177
Mercury
^{13}C magnetic resonance investigation of mercury(II) binding to nucleosides and thiolated nucleosides in dimethyl sulphoxide (Jennette et al.) (402) 403
Mercury
Heavy metal-nucleotide interactions. III. The participation of amino groups in the binding of methylmercury(II) to cytidine and adenosine 5′-phosphate in aqueous solution. Studies by Raman difference spectrophotometry (Mansy et al.) (378) 319
Meromyosin subfragment-1
Dynamic affinity chromatography of heavy — — — (Oplatka et al.) (385) 20
Metabolic stimulation
Studies on the mechanism of — — — in polymorphonuclear leucocytes during phagocytosis. I. Evidence for superoxide anion involvement in the oxidation of $NADPH_2$ (Patriarca et al.) (385) 380
Metabolic stimulation
Studies on the mechanism of — — — in polymorphonuclear leucocytes during phagocytosis. II. Presence of the $NADPH_2$ oxidising activity in a myeloperoxidase-deficient subject (Patriarca et al.) (385) 387
Metal ion binding
Site of — — — in a nickel derivative of adenosine 5′-monophosphate. An X-ray study (Collins et al.) (402) 1
Metal-ligand bonding
Nature of — — — in the primary hydration shell and in ionophores with alkali metal ions (Talekar) (375) 157
Metalloprotein
Studies on the conformational changes of — — —s induced by electrons in water-ethylene glycol solutions at low temperatures. III. Adrenal ferredoxin (Bloemenfeld et al.) (379) 512
Metal-nucleotide interactions
Heavy — — —. III. The participation of amino groups in the binding of methylmercury (II) to cytidine and adenosine 5′-phosphate in aqueous solution. Studies by Raman difference spectrophotometry (Mansy et al.) (378) 319
Methaemoglobin
Binding of organic phosphates to human — — — A. Perturbation of the polymerization of proteins by effectors (Baghurst, Nichol) (412) 168
Methaemoglobin
Evidence for the existence of a low spin complex in acidic — — —. It structure and formation (Rein et al.) (393) 373
Methionine deficiency
Metabolic consequences of vitamin B-12/— — — in rats (Davidson et al.) (392) 207
3-Methoxy-4-hydroxyphenyl pyruvate
Metabolism and properties of — — —. A metabolite of dihydroxyphenylalanine (Fellman et al.) (381) 9
8-Methoxypsoralen
— — — plus 365 nm light effects and repair in yeast (Averbeck, Moustacchi) (395) 393
2′-0-Methylcytidine
Identification of a modified nucleoside in Escherichia coli $tRNA_1^{Ser}$ as — — — (Yamada, Ishikura) (402) 285
α-Methyl-D-glucoside uptake
Effect of diamide and glutathione on the uptake of α-methyl-D-glucoside by slices of rat kidney cortex (Pillion, Leibach) (382) 246
Methylmercury (II)
Heavy metal-nucleotide interactions. III. The participation of amino groups in the binding of — — — to cytidine and adenosine 5′-phosphate in aqueous solution. Studies by Raman difference spectrophotometry (Mansy et al.) (378) 319
N-Methyl-N′-nitro-N-nitrosoguanidine
Abnormal synthesis of mitochondrial DNA in the presence of — — — (Koike et al.) (402) 351

O-Methyltransferase
Purification and properties of S-adenosyl-L-methionine: caffeic acid ——— from leaves of spinach beet (Beta vulgaris) (Poulton, Butt) (403) 301
4-Methylumbelliferyl β-D-xyloside
Synthesis of a fluorogenic mucopolysaccharide by chondrocytes in cell culture with ——— (Fukunaga et al.) (381) 443
Micelle structure
Comparative ———. IV. The similarity between caprine α_{s}-casein and bovine α_{s3}-casein (Richardson, Creamer) (393) 37
Microacidimetric method
Kinetic studies of a β-lactamase by a computerized ——— (Labia et al.) (384) 242
Microbial metalloenzymes: see also Neutral proteinase
Microsome
Association of basal ATPase activity and cholesterol with a distinct group of rabbit skeletal muscle microsomal particles (Flaherty et al.) (401) 177
Microsome
Bile acids. XLVII. 12α-Hydroxylation of precursors of allo bile acids by rabbit liver ———s (Ali, Elliott) (409) 249
Microsome
Energy-dependent calcium uptake activity of ———s from the aorta of normal and hypersensitive rats (Moore et al.) (413) 432
Microspectrofluorimetry
Multichannel ——— for topographic and spectral analysis of NAD(P)H fluorescence in single living cells (Kohen et al.) (396) 149
Microtubule formation
——— from two components separated by gel filtration of a tubulin preparation (Haga, Kurokawa) (392) 335
Milk
——— fat globule membrane (Patton, Keenan) (415) 273 (Review)
Mitochondria
ATPase complex and oxidative phosphorylation in chloramphenicol-induced megamitochondria from mouse liver (Wagner, Rafael) (408) 284
Mitochondria
Biochemical and cytological studies of ———l development in chloramphenicol-induced rice coleoptiles (Vartapetian et al.) (411) 357
Mitochondria
Brown adipose tissue ——— (Flatmark, Pedersen) (416) 53 (Review)
Mitochondria
Characterization of autoantigenic sites on isolated dog heart ——— (Kelley et al.) (401) 370
Mitochondria
Effect of cholesterol content on some physical and functional properties of ——— isolated from rat adult liver, foetal liver, cholesterol-enriched liver and hepatomas AH-130, 392A and 5123 (Feo et al.) (413) 116
Mitochondria
Surface potential and the interaction of weakly acidic uncouplers of oxidative phosphorylation with liposomes and ——— (Bakker et al.) (387) 491
Mitochondrial energy state
Energy-dependent accumulation of iron by isolated rat liver mitochondria. IV. Relationship to the energy state of the mitochondria (Romslo) (387) 69
Mitochondrial inhibition
——— and cellular inhibition by the folate analogue pyrimethamine in Saccharomyces cerevisiae. Reversal of cellular effects by TMP (Stone, Wilkie) (390) 133
Mobility
——— of water bound to biological membranes. A proton NMR relaxation study (Finch, Schneider) (406) 146
Mobility
Membrane ——— agent alters the consequences of lectin-cell interaction in a malignant cell membrane (Lustig et al.) (401) 458
Mobility
Membrane ——— agents. II. Active promoters of cell fusion (Kosower et al.) (401) 530
Mobility
Sialic acid, electrophoretic ——— and transmembrane potentials of the Amphiuma red cell (Pape et al.) (406) 516
Monoglycosylceramide
Study on amphibian lipids. I. Characterization of ———s from the skin of

Rana nigromaculata (Japanese pond frog) (Tamai et al.) (398) 294
Monolayer: see also Lipid monolayer
Monolayer
— — — characteristics of some glycolipids at the air-water interface (Oldani et al.) (382) 1
Monolayer
Lateral diffusion of cholesterol in — — —s (Stroeve, Miller) (401) 157
Monolayer
Relation between various phospholipase actions on human red cell membranes and the interfacial phospholipid pressure in — — —s (Demel et al.) (406) 97
Monolayer
Theoretical model for lipid — — — phase transitions (Scott, Jr) (406) 329
Monomolecular film
Comparison of a spin-label and a fluorescent cell membrane probe using pure and mixed — — —s (Cadenhead et al.) (382) 253
Monophenol monooxygenase: see also Laccase
Monosialoganglioside G_{M^1b}
Chemical structure of — — — biosynthesized in vitro (Stoffyn et al.) (409) 97
Morphological transforming factor
Partial purification of a — — — from pig brain (Lim, Mitsunobu) (400) 200
Mosses
Distribution of arachodonic and eicosapentaenoic acids in the lipids of — — — (Gellerman et al.) (388) 277
Mucin, goblet cell
Calcium binding to intestinal goblet cell mucin (Forstner, Forstner) (386) 283
Mucopolysaccharide
Fractionation of — — —s by countercurrent distribution in aqueous polymer two-phase systems (Pritchard et al.) (404) 289
Mucopolysaccharide
Synthesis of a fluorogenic — — — by chondrocytes in cell culture with 4-methylumbelliferyl β-D-xyloside (Fukunaga et al.) (381) 443
Mucopolysaccharide metabolism
Control over acid mucopolysaccharide production of cells in vitro (Kurtz, Stidworthy) (399) 90
Mucopolysaccharide metabolism
Enzymatic degradation of heparin related mucopolysaccharides from the surface of endothelial cell cultures (Buonassisi, Root) (385) 1
Muscle
Optical diffraction study of — — — fibres (Fujime) (379) 227
Muscle
Water in normal — — — and muscle with a tumour (Fung et al.) (385) 180
Muscle enzymes
Analytical gel chromatography of rabbit muscle amylo-1,6-glucosidase/4-α-glucanotransferase under denaturing and non-denaturing conditions (White, Nelson) (400) 154
Muscular dystrophy
Structural deterioration of tendon collagen in genetic — — — (Stinson) (400) 255
Myelin
On basic proteins in bovine peripheral nerve — — — (Kitamura et al.) (379) 582
Myelin
Phosphoprotein phosphatases for myelin basic protein in — — — and cytosol fraction of brain (Miyamoto, Kakiuchi) (384) 458
Myelin
Solution behavior, circular dichroism and 220 MHz PMR studies of the bovine — — — basic protein (Liebes et al.) (405) 27
Myelination
Changes in the activities of de novo fatty acid synthesis and palmitoyl-CoA synthetase in relation to — — — in rabbit brain (Cantrill, Carey) (380) 165
Myelin glycoprotein
[^{35}S]sulphate incorporation into — — —s. I. Central nervous system (Matthieu et al.) (392) 159
Myelin glycoprotein
[^{35}S]sulphate incorporation into — — —s. II. Peripheral nervous tissue (Matthieu et al.) (392) 167
Myeloblastosis virus
A cell-free mammalian protein-synthesizing system stimulated by RNA from avian — — — (Ascione et al.) (395) 509
Myoglobin
— — — of primates. VII. Perodicticus

potto edwarsi (Potto) (Romero-Herrera, Lehmann) (393) 205
Myoglobin
— — — of primates. VIII. Gorilla gorilla beringei (Eastern highland gorilla) (Romero-Herrera et al.) (393) 383
Myoglobin
Comparison of the — — — of the zebra (Equus burchelli) with that of the horse (Equus caballus) (Darbre et al.) (393) 201
Myoglobin
NMR studies of haemproteins. VI. Acid-base transitions of ferric — — — and its imidazole complex (Iizuka, Morishima) (400) 143
Myoglobin
Primary sequence of chicken myoglobin (Gallus gallus) (Deconinck et al.) (386) 567
Myoglobin
Primary structure of the — — — of Didelphis marsupialis (Virginia opossum) (Romero-Herrera, Lehmann) (400) 387
Myoglobin
Primary structure of the — — — of the insectivore Erinaceus europaeus (Common European Hedgehog) (Romero-Herrera et al.) (379) 13
Myoglobin
Studies on the charge transfer band in high spin state of ferric — — — and haemoglobin by low temperature optical and magnetic circular dichroism spectroscopy (Yoshida et al.) (405) 122
Myoglobin derivative
NMR studies of haemoproteins. IV. Hindered rotation of haem side methyl group as a probe for studying van der Waals contacts in the haem side environments of — — —s (Morishima, Iizuka) (386) 542
Myosin
— — — from arterial smooth muscle. Isolation following actin depolymerization (Megerman, Murphy) (412) 241
Myosin
Calcium binding to rabbit skeletal — — — under physiological conditions (Bremel, Weber) (376) 366
Myosin
Calcium sensitivity of hybrid complexes of muscle — — — and Physarum proteins (Nachmias) (400) 208
Myosin
Electric birefringence of — — — subfragments (Kobayashi, Totsuka) (376) 375
Myosin
Human cardiac — — — ATPase and light subunits. A comparative study (Klotz et al.) (386) 461
Myosin
Immunological specificity of — — —s from cross-striated muscles as revealed by quantitative microcomplement fixation and enzyme inhibition by antisera (Bruggmann, Jenny) (412) 39
Myosin
Leucocyte — — — and its location in the cell (Shibata et al.) (400) 222
Myosin
Preparation and characterization of an enzymatically active immobilized derivative of — — — (Elgart et al.) (410) 178
Myosin
Purification of cardiac — — —. Application to hypertrophied myocardium (Shiverick et al.) (393) 124
Myosin
Radioactive labeling and location of specific thiol groups in — — — from fast, slow and cardiac muscles (Pfister et al.) (410) 193
Myosin
Studies on the subunits of — — — from muscle layer of Ascaris lumbricoides suum (Nakamura et al.) (412) 229
Myosin · ATP complex
Role of alkali cation in formation and decomposition of — — — (Kelemen, Magyar) (384) 508
Myosin-product intermediate
Temperature-dependent transitions of the — — — at 10 °C in the Mn(II)-ATP hydrolysis (Hozumi, Tawada) (376) 1

N

NAD
Affinity chromatography of enzyme cofactors. The separation of — — — on immobilised dehydrogenase columns (Das et al.) (397) 277

NADH dehydrogenase
Studies of a halophilic — — —. II. Kinetic properties of the enzyme in relation to salt activation (Hochstein) (403) 58

NAD(P)H
Effects of a nitrate reductase-inactivating enzyme and — — — of the nitrate reductase from higher plants and Neurospora (Wallace) (377) 239

NAD(P)H
Multichannel microspectrofluorimetry for topographic and spectral analysis of — — — fluorescence in single living cells (Kohen et al.) (396) 149

NADPH-cytochrome c reductase
Comparative studies of rat liver and lung — — — (Buege, Aust) (385) 371

NADPH-cytochrome c reductase
Localization of nascent — — — in rat liver microsomes (Negishi et al.) (381) 215

$NADPH_2$ oxidation
Studies on the mechanism of metabolic stimulation in polymorphonuclear leucocytes during phagocytosis. I. Evidence for superoxide anion involvement in the oxidation of $NADPH_2$ (Patriarca et al.) (385) 380

$NADPH_2$ oxidation
Studies on the mechanism of metabolic stimulation in polymorphonuclear leucocytes during phagocytosis. II. Presence of the $NADPH_2$ oxidising activity in a myeloperoxidase-deficient subject (Patriarca et al.) (385) 387

$NAD(P)^+$ transhydrogenase: see Transhydrogenase

NAD regeneration
Electrochemical regeneration of NAD (Aizawa et al.) (385) 362

Neomycin
Effect of — — — and streptomycin on the electrical polarisability of aqueous suspensions of Escherichia coli (Morris, Jennings) (392) 328

Neoplastic tissue
Nuclear phosphoprotein kinase activities in normal and — — —s (Thomson et al.) (407) 114

Nerve
Investigations of thermotropic phase changes in peripheral — — — of frog and rat. A spin label study (Schummer et al.) (394) 93

Nerve
Purification and partial characterization of two basic proteins from human peripheral — — — (Abramsky, London) (393) 556

Neuraminidase
Studies of brain cytosol — — —. I. Isolation and partial characterization of two forms of the enzyme from pig brain (Venerando et al.) (403) 461

Neurospora
Genetic regulation of phosphate transport system II in — — — (Lowendorf, Slayman) (413) 95

Neurospora crassa
Isolation and characterization of a mutant of — — — deficient in general amino acid permease activity (Rao et al.) (413) 45

Neurospora crassa genome
Denaturation map of the circular mitochondrial genome of Neurospora crassa (Bernard et al.) (402) 270

Neutral proteinase
Isolation of an extracellular — — — from Pseudomonas fragi (Porzio, Pearson) (384) 235

Neutral proteinase
Neutral protease in rheumatoid synovial fluid capable of attacking the telopeptide regions of polymeric collagen fibrils (Steven et al.) (405) 188

Neutral proteinase
Purification of granulocyte neutral protease from human blood and rheumatoid synovial fluid (Pryce-Jones, Wood) (397) 449
Neutral proteinase
Rapid method of purification of human granulocyte cationic neutral proteases. Purification and further characterization of human granulocyte elastase (Feinstein, Janoff) (403) 493
Neutral proteinase
Rapid method for purification of human granulocyte cationic neutral proteases. Purification and characterization of human granulocyte chymotrypsin-like enzyme (Feinstein, Janoff) (403) 477
Neutrophil granulocyte
Cationic proteins from human ———s. Evidence for their chymotrypsin-like properties (Rindler-Ludwig, Braunsteiner) (379) 606
Newcastle Disease Virus
Phospholipids in ——— infected cells (Israel et al.) (375) 224
Nitrate reductase
——— from bacteroids of Rhizobium japonicum. Enzyme characteristics and possible interaction with nitrogen fixation (Kennedy et al.) (379) 24
Nitrate reductase
Bacterial ———. EPR studies on the enzyme A of Escherichia coli K 12 (Der Vartanian, Forget) (379) 74
Nitrate reductase
Characterization of the respiratory ——— of Klebsiella aerogenes as a molybdenum-containing iron-sulphur enzyme (van 't Riet et al.) (405) 306
Nitrate reductase
Electron donors and inhibitors of ——— from Cyanidium caldarium (Rigano, Aliotta) (384) 37
Nitrate reductase
In vitro restoration of ———. Investigation of Aspergillus nidulans and Neurospora crassa nitrate reductase mutants (Ketchum, Downey) (385) 354
Nitrate reductase
Photoreactivation of ——— production in Nicotiana tobaccum var. xanthi (Wright, Jr., Murphy) (407) 338
Nitrate reductase
Purification, structure and properties of the respiratory ——— of Klebsiella aerogenes (van 't Riet, Planta) (379) 81
Nitrate reductase inactivating enzyme
Effects of a ——— and NAD(P)H on the nitrate reductase from higher plants and Neurospora (Wallace) (377) 239
Nitric oxide reductase: see also Nitrogenase
Nitrite reductase
Studies on the in vitro inactivation of the Neurospora crassa assimilatory ——— in the presence of reduced pyridine nucleotides plus flavin (Vega et al.) (377) 251
Nitrofuran
Effect of activated ———s on DNA (Tu, McCalla) (402) 142
Nitrogenase
———. VI. Acetylene reduction assay. Dependence of nitrogen fixation estimates on component ratio and acetylene concentration (Shah et al.) (384) 353
Nitrogenase
———. VI. Effect of component ratio, ATP and H_2 on the distribution of electrons to alternative substrates (Davis et al.) (403) 67
Nitrogenase
———. VIII. Mössbauer and EPR spectroscopy. The MoFe protein component from Azotobacter vinelandii OP (Münck et al.) (400) 32
Nitrogenase
———s of Klebsiella pneumoniae and Azotobacter chroococcum. Complex formation between the component proteins (Thorneley et al.) (403) 269
Nitrogenase
Immunological evidence for the capability of free-living Rhizobium japonicum to synthesise a portion of a ——— component (Bishop et al.) (381) 248
Nitrogenase
Regulation of nitrogen fixation. ——— -depressed mutants of Klebsiella pneumoniae (Shanmugam et al.) (408) 101
Nitrogen fixation
Involvement of oxyleghaemoglobin and cytochrome P-450 in an efficient oxidative phosphorylation pathway which supports ——— in Rhizobium (Appleby et al.) (387) 461

Nitrogen fixation
Nitrogen-fixing complex of bacteria (Zumft, Mortenson) (416) 1 (Review)
Nitrogen fixation
Regulation of — — —. Nitrogenase-derepressed mutants of Klebsiella pneumoniae (Shanmugam et al.) (408) 101
NMN adenylyltransferase
Adenosine triphosphate:nicotinamide mononucleotide adenyltransferase of pig liver, purification and properties (Ferro, Kuehl) (410) 285
NMR
— — — studies of haemoproteins. IV. Hindered rotation of haem side methyl group as a probe for studying van der Waals contacts in the haem side environments of myoglobin derivatives (Morishima, Iizuka) (386) 542
Nonactin
Steady-state ion transport by — — — and trinactin (Hladky) (375) 350
Nonactin
Tests of the carrier model for ion transport by — — — and trinactin (Hladky) (375) 327
Norepinephrine binding
[^{3}H] — — — by rat glial cells in culture. Lack of correlation between binding and adenylate cyclase activation (Premont et al.) (381) 368
Nuclease, epidermal
Epidermal nucleases. Purification and characterization of ribonuclease from mammalian epidermis (Melbye, Freedberg) (384) 466
Nuclease, staphylococcal
Polyamine activation of staphylococcal nuclease (Frank et al.) (390) 117
Nucleic acid
Purification and properties of — — —s from an unusual cytoplasmic organelle in the flagellate protozoan Crithidia oncopelti (Spencer, Cross) (390) 141
Nucleic acid precursor transport
Independent blood-brain barrier transport system for nucleic acid precursors (Cornford, Oldendorf) (394) 211
Nucleoside
^{13}C magnetic resonance investigation of mercury(II) binding to — — —s and thiolated nucleosides in dimethyl sulphoxide (Jennette et al.) (402) 403
Nucleoside triphosphatase
Interaction of calcium and magnesium in activating and inhibiting the — — — of sarcoplasmic reticulum vesicles (Vianna) (410) 389
Nucleoside triphosphate pools
Fluctuations in deoxyribo- and ribonucleoside triphosphate pools during the mitotic cycle of Physarum polycephalum (Fink) (414) 85
3′-Nucleotidase
Effects of membrane ribonuclease and — — — on the digestion of polyuridylic acid by rat liver plasma membrane (Aronson, Jr., Yannarell) (413) 135
5′-Nucleotidase
— — —. An ecto-enzyme of frog skeletal muscle (Woo, Manery) (397) 144
5′Nucleotidase
Biogenesis of plasmalemmal glycoproteins. Intracellular site of synthesis of mouse liver plasmalemmal 5′-nucleotidase as determined by the sub-cellular location of messenger RNA coding for — — — (Beregern et al.) (407) 325
5′-Nucleotidase
Purification and characterization of a cyclic nucleotide-regulated — — — from potato (Polya) (384) 443
5′-Nucleotidase
Synthesis and localisation of Escherichia coli UDPglucose hydrolase (— — —) and demonstration of a cytoplasmic inhibitor of this enzyme in Salmonella typhimurium (Taylor, Beacham) (411) 216
Nucleotide accumulation
RNA synthesis and the accumulation of guanine nucleotides during growth shift-down in the blue green alga Anacystis nidulans (Mann et al.) (402) 41
Nucleotide analogues
Polynucleotides. XXVIII. Stimulation of the binding of aminoacyl-tRNA to ribosomes by tri- and poly — — —s (Ohtsuka et al.) (383) 236
Nucleotide pyrophosphotransferase
Purine — — — from Streptomyces morookaensis, capable of synthesizing pppApp and pppGpp (Oki et al.) (410) 262
Nucleotide separation
Quantitative separation of nucleotides on mercurated dextran (Gruenwedel et al.) (402) 7

O

Obelin
Comparative aspects of the calcium-sensitive photoproteins aequorin and ——— (Moisescu et al.) (396) 133

Octanal metabolism
Examination of octanol and ——— to octanoic acid by horse liver alcohol dehydrogenase (Hinson, Neal) (384) 1

Octanol
Examination of ——— and octanal metabolism to octanoic acid by horse liver alcohol dehydrogenase (Hinson, Neal) (384) 1

Oestradiol-17β
Isolation of two forms of rat foetoprotein and comparison of their binding parameters with ——— (Benassayag et al.) (412) 295

Oestradiol-17β
Surface behaviour of ——— (Khaïat et al.) (401) 1

Oestrogen action
Early ———. Stimulation of the synthesis of methylated ribosomal and transfer RNAs (Luck, Hamilton) (383) 23

Oestrogen action
Effect of chorionic gonadotropin, triamcinolone, progesterone and oestrogen on enzymes of placenta and liver in rats (Diamant et al.) (385) 257

Oestrogen induction
Poly(A) polymerase in quail oviduct. Changes during ——— (Müller et al.) (383) 147

Oestrogen receptor
Transformation of the rat uterine ——— after partial purification (Nielsen, Notides) (381) 377

Oestrogen sulphotransferase
Enzymic synthesis of steroid sulphates. XI. Study of the oestrogen binding site of ——— by affinity labelling with 4-mercuri-17β-oestradiol (Adams et al.) (384) 423

Oligosaccharide
Formation of lipid-bound ———s in yeast (Lehle, Tanner) (399) 364

Optical response
Modification of ———s associated with the action potential of lobster giant axons (Kaplan, Klein) (382) 106

Organophosphate inhibitors
———. The reactions of bis(p-nitrophenyl)methyl phosphate with liver carboxylesterases and α-chymotrypsin (Hamilton et al.) (377) 282

Ornithine decarboxylase
——— activity in relation to DNA synthesis in mouse interfollicular epidermis and hair follicles (Probst, Krebs) (407) 147

Ornithine decarboxylase
Immunochemical demonstration of increased accumulation of ——— in rat liver after partial hepatectomy and growth hormone induction (Hölttä) (399) 420

Ornithine decarboxylase
Polyamines and ——— activity during growth and differentiation in Blastocladiella emersonii (Mennucci et al.) (404) 249

Ornithine decarboxylase
Stable multisubstrate adducts as enzyme inhibitors. Potent inhibition of ——— by N-(5′-phosphopyridoxyl)-ornithine (Heller et al.) (403) 197

Orthophosphate incorporation
Incorporation of ortho[^{32}P]phosphate into phosphatidylcholines and phosphatidylethanolamines in rat skeletal muscle (Shamgar, Collins) (409) 104

Orthophosphate release
Resolution, purification and characterization of the orthophosphate-releasing activities from fracture callus calcifying cartilage (Arsenis et al.) (391) 301

Osmoregulation
Isoenzymes of carbonic anhydrase of an euryhaline fish. Variations related to the ——— (Girard, Istin) (381) 221

Ovoflavoprotein purification
Synthesis of immobilized flavin derivatives and their use in purification of chicken egg-white ovoflavoprotein

(Blankenhorn et al.) (386) 470
Ovomucoid
Hydrogen-ion titration curve of — — — (Waheed, Salahuddin) (379) 147
Oxaloacetate metabolism
Activities of enzymes concerned with pyruvate and — — — in the heart and liver of developing sheep (Edwards et al.) (399) 217
Oxidative capacity
Failure of dietary erucic acid to impair — — — or ATP production of rat heart mitochondria isolated under controlled conditions (Dow-Walsh et al.) (396) 125
Oxidative phosphorylation
ATPase complex and — — — in chloramphenicol-induced megamitochondria from mouse liver (Wagner, Rafael) (408) 284
Oxidative phosphorylation
Energy-dependent accumulation of iron by isolated rat liver mitochondria. V. Effect on factors controlling respiration and — — — (Romslo, Flatmark) (387) 80
Oxidative phosphorylation
Involvement of oxyleghaemoglobin and cytochrome P-450 in an efficient — — — pathway which supports nitrogen fixation in Rhizobium (Appleby et al.) (387) 461
Oxidative phosphorylation
Mitochondria from human term placenta. I. Isolation and assay conditions for — — — (Olivera, Meigs) (376) 426
Oxidative phosphorylation
On the stoichiometry between uncouplers of — — — and respiratory chains. The catalytic action of SF 6847 (3,5-di-tert-butyl-4-hydroxybenzylidenemalonoitrile) (Terada, van Dam) (387) 507
Oxidative phosphorylation
Surface potential and the interaction of weakly acidic uncouplers of — — — with liposomes and mitochondria (Bakker et al.) (387) 491
Oxidosqualene cyclization
— — — in human placenta. An easy step of sterol biosynthesis (Tabacik et al.) (398) 490
3-Oxosteroid Δ4Δ5-isomerase: see Steroid Δ-isomerase
Oxygen affinity, mitochondrial
Mitochondrial oxygen affinity as a function of redox and phosphate potentials (Bienfait et al.) (376) 446
Oxygen evolution
Binding of the inhibitor NH_3 to the oxygen-evolving apparatus of spinach chloroplasts (Velthuys) (396) 392
Oxygen evolution
Flash kinetics and light intensity dependence of — — — in the blue-green alga Anacystis nidulans (Ley et al.) (387) 379
Oxygen evolution
Inhibition of — — — following illumination of Chlorella cells with far-red light (Bennoun, Bouges-Bocquet) (408) 180
Oxygen evolution
Kinetic study of — — — parameters in Tris-washed, reactivated chloroplasts (Blankenship et al.) (387) 165
Oxygen evolution
Rapid, light-induced transient in electron paramagnetic resonance signal II activation upon inhibition of photosynthetic oxygen evolution (Babcock, Sauer) (376) 315
Oxygen exchange transients
Slow 514 nm absorption phases and — — — in Ulva (Marsho, Hommersand) (376) 354
Oxygen tension
Electrode measurement of — — — with 1-ms time resolution (Luzzana, Penniston) (396) 157
Oxyleghaemoglobin
Involvement of — — — and cytochrome P-450 in an efficient oxidative phosphorylation pathway which supports nitrogen fixation in Rhizobium (Appleby et al.) (387) 461

P

Pallidin
— — —. Purification and characterization of a carbohydrate-binding protein from Polysphondylium pallidum implicated in intercellular adhesion (Simpson et al.) (412) 109
Palmitoylcarnitine
Turnover of — — — in rat liver (Åkesson) (398) 485
Palmitoyl-CoA synthetase
Changes in the activities of de novo fatty acid synthesis and — — — in relation to myelination in rabbit brain (Cantrill, Carey) (380) 165
Pancreatic secretion
Role of calcium in exocrine — — —. I. Calcium movements in the rabbit pancreas (Schreurs et al.) (404) 257
Papain
On the reaction of — — — and succinylpapain with diazo-1-H-tetrazole (Löffler, Schneider) (386) 221
Parotid gland
Comparison of the secretory processes in the parotid and sublingual glands of the mouse. I. Regulation of the secretory processes (Vreugdenhil, Roukema) (413) 79
Parotid gland
Purification and characterization of plasma membranes and the subcellular distribution of adenylate cyclase in mouse — — — (Durham et al.) (394) 388
Parvalbumin
Conformational studies on — — —s by circular dichroism (Closset, Gerday) (405) 228
Parvalbumin
Investigation of some physicochemical properties of muscular — — — by means of the luminescence of their phenylalanyl residues (Burnstein et al.) (400) 1
Pepsin
— — — immobilized by covalent fixation to hydroxyalkyl methacrylate gels. Preparation and characterization (Valentová et al.) (403) 192
Peptidase
Purification and properties of a — — — acting on a synthetic substrate for collagenase from monkey kidney (Aswanikumar, Radhakrishnan) (384) 194
Peptide
^{13}C Nuclear magnetic resonance studies of 85% ^{13}C-enriched amino acids and small — — —s. pH effects on the chemical shifts, coupling constants, kinetics of cis-trans isomerisation and conformation aspects (Fermandjian et al.) (399) 313
Peptide
Some lysine-containing — — —s from the elastase digest of elastin and their relation to lysino-norleucine crosslink (Juricová et al.) (386) 239
Peptide hormones
Nomenclature of — — — (IUPAC-IUB Commission on Biochemical Nomenclature) (404) 152
Peptide hydrolase
Intestinal surface — — —s. Identification and characterization of three enzymes from rat brush border (Wojnarowska, Gray) (403) 147
Peptidoglycan
— — — compositions of a new strain of Arthrobacter crystallopoietes during sphere-rod morphogenesis (Previc, Lowell) (411) 377
Peptidyl transferase
Affinity labelling of the ribonucleic acid component adjacent to the peptidyl recognition centre of — — — in Escherichia coli ribosomes (Yukioka et al.) (390) 192
Permease activity
Isolation and characterization of a mutant of Neurospora crassa deficient in general amino acid — — — (Rao et al.) (413) 45
Peroxidase
EPR studies on compound I of horseradish — — — (Aasa et al.) (391) 259
Peroxidase
Palmitic acid activation of — — — and

its possible significance in mango ripening (Mattoo, Modi) (397) 318
Peroxidase
Proton magnetic resonance studies of ———s from turnip and horseradish (Williams et al.) (412) 127
Peroxisome
Isolation of ———s from the dog kidney cortex (Kitano, Morimoto) (411) 113
Phage λ
Effect of chloramphenicol on early mRNA synthesis in bacterio ——— (Takeda) (407) 73
Phage λ
Fine structures in denaturation curves of bacteriophage lambda DNA. Their relation to the intramolecular heterogeneity in base composition (Yabuki et al.) (395) 258
Phage λ
Isolation of coliphage lambda ghosts able to absorb onto bacterial cells (Konopa, Taylor) (399) 460
Phage λ
Synthesis and degradation of early mRNA in ——— (Takeda, Kuwano) (407) 83
Phage PM2
Effect of lipid alkyl chain perturbations on the assembly of ——— (Cupp et al.) (389) 345
Phage T4
Comparison of the predicted and observed secondary structure of ——— lysozyme (Matthews) (405) 442
Phage T4D
Molecular weight of base plates of ——— (Sultanova et al.) (386) 369
Phage T5
Site-specific fragmentation of bacteriophage T5 DNA by single strand-specific S1 endonuclease (Shisido, Ando) (390) 125
Phage φX174
Bacterio ——— DNA synthesis in Escherichi coli HF4704S ($dnaH^{ts}$) cells (Sakai, Komano) (395) 433
Phage XP-12
Unusual properties of the DNA from Xanthomonas ——— in which 5-methylcytosine completely replaces cytosine (Ehrlich et al.) (395) 109
Phagocytosis
Studies on the mechanism of metabolic stimulation in polymorphonuclear leucocytes during ———. I. Evidence for superoxide anion involvement in the oxidation of $NADPH_2$ (Patriarca et al.) (385) 380
Phagocytosis
Studies on the mechanism of metabolic stimulation in polymorphonuclear leucocytes during ———. II. Presence of the $NADPH_2$ oxidising activity in a myeloperoxidase-deficient subject (Patriarca et al.) (385) 387
Phagolysosome
Formation of ———s containing dextran and Triton WR 1339 in mouse liver (Tsung et al.) (392) 216
Phalloidin
Interation of actin with ———; polymerization and stabilization of F-actin (Dancker et al.) (400) 407
Phase change
Investigations of thermotropic ———s in peripheral nerve of frog and rat. A spin label study (Schummer et al.) (394) 93
Phase diagram
Fluorescence studies of chlorophyll a incorporated into lipid mixtures, and the interpretation of ———s (Lee) (413) 11
Phaseolus vulgaris
SH-proteinase from bean ———, var Perlicka (Vavreinová, Turková) (403) 506
Phases
——— and phase structures in biological systems (Williams) (416) 237 (Review)
Phase separation
Chemically induced lipid ——— in model membranes containing charged lipids spin label study (Galla, Sackmann) (401) 509
Phase structure
Phases and ——— in biological systems (Williams) (416) 237 (Review)
Phase transition
Effects of protein thermotropic ———s of phospholipid membranes (Papahadjopoulos et al.) (401) 317

Phase transition
Theoretical model for lipid monolayer and — — —s (Scott, Jr) (406) 329
Phenobarbital
Reduced response to — — — by the liver of rats fed a choline-deficient diet (Saito et al.) (381) 185
Phenolic metabolism
— — — in petunia tissues. I. Characteristic responses of enzymes involved in different steps of polyphenol synthesis to different hormonal influences (Ranjeva et al.) (399) 23
Phenoloxidase
— — —s of the ascomycete Podospora anserina. XI. The state of copper of laccases I, II and III (Molitoris, Reinhammar) (386) 493
Phenylalanine
Biosynthesis of — — —, tyrosine, 3-(3-carboxyphenyl)-alanine and 3-(3-carboxy-4-hydroxyphenyl)alanine in higher plants. Examples of the transformation possibilities for chorismic acid (Larsen et al.) (381) 397
Phenylalanine
Difference-derivative absorbance spectrophotometry as a technique to measure state changes of — — — residues in proteins (Inoue et al.) (379) 653
Phenylalanine ammonia-lyase synthesis
Control over activation or synthesis of phenylalanine ammonia-lyase by phytochrome in mustard (Sinapis alba L.)? A contribution to eliminate some misconceptions (Acton, Schopfer) (404) 231
Phenylalanine ammonia-lyase synthesis
Regulation of — — — by cinnamic acid. Its implication for the light-mediated regulation of the enzyme (Johnson et al.) (385) 11
Phenylalanyl-tRNA derivative
Affinity labelling of Escherichia coli ribosomes by a — — —. A critical test for specificity (Bauer et al.) (395) 146
Phloretin-glucosidase
Lactase-phlorizin hydrolase complex from monkey small intestine. Purification, properties and evidence for two catalytic sites (Ramaswamy, Radhakrishnan) (403) 446
Phlorizin hydrolase: see Phloretin-glucosidase
Phosphatase
($Na^+ + K^+$)-activated ATPase of mammalian brain. Regulation of — — — activity (Swann, Albers) (382) 437
Phosphatase
Study of the cell walls of Rhodotorula yeasts. V. Influence of the conditions of culture on the — — —s of Rh. rubra (Touimi-Benjalloun, Bonaly) (392) 39
Phosphatase
Study of the cell walls of Rhodotorula yeasts. VI. Influence of 2-hydroxybiphenyl on — — — activities of Rh. rubra (Touimi-Benjalloun, Bonaly) (392) 51
Phosphate metabolism
Alkyldihydroxyacetone — — — in rat brain (El-Bassiouni et al.) (388) 5
Phosphate transport: see Ion transport
Phosphate transport system II
Genetic regulation of — — — in Neurospora (Lowendorf, Slayman) (413) 95
Phosphatidate phosphatase
Partial purification and properties of microsomal phosphatidate phosphohydrolase from rat liver (Caras, Shapiro) (409) 201
Phosphatidylcholine: see also Lecithin
Phosphatidylcholine
Biosynthesis of acyl groups in molecular species of biliary — — —s during metabolism of [2,2,2-$^2H_3$]ethanol (Curstedt) (398) 265
Phosphatidylcholine
Calorimetric and monolayer investigation of the influence of ions on the thermodynamic properties of — — — (Simon et al.) (375) 317
Phosphatidylcholine
Effect of — — — on fatty acid and cholesterol absorption from mixed micellar solutions (Rodgers, O'Connor) (409) 192
Phosphatidylcholine
Effect of cations on dipalmitoyl — — —/cholesterol/water systems (Inoko et al.) (413) 24
Phosphatidylcholine
Incorporation of ortho[^{32}P]phosphate into — — —s and phosphatidylethanolamines in rat skeletal muscle (Shamgar, Collins) (409) 104
Phosphatidylcholine
Raman spectra and vibrational assign-

ments for dipalmitoyl ——— and structurally related molecules (Spiker, Jr., Levin) (388) 361
Phosphatidylcholine dispersion
Effect of ions on phospholipid layer structure indicated by Raman spectroscopy (Lis et al.) (406) 453
Phosphatidylcholine exchange protein
Action of phospholipases on the ——— from beef liver (Kamp et al.) (398) 415
Phosphatidylcholine exchange protein
Delipidation of the ——— from beef liver by detergents (Kamp et al.) (398) 401
Phosphatidylcholine metabolism
Different selectivities in acylation and methylation pathways of phosphatidylcholine formation in guinea pig and rat livers (MacDonald, Thompson) (398) 424
Phosphatidylcholine metabolism
Novel pathway for phosphatidylcholine catabolism in rat brain homogenates (Abra, Quinn) (380) 436
Phosphatidylethanolamine
——— molecular species of fatty acid auxotroph of Escherichia coli grown with elaidate (Nishihara et al.) (409) 212
Phosphatidylethanolamine
^{13}C-enriched ———s from Escherichia coli (Birdsall et al.) (380) 344
Phosphatidylethanolamine
Incorporation of ortho[^{32}]phosphate into phosphatidylcholines and ———s in rat skeletal muscle (Shamgar, Collins) (409) 104
Phosphatidylethanolamine
Structural studies of biological membranes and related model systems by Raman spectroscopy. Sphingomyelin and 1,2-dilauroyl ——— (Meldelsohn et al.) (413) 329
Phosphatidylethanolamine
Surface distribution of the fatty acid side chains of ——— in mixed phospholipid vesicles (Litman) (413) 157
Phosphatidylglycerol
——— in lung surfactant. II. Subcellular distribution and mechanism of biosynthesis in vitro (Hallman, Gluck) (409) 172
Phosphatidylglycerol formation
Further studies on the formation of cardiolipin and phosphatidylglycerol in rat liver mitochondria. Effect of divalent cations and the fatty acid composition of CDPdiglyceride (Hostetler et al.) (380) 382
Phosphatidylserine
Differences in the interaction of inorganic and organic (hydrophobic) cations with ——— membranes (Hauser et al.) (413) 341
Phosphatidylserine
Fluidity of natural membranes and ——— and ganglioside dispersions. Effect of local anaesthetics, cholesterol and protein (Feinstein et al.) (413) 354
Phosphatidylserine transfer
——— from liposomes or microsomes to mitochondria. Stimulation by a cell supernatant factor (Butler, Thompson) (388) 52
Phosphodiesterase
Properties of cyclic nucleotide phosphodiesterase in the central nervous system of Manduca sexta (Albin et al.) (377) 364
Phosphofructokinase
Complementarity in the regulation of phosphoglucomutase, ——— and hexokinase. The role of glucose 1,6-bisphosphate (Beitner et al.) (397) 355
Phosphofructokinase
Human platelet 6- ———. Relation between inhibition by Mg · ATP^{2-} and cooperativity towards fructose 6-phosphate and investigations on the formation of a ternary complex (Akkerman et al.) (397) 395
Phosphofructokinase
Interaction of ——— with antibodies. Kinetic properties of phosphofructokinase in complexes with antibodies (Bartholomé-Dönnicke, Hofer) (397) 347
Phosphofructokinase
Regulation of the amount and of the activity of ———s and pyruvate kinases in Escherichia coli (Kotlarz et al.) (381) 257
Phosphoglucomutase
Complementarity in the regulation of

———, phosphofructokinase and hexokinase. The role of glucose 1,6-bisphosphate (Beitner et al.) (397) 355

6-Phosphogluconate dehydrogenase
Kinetic properties of an enzyme highly enriched in carbon-13 (Eakin) (377) 9

Phosphoglycerate dehydrogenase
Stereospecificity of hydrogen transfer by ——— (Winicov) (397) 288

Phosphoglyceride
Brain lipids from the porpoise Delphinus delphis. ———s rich in isovaleric acid and long chain iso-acids (Varanasi, Malins) (409) 304

Phosphoglyceride synthesis
Biosynthesis of phosphoglycerides in skeletal muscle in control rats and in rats deficient in essential fatty acids (Shamgar, Collins) (409) 116

Phosphoglyceride synthesis
Substrate activity of phosphonic acid analogues of CDP diglyceride in the synthesis of phosphoglycerides in Escherichia coli (Tyhach et al.) (388) 29

Phosphohistone phosphatase
Multiple molecular forms of phosphoprotein phosphatase. III. Phosphorylase phosphatase and ——— of rabbit liver (Kobayashi et al.) (377) 343

Phosphokinase
Inability of the oestrogen-induced uterine protein to serve as a substrate for the endogenous ———(s) (Dupont-Mairesse, Galand) (404) 214

Phospholipase
——— activity plays no role in the action of colicin K (Lusk, Park) (394) 129

Phospholipase
——— in the liposomes of HEp-2 cells and its release during poliovirus infection (Rice, Wolff) (381) 17

Phospholipase
Action of ———s on the phosphatidylcholine exchange protein from beef liver (Kamp et al.) (398) 415

Phospholipase
Relation between ——— actions on human red cell membranes and the interfacial phospholipid pressure in monolayers (Demel et al.) (406) 97

Phospholipase A
——— activities in rat placentas of 14 days' gestation (East et al.) (388) 106

Phospholipase A
Isolation and characterization of three ———s from the crotoxin complex (Breithaupt et al.) (403) 355

Phospholipase A
Naja melanoleuca (Forest cobra) venom. Purification and some properties of ——— (Joubert, van der Walt) (379) 317

Phospholipase A
Naja melanoleuca (Forest cobra) venom. The amino acid sequence of ———, fractions DE-I and DE-II (Joubert) (379) 345

Phospholipase A
Naja melanoleuca (Forest cobra) venom. The amino acid sequence of ———, fraction DE-III (Joubert) (379) 329

Phospholipase A_2
——— isoenzyme from porcine pancreas. Purification and some properties (Van Wezel, De Haas) (410) 299

Phospholipase A_2
Action of pancreatic ——— on phosphatidylcholine bilayers in different physical states (Op den Kamp et al.) (496) 169

Phospholipase A_2
Partial purification and properties of ——— from the starfish Asterina pectinifera (Okabe et al.) (398) 149

Phospholipase A_2
Simple and high yield purification of Crotalus adamanteus phospholipases A_2 (Wells) (380) 501

Phospholipase A_2
Stimulation and inhibition of pancreatic ——— by local anaesthetics as a result of their interaction with the substrate (Scherphof, Westenberg) (398) 442

Phospholipase C
——— from Clostridium novyi type A.I (Taguchi, Ikezawa) (409) 75

Phospholipase C
Changes in lipid metabolism and cell morphology following attack by ——— (Clostridium perfringens) on red cells or lymphocytes (Allen et al.) (413) 309

Phospholipase C
Metal ion dependence of — — — from Bacillus cereus (Little, Otnaess) (391) 326
Phospholipase C
Studies on — — — from Pseudomonas aureofaciens. I. Purification and some properties of phospholipase C (Sonoki, Ikezawa) (403) 412
Phospholipid
— — — in Newcastle Disease Virus infected cells (Israel et al.) (375) 224
Phospholipid
Biochemical changes in Bifidobacterium bifidum var. pennsylvanicus after cell wall inhibition. VIII. Composition and metabolism of — — —s at different stages and conditions of growth (Schaik, Veerkamp) (388) 213
Phospholipid
Changes in — — — susceptibility toward phospholipases induced by ATP depletion in avian and amphibian erythrocyte membranes (Gazitt et al.) (382) 65
Phospholipid
Changes in phospholipids of ram spermatozoa during migration through the epididymis and possible origin of prostaglandin $F_{2\alpha}$ in testicular and epididymal fluid (Poulos et al.) (388) 12
Phospholipid
Comparison of the interfacial interactions of the apoprotein from high density lipoprotein and β-casein with — — —s (Phillips et al.) (406) 402
Phospholipid
Composition and metabolism of — — —s of Fasciola hepatica, the common liver fluke (Oldenborg et al.) (398) 101
Phospholipid
Differential labeling of glycerol moieties of — — —s and triacylglycerols of cultured mammalian cells by [U-^{14}C]-glucose (Nelsen et al.) (388) 188
Phospholipid
Differential solubilization of proteins, — — —s, free and esterified cholesterol of rat liver cellular membranes by sodium deoxycholate (Ehrhart, Chauveau) (375) 434
Phospholipid
Effect of salt on — — — fatty acid composition in Escherichia coli K-12 (McGarrity, Armstrong) (398) 258
Phospholipid
Electron diffraction study of the hexagonal polymorphic form of some choline-containing phospholipids (Dorset) (380) 257
Phospholipid
Interaction of human apolipoproteins and — — —s. Semi-quantitative studies using polyacrylamide gel electrophoresis (David et al.) (398) 72
Phospholipid
Laser Raman spectroscopic investigation of — — — and protein configurations in haemoglobin-free erythrocyte ghosts (Lippert et al.) (382) 51
Phospholipid
Membrane reconstitution in chl-r mutants of Escherichia coli K 12. IX. Part played by — — —s in the complementation process (Azoulay et al.) (389) 236
Phospholipid
Regulation of microsomal enzymes by — — —s. IX. Production of uniquely modified forms of microsomal UDP-glucuronyltransferase by treatment with phospholipase A and detergents (Zakim, Vessey) (410) 61
Phospholipid desaturase
Characterization of a membrane-bound — — — system of Candida lipolytica (Pugh, Kates) (380) 442
Phospholipid exchange
Catalytic properties of — — — protein from bovine heart (Johnson, Zilversmit) (375) 165
Phospholipid exchange
Proteins and the intracellular exchange of lipids. I. Stimulation of — — — between mitochondria and microsomal fractions by proteins isolated from potato tuber (Kader) (380) 31
Phospholipid exchange
Use of — — — protein to measure inside-outside transposition in phosphatidylcholine liposomes (Johnson et al.) (375) 176
Phospholipid metabolism
— — — of stimulated lymphocytes. Composition of phospholipid fatty acids (Ferber et al.) (398) 364
Phospholipid metabolism
Cytochalasin B. Effect on — — — and lysosomal enzyme release by leucocytes

(Tou, Stjernholm) (392) 1
Phospholipid-protein interaction
Experimental.alteration of — — —s within the human erythrocyte membrane. Dependence on glycolytic metabolism (Haest, Deuticke) (401) 468
Phospholipid synthesis
Drug-induced suppression of — — — in HeLa cells by inhibition of choline uptake (Shigeura et al.) (388) 180
Phospholipid synthesis
Inhibition of — — — in Escherichia coli by phenethyl alcohol (Nunn) (380) 403
Phospholipid vesicles
Interaction of atebrin with — — — (Massari) (375) 22
Phospholipid vesicles
Surface distribution of the fatty acid side chains of phosphatidylethanolamine in mixed — — — (Litman) (413) 157
Phosphonopyruvic acid
— — —. A probable precursor of phosphonic acids in cell-free preparations of Tetrahymena (Horiguchi, Rosenburg) (404) 333
Phosphopeptide
— — — and phosphoprotein metabolism in brain (Ledig et al.) (381) 324
Phosphoprotein
Phosphopeptide and — — — metabolism in brain (Ledig et al.) (381) 324
Phosphoprotein
Stimulated phosphorylation of nonhistone — — —s in SV-40 transformed WI-38 human diploid fibroblasts (Pumo et al.) (402) 125
Phosphoprotein kinase
Nuclear — — — activities in normal and neoplastic tissues (Thomson et al.) (407) 114
Phosphoprotein phosphatase
— — — in the central nervous system of Manduca sexta (Albin, Newburgh) (377) 381
Phosphoprotein phosphatase
— — —s for myelin basic protein in myelin and cytosol fraction of brain (Miyamoto, Kakiuchi) (384) 458
Phosphoprotein phosphatase
Multiple molecular froms of — — —. III. Phosphorylase phosphatase and phosphohistone phosphatase of rabbit liver (Kobayashi et al.) (377) 343
Phosphoprotein phosphatase
Purification and characterization of a — — — from bovine adrenal cortex (Ullman, Perlman) (403) 393
Phosphopyridoxyl-Lys$^{7(41)}$-ribonuclease A
Spectral properties of — — — (Dudkin et al.) (386) 275
Phosphorothioate
Photoreactions of — — — and cysteamine-S-phosphate. Photosubstitution and phosphoryl transfer (Neumann, Sokolovsky) (381) 292
Phosphorylase
Activation and inactivation of — — — and glycogen synthetase during perfusion of rat liver as influenced by epinephrine, glucagon and hydrocortisone (Saitoh, Ui) (404) 7
Phosphorylase
Characteristics of the dephosphorylated form of — — — purified from rat liver and measurement of its activity in crude liver preparations (Tan, Nuttall) (410) 45
Phosphorylase
Photooxidation of α-glucan — — —s from rabbit muscle and potato tubers (Kamogawa, Fukui) (403) 326
Phosphorylase
Regulation of platelet — — — (Chaiken et al.) (403) 315
Phosphorylase activation
Regulation of glycogen metabolism in liver by the autonomic nervous system. VI. Possible mechanism of — — — by the splanchnic nerve (Shimazu, Amakawa) (385) 242
Phosphorylase kinase
Control of platelet glycogenolysis. Activation of — — — by calcium (Gear, Schneider) (392) 111
Phosphorylase phosphatase
Multiple molecular forms of phosphoprotein phosphatase. III. — — — and phosphohistone phosphatase of rabbit liver (Kobayashi et al.) (377) 343
Phosphorylation
Electrical potential changes, H^+ translocation and — — — induced by short flash excitation in Rhodopseudomonas sphaeroides chromatophores (Saphon et al.) (408) 67
Phosphorylation
Functional unit of electrical events and

— — — in chromatophores from Rhodopseudomonas sphaeroides (Saphon et al.) (408) 58
Phosphorylation
Transport-associated — — — of 2-deoxy-D-glucose in Saccharomyces fragilis (Jaspers, van Steveninck) (406) 370
Phosphorylation site
— — — associated with the oxidation of exogenous donors of electrons to Photosystem I (Gould) (387) 135
Phosvitin
— — — phosphate content. Implications for protein kinase assay (Ahmed et al.) (377) 80
Phosvitin
Structural requirements for the enzymatic phosphorylation of — — — (Pinna et al.) (397) 519
Photophosphorylation
— — — and related properties of reaggregated vesicles from spinach Photosystem I particles (Jaynes et al.) (408) 240
Photophosphorylation
Electron transport in an in vitro-reconstituted bacterial photophosphorylating system (Garcia et al.) (387) 129
Photophosphorylation
Tightly bound nucleotides of the energy-transducing ATPase of chloroplasts and their role in — — — (Harris, Slater) (387) 335
Photoreaction
— — —s of phosphorothioate and cysteamine-S-phosphate. Photosubstitution and photophosphoryl transfer (Neumann, Sokolovsky) (381) 292
Photoreceptor
Effect of strong illumination on the ion efflux from the isolated discs of frog — — — (Sorbi, Cavaggioni) (394) 577
Photosynthesis
Characteristics of thermoluminescence bands of intact leaves and isolated chloroplasts in relation to water-splitting activity in — — — (Ichikawa et al.) (408) 228
Photosynthesis
Delayed light studies on photosynthetic energy conversion. VIII. Evidence from millisecond emission of chloroplasts for two adenylate binding sites on membrane-bound coupling factor, CF_1 (Vambutas, Bertsch) (376) 169
Photosynthesis
Excited states of photosynthetic reaction centres at low redox potentials (Parson et al.) (387) 265
Photosynthesis
Kinetic completion of the cyclic photosynthetic electron pathway of Rhodopseudomonas sphaeroides. Cytochrome b-cytochrome c_2 oxidation-reduction (Prince, Dutton) (387) 609
Photosynthesis
Localization of photosynthetic reaction centres by antibody binding to chromatophore membranes from Rhodopseudomonas sphaeroides strain R 26 (Reed et al.) (387) 368
Photosynthesis
Primary photochemical reaction of bacterial photosynthesis (Parson, Codgell) (416) 105 (Review)
Photosynthesis
Vanadium compounds and ferrocyanide as ionic redox agents in — — — (Rose et al.) (408) 35
Photosynthetic model
New chlorophyll-b forms in a chlorophyll-detergent — — — system (Lehoczki) (408) 223
Photosystem I
Electron transport in — — — in spinach chloroplasts (Bouges-Bocquet) (396) 382
Photosystem I
Energy transfer between Photosystem II and — — — in chloroplasts (Butler, Kitajima) (396) 72
Photosystem I
Enrichment of — — — reaction centre chlorophyll from spinach chloroplasts (Ikegami, Katoh) (376) 588
Photosystem I
Evidence for energy migration from — — — to Photosystem II and the effect of magnesium (Jennings, Forti) (376) 89
Photosystem I
Excitation spectra for — — — and Photosystem II in chloroplasts and the spectral characteristics of the distribu-

tion of quanta between the two photosystems (Kitajima, Butler) (408) 297
Photosystem I
Flash photolysis electron spin resonance studies of the electron acceptor species at low temperatures in — — — of spinach subchloroplast particles (McIntosh et al.) (376) 308
Photosystem I
Fluorescent kinetics of chlorophyll in — — — and II enriched fractions of spinach (Yu et al.) (387) 159
Photosystem I
Light-induced absorbance changes due to — — — and II in spinach chloroplasts at −50°C (Amesz, de Grooth) (376) 298
Photosystem I
Phosphorylation site associated with the oxidation of exogenous donors of electrons to — — — (Gould) (387) 135
Photosystem I
Photophosphorylation and related properties of reaggregated vesicles from spinach — — — particles (Jaynes et al.) (408) 240
Photosystem I
Probing the kinetics of — — — and Photosystem II fluorescence in pea chloroplasts on a picosecond pulse fluorimeter (Rubin) (408) 143
Photosystem I
Requirement of galactolipids for — — — activity in lyophilized spinach chloroplasts (Krupa, Baszynski) (408) 26
Photosystem II
Chlorophyll radical cation in — — — of chloroplasts. Millisecond decay at low temperature (Mathis, Vermeglio) (396) 371
Photosystem II
Chloroplast membranes of the green alga Acetabularia mediterranae. I. Isolation of the — — — (Apel et al.) (387) 568
Photosystem II
Effect of o-phenanthroline on the midpoint of the primary electron acceptor of — — — (Knaff) (376) 583
Photosystem II
Energy transfer between — — — and Photosystem I in chloroplasts (Butler, Kitajima) (396) 72
Photosystem II
Evidence for energy migration from Photosystem I to — — — and the effect of magnesium (Jennings, Forti) (376) 89
Photosystem II
Excitation spectra for Photosystem I and — — — in chloroplasts and the spectral characteristics of the distribution of quanta between the two photosystems (Kitajima, Butler) (408) 297
Photosystem II
Fluorescence quenching in — — — of chloroplasts (Butler, Kitajima) (376) 116
Photosystem II
Fluorescent kinetics of chlorophyll in Photosystem I and II enriched fractions of spinach (Yu et al.) (387) 159
Photosystem II
Inhibition of — — — by uncouplers at alkaline pH and its reversal by artificial electron donors (Cohn et al.) (376) 97
Photosystem II
Inhibitory action of cadmium on the donor side of — — — in isolated chloroplasts (van Duivendijk-Matteoli, Desmet) (408) 164
Photosystem II
Light-induced absorbance changes due to Photosystems I and II in spinach chloroplasts at −50°C (Amesz, de Grooth) (376) 298
Photosystem II
Light-induced changes of absorbance and electron spin resonance in — — — particles (van Gorkom et al.) (408) 331
Photosystem II
New site of bicarbonate effect in — — — of photosynthesis. Evidence from chlorophyll fluorescence transients in spinach chloroplasts (Wydrzynski, Govindjee) (387) 403
Photosystem II
Partial reaction in — — — . Reduction of silicomolybdate prior to the site of dichlorophenyldimethylurea inhibition (Giaquinta, Dilley) (387) 288
Photosystem II
Photo-inactivation of System II centres by carbonyl cyanide m-chlorophenylhydrazone in Chlorella pyrenoidosa (Lemasson, Etienne) (408) 135

Photosystem II
Probing the kinetics of Photosystem I and — — — fluorescence in pea chloroplasts on a picosecond pulse fluorimeter (Rubin) (408) 143
Photosystem II
Rapid component of electron paramagnetic resonance signal II. A candidate for the physiological donor to — — — in spinach chloroplasts (Babcock, Sauer) (376) 329
Photosystem II
Reactions between primary and secondary acceptors of — — — in Chlorella pyrenoidosa under anaerobic conditions, as studied by chlorophyll a fluorescence (van Best, Duysens) (408) 154
Photosystem II
Silicomolybdate and silicotungstate mediated dichlorophenyldimethylurea-insensitive — — — reaction. Electron flow, chlorophyll a fluorescence and delayed light emission changes (Zilinskas, Govindjee (387) 306
Photosystem II
Two electron donation sites for exogenous reductants in chloroplast — — — (Babcock, Sauer) (396) 48
Phycomyces
Mössbauer effect studies in the fungus — — — (Spartalian et al.) (399) 203
Phycomyces blakesleeanus genome
Characterisation of the genome of Phycomyces blakesleeanus (Dusenbery) (378) 363
Physarum polycephalum
Activity, isoenzyme pattern and synthesis of UDPglucose-4-epimerase during differentiation of — — — (Hüttermann et al.) (384) 493
Physarum polycephalum
Fluctuations in deoxyribo- and ribonucleoside triphosphate pools during the mitotic cycle of — — — (Fink) (414) 85
Phytohaemagglutinin
Control of protein synthesis during the stimulation of lymphocytes by — — —. III. Poly(U) translation and the rate of polypeptide chain elongation (Kay et al.) (378) 241
Phytohaemagglutinin
Purification of the — — — family of proteins from red kidney beans (Phaseolus vulgaris) by affinity chromatography (Felsted et al.) (405) 72
Phytohaemagglutinin
Studies on — — —s. XXIV. Isoelectric point and hybridization of the pea (Pisum sativum L) isophytohaemagglutinins (Entlicher, Kocourek) (393) 165
Phytohaemagglutinin
Studies on — — —s. XXV. Isolation and characterization of haemagglutinins of the spindle tree seeds (Evonymus europae L.) (Pacék, Kocourek) (400) 374
Phytohaemagglutinin
Studies on — — —s. XXVI. A new type of lentil haemagglutinin isolated from Lens esculenta Moench., subsp. microsperma (Baumg.) (Fialová et al.) (393) 170
Phytohaemagglutinin-P
Effect of metabolic state on — — — agglutination of normal and human erythrocytes (Singer, Morrison) (406) 553
Pinocytic vesicles
Proteolytic activity within lysosomes and turnover of — — —. A kinetic analysis (Davidson) (411) 282
Placenta, human term
Mitochondria from human term placenta. I. Isolation and assay conditions for oxidative phosphorylation (Olivera, Meigs) (376) 426
Placenta, human term
Mitochondria from human term placenta. II. Characterization of respiratory pathways and coupling mechanisms (Olivera, Meigs) (376) 436
Placental enzymes
Effect of chorionic gonadotropin, triamcinolone, progesterone and oestrogen on enzymes of placenta and liver in rats (Diamant et al.) (385) 257
Plasma albumin
Fluorescence polarization studies on the conformational transition of bovine — — — in acidic solutions (Sogami et al.) (393) 446
Plasma albumin
On the location of the sulphhydryl

group in bovine — — — (Hull et al.) (400) 132
Plasma albumin
Structure of N-terminal cyanogen bromide fragment of human — — — (Meloun et al.) (393) 505
Plasmalemma
Biogenesis of — — —l glycoproteins. Intracellular site of synthesis of mouse liver plasmalemmal 5′-nucleotidase as determined by the sub-cellular location of messenger RNA coding for 5′-nucleotidase (Bergeron et al.) (407) 325
Plasmalogen
Biosynthesis of — — —s by rat brain. Involvement of the microsomal electron transport system (Wykle, Schremmer Lockmiller) (380) 291
Plasmin
Action of antithrombin III on — — — and activators of plasminogen (Crawford, Ogston) (391) 189
Plasmin
pH effects in — — — catalysed hydrolysis of α-N-benzoyl-L-arginine compounds (Christensen) (397) 459
Plasminogen
Action of antithrombin III on plasmin and activators of — — — (Crawford, Ogston) (391) 189
Plasminogen
Differences in the binding to fibrin of native — — — and plasminogen modified by proteolytic degradation. Influence of ω-aminocarboxylic acids (Thorsen) (393) 55
Plasminogen
Effect of heparin on the affinity chromatography of — — —. Demonstration of heparin-plasminogen interaction (Hatton, Regoeczi) (386) 451
Plasminogen
Relevance of the structure of lysine bound to Sepharose for the affinity of rabbit — — — (Hatton, Regoeczi) (379) 504
Plastocyanin
Further purification of "Triton subchloroplast I" (TSF-I particles). Isolation of a cytochrome-free high-P-700 particle and a complex containing cytochromes f and b_6, — — — and iron-sulphur protein(s) (Ke et al.) (408) 12
Plastocyanin
NMR investigation of electron transfer in the copper-protein, — — — (Beattie et al.) (405) 109
Platelet
Arachidonate lipoxygenase in blood — — —s (Nugteren) (380) 299
Platelet
Effect of hydrogen ion concentration on energy metabolism in pig — — —s (Nishimura, Minakami) (396) 1
Platelet
Effects of thrombin on washed, human — — —s. Changes in the subcellular fractions (Hagen) (392) 242
Platelet
Oxygen consumption of human blood — — —s. I. Effect of thrombin (Muenzer et al.) (376) 237
Platelet
Oxygen consumption of human blood — — —s. II. Effect of inhibitors on thrombin-induced oxygen burst (Muenzer et al.) (376) 243
Platelet
Subcellular fractionation of pig — — —s (Salganicoff et al.) (385) 394
Platelet factor 4
Platelet antiheparin activity. The isolation and characterisation of — — — released from thrombin-aggregated washed human platelets and its dissociation into subunits and the isolation of membrane-bound antiheparin activity (Moore et al.) (379) 370
Platinum drugs
Possible mode of action of anti-tumour — — —. X-ray evidence for cis-binding by platinum of two inosine 5′-monophosphate molecules via the N(7) positions (Goodgame et al.) (378) 153
Poliovirus infection
Phospholipase in the liposomes of HEp-2 cells and its release during — — — (Rice, Wolff) (381) 17
Poly(adenosine diphosphate-ribose) polymerase
Stimulation of nuclear — — — activity from HeLa cells by endonucleases (Miller) (395) 191

Polyamine metabolism
Effects of external osmolality on — — — in HeLa cells (Munro et al.) (411) 263
Polyamines
— — — and ornithine decarboxylase activity during growth and differentiation in Blastocladiella emersonii (Mennucci et al.) (404) 249
Polyamines
Association of ribosomal subunits. IV. — — — as active components of the association factor from Bacillus stearothermophilus (García-Patrone et al.) (395) 373
Poly(A) polymerase
— — — in quail oviduct. Changes during oestrogen induction (Müller et al.) (383) 147
Poly(A) polymerase
— — —s in normal and virus-transformed cells (Pellicer et al.) (378) 107
Polyarginine
Different effects of polylysine and — — — on the transition to a condensed state of DNA in polyethyleneglycol/salt solution (Zama, Ichimura) (414) 256
Poly(C) · guanosine · protonated poly(C)
Calorimetric study of the triple helix formation. Interaction of — — — (Klump) (383) 117
Poly(cytidylic acid)
Calorimetric study of the helix-coil transition of — — — in acid solution (Klump) (383) 1
Poly[d(A-T)]
Salt effects on the denaturation of DNA. IV. A calorimetric study of the helix-coil conversion of the alternating copolymer — — — (Gruenwedel) (395) 246
Poly(7-deazaadenylic acid)
Polynucleotide duplexes based on — — — (Torrence, Witkop) (395) 56
Polygalacturonase
— — — from Botrytis cinerea E-200 Pers (Urbanek, Zalewska-Sobczak) (377) 402
Polyglycerophosphatide metabolism
— — — in Escherichia coli (Audet et al.) (380) 414
Polylysine
Different effects of — — — and polyarginine on the transition to a condensed state of DNA in polyethyleneglycol/salt solution (Zama, Ichimura) (414) 256
Polymorphonuclear leucocyte
Studies on the mechanism of metabolic stimulation in — — —s during phagocytosis. I. Evidence for superoxide anion involvement in the oxidation of $NADPH_2$ (Patriarca et al.) (385) 380
Polymorphonuclear leucocyte
Studies on the mechanism of metabolic stimulation in — — —s during phagocytosis. II. Presence of the $NADPH_2$ oxidising activity in a myeloperoxidase-deficient subject (Patriarca et al.) (385) 387
Polymyxin B
Effect of — — — on liposomal membranes derived from Escherichia coli lipids (Imai et al.) (375) 130
Polynucleotide
— — —s. XXVIII. Stimulation of the binding of aminoacyl-tRNA to ribosomes by tri- and poly-nucleotide analogues (Ohtsuka et al.) (383) 236
Polynucleotide duplex
— — —es based on poly(7-deazaadenylic acid) (Torrence, Witkop) (395) 56
Polynucleotide phosphorylase
— — — from Streptomyces aureofaciens. Purification and properties (Simúth et al.) (379) 397
Polypeptide
— — — composition of cell membranes from chick embryo fibroblasts transformed by Rous sarcoma virus (Marciani, Bader) (401) 386
Polyphenol synthesis
Phenolic metabolism in petunia tissues. I. Characteristic responses of enzymes involved in different steps of — — — to different hormonal influences (Ranjeva et al.) (399) 23
Polyphenylalanine synthesis
Efficient — — — with proflavine and ethidium-labelled $tRNA^{Phe}$ from yeast in the reticulocyte ribosomal system (Odom et al.) (387) 159
Polyphosphoinositide metabolism
Localization of enzymes involved in — — — on the cytoplasmic surface of the human erythrocyte membrane (Garrett, Redman) (382) 58

Polyribonucleotide nucleotidyltransferase: see also Polynucleotide phosphorylase
Polysaccharidase
Characterization and function of the ———s of human synovial fluid in rheumatoid and osteoarthritis (Stephen et al.) (399) 101
Polysaccharide carrier
Covalent attachment of proteins to ———s by means of benzoquinone (Brandt et al.) (386) 196
Polysome
Free and membrane-bound chloroplast polyribosomes in Chlamydomonas reinhardtii (Margulies, Michaels) (402) 297
Polysome
Isolation of large ———s in high yield from unfractionated tissue homogenates (Morton et al.) (395) 28
Polysome
Preferential biosynthesis of ribosomal structural proteins by free and loosely bound ———s from regenerating rat liver (Nabeshima et al.) (414) 30
Poly(U) polymerase
——— in tobacco leaves (Brishammar, Juntti) (383) 351
Potato virus X
Circular dichroism and fluorescence studies of ——— and its structural components (Homer, Goodman) (378) 296
ppGpp accumulation
Quinone-induced stringent control. Accumulation of ppGpp and inhibition of RNA synthesis in stringent Escherichia coli by 5,8-dioxo-6-amino-7-chloroquinoline (Ogilvie et al.) (395) 136
ppGpp synthesis
Studies on the in vitro synthesis of ppGpp and pppGpp (Beres, Lucas-Lenard) (395) 80
pppGpp synthesis
Studies on the in vitro synthesis of ppGpp and pppGpp (Beres, Lucas-Lenard) (395) 80
Pregnelonone formation
Effect of calcium (ion) uptake by rat adrenal mitochondria on ——— and spectral properties of cytochrome P-450 (Simpson, Williams-Smith) (404) 309
Preinitiation complex
Temperature and salt effects on the formation of ———es between RNA polymerase and phage DNA (Escarmis et al.) (402) 261
Prekeratin
Isolation of the polypeptide chains of ——— (Lee et al.) (412) 82
Procollagen
Type III ——— and collagen in skin (Lenaers, Lapiere) (400) 121
Progesterone
Effect of chorionic gonadotropin, triamcinolone, ——— and oestrogen on enzymes of placenta and liver in rats (Diamant et al.) (385) 257
Progesterone assay
Enzyme immunoassay of progesterone at the picogram level using β-galactosidase as label (Dray et al.) (403) 131
Progesterone binding
Binding of ——— to the proteins of the uterine luminal fluid. Identification of uteroglobin as the binding protein (Beato, Baier) (392) 346
Progesterone receptor
Analysis of the binding of the chick oviduct ——— to chromatin (Jaffe et al.) (399) 403
Progesterone synthesis
Stimulatory effect of gonadotropins on the synthesis of adenosine 3′:5′-cyclic monophosphate and progesterone by suspensions of rat ovarian interstitial cells (Kawano et al.) (385) 88
Proline dipeptidase
Purification and characterization of an aminoacylproline hydrolase from guinea pig intestinal mucosa (O'Cuinn, Fottrell) (391) 388
Proline metabolism
Effect of L-azetidine-2-carboxylic acid on growth and ——— in Escherichia coli (Grant et al.) (404) 180
Proline recycling
——— during collagen metabolism as determined by concurrent $^{18}O_2$- and ^{3}H-labelling (Jackson, Heininger) (381) 359
Propionyl CoA synthase
Activation of short-chain fatty acids by the soluble fraction of guinea-pig heart and liver mitochondria. The search for a distinct propionyl-CoA synthetase (Groot) (380) 12

Prostaglandin
Effect of catecholamines and ———s upon human and rat erythrocytes (Rasmussen et al.) (411) 63
Prostaglandin A_1
Conjugation of ——— and glutathione catalyzed by homogeneous glutathione S-transferases from human and rat liver (Cagen et al.) (398) 205
Prostaglandin E_1
——— induced changes in cyclic AMP levels in W1-38 human fibroblasts. Two different effects of cell density (O'Neill, Hsie) (404) 243
Prostaglandin E_2
Distribution studies on the reduction of ——— to prostaglandin $F_{2\alpha}$ by tissue homogenates (Hensby) (409) 225
Prostaglandin E_2
Isolation and identification of ——— from the gastrointestinal tract of shark Triakis scyllia (Ogata, Nomura) (388) 84
Prostaglandin $F_{2\alpha}$
Changes in phospholipids of ram spermatozoa during migration through the epididymis and possible origin of ——— in testicular and epididymal fluid (Poulos et al.) (388) 12
Prostaglandin $F_{2\alpha}$
Distribution studies on the reduction of prostaglandin E_2 to ——— by tissue homogenates (Hensby) (409) 225
Prostaglandin precursors
Enrichment of rat tissue lipids with fatty acids that are ——— (Danon et al.) (388) 318
Prostaglandin synthase
Further characterization of bovine thyroid ——— (Friedman et al.) (397) 331
Prostaglandin synthase
Inhibition of ——— by pirprofen. Studies with sheep seminal vesicle enzyme (Ku, Wasvary) (384) 360
Prostaglandin synthesis
——— by the rat renal papilla in vitro. Mechanism of stimulation by angiotensin II (Danon et al.) (388) 71
Prostaglandin synthesis
Catabolism of an isolated, purified intermediate of prostaglandin biosynthesis by regions of the adult rat kidney (Pace-Asciak, Nashat) (388) 243
Prostglandin synthesis
Some characteristics of the prostaglandin synthesizing system in rabbit kidney microsomes (Blackwell et al.) (398) 178
Protamine kinase
——— from yeast (Nakashima et al.) (397) 117
Protease: see also Proteinase
Protease
Cytoplasmic origin of the so-called nuclear neutral histone protease (Destree et al.) (378) 450
Protease
Membrane-bound enzymes. III. ——— activity in leucocytes in relation to erythrocyte membranes (Heller et al.) (413) 472
Protease
Possible role of pancreatic ———s in the turnover of intestinal brush border proteins (Alpers, Tedesco) (401) 28
Protease
State and reactivity of tryptophyl residues in two bacterial ———s from Sorangium Sp. (Leskovac) (393) 563
Protease
Structural and functional determinants of Mucor miehei ———. V. Enthalpy changes upon thermal denaturation in solutions of varying pH (Ledward et al.) (379) 426
Protein
Alkaline extraction of non-histone ———s from rat liver chromatin (Murphy, Bonner) (405) 62
Protein
Binding of the fd gene-5 protein to single-stranded nucleic acid (Dunker, Anderson) (402) 31
Protein
Calcium sensitivity of hybrid complexes of muscle myosin and Physarum ———s (Nachmias) (400) 208
Protein
Catalytic properties of phospholipid exchange ——— from bovine heart (Johnson, Zilversmit) (375) 165
Protein
Cell cycle dependent exposure of a high molecular weight ——— on the surface of mouse L cells (Hunt et al.) (413) 453
Protein
Cellular retinol-binding ——— (Bashor, Chytil) (411) 87

Protein
Changes in proteins of the human lens in development and aging (Dilley, Harding) (386) 391
Protein
Cryoprotective leaf — — —s (Volger, Heber) (412) 335
Protein
Effect of calcium on the tryptic digestion of bovine intestinal calcium-binding — — — (Fullmer et al.) (412) 256
Protein
Effect of dietary protein on the excretion of α_{2u}, the sex-dependent — — — of the adult male rat (Neuhaus, Flory) (411) 74
Protein
Fluidity of natural membranes and phosphatidylserine and ganglioside dispersions. Effect of local anaesthetics, cholesterol and — — — (Feinstein et al.) (413) 354
Protein
Further studies on the lens cell-free system. In vitro synthesis of the non-crystallin lens — — —s (Vermorken et al.) (414) 167
Protein
Inability of the oestrogen-induced uterine — — — to serve as a substrate for the endogenous phosphokinase(s) (Dupont-Mairesse, Galand) (404) 214
Protein
Infrared spectroscopic studies of solvent-induced conformational changes in globular — — —s (Jacobson, Kreuger) (393) 274
Protein
Isolation and purification of a calcium-binding — — — from electroplax of Electrophorus electricus (Childers, Siegel) (405) 99
Protein
Isolation, chemical and immunological characterization of two strongly basic nuclear — — —s from human spermatozoa (Kolk, Samuel) (393) 307
Protein
Low molecular weight urinary — — —s. I. Partial amino acid sequences of the retinol-binding proteins of man and dog (Poulik et al.) (412) 326
Protein
N^{τ}-Methylhistidine content of mixed — — —s in various rat tissues (Haverberg et al.) (405) 67
Protein
Non-histone chromosomal — — — from virus-transformed and untransformed 3T3 mouse fibroblasts (Gonzales, Rees) (395) 361
Protein
Purification and partial characterization of two basic — — —s from human peripheral nerve (Abramsky, London) (393) 556
Protein
Response of renal calcium-binding — — —. Independence of kidney vitamin D hydroxylation (Bar et al.) (411) 106
Protein
Small copper-binding — — —s from normal and copper-loaded liver (Riordan, Gower) (411) 393
Protein
Solution behavior, circular dichroism and 220 MHz PMR studies of the bovine myelin basic — — — (Liebes et al.) (405) 27
Protein
Use of computed activity coefficients in Raoult's reference system, for n-alcohol/water mixtures, and their application to the study of — — —s (Shlusselberg, Paredes) (405) 89
Protein, membrane: see Membrane protein
Protein, ribosomal
Characterization of N-ethylmaleimide-reative proteins from human tonsillar ribosomes by two-dimensional polyacrylamide gel electrophoresis (Ücer et al.) (402) 206
Protein, ribosomal
Comparison of — — — from neoplastic and non-neoplastic cells. Resolution by two-dimensional gel electrophoresis (Subramanian et al.) (383) 93
Protein, ribosomal
Differences between the protein moieties of active subunits and EDTA-treated subunits of the rat liver ribosomes with specific references to a 5 S rRNA · protein complex (Terao et al.) (402) 230
Protein, ribosomal
Immunogenic properties of eukaryotic ribosomal proteins (Delaunay, Schapira) (386) 138

Protein, ribosomal
Photoinduced covalent crosslinkage, in situ, of Escherichia coli 50-S ribosomal proteins to rRNA (Gorelic) (390) 209
Protein, ribosomal
Primary structure of the ribosomal protein L29 from Escherichia coli (Bitar) (386) 99
Protein, ribosomal
Ribosomal proteins of hamster, mouse and hybrid cells (Fujisawa, Eliceiri) (402) 238
Protein, ribosomal
Solution of ribosomal proteins under mild conditions (Huvos, Cox) (383) 421
Protein, ribosomal
Studies on structural proteins of the rat liver ribosomes. I. Molecular weights of the proteins of large and small subunits (Terao, Ogata) (402) 214
Proteinase: see also Protease
Proteinase
Acid sulphydryl protease from calf lymph nodes (Turnsek et al.) (403) 514
Proteinase
Properties and specificity of the major metal-chelator-sensitive — — — in the keratinolytic larvae of the webbing clothes moth (Ward) (384) 215
Proteinase
SH- — — — from bean Phaseolus vulagaris, var Perlička (Vavreinová, Turková) (403) 506
Proteinase
Uptake of — — — -α-macroglobulin complexes by macrophages (Debanne et al.) (411) 295
Proteinase B
Levels and turnover of the — — — inhibitors in yeast (Betz) (404) 142
Protein association
Protein-protein interactions of light-harvesting pigment protein from spinach chloroplasts. I. Ca^{2+} binding and its relation to — — — (Davis, Gross) (387) 557
Protein characterization
Circular dichroism analysis of the secondary structure of protein and its complexes with bilirubin and other organic anions (Kamisaka et al.) (393) 24
Protein characterization
Concanavalin A-reactive protein of rabbit thymocyte plasma membranes. Analysis by crossed immune electrophoresis and sodium dodecyl sulphate/polyacrylamide gel electrophoresis (Schmidt-Ullrich et al.) (382) 295
Protein characterization
Glial fibrillary acidic protein from normal and gliosed human brain. Demonstration of multiple related polypeptides (Dahl, Bignami) (386) 41
Protein characterization
Interaction between proteins and detergents which contain a hydrocarbon chain longer than 16 carbon atoms. II. Difference spectra of various proteins in cetyldimethylbenzylammonium chloride (Ushiwata) (393) 215
Protein characterization
Isolation and partial characterization of a tubulin-like protein from human and swine synaptosomal membranes (Kornguth, Sunderland) (393) 100
Protein characterization
Isolation and partial characterization of intestinal calcium-binding proteins from the cow, pig, horse, guinea pig and chick (Fullmer, Wasserman) (393) 134
Protein characterization
Magnetic studies of the four-iron high-potential non-haem protein from Chromatium vinosum (Antanaitis, Moss) (405) 262
Protein characterization
Partial purification and characterization of the enzyme which converts precursor liver protein to factor X (Chung et al.) (386) 556
Protein characterization
Plasma proteins and immunoglobulins in penguins (Pygoscelis adeliae) (Castrelos et al.) (400) 137
Protein characterization
Purification and properties of glutamate-binding protein from the periplasmic space of Escherichia coli K-12 (Barash, Halpern) (386) 168
Protein characterization
Vitamin D-dependent calcium-binding protein from rat kidney (Hermsdorf, Bronner) (379) 553
Protein-chromosomal interaction
Contractile proteins. Major components of nuclear and chromosome non-

histone proteins (Lestourgeon et al.) (379) 529
Protein-chromosomal interaction
DNA-binding proteins from Novikoff hepatoma cells (Johnson et al.) (378) 424
Protein-chromosomal interaction
Ion effects on protein-nucleic acid interactions. The disassembly of the 50-S ribosomal subunit from the halophilic bacterium, Halobacterium cutirubrum (Strøm et al.) (383) 325
Protein-chromosomal interaction
Isolation and characterization of a DNA-binding non-histone protein from Tetrahymena pyriformis (Donnelly, Jr. et al.) (402) 150
Protein-chromosomal interaction
Non-histone chromosomal proteins easily extractible from chick erythrocytes (Burckard et al.) (405) 434
Protein-chromosomal interaction
Specific interaction of chromatin non-histone proteins with DNA (Umansky et al.) (383) 242
Protein kinase
— — — in cultured plant cells (Nakaya et al.) (410) 273
Protein kinase
— — —s in brown adipose tissue of developing rats. I. GTP as nucleotide substrate for histone phosphorylation (Skala, Knight) (385) 114
Protein kinase
— — —s in brown adipose tissue of developing rats. II. Two soluble kinase activities and their affinities for nucleotide and protein substrates (Knight, Skala) (385) 114
Protein kinase
Changes in cyclic AMP-dependent — — — activity in Tetrahymena pyriformis during the growth cycle (Majumder et al.) (384) 399
Protein kinase
Cyclic nucleotide-stimulable — — — in the central nervous system of Manduca sexta (Albin, Newburgh) (377) 389
Protein kinase
Phosvitin phosphate content. Implications for — — — assay (Ahmed et al.) (377) 80
Protein kinase
Separation, properties and possible subunit composition of adenosine 3′,5′-monophosphate-dependent — — — in brown adipose tissue (Knight, Fordham) (384) 102
Protein kinase
Studies of kidney plasma membrane cyclic AMP-dependent — — — (Forte et al.) (389) 84
Protein phosphokinase
Effect of ADP, calcium and some inhibitors of platelet aggregation on — — —s from human blood platelets (Bishop, Rozenberg) (384) 112
Protein phosphokinase
Ontogeny of cyclic AMP-dependent — — — during hepatic development of the rat (Lee, Jungmann) (399) 265
Protein-proteinase inhibitor
Crystalline — — — from Pinto bean seeds (Wang) (393) 583
Protein-protein interaction
— — —s of light-harvesting pigment protein from spinach chloroplasts. I. Ca^{2+} binding and its relation to protein association (Davis, Gross) (387) 557
Protein state transitions
EPR studies of — — — in Chromatium ferricytochrome c′ (Maltempo) (379) 95
Protein surfaces
Approach for an equation of state for adsorbed — — — (Joos) (375) 1
Protein synthesis
— — — in chloroplasts. IV. Polypeptides of the chloroplast envelope (Joy, Ellis) (378) 143
Protein synthesis
— — — inhibitor co-isolating with polyribosomal RNA (Evans, Rosenfeld) (390) 342
Protein synthesis
Are 50% of all cellular proteins synthesized on mitochondrial ribosomes in Crithidia luciliae? (Kleisen, Borst) (390) 78
Protein synthesis
Cell-free mammalian protein-synthesizing system stimulated by RNA from avian myeloblastosis virus (Ascione et al.) (395) 509
Protein synthesis
Cellular site of synthesis of ribosomal proteins in yeast (Mager, Planta) (402) 105

Protein synthesis
Control of — — — during the stimulation of lymphocytes by phytohaemagglutinin. III. Poly(U) translation and the rate of polypeptide chain elongation (Kay et al.) (378) 241
Protein synthesis
Control of membrane — — — in Bacillus subtilis (Sargent) (406) 564
Protein synthesis
Effect of anti-oestrogens on egg yolk — — — and oestrogen binding to chromatin in the rooster liver (Jaffe et al.) (399) 395
Protein synthesis
Effect of double-stranded cowpea mosaic viral RNA on — — — (Reijnders et al.) (390) 69
Protein synthesis
Effect of protein deprivation and starvation on the rate of — — — in tissues of the rat (Garlick et al.) (414) 71
Protein synthesis
Effect of ricin on biosynthesis of myeloma protein (IgA) and general cellular proteins in MOPC-315 cells (Ko, Kaji) (144) 155
Protein synthesis
Inhibition of — — — in mouse myeloma cells by Ricinus communis toxin (Onozaki et al.) (407) 99
Protein synthesis
Mechanism of inhibition of — — — initiation by diacetoxyscirpenol and fusarenon X in the reticulocyte lysate system (Mizuno) (383) 207
Protein synthesis
Mitochondrial — — — and the stimulation of steroidogenesis by cyclic adenosine 3′,5′-monophosphate in isolated rat adrenal cells (Koritz, Wiesner) (383) 86
Protein synthesis
Muscle — — — in the tumour-bearing rat. A defect in a post-initiation stage of translation (Clark, Goodlad) (378) 230
Protein synthesis
Nucleotide regulation of a eukaryotic — — — initiation complex (Walton, Gill) (390) 231
Protein synthesis
Preferential biosynthesis of ribosomal structural proteins by free and loosely bound polysomes from regenerating rat liver (Nabeshima et al.) (414) 30
Protein synthesis
Requirement for RNA, protein and DNA synthesis in the establishment of DNA replicase activity in synchronized HeLa cells (Seki, Mueller) (378) 354
Protein synthesis
Stimulation of mitochondrial — — — by metal ions (Primack) (407) 439
Protein synthesis
Synthesis of viral proteins by the avian myeloblastosis viral core component (Meldelson) (407) 442
Protein synthesis
Temperature sensitivity of — — — initiation in the reticulocyte lysate system. Reduced formation of the 40 S ribosomal subunit · Met-tRNA$_f$ complex at an elevated temperature (Mizuno) (414) 273
Protein synthesis
Transfer RNA-dependent protein-synthesizing system from Ehrlich ascites extracts (Sharma et al.) (390) 327
Protein transport
Axoplasmic transport of a brain-specific soluble protein (Marangos et al.) (392) 75
Protein transport
Covalent attachment of proteins to polysaccharide carriers by means of benzoquinone (Brandt et al.) (386) 196
Protein transport
Non-parallel transport of membrane proteins and content proteins during assembly of the secretory granule in rat parotid gland (Wallach et al.) (375) 87
Protein transport
Use of phospholipid exchange protein to measure inside-outside transposition in the phosphatidylcholine liposomes (Johnson et al.) (375) 176
Proteodermatan sulphate
Isolation of a glycoprotein and — — — from bovine achilles tendon by affinity chromatography on concanavalin A-Sepharose (Anderson) (379) 444
Proteoglycan
— — —s of mineralizing rib and epiphyseal cartilage (Lohmander, Hjerpe) (404) 93

Proteoglycan
Comparison of — — —s from bovine articular cartilage (Strider et al.) (379) 271
Proteoglycan
Hydration of — — —s of bovine cornea (Bettelheim, Plessy) (381) 203
Proteolysis
Metal ion effects on — — — and stability in secondary lysosomes of mouse kidney (Davidson) (385) 163
Proteolysis
Proteolytic activity in yeast (Saheki, Holzer) (384) 203
Proteolysis
Proteolytic activity within lysosomes and turnover of pinocytic vesicles. A kinetic analysis (Davidson) (411) 282
Prothrombin
Activation of a proenzyme by a stoichiometric reaction with another protein. The reaction between — — — and staphylocoagulase (Hemker et al.) (379) 180
Prothrombin
Biological and immunological activity of — — — in rough and smooth microsomes isolated from rat liver (Janson, Helgeland) (379) 598
Prothrombin
Influence of cadmium ions on the adsorption of — — — onto $Al(OH)_3$ as a means to purify prothrombin (Devilee et al.) (379) 172
Prothrombin
On the presence of a heat-stable, macromolecular inhibitor of the thrombin-fibrinogen reaction in rat liver microsomes and its separation from — — — (Helgeland) (386) 203
Protocatechuate 3,4-dioxygenase
Circular dichroism of — — — from Pseudomonas aeruginosa (Zaborsky et al.) (386) 18
Protocollagen lysyl-hydroxylase
Glomerular — — — activity in streptozotocin diabetes (Khalifa, Cohen) (386) 332
Protomer-protomer interaction
Involvement of tyrosine residues in the — — — of Proteus mirabilis flagella as studied by spectroscopic methods, chemical modification and aggregation experiments (Schalch, Bode) (405) 292
Proton translocation
Control of — — — induced by ATPase activity in chloroplasts (Carmeli et al.) (376) 249
Proton translocation
Mechanism of respiration-driven — — — in the inner mitochondrial membrane. Analysis of proton translocation associated with oxidation of endogeneous ubiquinol (Papa et al.) (387) 425
Proton uptake
Stimulation of the light-induced — — — by uncoupling aminoacridine derivatives in spinach chloroplasts (Fiolet et al.) (387) 320
Protoporphyrin IX
Complexes between polymer ligands and ferri- and ferro-protoporphyrin IX (Tsuchida et al.) (393) 483
ϵ-Prototoxin
Studies on — — — of Clostridium perfringens type D. Physicochemical and chemical properties of ϵ-prototoxin (Habeeb) (412) 62
Protuberic acid
Studies on fungal polysaccharide. XVII. A new glucuronan '— — —' produced by a fungus Kobayashia nipponica (Miyazaki et al.) (385) 345
Pseudomonas aureofaciens
Studies on phospholipase C from — — —. I. Purification and some properties of phospholipase C (Sonoki, Ikezawa) (403) 412
Pseudomonas oleovorans
Structural effects on the reactivity of substrates and inhibitors in the epoxidation system of — — — (May et al.) (403) 245
Pullulanase
Purification and some properties of alkaline — — — from a strain of bacillus No. 202-1. An alkalophilic microorganism (Nakamura et al.) (397) 188
Pulse radiolysis
Application of — — — to the study of drug interactions with biological macromolecules (Greenstock, Ruddock) (383) 464
Pulse radiolysis
Study of biochemical redox processes by the technique of — — — (Shafferman, Stein) (416) 287 (Review)

Purine metabolism
Endogenous — — — in the conidia of wild type and certain adenine mutants of Neurospora crassa. I. The nature of the reserve pools, and pool utilization during adenine starvation (Pendyala, Wellman) (385) 194
Purine nucleoside phosphorylase
Crystallization and some properties of — — — from chicken liver (Murakami, Tsushima) (384) 390
Pyridine nucleotide
Studies on the in vitro inactivation of the Neurospora crassa assimilatory nitrite reductase in the presence of reduced — — —s plus flavin (Vega et al.) (377) 251
Pyrimethamine
Mitochondrial and cellular inhibition by the folate analogue — — — in Saccharomyces cerevisiae. Reversal of cellular effects by TMP (Stone, Wilkie) (390) 133
Pyrimidine dimers
Excision of — — — in normal and T4-infected Escherichia coli. Effect of polA and other mutations (Katsuki, Sekiguchi) (383) 188
Pyrimidine dimers
Transition metal-ion photosensitized monomerisation of — — — (Rosenthal et al.) (378) 165
Pyrophosphatase
Studies on matrix vesicles isolated from chick epiphyseal cartilage. Association of — — — and ATPase activities with alkaline phosphatase (Majeska, Wuthier) (391) 51
Pyrophosphatase, inorganic
Membrane-bound K^+- and Mg^{2+}-stimulated inorganic pyrophosphatase from roots and cotyledons of sugarbeet (Karlsson) (399) 346
Pyruvate carboxylase
Effect of calcium ions on — — — from pigeon liver (Dugal, Göpel) (410) 407
Pyruvate decarboxylase III
— — —. Specificity restrictions for thiamine pyrophosphate in the protein association step, sub-unit structure (Gounaris et al.) (405) 492
Pyruvate kinase
Chemical specificity of — — — from yeast (Blumberg, Stubbe) (384) 120
Pyruvate kinase
Difference in — — — regulation among three groups of yeast (Hirai et al.) (391) 282
Pyruvate kinase
Immunological properties of — — —. II. The relationship of the human erythrocyte isozyme to the human liver isozymes (Lincoln et al.) (410) 279
Pyruvate kinase
Regulation of the amount and of the activity of phosphofructokinases and — — —s in Escherichia coli (Kotlarz et al.) (381) 257
Pyruvate metabolism
Activities of enzymes concerned with pyruvate and oxaloacetate metabolism in the heart and liver of developing sheep (Edwards) (399) 217
Pyruvate transport
Inhibition of — — — by fatty acids in isolated cells from rat small intestine (Lamers, Hülsmann) (394) 31

Q

Quinolone
Studies of the mitochondria from Eimeria tenella and inhibition of the electron transport by — — — coccidiostats (Wang) (396) 210

Quinone
Nomenclature of — — —s with isoprenoid side-chains. Recommendations (1973) IUPAC-IUB Commission on Biochemical Nomenclature (CBN) (387) 397

R

Raoult's reference system
Use of computed activity coefficients in — — —, for n-alcohol/water mixtures, and their application to the study of proteins (Schlusselberg, Paredes) (405) 89

recBC enzyme
Action of exonuclease V (the — — —) on ultraviolet-irradiated DNA (Tanaka, Sekiguchi) (383) 178

Redox processes
Study of biochemical — — — by the technique of pulse radiolysis (Shafferman, Stein) (416) 287 (Review)

Reflection coefficient
Sodium chloride — — — in rabbit gall bladder (Monticelli et al.) (401) 41

Renin
Purification of hog — — — by affinity chromatography using the synthetic competitive inhibitor [D-Leu^6]-octapeptide (Poulsen et al.) (400) 258

Repair
8-Methoxypsoralen plus 365 nm light effects and — — — in yeast (Averbeck, Moustacchi) (395) 393

Respiration
Characteristics of developing mitochondrial genetic and respiratory functions in germinating fungal spores (Brambl) (396) 175

Respiration
Energy-dependent accumulation of iron by isolated rat liver mitochondria. V. Effect on factors controlling — — — and oxidative phosphorylation (Romslo, Flatmark) (387) 80

Respiration
Mitochondria from human term placenta. II. Characterization of respiratory pathways and coupling mechanisms (Olivera, Meigs) (376) 436

Respiration
Respiratory control in isolated perfused rat heart. Role of the equilibrium relations between the mitochondrial electron carriers and the adenylate system (Hassinen, Hiltunen) (408) 319

Respiration
Separation of respiratory reactions in Rhodospirillum rubrum. Inhibition studies with 2-hydroxydiphenyl (Oelze, Kamen) (387) 1

Respiratory chain
— — — in a ubiquinone-deficient mutant of Saccharomyces cerevisiae (Kok, Slater) (376) 27

Respiratory chain
EPR studies on the — — — of wild-type Saccharomyces cerevisiae and mutants with a deficiency in succinate dehydrogenase (de Kok et al.) (387) 441

Respiratory chain
On the stoichiometry between uncouplers of oxidative phosphorylation and — — —s. The catalytic action of SF 6847 (3,5-di-tertbutyl-4-hydroxybenzylidenemalononitrile) (Terada, van Dam) (387) 507

Respiratory chain
Protective function of superoxide dismutase during — — — activity (Tyler) (396) 335

Respiratory chain
Redox state of — — — enzymes and potassium transport in silkworm midgut (Mandel et al.) (408) 123

Respiratory chain
Studies on the mechanisms of electron transport in the bc_1-segment of the — — — in yeast. II. The binding of antimycin to mitochondrial particles and the function of two different binding sites (Burger et al.) (396) 187

Respiratory chain
Thermodynamic and EPR characterization of iron-sulphur centres in the NADH-ubiquinone segment of the mitochondrial — — — in pigeon heart (Ohnishi) (387) 475

Reticulocyte
Effect of serum and experimental variables on the transferrin and — — — interaction (Workman, Jr. et al.) (399) 254

Reticulocyte
Evidence supporting a physiological role for the haemin-controlled translation supressor of globin synthesis in — — —s (Schulman) (414) 161
Reticulocyte lysate
Inhibition of haemoglobin synthesis by pancreatic deoxyribonuclease in rabbit — — —s (Falicetti, Urbani) (414) 146
Reticulocyte lysate system
Mechanism of inhibition of protein synthesis initiation by diacetoxyscirpenol and fusarenon X in the — — — (Mizuno) (383) 207
Reticulocyte lysate system
Temperature sensitivity of protein synthesis initiation in the — — —. Reduced formation of the 40 S ribosomal subunit · Met-tRNA$_f$ complex at an elevated temperature (Mizuno) (414) 273
Retinal rod
X-ray diffraction studies of — — —s. I. Structure of the disc membrane, effect of illumination (Chabre) (382) 322
Retinal rod
X-ray diffraction studies of — — —s. II. Light effect on the osmotic properties (Chabre, Cavaggioni) (382) 336
Retinol
Biosynthesis of — — — in bovine corpus luteum tissue (Stacewicz-Sapuncakis et al.) (380) 264
Retinol
Roles of bile salts in the uptake of β-carotene and — — — by rat everted gut sacs (El-Gorab et al.) (401) 265
Retinol dehydrogenase
Biochemical aspects of the visual process. XXVII. Stereospecificity of ocular — — —s and the visual cycle (Lion et al.) (384) 283
Reverse transcriptase
Endogenous — — — activity of gibbon ape lymphoma virus. Characterization of the DNA product (Harewood et al.) (407) 14
Rheological properties
On the role of sialic acid in the — — — of mucus (Meyer et al.) (392) 223
Rhizobium leguminosarum
Comparison of DNA from free-living and endosymbiotic — — — (strain PRE) (Reijnders et al.) (414) 206
Rhodopseudomonas sphaeroides
Detection of two further b-type cytochromes in — — — (Saunders, Jones) (396) 220
Rhodopseudomonas sphaeroides Ga
Cytochrome c$_2$ and reaction centre of — — — membranes. Extinction coefficients, content, half-reduction potentials, kinetics and electric field alterations (Dutton et al.) (387) 536
Rhodopseudomonas viridis
Delayed fluorescence from — — — following single flashes (Carithers, Parson) (387) 194
Rhodopsin
Biochemical aspects of the visual process. XXVIII. Classification of sulphhydryl groups in — — — and other photoreceptor membrane proteins (de Grip et al.) (396) 104
Rhodopsin
Circular dichroism of cephalopod — — — and its intermediate in the bleaching and photoregeneration process (Azuma et al.) (393) 520
Rhodotorula cell wall
Study of the cell walls of Rhodotorula yeasts. V. Influence of the conditions of culture on the phosphatases of Rh. rubra (Touimi-Benjelloun, Bonaly) (392) 39
Rhodotorula cell wall
Study of the cell walls of Rhodotorula yeasts. VI. Influence of 2-hydroxybiphenyl on phosphatase activities of Rh. rubra (Touimi-Benjalloun, Bonaly) (392) 51
Riboflavin
Occurrence of fatty methyl esters and cholesterol in a molecular complex with — — —. A correction (Lewis) (398) 353
Riboflavin
Role of tryptophan residues and hydrophobic interaction in the binding of — — — in egg-yolk flavoprotein (Sbeczko, Ostrowski) (393) 253
Ribonuclease: see also RNAase
Ribonuclease
Degradation of DNA · RNA hybrids by aggregates of pancreatic — — — (Libonati et al.) (407) 292
Ribonuclease
Effects of membrane — — — and 3′-

nucleotidase on the digestion of polyuridylic acid by rat liver plasma membrane (Aronson, Jr., Yannarell) (413) 135
Ribonuclease
Epidermal nucleases. Purification and characterization of — — — from mammalian epidermis (Melbye, Freedberg) (384) 466
Ribonuclease
N-terminal amino acid sequence of trypsinogen from the Lesser Rorqual Balaenoptera acutorostrata (Cetacea). Simultaneous isolation of trypsinogen, chymotrypsinogen and — — — from pancreas (Bricteux-Grégoire et al.) (386) 244
Ribonuclease
Purification and properties of an intracellular — — — from Candida lipolytica (Imada et al.) (395) 490
Ribonuclease
Purification of an alkaline — — — from soluble fraction of beef brain (Okazaki et al.) (391) 84
Ribonuclease
Ribosomal RNA turnover and the level of — — — activity in the liver of the pregnant rat (Goodlad, Ma) (378) 221
Ribonuclease A
Assignment of the imidazole ring nitrogen protons of histidine 48 in the proton NMR spectrum of — — — in water solution (Patel et al.) (400) 275
Ribonuclease A
Circular dichroism study of the conformation of ultraviolet-irradiated — — — (Schulz et al.) (386) 120
Ribonuclease A
Interaction of transition metal ions with — — —. II. The selective effects of Mn^{2+}, Zn^{2+}, Cd^{2+} and Hg^{2+} on the histidine magnetic resonance (Fan, Bersohn) (397) 405
Ribonuclease BS-1
Degradation of double-stranded RNA by a monomeric derivative of — — — (Libonati et al.) (402) 83
Ribonuclease P_2
Preparation and characterization of ribonuclease from human hypertrophic prostate gland (RNAase P_2) (Kuciel, Ostrowski) (402) 253
Ribonuclease U_2
On the interaction of — — — and substrate analogues (Sato, Uchida) (383) 168
Ribonucleoprotein
Metabolic stability of messenger — — — in HeLa cells (Auerbach, Pedersen) (395) 388
Ribonucleoside 2′,3′-cyclic phosphate 5′-phosphate
Simple one-step synthesis of — — —s (Simoncsits, Tomasz) (395) 74
Ribonucleotide reductase
— — — activity during amphibian development (Tondeur-Six et al.) (395) 41
Ribosomal resistance
Simultaneous — — — to trichodermin and anisomycin in Saccharomyces cerevisiae mutants (Jimenez et al.) (383) 427
Ribosomal subunit
Ion effects on protein-nucleic acid interactions. The disassembly of the 50-S ribosomal subunit from the halophilic bacterium, Halobacterium cutirubrum (Strøm et al.) (383) 325
Ribosomal subunit
Properties and synthesis of multiple components in native small — — —s of mouse ascites tumour cells (Sameshima, Izawa) (378) 405
Ribosome
Affinity labelling of Escherichia coli — — —s by a derivative of phenylalanyl-tRNA. A critical test for the specificity (Bauer et al.) (395) 146
Ribosome
Analysis of — — —s by polyacrylamide gel electrophoresis (Ledoigt et al.) (407) 222
Ribosome
Are 50% of all cellular proteins synthesised on mitochondrial ribosomes in Crithidia luciliae? (Kleisen, Borst) (390) 78
Ribosome
Association of ribosomal subunits. IV. Polyamines as active components of the association factor from Bacillus stearothermophilus (García-Patrone et al.) (395) 373
Ribosome
Characterization of N-ethylmaleimide-

reactive proteins from human tonsillar ———s by two-dimensional polyacrylamide gel electrophoresis (Ucer et al.) (402) 206

Ribosome
Characterization of the particles produced by exposure of ribosomal subunits to urea (Langer et al.) (407) 320

Ribosome
Differences between the protein moieties of active subunits and EDTA-treated subunits of rat liver ———s with specific references to a 5 S rRNA · protein complex (Terao et al.) (402) 230

Ribosome
Different binding of poly(A)-containing and poly(A)-free fractions of nuclear ribonucleic acid to ———s from rat liver (Grozdanovic, Hradec) (402) 69

Ribosome
Effects of anions on the structure and functions of mammalian ———s (Hultin, Näslund) (402) 199

Ribosome
Free and membrane-bound ———s. II. Two-dimensional gel electrophoresis of proteins from free and membrane-bound rabbit reticulocyte ribosomes (Fehlmann et al.) (378) 119

Ribosome
Polynucleotides. XXVIII. Stimulation of the binding of aminoacyl-tRNA to ———s by tri- and poly-nucleotide analogues (Ohtsuka et al.) (383) 236

Ribosome
Ribosome run through of the termination codon in the absence of the ribosome-releasing factor (Ogawa, Kaji) (402) 288

Ribosome
State of messenger ribonucleic acid and ———s in the cytoplasm of ethionine-treated rat liver (Endo et al.) (383) 305

Ribosome
Studies on structural proteins of the rat liver ———s. I. Molecular weights of the proteins of large and small subunits (Terao, Ogata) (402) 214

Ribosome migration
——— along the axons of the chick visual pathway (Bondy, Purdy) (390) 332

Ribosome phosphorylation
Adenosine 3′,5′-monophosphate-dependent phosphorylation of ribosomes and ribosomal subunits from bovine corpus luteum (Azhar, Menon) (392) 64

Ricin
Effect of ——— on biosynthesis of myeloma protein (IgA) and general cellular proteins in MOPC-315 cells (Ko, Kaji) (414) 155

Ricinus communis
Studies on the structure and properties of lectins from Abrus precatorius and ——— (Olsnes et al.) (405) 1

Ricinus communis toxin
Inhibition of protein synthesis in mouse myeloma cells by ——— (Onozaki et al.) (407) 99

Rifampicin derivative AF/013
Inhibition of nuclear RNA synthesis by the ——— in living cells (Egyhàzi) (378) 205

Ripening
Palmitic acid activation of peroxidase and its possible significance in mango ——— (Mattoo, Modi) (397) 318

RNA
III. ——— component of aminoacyl-tRNA synthetase complexes isolated from mouse liver. Absence of amino acid accepting activity (Berg) (414) 93

RNA
Abundant species of poly(A)-containing ——— from Saccharomyces cerevisiae (Shalitin, Fischer) (414) 263

RNA
Cell-free translation of Rauscher leukaemia virus ——— into high molecular weight polypeptides (Naso et al.) (383) 195

RNA
Different binding of poly(A)-containing and poly(A)-free fractions of nuclear ribonucleic acid to ribosomes from rat liver (Grozdanovič, Hradec) (402) 69

RNA
Effect of double-stranded cowpea mosaic viral RNA on protein synthesis (Reijnders et al.) (390) 69

RNA
Electrophoretic characterisation of low molecular weight nuclear RNA from normal and SV40-transformed 3T3 cells (White, Rees) (378) 378

RNA
Escherichia coli mutants deficient in — — — accumulation at high temperature (Chaney, Schlessinger) (378) 80
RNA
Evidence for the participation of a host enzyme in the activation of poly(A)-Qβ — — — as an infectious agent (Gilvarg et al.) (414) 341
RNA
Half-life of polyadenylated polysomal — — — from normal and transformed cells in monolayer culture (Sensky et al.) (407) 430
RNA
High molecular weight — — — fraction in chromatin (Monahan, Hall) (383) 40
RNA
Ribosomal — — — genes in the nucleus and chloroplast of Euglena (Gruol et al.) (414) 20
RNA
Separation of 9 S — — — from avian immature red blood cells into f2c-histone mRNA and globin mRNA (Knöchel) (395) 501
RNA
Size distribution and cell-free translation of globin-coding HnRNA from avian erythroblasts (Knöchel, Tiedemann) (378) 383
RNA
30 S pre-ribosomal — — — of Escherichia coli. Primary and secondary processing (Nikolaev et al.) (395) 478
RNA
5′-Termini of bacterial RNA. I. The monophosphorylated termini (Cook, Konrad) (383) 399
mRNA
Biogenesis of plasmalemmal glycoproteins. Intracellular site of synthesis of mouse liver plasmalemmal 5″-nucleotidase as determined by the subcellular location of — — — coding for 5′-nucleotidase (Bergeron et al.) (407) 325
mRNA
Gene activation in human diploid cells. Age-dependent modifications in the stability of messenger RNAs for non-histone chromosomal proteins (Stein, Burtner) (390) 56
mRNA
Globin — — — from rabbit reticulocyte membrane-bound ribosomes (Brennessel, Goldstein) (378) 73
mRNA
State of messenger ribonucleic acid and ribosomes in the cytoplasm of ethionine-treated rat liver (Endo et al.) (383) 305
mRNA
Synthesis and translation site of light-induced — — —s in etiolated Euglena gracilis (Verdier) (407) 91
rRNA
— — — turnover and the level of ribonuclease activity in the liver of the pregnant rat (Goodlad, Ma) (378) 221
rRNA
Binding of ethidium bromide to ribosomal RNA. Absorption, fluorescence, circular and electric dichroism study (Gatti et al.) (407) 308
rRNA
Inhibitor of protein synthesis co-isolating with polyribosomal RNA (Evans, Rosenfeld) (390) 342
rRNA
Molecular weights of maize mitochondrial and cytoplasmic ribosomal RNAs under denaturing conditions (Pring, Thornbury) (383) 140
rRNA
Photoinduced covalent crosslinkage, in situ, of Escherichia coli 50-S ribosomal proteins to — — — (Gorelic) (390) 209
rRNA
Poly(A)-containing polyribosomal RNA in sea urchin embryos. Changes in proportion during development (Fromson, Duchastel) (378) 394
rRNA
Properties and synthesis of ribosomal RNA in the free-living nematode Panagrellus silusiae (Noble, Pasternak) (402) 51
rRNA
Regulation of species-specific — — — in a somatic hybrid cell (Sayavedra, Eliceiri) (378) 216
tRNA
Alterations in SVT2 cell transfer RNAs in response to cell density and serum type (Katze) (383) 131

tRNA
Guanine aminohydrolase in rat and mouse red cells. A potent inhibitor of guanylation of — — — (Farkas, Singh) (377) 166
tRNA
Isoaccepting species differences between polysome-bound and total cellular — — — in SVT2 cells (Katze) (407) 399
tRNA
Participation of manganese ions complexed with — — — in the interaction with amino acids and dipeptides (Weiner et al.) (383) 316
tRNA
Polynucleotides. XXVIII. Stimulation of the binding of aminoacyl-tRNA to ribosomes by tri- and poly-nucleotide analogues (Ohtsuka et al.) (383) 236
tRNA
Specific conversion of s^4U to U in Escherichia coli tRNA by iodate oxidation (Lim Wong, Kearns) (395) 381
tRNA
Studies on lysine, glutamine and glutamic acid — — — from Drosophila (White) (395) 322
$tRNA^{Arg}$
Tertiary structure in Escherichia coli — — — and $tRNA^{Val}$ (Lim Wong et al.) (383) 446
$tRNA^{Leu}$
Aminoacylation of — — — species from Escherichia coli and from the cytoplasm, chloroplasts and mitochondria of Phaseolus vulgaris by homologous and heterologous enzymes (Guillemaut et al.) (378) 64
$tRNA^{Lys}$
Relation of cell type and cell density of the degree of posttranscriptional modification of — — — and $tRNA^{Phe}$ (Katze) (407) 392
$tRNA^{Met}$
Aminoacylation of Phaseolus vulgaris cytoplasmic, chloroplastic and mitochondrial — — — and of Escherichia coli $tRNAs^{Met}$ by homologous and heterologous enzymes (Guillemaut, Weil) (407) 240
$tRNA^{Phe}$
Efficient polyphenylalanine synthesis with proflavine and ethidium-labelled — — — from yeast in the reticulocyte ribosomal system (Odom et al.) (378) 159
$tRNA^{Phe}$
NMR investigation of the effect of selective modifications in the anticodon loop on the conformation of yeast — — — (Lim Wong et al.) (395) 1
$tRNA^{Phe}$
Relation of cell type and cell density of the degree of post-transcriptional modification of $tRNA^{Lys}$ and — — — (Katze) (407) 392
$tRNA_1^{Ser}$
Identification of a modified nucleoside in Escherichia coli — — — as 2′-0-methylcytidine (Yamada, Ishikura) (402) 285
$tRNA^{Val}$
Tertiary structure in Escherichia coli $tRNA^{Arg}$ and — — — (Lim Wong et al.) (383) 446
RNAase: see also Ribonuclease
RNAase III
Substrate specificity of Salmonella typhimurium — — — and the nature of products formed (Suryanarayana, Burma) (407) 459
RNA degradation
Degradation of double-stranded RNA by a monomeric derivative of Ribonuclease BS-1 (Libonati et al.) (402) 83
RNA degradation
Influence of testosterone on the synthesis and degradation rate of various RNA species in the mouse kidney (Avdalovic, Bates) (407) 299
RNA degradation
Synthesis and degradation of early mRNA in phage (Takeda, Kuwano) (407) 83
tRNA degradation
Partial degradation of transfer RNAs by different preparations of snake venom exonuclease (Petrova et al.) (395) 455
RNA · DNA complex
Mechanism for formation of — — —es from lymphocytes (Mendelsohn et al.) (407) 283
RNA · DNA hybridisation
— — — on membrane filters with fragmented mammalian DNA (Ivanov, Markov) (383) 123

RNA-DNA linkage
Covalent likage between RNA and nascent DNA in the slime mold Physarum polycephalum (Waqar, Huberman) (383) 410
tRNA gene
Isolation of a DNA fraction highly enriched in ———s from Xenopus laevis (Andronico, Beccari) (395) 120
mRNA initiation
Defective initiation on natural messenger RNA by cell free systems from Krebs ascites cell incubated at elevated temperatures (Austin, Kay) (395) 468
RNA maturation
Role of 5-S RNA in temperature-sensitive ribosomal ——— (Winicov) (402) 62
RNA nucleotidyl transferase: see also RNA polymerase
RNA polymerase
Deoxyribonucleic acid-dependent ——— from spleen of uninfected and Rauscher murine leukaemia virus-infected NIH swiss mice (Sethi, Gallo) (378) 269
RNA polymerase
DNA-dependent ———s from Acanthamoeba castellanii. Properties and levels of activity during encystment (Detke, Paule) (383) 67
RNA polymerase
DNA-directed ——— from HeLa cells. Isolation, characterization and cell-cycle distribution of three enzymes (Benecke, Seifart) (414) 44
RNA polymerase
Improved method for the quantitative isolation of rat liver ———s (Yu) (395) 329
RNA polymerase
Isolation and properties of the transcription complex of Escherichia coli ——— (Naito, Ishihama) (402) 88
RNA polymerase
Isolation and purification of ———s from rye embryos (Fabisz-Kijowska et al.) (390) 105
RNA polymerase
Solubilized DNA-dependent nuclear ———s from the mammary glands of late-pregnant rats (Anderson et al.) (383) 56
RNA polymerase
Temperature and salt effects on the formation of preinitiation complexes between ——— and phage DNA (Escarmis et al.) (402) 261
RNA polymerase II
Properties and subunit composition of ——— from plant cell cultures (Link, Richter) (395) 337
RNA polymerase A
Structure and transcription specificity of yeast ——— (van Keulen et al.) (395) 179
RNA · protein complex
ATPase and GTPase activities associated with the 5-S ——— of Escherichia coli ribosomes (Gaunt-Klöpfer, Erdmann) (390) 226
RNA · protein complex
Differences between the protein moieties of active subunits and EDTA-treated subunits of rat liver ribosomes with specific references to 5 S rRNA · protein complex (Terao et al.) (402) 230
RNA synthesis
——— and the accumulation of guanine nucleotides during growth shift down in the blue green alga Anacystis nidulans (Mann et al.) (402) 41
RNA synthesis
——— in Chinese hamster cells. III. Non-coordinate increases during interphase in synthesis rates for informosomal, polysomal and heterogeneous nuclear RNAs (Enger, Campbell) (390) 182
RNA synthesis
——— in nuclei isolated from early embryos of Xenopus laevis (Ramage, Barry) (395) 152
RNA synthesis
Detailed analysis of the ribosomal ——— in yeast (Trapman, Planta) (414) 115
RNA synthesis
Difference in the action of ethyl and methyl methane sulphonates on DNA template activity for ——— in vitro (Guertin, Mamet-Bratley) (390) 312
RNA synthesis
Effect of biotin on ribonucleic acid synthesis (Boeckx, Dakshinamurti) (383) 282

RNA synthesis
Effect of the exotoxin of Bacillus thuringiensis on the biosynthesis and maturation of mouse liver nuclear RNA (Mackedonski) (390) 319
RNA synthesis
Ineffectiveness of rifampicin in inhibiting — — — in Escherichia coli and T_4-infected Escherichia coli cells after exposure to ultraviolet radiation (Prakash et al.) (383) 435
RNA synthesis
Influence of testosterone on the synthesis and degradation rate of various RNA species in the mouse kidney (Avdalovic, Bates) (407) 299
RNA synthesis
Inhibition of nuclear — — — by the rifampicin derivative AF/013 in living cells (Egyhàzi) (378) 205
RNA synthesis
Nucleolar — — — in the liver of partially hepatectomized and cortisol-treated rats (Schmid, Sekeris) (402) 244
RNA synthesis
Nutritional effects on precursor uptake and compartmentalization of intracellular pools in relation to — — — (Goody, Ellem) (383) 30
RNA synthesis
Properties and synthesis of ribosomal RNA in the free-living nematode Panagrellus silusiae (Noble, Pasternak) (402) 51
RNA synthesis
Quinone-induced stringent control. Accumulation of ppGpp and inhibition of — — — in stringent Escherichia coli by 5,8-dioxo-6-amino-7-chloroquinoline (Ogilvie et al.) (395) 136
RNA synthesis
Regulation of — — — in Escherichia coli. III. Degradation of guanosine 5′-diphosphate 3′-diphosphate in cold-shocked cells (Raué, Cashel) (383) 290
RNA synthesis
Regulation of — — — in Escherichia coli during a shift-up transition (Mowbray, Nierlich) (395) 91
RNA synthesis
Requirement for RNA, protein and DNA synthesis in the establishment of DNA replicase activity in synchronized HeLa cells (Seki, Mueller) (378) 354
RNA synthesis
Ribosomal and non-ribosomal — — — in vitro (van Ooyen et al.) (395) 128
RNA synthesis
Three DNA polymerases of rat ascites hepatoma cells. Properties of the enzymes and effect of — — — on the reactions (Tsuruo et al.) (383) 274
mRNA synthesis
Effect of chloramphenicol on early — — — in bacteriophage λ (Takeda) (407) 73
mRNA synthesis
Synthesis and degradation of early mRNA in phage (Takeda, Kuwano) (407) 83
mRNA synthesis
Synthesis and translation site of light-induced mRNAs in etiolated Euglena gracilis (Verdier) (407) 91
rRNA synthesis
Early oestrogen action. Stimulation of the synthesis of methylated ribosomal and transfer RNAs (Luck, Hamilton) (383) 23
tRNA synthesis
Early oestrogen action. Stimulation of the synthesis of methylated ribosomal and transfer RNAs (Luck, Hamilton) (383) 23
tRNA synthetase
Inhibition of leucyl — — — in Escherichia coli by the cytostatic 5,8-dioxo-6-amino-7-chloroquinoline (Ogilvie et al.) (407) 357

S

Saccharomyces cerevisiae
Thiamine transport mutants of — — — (Iwashima et al.) (413) 243

Saliva, rat parotid
Protein composition of rat parotid saliva and secretory granules (Keller et al.) (379) 562

Sandhoff's disease
Studies on β-N-acetylhexosaminidase. Various isozymes of normal subjects and — — — patients (Srivastava et al.) (397) 428

Sarcoma virus
Temperature-sensitive mutants of avian — — —es (Wyke) (417) 91 (Review)

Sarcoplasmic reticulum
Isolation and characterization of two types of — — — vesicles (Meissner) (389) 51

Sarcoplasmic reticulum
Some chemical characteristics of dimethylsuberimidate and its effect on — — — (Yuthavong et al.) (382) 116

Sarcoplasmic reticulum
Utilization of X-537A to distinguish between intravesicular and membrane-bound calcium ions in — — — (Vale, Carvalho) (413) 202

Scar formation
Collagen cross-linking in corneal — — — (Cannon, Citron) (412) 18

Scatchard analysis
Extended — — — for competitively bound ligands and its application to cyclic adenosine-3′,5′-monophosphate and cyclic 5′-amido-5′-deoxyadenosine-3′,5′-monophosphate binding to beef skeletal muscle protein (Simonson et al.) (379) 114

Scorpion venom
Investigations on the venom of the south indian scorpion, Hetero-metrus scaber (Bhaskaran Nair, Kurup) (381) 165

Secretion
Active secretion of calcium, sodium and chloride by adult rat duodenum in vitro (Walling, Kimberg) (382) 213

Secretory granule
Proteins of the content of the — — — of the rat parotid gland (Wallach et al.) (382) 552

Sedoheptulose diphosphatase
Role of ferredoxin in the activation of — — — in isolated chloroplasts (Schürmann, Buchanan) (376) 189

Sephadex
Application of QAE- — — — for the purification of two staphylococcal enterotoxins. I. Purification of enterotoxin C_2 (Robern et al.) (393) 148

Sephadex
Application of QAE- — — — for the purification of two staphylococcal enterotoxins. II. Purification of enterotoxin A (Robern et al.) (393) 159

Serine metabolism
Effect of methionine on the metabolism of serine and glycine in vitamin B-12-deficient rats (Vidal, Stokstad) (399) 228

L-Serine: pyruvate aminotransferase
Inhibitory effect of cortisone acetate on the stimulation of rat liver cytosol — — — by dibutyryl adenosine 3′,5′-monophosphate (Hoshino et al.) (399) 42

Serum albumin: see also Bovine serum albumin

Serum albumin-liposome complex
Studies of a — — — as a model lipoprotein membrane (Sogor, Zull) (375) 363

Serum albumin uptake
Rapid uptake by liver sinusoidal cells of serum albumin modified with retention of its compact conformation (Buys et al.) (392) 95

SF 6847
On the stoichiometry between uncouplers of oxidative phosphorylation and respiratory chains. The catalytic action of — — — (3,5-di-tert-butyl-4-hydroxybenzylidenemalonontrile) (Terada, van Dam) (387) 507

SF 6847
Some biochemical and physicochemical properties of the potent uncoupler — — — (3,5-di-tert-butyl-4-hydroxybenzylidenemalononitrile) (Terada) (387) 519
Shift-up transition
Regulation of RNA synthesis in Escherichia coli during a — — — (Mowbray, Nierlich) (395) 91
Short-circuit current
Interactions of 2-deoxy-D-glucose and glucose. Effects on the — — — of frog skin (Owen et al.) (389) 406
Shot noise
— — — in ion channels (Läuger) (413) 1
Showdomycin
— — —, a nucleotide-site-directed inhibitor of (Na^+ + K^+)-ATPase (Tobin, Akera) (389) 126
Sialic acid
— — —, electrophoretic mobility and transmembrane potentials of the Amphiuma red cell (Pape et al.) (406) 516
Sialic acid
Influence of — — — groups on the retention of glycosphingolipids in blood plasma (Barkai, Di Cesare) (389) 287
Sialic acid
On the role of — — — in the rheological properties of mucus (Meyer et al.) (392) 223
Sialoglycopeptide
— — —s from bovine milk fat globule membrane (Harrison et al.) (389) 449
Sialoglycosphingolipid
Immunological evidence for the localization of — — —s at the cell surface of sea urchin spermatozoa (Ohsawa, Nagai) (389) 69
Sialosphingolipid
— — —s of sea urchin eggs and spermatozoa showing a characteristic composition for species and gamete (Nagai, Hoshi) (388) 146
Sialosphingolipid
Novel — — —s from spermatozoa of the sea urchin Anthocidaris crassispina (Hoshi, Nagai) (388) 152
Sibiromycin
Replication of mitochondrial DNA. Selective inhibition of the H-strand synthesis in isolated mitochondria by — — — (Gause, Dolgilevich) (383) 9
Silver(I) ion
Interaction of amino acids with — — —s (Gruen) (386) 270
β-Sitosterol
Sterol balance studies in the rat. Effects of dietary cholesterol and — — — on sterol balance and rate-limiting enzymes of sterol metabolism (Raicht et al.) (388) 374
Skin, amphibian
Action of aldosterone on frog skin in the presence and absence of in vitro molting effects (Lang et al.) (401) 481
Skin, amphibian
Comparison of the effects of ouabain and 2-deoxy-D-glucose on the thermodynamic variables of the frog skin (Owen et al.) (394) 438
Skin, amphibian
Excretion of hydrogen ion by the isolated amphibian skin. Effects of antidiuretic hormone and amiloride (Emilio, Menano) (382) 344
Skin, amphibian
Some features of hydrogen (ion) secretion by the frog skin (Machen, Erlij) (406) 120
Slime mold chemotaxis
Chemotaxis and binding of cyclic AMP in cellular slime molds (Mato, Konijn) (385) 173
Slime mold chemotaxis
Plausible role for a membrane-bound cyclic AMP phosphodiesterase in cellular — — — (Malchow et al.) (385) 421
Sodium pump
Independence of membrane potential and potassium activation of the — — — in muscle (Beaugé et al.) (389) 189
Sodium pump
Localization of — — — sites in frog urinary bladder (Mills, Ernst) (375) 268
Sodium pump
Reaction mechanism of the — — — (Whittam, Chipperfield) (415) 149 (Review)
Sodium secretion
Active secretion of calcium, sodium and chloride by adult rat duodenum in vitro (Walling, Kimberg) (382) 213
Sodium transport: see Ion transport

Solubilization
Solubilization of membranes by detergents (Helenius, Simons) (415) 29 (Review)
Spectrin
Extraction and localization of a $(Ca^{+} + Mg^{2+})$-stimulated ATPase in human erythrocyte — — — (Weidekamm, Brdiczka) (401) 51
Spectrophotometry, difference-derivative absorbance
Difference-derivative absorbance spectrophotometry as a technique to measure state changes of phenylalanine residues in proteins (Inoue et al.) (379) 653
Spermatozoa
Isolation, chemical and immunological characterization of two strongly basic nuclear proteins from human — — — (Kolk, Samuel) (393) 307
Sphingomyelin
Optical activity of D-erythro- — — — and its contribution to the circular dichroism of sphingomyelin-containing systems (Litman, Barenholz) (394) 166
Sphingomyelin
Structural studies of biological membranes and related model systems by Raman spectroscopy. — — — and 1,2-dilauroyl phosphatidylethanolamine (Mendelsohn et al.) (413) 329
Spin label probe
Adsorption of small molecules to bovine serum albumin studied by the spin probe method (Kuznetsov et al.) (379) 139
Spin label probe
Comparison of a spin-label and a fluorescent cell membrane probe using pure and mixed monomolecular films (Cadenhead et al.) (382) 253
Sporulation
Tyrocidine and linear gramicidin. Do these peptide antibiotics play an antagonistic regulative role in — — —? (Ristow et al.) (390) 246
Staphylocoagulase
Activation of a pro-enzyme by a stoichiometric reaction with another protein. The reaction between prothrombin and — — — (Hemker et al.) (379) 180
Staphylocoagulase
Purification and properties of — — — (Bas et al.) (379) 164
Staphylococcus epidermidis
Lipid composition if a halotolerant species of — — — (Komaratat, Kates) (398) 464
Starch biosynthesis
Biosynthesis of starch. Formation of a glucoproteic acceptor by a potato non-sedimentable preparation (Tandecarz et al.) (399) 345
Stearyl-CoA desaturase
Effect of cyanide on — — — activities in microsomes from various mammalian tissues (Hiwatashi et al.) (388) 397
Stearoyl-CoA desaturase
Factors effecting the solubilisation of — — — of hen liver microsomes (Stafford et al.) (409) 86
Steffimycin B
— — —, a DNA binding agent (Reusser) (383) 266
Steroid
Structural requirements for the action of — — —s as quenchers of albumin fluorescence (Romeu et al.) (409) 376
Steroid binding
Involvement of receptor sulphydryl groups in the binding of steroids to the cytoplasmic glucocorticoid receptor from rat thymus (Rees, Bell) (411) 121
Steroid Δ-isomerase
Mammalian 3-oxosteroid Δ4-Δ5-isomerase. A membrane-bound enzyme. I. Fluorescence study of the relationship between the enzymatic binding site, phospholipids, water and ions (Gallay et al.) (397) 489
Steroid Δ-isomerase
Mammalian 3-oxosteroid Δ4-Δ5-isomerase. A membrane-bound enzyme. II. Activation by divalent cations (Gallay et al.) (397) 501
Steroidogenesis
Choleragen stimulates — — — and adenylate cyclase in cells lacking in functional hormone receptors (Wolff, Hope Cook) (413) 283
Steroidogenesis
Dependence of gonadotropin-induced — — — upon RNA and protein synthesis in the intestinal cells of the rat testis (Mendelson et al.) (411) 222

Steroidogenesis
Effect of ascorbic acid on ACTH-induced cyclic AMP formation and — — — in isolated adrenal cells of vitamin E-deficient rats (Nathans, Kitabchi) (399) 244
Steroidogenesis
Endogenous steroid production in cellular and subcellular fractions of rat testis after prolonged treatment with gonadotropins (Vusse et al.) (380) 473
Steroidogenesis
Endotoxic lipopolysaccharides stimulate — — — and adenylate cyclase in adrenal tumour cells (Wolff, Hope Cook) (413) 291
Steroidogenesis
Mitochondrial protein synthesis and the stimulation of — — — by cyclic adenosine 3′,5′-monophosphate in isolated rat adrenal cells (Koritz, Wiesner) (383) 86
Steroidogenesis
Regulation of rat testicular — — —. Short term effect of luteinizing hormone and cycloheximide in vivo and Ca^{2+} in vitro on steroid production in cell-free systems (van der Vusse et al.) (398) 28
Steroid sulphate synthesis
Enzymic — — —. XI. Study of the oestogen binding site of oestrogen sulphotransferase by affinity labelling with 4-mercuri-17p-oestradiol (Adams et al.) (384) 423
Sterol balance
— — — studies in the rat. Effects of dietary cholesterol and β-sitosterol on sterol balance and rate-limiting enzymes of sterol metabolism (Raicht et al.) (388) 374
Sterol biosynthesis
Oxidosqualene cyclization in human placenta. An easy step of — — — (Tabacik et al.) (398) 490
Sterol biosynthesis
Specific effects of triarimol on — — — in Ustilago maydis (Ragsdale) (380) 81
Sterol esterification
Genetic control of — — — in developing wheat endosperm (Torres, Garcia-Olmedo) (409) 367
Sterol metabolism
Sterol balance studies in the rat. Effects of dietary cholesterol and β-sitosterol on sterol balance and rate-limiting enzymes of — — — (Raicht et al.) (388) 374
Stratum Corneum
Mechanical properties of — — —. I. The effect of water and ambient temperature on the tensile properties of newborn rat stratum corneum (Papir et al.) (399) 170
Streptomycin
Effect of neomycin and — — — on the electrical polarisability of aqueous suspensions of Escherichia coli (Morris, Jennings) (392) 328
Stringent control
Quinone-induced — — —. Accumulation of ppGpp and inhibition of RNA synthesis in stringent Escherichia coli by 5,8-dioxo-6-amino-7-chloroquinoline (Ogilvie et al.) (395) 136
Subcellular fractionation
— — — of pig platelets (Salganicoff et al.) (385) 394
Subchloroplast particle
Flash photolysis electron spin resonance studies of the electron acceptor species at low temperatures in Photosystem I of spinach — — —s (McIntosh et al.) (376) 308
Sublingual gland
Comparison of the secretory processes in the parotid and — — —s of the mouse. I. Regulation of the secretory processes (Vreugdenhil, Roukema) (413) 79
Submitochondrial particles
ATP- and phosphate-induced configurational changes of — — — (Lundberg) (376) 458
Submitochondrial particles
Beef heart — — —. A mixture of mitochondrial inner and outer membranes (Albracht, Heidrich) (376) 231
Subtilisin inhibitor
Peptide hydrogen exchange rates in Streptomyces — — —. A study by proton magnetic resonance (Akasaka et al.) (412) 120
Succinate-cytochrome c reductase-phospholipid complex
Thermodynamic and EPR characterization of mitochondrial — — —s (Leigh, Erecińska) (387) 95
Succinate transport
— — — in Bacillis subtilis. Dependence on inorganic anions (Ghei, Kay) (401) 440

Succinylpapain
On the reaction of papain and — — — with diazo-1-H-tetrazole (Löffler, Schneider) (386) 221
Sucrase-isomaltase complex
Hydrophobic form of the small-intestinal — — — (Sigrist et al.) (406) 433
Sugar metabolism
Action of cytochalasin A, a sulphydryl-reactive agent, on — — — and membrane-bound adenosine triphosphatase of yeast (Kuo, Lampen) (389) 145
Sugar transport
— — — by intestine. Escape of galactose from preloaded mucosa of hamster jejunum (Baker et al.) (401) 429
Sugar transport
Accelerative exchange diffusion kinetics of glucose between blood and brain and its relation to transport during anoxia (Betz et al.) (401) 416
Sugar transport
Stimulation of — — — in rat diaphragm by 8-bromoguanosine 3′,5′-monophosphate (Pinkett, Perlman) (399) 473
Sugar transport
Transport-associated phosphorylation of 2-deoxy-D-glucose in Saccharomyces fragilis (Jaspers, van Steveninck) (406) 370
Sulphatase A
Comparison of the cerebroside sulphatase and the aryl-sulphatase activity of human sulphatase A in the absence of activators (Stinshoff, Jatzkewitz) (377) 126
Sulphate transport: see Ion transport
Sulphite reduction
Effect of enzymic assay conditions on — — — catalysed by desulphoviridin from Desulphovibrio gigas (Jones, Skyring) (377) 52
Sulphobromophthalein-glutathione conjugation
Studies on the relationship of hepatic anion-binding proteins and — — — in normal and phenobarbital-treated rats (Kawasaki et al.) (385) 334
Sulphonolipid
Novel — — — in diatoms (Anderson et al.) (409) 259
Sulphoquinovosyl diacylglycerol
Synthesis of — — — by higher plants (Harwood) (398) 224
Sulphydryl blocking agent
Differential sensitivity of low molecular weight DNA polymerase to — — —s (Matsukage et al.) (383) 338
Superoxide
— — — radicals and hydrogen peroxide formation in mitochondria from normal and neoplastic tissues (Dionisi et al.) (403) 292
Superoxide
Inactivation of biologically active DNA by γ-ray-induced — — — radicals and their dismutation products, singlet molecular oxygen and hydrogen peroxide (van Hemmen, Meuling) (402) 133
Superoxide
Reaction between the — — — anion radican and cytochrome c (Butler et al.) (408) 215
Superoxide dismutase
Behaviour of holo- and apo-forms of bovine — — — at low pH (Fee, Phillips) (412) 26
Superoxide dismutase
Protective function of — — — during respiratory chain activity (Tyler) (396) 335
Superoxide dismutase
Purification and properties of — — — from a blue-green alga (Misra, Keele) (379) 418
Superoxide dismutase
Studies on the reconstitution of bovine erythrocyte — — —. V. Preparation and properties of derivatives in which both zinc and copper sites contain copper (Fee, Briggs) (400) 439
Synaptosomes
Release of dopamine from — — — from rat striatum by the ionophores X 537A and A 23187 (Holz) (375) 138

T

Taurocyamine kinase
Comparative structural studies of the active site of ATP: guanidine phosphotransferases. The essental tryptic peptide of — — — from Arenicola marina (Brevet et al.) (393) 1

Telopeptide
Neutral protease in the rheumatoid synovial fluid capable of attacking the — — — regions of polymeric collagen fibrils (Steven et al.) (405) 188

Termination codon
Ribosome run through of the — — — in the absence of the ribosome releasing factor (Ogawa, Kaji) (402) 288

Testosterone
Influence of — — — on the synthesis and degradation rate of various RNA species in the mouse kidney (Avdalovic, Bates) (407) 299

Tetrahydrofolic acid
— — —. An inhibitor of the methyltetrahydrofolic acid-mediated methylation of indolethylamines (Lin, Narasimhachari) (385) 268

Tetrahymena pyriformis W
Effects of isovalerate supplementation on growth and fatty acid composition of — — — (Conner, Reilly) (398) 209

Thallous ion
Ionic specificity of gramicidin channel and the — — — (Neher) (401) 540

Theophylline
D-Galactose accumulation in rabbit ileum. Effects of — — — on serosal permeability (Holman, Naftalin) (406) 386

Thermoluminescence
Characteristics of — — — bands of intact leaves and isolated chloroplasts in relation to water-splitting activity in photosynthesis (Ichikawa et al.) (408) 228

Thermoplasma acidophilum
Histone-like protein in the prokaryote — — — (Searcy) (395) 535

Thermoplasma acidophilum
Intracellular pH of — — — (Hsung, Haug) (389) 477

Thiamine pyrophosphokinase
Partial purification and properties of — — — from pig brain (Peterson et al.) (397) 377

Thiamin transport
Inhibition of — — — in anaerobic baker's yeast by iodoacetate, 2,4-dinitrophenol, N,N′-dicyclohexylcarbodiimide and fatty acids (Iwashima, Nose) (399) 375

Thioinosine triphosphate
Disulfide of — — —, an ATP-analog inactivating ($Na^+ + K^+$)-ATPase (Patzelt-Wenczler, Schoner) (403) 538

Thiosulphate sulphurtransferase
On the molecular weight of — — — (Ellis, Woodward) (379) 385

Threonine deaminase
Purification of biosynthetic — — — from Escherichia coli (Koerner et al.) (397) 220

Threonine dehydratase: see also Threonine deaminase

Threonine dehydratese
Studies of homogeneous "biosynthetic" L- — — — from Escherichia coli K-12. Some kinetic properties and molecular multiplicity (Kagan et al.) (403) 208

Thrombin
Evidence for the formation of an ester between — — — and heparin cofactor (Owen) (405) 380

Thrombin
Heparin-sensitive and nonsensitive forms of — — — (Machovich) (400) 62

Thrombin
Inhibition of human — — — assessed with different substrates and inhibitors. Characterization of fibrinopeptide binding interaction (Gorman) (412) 273

Thrombin
Mechanism of action of heparin through — — — on blood coagulation (Machovich) (412) 13

Thrombin
Oxygen consumption of human blood platelets. I. Effect of — — — (Muenzer et al.) (376) 237

Thrombin-antithrombin reaction
Action of heparin on — — — (Machovich et al.) (379) 193
Thrombin-fibrinogen reaction
On the presence of a heat-stable, macromolecular inhibitor of the — — — in rat liver microsomes and its separation from prothrombin (Helgeland) (386) 203
Thromboglobulin
Isolation and characterisation of a platelet-specific β-globulin (β- — — —) and the detection of anti-urokinase and antiplasmin released from thrombin-aggregated washed human platelets (Moore et al.) (379) 360
Thylakoid: see also Membrane, thylakoid
Thylakoid
Identification of the 120 μs phase in the deacy of delayed fluorescence in spinach chloroplasts and subchloroplast particles as the intrinsic back reaction. The dependence of the level of this phase on the — — —s internal pH (Haveman, Lavorel) (408) 269
Thylakoid
Molecular organization of chloroplast — — —s (Anderson) (416) 191 (Review)
Thymidylate synthetase
— — — from Diplococcus pneumoniae. Properties and inhibition by folate analogues (McCuen, Sirotnak) (384) 369
Thymidylate synthetase
Study of — — — function by laser Raman spectroscopy (Sharma et al.) (391) 19
Thymine dimer excision
— — — and DNA degradation after thymine starvation and ultraviolet irradiation in Escherichia coli B/r Hcr⁺ (Balgavý et al.) (390) 24
Thymine excision
Selective excision of gamma ray damaged thymine from the DNA of cultured mammalian cells (Mattern et al.) (395) 48
Thyroglobulin
Electron microscopy of low iodinated — — — molecules (Berg, Ekholm) (386) 422
Thyroid
9 S — — — particulate iodoprotein (Gavaret, Nunez) (405) 353
Thyroid
Thyroidal autoregulation. Iodine-induced suppression of thyrotropin-stimulated cyclic AMP production and iodinating activity in — — — cells (Sherwin, Tong) (404) 30
Thyroid stimulator protector
Association of the long-acting — — — with the immunoglobulin G fraction of serum from patients with thyrotoxicosis (Dirmikis et al.) (379) 239
Thyrotoxicosis
Association of the long-acting thyroid stimulator protector with the immunoglobulin G fraction of serum from patients with — — — (Dirmikis et al.) (379) 239
Thyrotropin
Isolation of five active — — — components from human pituitary gland (Roos et al.) (379) 247
Tiron free radical
— — — as a sensitive indicator of chloroplastic photoautoxidation (Miller, MacDowall) (387) 176
Tiron oxidation
Oxidation of tiron by superoxide anions. Kinetics of the reaction in aqueous solution and in chloroplasts (Greenstock, Miller) (396) 11
Tobacco mosaic virus
Amino acid sequence of the cowpea strain of — — — protein (Rees, Short) (393) 15
Tobacco mosaic virus
Thermally induced conformational changes on — — — and their protein assemblies (Taniguchi, Taniguchi) (386) 1
Tocopherol
Identification of α-, β-, γ- and δ-tocopherols and their contents in human milk (Kobayashi et al.) (380) 282
Transcription: see also DNA transcription
Transcription
Hormonal control of — — — in higher plants (Teissere et al.) (402) 391
Transcription complex
Isolation and properties of the — — — of Escherichia coli RNA polymerase (Naito, Ishihama) (402) 88
Transcription inhibitor
Transcription and division inhibitors in the medium of stationary phase cul-

tures of the slime mold Dictyostelium discoideum (Yarger, Soll) (390) 46
Transducer, mechanoelectrical
Hyaluronic acid salt. A mechanoelectric transducer (Barret) (385) 157
Transferrin
— — — in the reticulocyte cytosol (Sly et al.) (385) 36
Transferrin
Effect of adenine nucleotides and pyrophosphate on the exchange of — — — -bound carbonate (Egyed) (411) 349
Transferrin
Effect of serum and experimental variables on the — — — and reticulocyte interaction (Workman, Jr. et al.) (399) 254
Transferrin
Factors affecting incorporation of [^{14}C]-leucine into albumin and — — — by the liver in the postnatal rat (Yeoh, Morgan) (378) 133
Transferrin
Mossbauer spectra of bicarbonate-free ferric- — — — complex (Tsang et al.) (386) 32
Transferrin synthesis
Effect of colchicine on collagen, albumin and — — — by cirrhotic rat liver slices (Rojkind, Kershenobich) (378) 415
Transhydrogenase
Energy linked and energy-independent — — — activities in Escherichia coli vesicles (Houghton et al.) (396) 17
Transition metal-ion
— — — photosensitized monomerisation of pyrimidine dimers (Rosenthal et al.) (378) 165
Translation: see also DNA translation
Translation
Cell-free — — — of Rauscher leukaemia virus RNA into high molecular weight polypeptides (Naso et al.) (383) 195
Translation
Effect of ageing on in vitro fidelity of — — — in mouse liver (Kurtz) (407) 479
Translation
Synthesis and — — — site of light-induced mRNAs in etiolated Euglena gracilis (Verdier) (407) 91
Transport: see also Active transport, Acid transport, Amino acid transport, Biotin transport, Exchange diffusion, Glucose transport, Ion transport, Protein transport, Sodium pump, etc.
Transport
Comparative study on the effects of different bile salts on mucosal ATPase and — — — in the rat jejunum in vivo (Guiraldes et al.) (389) 495
Transport
Effect of changes in feeding schedule on the diurnal rhythms and daily activity levels of intestinal brush border enzymes and — — — systems (Stevenson et al.) (406) 131
Transport
Membrane — — — during development in animals (Martonosi) (415) 311 (Review)
Transport
Observations on Levitt's "New theory of — — —" (Solomon et al.) (406) 157
Transport
Two-carrier models for mediated — — —. I. Theoretical analysis of several two-carrier models (Eilam) (401) 349
Transport
Two-carrier models for mediated — — —. II. Glucose and galactose equilibrium exchange experiments in human erythrocytes as a test for several two-carrier models (Eilam) (401) 364
α, α-Trehalase
Purification and properties of — — — from the mucosa of rat small intestine (Sasajima et al.) (403) 139
α, α-Trehalase
Some properties of — — — from Phycomyces blakesleenanus (van Assche, Carlier) (391) 154
Triacylglycerol
Biosynthesis and turnover of different molecular species of rat testicular choline phosphoglycerides and — — — following intratesticular injection with [1(3)-^{14}C]glycerol (Sprecher, Duffy) (380) 21
Triacylglycerol
Differential labeling of glycerol moieties of phospholipids and — — —s of cultured mammalian cells by [U-^{14}C]glucose (Nelsen et al.) (388) 188
Triacylglycerol
Distribution of fatty acids incorporated into — — —s by microsome/cytosol

preparations from adipose tissue (Stokes et al.) (380) 245
Triacylglycerol lipase
Further characterisation of bovine pancreatic lipase (Julien et al.) (379) 157
Triacylglycerol lipase
On hepatic and extrahepatic postheparin serum lipase activities and the influence of experimental hypercortisolism and diabetes on these activities (Jansen, Hülsmann) (398) 337
Triacylglycerol lipase
Studies in lipase from Mucor javanicus. I. Purification and properties (Ishihara et al.) (388) 413
Triacylglycerol lipase
Studies on the mechanism of the lipase reaction. II. Comparative studies on the adsorption of lipase and various proteins at the air-water interface (Sugiura, Isobe) (397) 412
Triacylglycerol lipase
Subcellular fractionation, partial purification and characterization of a neutral — — — from pig liver (Ledford, Alaupovic) (398) 132
Triacylglycerol secretion
Increased hepatic — — — in fasted rats with ventromedial hypothalamic lesions (Løvø, Hustvedt) (409) 51
Triamcinolone
Effect of Chorionic gonadotropin, — — —, progesterone and oestrogen on enzymes of placenta and liver in rats (Diamant et al.) (385) 257
Triarimol
Specific effects of — — — on sterol biosynthesis in Ustilago maydis (Ragsdale) (380) 81
Trichodermin
Simultaneous ribosomal resistance to — — — and anisomycin in Saccharomyces cerevisiae mutants (Jimenez et al.) (383) 427
Trimeresurus gramineus venom
Purification and properties of the anticoagulant principle of — — — (Ouyang, Yang) (386) 479
Trinactin
Steady-state ion transport by nonactin and — — — (Hladky) (375) 350
Trinactin
Tests of the carrier model for ion transport by nonactin and — — — (Hladky) (375) 327
Trinucleotide
Physical and coding properties of poly (5-aminouridylic acid) and 5-aminouridine-containing — — —s (Hillen, Gassen) (407) 347
Triphosphate pools
Ribo- and deoxyribonucleotide — — — in synchronized populations of Tetrahymena pyriformis (Nexø) (378) 12
Triple helix formation
Calorimetric study of the — — —. Interaction of poly(C)·guanosine·protonated poly(C) (Klump) (383) 117
Troponin
Interaction of — — — components with F-actin and F-actin-tropomyosin complex (Dabrowska et al.) (400) 54
Troponin
Predicted structure of the calcium-binding component of — — — (Kretsinger, Barry) (405) 40
Trypsin
Characterization of — — — and elastase from the moose (Alces alces). I. Amino acid composition and specificity towards polypeptides (Stevenson, Voordouw) (386) 324
Trypsin
Effect of α_2-macroglobulin on some kinetic parameters of — — — (Ridderknecht et al.) (377) 158
Trypsin
Interaction of α-1-antitrypsin with chymotrypsin, — — — and elastase (Cohen) (391) 195
Trypsin inhibitor
— — — from cow colostrum. Isolation, electrophoretic characterisation and immunologic properties (Piñeiro et al.) (379) 201
Trypsin inhibitor
Raman studies of the conformation of the basic pancreatic — — — (Brunner, Holz) (379) 408
Trypsin-like enzyme
Properties and specificity of the major anionic — — — in the keratinolytic larvae of the webbing clothes moth (Ward) (391) 201
Trypsinogen
N-terminal amino acid sequence of — — — from the Lesser Rorqual

Balaenoptera acutorostrata (Cetacea). Simultaneous isolation of trypsinogen, chymotrypsinogen and ribonuclease from pancreas (Bricteux-Grégoire et al.) (386) 244
Tryptic digestion
Effect of calcium on the — — — of bovine intestinal calcium-binding protein (Fullmer et al.) (412) 256
Tryptophanase
— — — from Proteus rettgeri. Improved purification and properties of crystalline holotryptophanase (Yoshida et al.) (391) 494
Tryptophanase
— — — from Sphaerophorus funduliformis. Purification, molecular weight and subunit properties (Cecchini et al.) (386) 340
Tryptophan 2,3-dioxygenase
Induction of tryptophan oxygenase by dexamethasone in isolated hepatocytes. Dependence on composition of medium and pH (Berg, Mørland) (392) 233
Tryptophan hydroxylase
Further studies on — — — from neoplastic murine mast cells (Hosoda) (397) 58
Tryptophan modification
2,3-Dixo-5-indolinesulphonic acid, a new highly specific reagent for modification of tryptophan in peptides and proteins (Atassi, Zablocki) (386) 233
Tryptophan 5-monooxygenase: see also Tryptophan hydroxylase
Tryptophan-5-monooxygenase
Effects of sulphydryl agents on the activation of — — — from bovine pineal glands (Hori) (384) 58
Tryptophanyl-tRNA synthetase
Limited proteolysis of the — — — (Prasolov et al.) (378) 92
TSF-I particles
Further purification of "Triton subchloroplast fraction I" (— — —). Isolation of a cytochrome-free high-P-700 particle and a complex containing cytochromes f and b_6, plastocyanin and iron-sulphur protein(s) (Ke et al.) (408) 12
Tubocurarine dibromide
X-ray structure of the curare alkaloid (+)- — — — (Reynolds et al.) (404) 341
Tubulin
Cell-free synthesis of — — — 1 and tubulin 2 on polysomes isolated from embryonic chick brain (Jorgensen, Heywood) (414) 321
Tubulin
Interaction of nerve growth factor with — — —. Studies on binding and induced polymerization (Levi et al.) (399) 50
Tubulin
Isolation and partial characterization of a — — — -like protein from human and swine synaptosomal membranes (Kornguth, Sunderland) (393) 100
Tubulin
Microtubule formation from two components separated by gel filtration of a — — — preparation (Haga, Kurokawa) (392) 335
Tubulin
Studies on in vitro polymerization of — — — from renal medullary extracts (Barnes et al.) (405) 422
Tumorigenesis
Glycosphingolipid synthesis and — — —. A role for the Golgi apparatus in the origin of specific receptor molecules of the mammalian cell surface (Richardson et al.) (417) 173 (Review)
Tumour model
Burkitt's lymphoma. A human — — — system for immunological studies (Gunven) (417) 185 (Review)
Tyrocidine
— — — and linear gramicidin. Do these peptide antibiotics play an antagonistic regulative role in sporulation? (Ristow et al.) (390) 246
Tyrosine
Biosynthesis of phenylalanine, — — —, 3-(3-carboxyphenyl)-alanine and 3-(3-carboxy-4-hydroxyphenyl)alanine in higher plants. Examples of the transformation possibilities for chorismic acid (Larsen et al.) (381) 397
Tyrosine aminotransferase
Induction of multiple forms of — — — by amino acid mixtures of different compositions (Bourdel et al.) (399) 339
Tyrosine aminotransferase
Regulation of hepatic — — — in the frog Rana temporaria (Ohisalo, Pispa) (397) 94
Tyrosine oxidation
Control of ketogenesis from amino acids. III. In vitro and in vivo studies on ketone body formation, lipogenesis and oxidation of tyrosine by rats (Tanaka, Ichihara) (399) 302

U

Ubiquinol
Mechanism of respiration-driven proton translocation in the inner mitochondrial membrane. Analysis of proton translocation associated with oxidation of endogeneous — — — (Papa et al.) (387) 425

Ubiquinone
Inhibition of electron transfer from ferrocytochrome b to — — —, cytochrome c_1 and duroquinone by antimycin (Jagow, Bohrer) (387) 409

UDPgalactose:glycoprotein galactosyltransferase
— — — activity in a clonal line of rat glial tumour cells and in rat brain (Mookerjea, Schimmer) (384) 381

UDPglucose dehydrogenase
Induction of — — — during development, organ culture, and exposure to phenobarbital. Its relation to levels of UDP-glucuronic acid and overall glucuronidation in chicken and mouse (Fyffe, Dutton) (411) 41

UDPglucose dehydrogenase
Interaction of UDPglucose with calf liver — — —. Significance of hydroxyl groups at C-3, C-4 and C-6 of hexosyl residues (Druzhinina et al.) (403) 1

UDPglucose dehydrogenase
Interaction of uridine diphosphate glucose analogs with calf liver — — —. Influence of substituents at C-5 of pyrimidine nucleus (Shibaev et al.) (403) 9

UDPglucose-4-epimerase
Activity, isoenzyme pattern and synthesis of — — — during differentiation of Physarum polycephalum (Hüttermann et al.) (384) 493

UDPglucuronosyltransferase
Effect of fasting on substrate specificity of rat liver — — — (Duvaldestin et al.) (384) 81

UDPglucuronyltransferase
Delipidation and reactivation of — — — from rat liver (Jansen, Arias) (391) 28

UDPglucuronyltransferase
Guinea pig liver microsomal — — —. Compartmented or phospholipid-constrained? (Berry et al.) (403) 335

UDPglucuronyltransferase
Regulation of microsomal enzymes by phospholipids. IX. Production of uniquely modified forms of microsomal — — — by treatment with phospholipase A and detergents (Zakim, Vessey) (410) 61

Ultraviolet lethality
Two mechanisms of near- — — — in Saccharomyces cerevisiae. A respiratory capacity-dependent and an irreversible inactivation (Jong et al.) (387) 451

Uncouplers
Isothiocyanates. A new class of — — — (Miko, Chance) (396) 165

Uncouplers
Mechanism of action of agents which uncouple oxidation phosphorylation. Direct correlation between proton-carrying and respiratory-releasing properties using rat liver mitochondria (Cunarro, Weiner) (387) 234

Uncouplers
On the stoichiometry between — — — of oxidative phosphorylation and respiratory chains. The catalytic action of SF 6847 (3,5-di-tert-butyl-4-hydroxybenzylidenemalononitrile) (Terada, van Dam) (387) 507

Uncouplers
Surface potential and the interaction of weakly acidic — — — of oxidative phosphorylation with liposomes and mitochondria (Bakker et al.) (387) 491

Undecapeptide substance P
Stimulation of brain adenylate cyclase activity by the — — — and its modulation by the calcium ion (Duffy, Powell) (385) 275

Uracil-acetone
Crystal structure of a — — — photoaddition product (Stein et al.) (407) 377

Uracil derivatives
Relationship between the mutagenic and base-stacking properties of halogenated — — —. The crystal structures

of 5-chloro- and 5-bromouracil (Sternglanz, Bugg) (378) 1
Urechis caupo
Unique sequence DNA transcripts present in mature oocytes of — — — (Davis) (390) 33
Uridine diphosphate 2-deoxyglucose
— — —. Chemical synthesis, enzymic oxidation and epimerization (Druzhinina et al.) (381) 301
Uridine kinase
Non-allosteric regulation of the — — — from seeds of Zea mays (Deng, Ives) (377) 84
Urocanate hydratase
Catalytic and thermodynamic properties of the — — — reaction (Cohn et al.) (377) 444
Uroporphyrin
Interaction of rabbit haemopexin with copro- and — — —s (Morgan et al.) (400) 415
Uteroglobin
Binding of proesterone to the proteins of the uterine luminal fluid. Identification of — — — as the binding protein (Beato, Baier) (392) 346
UTP
Determination of — — — and ATP pool sizes in human tonsillar lymphocytes by using Escherichia coli RNA polymerase (Sasvári-Szekely et al.) (395) 221

V

Valinomycin
Effect of — — — on ion transport in bacterial cells and on bacterial growth (Ryabova et al.) (401) 109

Valinomycin
Increase in fluorescence energy transfer across lipid bilayers induced by — — — (Bessette, Seufert) (375) 10

Vanadium compounds
— — — and ferrocyanide as ionic redox agents in photosynthesis (Rosen et al.) (408) 35

Vasopressin
Metabolic actions of — — —, glucagon and adrenalin in the intact rat (Hems et al.) (411) 155

Vasopressor activity
Structure-activity relationships of the — — — of canine peptide A from fibrinogen (Osbahr) (386) 373

Very low density lipoprotein: see Lipoprotein, very low density

Vinblastine
Interference with the transport of heparin-releasable lipoprotein lipase in the perfused rat heart by colchicine and — — — (Chajek et al.) (388) 260

Violaxanthin de-epoxidation
Light-induced de-epoxidation of violaxanthin in lettuce chloroplasts. IV. Effects of electron-transport conditions on violaxanthin availability (Siefermann, Yamamoto) (387) 149

Virus, oncogenic
Oncogenic Herpes viruses (zur Hausen) (417) 25 (Review)

Virus, RNA tumour
Avian RNA tumour viruses. A model for studying tumour-associated cell surface alterations (Kurth, Bauer) (417) 1 (Review)

Visual process
Biochemical aspects of the — — —. XXVII. Stereospecificity of ocular retinol dehydrogenases and the visual cycle (Lion et al.) (384) 283

Visual process
Biochemical aspects of the — — —. XXVIII. Classification of sulphydryl groups in rhodopsin and other phororeceptor membrane proteins (de Grip et al.) (396) 104

Visual process
Migration of ribosomes along the axons of the chick visual pathway (Bondy, Purdy) (390) 332

Vitamin A
— — — in liposomes. Inhibition of complement binding and alteration of membrane structure (Alving et al.) (394) 157

Vitamin B-6 deficiency
Cysteine metabolism in vivo of vitamin B-6-deficient rats (Yamaguchi et al.) (381) 1

Vitamin B12 deficiency
Effect of — — — on the hepatic tissue concentration of acyl carnitines (Burton, Frenkel) (398) 217

Vitamin B-12 deficiency
Metabolic consequences of vitamin B-12/methionine deficiency in rats (Davidson et al.) (392) 207

Vitamin D
Effect of — — — on the structural cross-links and maturation of chick bone virus (Mechanic et al.) (393) 419

Vitamin D hydroxylation
Response of renal calcium-binding protein. Independence of kindey — — — (Bar et al.) (411) 106

Vitamin D metabolism
Functional metabolism of vitamin D in chicks fed low-calcium and low-phosphous diets (Edelstein et al.) (385) 438

W

Water
— — — in normal muscle and muscle with a tumour (Fung et al.) (385) 180
Water
— — — proton relaxation as a monitor of membrane-bound manganese in spinach chloroplasts (Wydrzynski et al.) (408) 349
Water
Mobility of — — — bound to biological membranes. A proton NMR relaxation study (Finch, Schneider) (406) 146
Water
State of — — — in biological systems as studies by proton and deuterium relaxation (Fung et al.) (399) 191
Water flow
Effect of colchicine on the osmotic — — — across the toad urinary bladder (Yuasa et al.) (413) 277
Water-photolysis system
Multiple-flash activation of the — — — in wheat leaves as observed by delayed emission (Inoue) (396) 402
Wax esters
Occurrence of dihydrophytyl — — — in bovine rumen liquor (Body) (380) 45
Wax esters
Triester wax. A novel neutral lipid from the skin of the rhino mutant mouse (Logani et al.) (388) 291

X

Xanthine dehydrogenase
Purification and properties of — — — from Pseudomonas acidovorans (Sin) (410) 12
Xanthine dehydrogenase
Studies on chicken liver — — — with reference to the problem of non-equivalence of FAD moieties (Nishino et al.) (403) 17
Xanthine oxidase
Electron-electron double resonance measurements on — — — (Lowe, Hyde) (377) 205
Xanthine oxidase
Purification and characterization of — — — from livers of vitamin E deficient rabbits (Catignani et al.) (377) 34
Xenon accumulation
— — — in the red blood cell. A process altered by suppressors of the membrane active transport function (Dragomir et al.) (389) 530
Xylose transport
Effect of hydrocortisone and dexamethasone on xylose uptake by isolated rat soleus muscle (Chaudry et al.) (399) 85
β-D-Xylosidase
— — — from Bacillus pumilus. Molecular properties and oligomeric structure (Claeyssens et al.) (405) 475

Z

Zein
Helical content of — — —, a water insoluble protein, in non-aqueous solvents (Danzer et al.) (386) 26

Zinc-(9-methyladenine) complex
Crystal structure of a — — — with N1 as the preferred binding site (McCall, Taylor) (390) 137